

Patricia Clark

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1428258/publications.pdf>

Version: 2024-02-01

89
papers

10,536
citations

279798
23
h-index

42399
92
g-index

102
all docs

102
docs citations

102
times ranked

8504
citing authors

#	ARTICLE	IF	CITATIONS
1	Pharmacogenomic study of anthracycline-induced cardiotoxicity in Mexican pediatric patients. <i>Pharmacogenomics</i> , 2022, 23, 291-301.	1.3	3
2	Body Composition Assessment in Mexican Children and Adolescents. Part 2: Cross-Validation of Three Bio-Electrical Impedance Methods against Dual X-ray Absorptiometry for Total-Body and Regional Body Composition. <i>Nutrients</i> , 2022, 14, 965.	4.1	4
3	Short- and long-term prognostic factors associated with functional recovery in elderly patients with hip fracture: A systematic review. <i>Osteoporosis International</i> , 2022, 33, 1429-1444.	3.1	15
4	Body Composition Assessment in Mexican Children and Adolescents. Part 1: Comparisons between Skinfold-Thickness, Dual X-ray Absorptiometry, Air-Displacement Plethysmography, Deuterium Oxide Dilution, and Magnetic Resonance Imaging with the 4-C Model. <i>Nutrients</i> , 2022, 14, 1073.	4.1	5
5	Fragility fractures: proposal of the best practice through the fracture coordination units: the experience of Mexico. <i>Archives of Osteoporosis</i> , 2022, 17, 8.	2.4	0
6	Is it time to consider population screening for fracture risk in postmenopausal women? A position paper from the International Osteoporosis Foundation Epidemiology/Quality of Life Working Group. <i>Archives of Osteoporosis</i> , 2022, 17, .	2.4	13
7	Reference values for bone mineral density in healthy Mexican children and adolescents. <i>Bone</i> , 2021, 142, 115734.	2.9	12
8	Description of Normative Spine TBS Data for Men and Women in Mexican Population. <i>Journal of Clinical Densitometry</i> , 2021, 24, 129-134.	1.2	4
9	Severe osteoporosis: Principles for pharmacological therapy in Mexico. <i>Reumatología Clínica (English)</i> Tj ETQq1 1 0,784314,rgBT /Ow	0.3	0
10	Markers of disease severity and positive family history are associated to significant risk perception in rheumatoid arthritis, while compliance with therapy is not: a cross-sectional study in 415 Mexican outpatients. <i>Arthritis Research and Therapy</i> , 2021, 23, 61.	3.5	0
11	Are Women Ready to Prevent Osteoporosis? Change Stages for Preventive Behaviors. <i>Health Education and Behavior</i> , 2021, 48, 109019812199302.	2.5	1
12	Maternal Factors and Their Association with Patterns of Beverage Intake in Mexican Children and Adolescents. <i>Children</i> , 2021, 8, 385.	1.5	0
13	Vitamin D concentration and its association with parathyroid hormone in children and adolescents. <i>Boletín Médico Del Hospital Infantil De México</i> , 2021, 78, 265-272.	0.3	0
14	Relationship between physical activity, lean body mass, and bone mass in the Mexican adult population. <i>Archives of Osteoporosis</i> , 2021, 16, 94.	2.4	2
15	A Healthy Diet Is Not More Expensive than Less Healthy Options: Cost-Analysis of Different Dietary Patterns in Mexican Children and Adolescents. <i>Nutrients</i> , 2021, 13, 3871.	4.1	7
16	Bone Mineral Density After Transitioning From Denosumab to Alendronate. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, e255-e264.	3.6	73
17	Configuration of bioelectrical impedance measurements affects results for phase angle. <i>Medical Engineering and Physics</i> , 2020, 84, 10-15.	1.7	15
18	Core principles for fracture prevention: North American Consensus from the National Osteoporosis Foundation, Osteoporosis Canada, and Academia Nacional de Medicina de Mexico. <i>Osteoporosis International</i> , 2020, 31, 2073-2076.	3.1	13

#	ARTICLE	IF	CITATIONS
19	Obesogenic Lifestyle and Its Influence on Adiposity in Children and Adolescents, Evidence from Mexico. <i>Nutrients</i> , 2020, 12, 819.	4.1	20
20	Correlación de la masa muscular apendicular medida por absorciometría dual de rayos X y antropometría en población pediátrica y adolescente sana. <i>Boletín Médico Del Hospital Infantil De México</i> , 2020, 77, 28-33.	0.3	1
21	Validation of a risk perception questionnaire developed for patients with rheumatoid arthritis. <i>PLoS ONE</i> , 2019, 14, e0219921.	2.5	5
22	Association between Sociodemographic Factors and Dietary Patterns in Children Under 24 Months of Age: A Systematic Review. <i>Nutrients</i> , 2019, 11, 2006.	4.1	16
23	Low Serum Vitamin D Concentrations Are Associated with Insulin Resistance in Mexican Children and Adolescents. <i>Nutrients</i> , 2019, 11, 2109.	4.1	17
24	Epidemiology of physician-diagnosed neuropathic pain in Brazil. <i>Journal of Pain Research</i> , 2019, Volume 12, 243-253.	2.0	15
25	Bone age as a correction factor for the analysis of trabecular bone score (TBS) in children. <i>Archives of Osteoporosis</i> , 2019, 14, 26.	2.4	10
26	Differences in the relation between bone mineral content and lean body mass according to gender and reproductive status by age ranges. <i>Journal of Bone and Mineral Metabolism</i> , 2019, 37, 749-758.	2.7	2
27	The SLC16A11 risk haplotype is associated with decreased insulin action, higher transaminases and large-size adipocytes. <i>European Journal of Endocrinology</i> , 2019, 180, 99-107.	3.7	19
28	Estimación del riesgo absoluto para fractura por fragilidad en mujeres mexicanas con menopausia temprana y menopausia natural. <i>Cirugía Y Cirujanos</i> , 2019, 87, 260-266.	0.1	3
29	Health-related quality of life during the first year after a hip fracture: results of the Mexican arm of the International Cost and Utility Related to Osteoporotic Fractures Study (MexICUROS). <i>Osteoporosis International</i> , 2018, 29, 1147-1154.	3.1	21
30	FRAX-based intervention and assessment thresholds in seven Latin American countries. <i>Osteoporosis International</i> , 2018, 29, 707-715.	3.1	52
31	Quality of life after hip, vertebral, and distal forearm fragility fractures measured using the EQ-5D-3L, EQ-VAS, and time-trade-off: results from the ICUROS. <i>Quality of Life Research</i> , 2018, 27, 707-716.	3.1	36
32	Quality of life for up to 18 months after low-energy hip, vertebral, and distal forearm fractures—results from the ICUROS. <i>Osteoporosis International</i> , 2018, 29, 557-566.	3.1	88
33	Second Colombian Consensus on the Management of Post-menopausal Osteoporosis: 2017 update. <i>Revista Colombiana De Reumatología (English Edition)</i> , 2018, 25, 184-210.	0.0	0
34	Dietary Patterns, Bone Mineral Density, and Risk of Fractures: A Systematic Review and Meta-Analysis. <i>Nutrients</i> , 2018, 10, 1922.	4.1	69
35	The burden of musculoskeletal disorders in Mexico at national and state level, 1990–2016: estimates from the global burden of disease study 2016. <i>Osteoporosis International</i> , 2018, 29, 2745-2760.	3.1	19
36	Prevention of low bone mass to achieve high bone density in Mexico: position of the Mexican Association for Bone and Mineral Metabolism. <i>Archives of Osteoporosis</i> , 2018, 13, 105.	2.4	5

#	ARTICLE	IF	CITATIONS
37	25 hydroxyvitamin D and nutritional parameters correlation in adults with stage 4 chronic kidney disease. <i>Clinical Nutrition ESPEN</i> , 2018, 28, 80-87.	1.2	4
38	Consensus statement: osteoporosis prevention and treatment in Latin Americaâ€”current structure and future directions. <i>Archives of Osteoporosis</i> , 2018, 13, 90.	2.4	20
39	Letter to the Editor. <i>Calcified Tissue International</i> , 2017, 100, 323-323.	3.1	0
40	Global dietary calcium intake among adults: a systematic review. <i>Osteoporosis International</i> , 2017, 28, 3315-3324.	3.1	249
41	Biologic therapies and bone loss in rheumatoid arthritis. <i>Osteoporosis International</i> , 2017, 28, 429-446.	3.1	133
42	Risk Factors for Febrile Neutropenia in Children With Solid Tumors Treated With Cisplatin-based Chemotherapy. <i>Journal of Pediatric Hematology/Oncology</i> , 2016, 38, 191-196.	0.6	7
43	Postâ€”Renal Transplantation Bone Health in Children Evaluated by Means of Quantitative Ultrasound and Densitometry. <i>Transplantation Proceedings</i> , 2016, 48, 635-638.	0.6	2
44	Dietary patterns are associated with bone mineral density in an urban Mexican adult population. <i>Osteoporosis International</i> , 2016, 27, 3033-3040.	3.1	17
45	Reference Values of Total Lean Mass, Appendicular Lean Mass, and Fat Mass Measured with Dual-Energy X-ray Absorptiometry in a Healthy Mexican Population. <i>Calcified Tissue International</i> , 2016, 99, 462-471.	3.1	22
46	Comparison of International Reference Values for Bone Speed of Sound in Pediatric Populations: Meta-analysis. <i>Journal of Clinical Densitometry</i> , 2016, 19, 316-325.	1.2	13
47	Vitamin D, not iron, is the main nutrient deï¬ciency in pre-school and school-aged children in Mexico City: a cross-sectional study. <i>Nutricion Hospitalaria</i> , 2016, 33, 372.	0.3	2
48	The Discriminatory Ability of the Fibromyalgia Rapid Screening Tool (FiRST): An International Study in Spain and Four Latin American Countries. <i>Pain Medicine</i> , 2015, 17, pnv065.	1.9	4
49	Cisplatin Nephrotoxicity and Longitudinal Growth in Children With Solid Tumors. <i>Medicine (United Tj ETQq1 1 0.784314 rgBT /Overlo</i>	1.0	25
50	What Couples Say about Their Recovery of Sexual Intimacy after Prostatectomy: Toward the Development of a Conceptual Model of Couples' Sexual Recovery after Surgery for Prostate Cancer. <i>Journal of Sexual Medicine</i> , 2015, 12, 494-504.	0.6	59
51	High prevalence of hypovitaminosis D in Mexicans aged 14Âyears and older and its correlation with parathyroid hormone. <i>Archives of Osteoporosis</i> , 2015, 10, 225.	2.4	18
52	Bone Speed of Sound Throughout Lifetime Assessed With Quantitative Ultrasound in a Mexican Population. <i>Journal of Clinical Densitometry</i> , 2015, 18, 68-75.	1.2	14
53	Risk Perception and Knowledge About Osteoporosis: Well Informed But Not Aware? A Cross-Sectional Study. <i>Journal of Community Health</i> , 2015, 40, 245-250.	3.8	13
54	A public health approach to musculoskeletal health. <i>Best Practice and Research in Clinical Rheumatology</i> , 2014, 28, 517-532.	3.3	20

#	ARTICLE	IF	CITATIONS
55	Hearing loss in Mexican children treated with cisplatin. International Journal of Pediatric Otorhinolaryngology, 2014, 78, 1456-1460.	1.0	19
56	Adversidad psicosocial, psicopatología y funcionamiento en hermanos adolescentes en alto riesgo (HAR) con y sin trastorno por déficit de atención con hiperactividad (TDAH). Salud Mental, 2014, 37, 467.	0.3	7
57	Health-related quality of life after surgery for hip fracture: a multicentric study in Mexican population. Medwave, 2014, 14, e5972-e5972.	0.5	12
58	Standardising the descriptive epidemiology of osteoporosis: recommendations from the Epidemiology and Quality of Life Working Group of IOF. Osteoporosis International, 2013, 24, 2763-2764.	3.1	121
59	A patient and physician survey of fibromyalgia across Latin America and Europe. BMC Musculoskeletal Disorders, 2013, 14, 188.	1.9	35
60	Health care costs of osteopenia, osteoporosis, and fragility fractures in Mexico. Archives of Osteoporosis, 2013, 8, 125.	2.4	35
61	The Spanish version of the Fibromyalgia Rapid Screening Tool: translation, validity and reliability. Rheumatology, 2013, 52, 2283-2291.	1.9	7
62	The International Costs and Utilities Related to Osteoporotic Fractures Study (ICUROS) – quality of life during the first 4 months after fracture. Osteoporosis International, 2013, 24, 811-823.	3.1	114
63	Osteoporosis in Latin America: panel expert review. Medwave, 2013, 13, e5791-e5791.	0.5	5
64	Epidemiology of osteoporosis in Mexico. Present and future directions. Revista De Investigacion Clinica, 2013, 65, 183-91.	0.4	16
65	Physical Activity and Dark Skin Tone: Protective Factors Against Low Bone Mass in Mexican Men. Journal of Clinical Densitometry, 2012, 15, 374-379.	1.2	4
66	Bone Quality and Nutritional Status in Children With Congenital Heart Defects. Journal of Clinical Densitometry, 2012, 15, 205-210.	1.2	7
67	Official Positions for FRAX® Bone Mineral Density and FRAX® Simplification. Journal of Clinical Densitometry, 2011, 14, 226-236.	1.2	45
68	Increasing age- and sex-specific rates of hip fracture in Mexico: a survey of the Mexican institute of social security. Osteoporosis International, 2011, 22, 2359-2364.	3.1	49
69	The prevalence of radiographic vertebral fractures in Mexican men. Osteoporosis International, 2010, 21, 1523-1528.	3.1	11
70	Fracture risk assessment in Latin America: is Frax®, an adaptable instrument for the region?. Clinical Rheumatology, 2010, 29, 1085-1091.	2.2	9
71	Epidemiology, costs and burden of osteoporosis in Mexico. Archives of Osteoporosis, 2010, 5, 9-17.	2.4	23
72	The prevalence of radiographic vertebral fractures in Latin American countries: the Latin American Vertebral Osteoporosis Study (LAVOS). Osteoporosis International, 2009, 20, 275-282.	3.1	127

#	ARTICLE	IF	CITATIONS
73	Osteoporosis in Mexico: "the challenge". Salud Publica De Mexico, 2009, 51, s2-s3.	0.4	3
74	Direct costs of osteoporosis and hip fracture: an analysis for the Mexican Social Insurance Health Care System. Salud Publica De Mexico, 2009, 51, S108-13.	0.4	13
75	Direct costs of osteoporosis and hip fracture: an analysis for the Mexican healthcare system. Osteoporosis International, 2008, 19, 269-276.	3.1	35
76	Hip axis length variation: its correlation with anthropometric measurements in women from three ethnic groups. Osteoporosis International, 2008, 19, 1301-1306.	3.1	13
77	Cultural adaptation and validation of the Quality of Life Questionnaire of the European Foundation for Osteoporosis (QUALEFFO) in a Mexican population. Clinical Rheumatology, 2008, 27, 151-161.	2.2	15
78	Leptin Predicts BMD and Bone Resorption in Older Women but Not Older Men: The Rancho Bernardo Study. Journal of Bone and Mineral Research, 2006, 21, 758-764.	2.8	61
79	Incidence rates and life-time risk of hip fractures in Mexicans over 50 years of age: a population-based study. Osteoporosis International, 2005, 16, 2025-2030.	3.1	72
80	Controlled clinical trial of IV cyclophosphamide versus IV methylprednisolone in severe neurological manifestations in systemic lupus erythematosus. Annals of the Rheumatic Diseases, 2005, 64, 620-625.	0.9	275
81	Patient ratings of care at a rheumatology out-patient unit. Archives of Medical Research, 2004, 35, 82-86.	3.3	5
82	Predictors of bone mineral density in female workers in Morelos state, Mexico. Archives of Medical Research, 2004, 35, 172-180.	3.3	15
83	Learning from pain scales: patient perspective. Journal of Rheumatology, 2003, 30, 1584-8.	2.0	96
84	Syringe Pressure Irrigation of Subdermic Tissue after Appendectomy to Decrease the Incidence of Postoperative Wound Infection. World Journal of Surgery, 2000, 24, 38-42.	1.6	64
85	Does being a woman make a difference in professional practice? A qualitative view to the practice of rheumatology. Journal of Rheumatology, 2000, 27, 2010-7.	2.0	4
86	Risk factors for osteoporotic hip fractures in Mexicans. Archives of Medical Research, 1998, 29, 253-7.	3.3	24
87	Hydroxychloroquine Compared with Placebo in Rheumatoid Arthritis. Annals of Internal Medicine, 1993, 119, 1067.	3.9	120
88	The american college of rheumatology 1990 criteria for the classification of fibromyalgia. Arthritis and Rheumatism, 1990, 33, 160-172.	6.7	7,828
89	Calcium and vitamin D for increasing bone mineral density in premenopausal women. The Cochrane Library, 0, , .	2.8	4