

Takeji Umemura

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1430351/publications.pdf>

Version: 2024-02-01

162
papers

5,974
citations

87888

38
h-index

91884

69
g-index

165
all docs

165
docs citations

165
times ranked

5472
citing authors

#	ARTICLE	IF	CITATIONS
1	2-Step PLT16-AST44 method: Simplified liver fibrosis detection system in patients with non-alcoholic fatty liver disease. <i>Hepatology Research</i> , 2022, 52, 352-363.	3.4	8
2	IL1R1 gene variants associate with disease susceptibility to IgG4-related periaortitis/periarteritis in IgG4-related disease. <i>Gene</i> , 2022, 820, 146212.	2.2	5
3	The levels of IL-1 β and soluble IL-1 receptors in patients with IgG4-related periaortitis/periarteritis. <i>Advances in Medical Sciences</i> , 2022, 67, 257-261.	2.1	0
4	Serum thrombospondin 2 is a novel predictor for the severity in the patients with NAFLD. <i>Liver International</i> , 2021, 41, 505-514.	3.9	25
5	Primary Hepatic Extranodal Marginal Zone Lymphoma of Mucosa-Associated Lymphoid Tissue in a Patient with Chronic Hepatitis B Virus Infection: Case Report and Summary of the Literature. <i>Medicina (Lithuania)</i> , 2021, 57, 280.	2.0	3
6	Protocol: Prospective observational study investigating the prevalence and clinical outcome of portopulmonary hypertension in Japanese patients with chronic liver disease. <i>PLoS ONE</i> , 2021, 16, e0249435.	2.5	1
7	Quantitative and qualitative lipid improvement with chronic hepatitis C virus eradication using direct-acting antivirals. <i>Hepatology Research</i> , 2021, 51, 758-766.	3.4	3
8	An Autopsy Case of Primary Biliary Cholangitis with Histological Submassive Hepatic Necrosis Caused by Acute Hepatitis E Virus Infection. <i>Internal Medicine</i> , 2021, 60, 1863-1870.	0.7	1
9	Investigation of the Effect of KIR-HLA Pairs on Hepatocellular Carcinoma in Hepatitis C Virus Cirrhotic Patients. <i>Cancers</i> , 2021, 13, 3267.	3.7	6
10	Successful treatment by glecaprevir/pibrentasvir followed by hepatoprotective therapy of acute chronic hepatitis exacerbation caused by daratumumab-based regimen for multiple myeloma: Case report and review of the literature. <i>Journal of Infection and Chemotherapy</i> , 2021, 27, 1750-1755.	1.7	3
11	aMAP score prediction of hepatocellular carcinoma occurrence and incidence-free rate after a sustained virologic response in chronic hepatitis C. <i>Hepatology Research</i> , 2021, 51, 933-942.	3.4	15
12	I shall be released (from infinite HBV nucleos(t)ide analog therapy): Japanese experience. <i>Journal of Hepatology</i> , 2021, 75, 1496-1497.	3.7	1
13	Protocol: Prospective observational study aiming for micro-elimination of hepatitis C virus in Nagawa town: The Nagawa Project. <i>PLoS ONE</i> , 2021, 16, e0256711.	2.5	2
14	Association analysis of KIR/HLA genotype with liver cirrhosis, hepatocellular carcinoma, and NUC freedom in chronic hepatitis B patients. <i>Scientific Reports</i> , 2021, 11, 21424.	3.3	4
15	Role of G Protein-Coupled Receptors in Hepatic Stellate Cells and Approaches to Anti-Fibrotic Treatment of Non-Alcoholic Fatty Liver Disease. <i>Frontiers in Endocrinology</i> , 2021, 12, 773432.	3.5	12
16	Long-term luseogliflozin therapy improves histological activity of non-alcoholic steatohepatitis accompanied by type 2 diabetes mellitus. <i>Clinical Journal of Gastroenterology</i> , 2020, 13, 83-89.	0.8	7
17	Clinical utility of FibroScan as a non-invasive diagnostic test for primary biliary cholangitis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2020, 35, 1208-1214.	2.8	17
18	Congestive hepatopathy and acute pancreatitis as severe complications of mixed connective tissue disease. <i>Clinical Journal of Gastroenterology</i> , 2020, 13, 434-442.	0.8	1

#	ARTICLE	IF	CITATIONS
19	Polymorphism at rs9264942 is associated with HLA-C expression and inflammatory bowel disease in the Japanese. <i>Scientific Reports</i> , 2020, 10, 12424.	3.3	1
20	Clinical impact of normal alanine aminotransferase on direct-acting antiviral outcome in patients with chronic hepatitis C virus infection. <i>JGH Open</i> , 2020, 4, 574-581.	1.6	3
21	Effectiveness of Glecaprevir/Pibrentasvir for Hepatitis C: Real-World Experience and Clinical Features of Retreatment Cases. <i>Biomedicines</i> , 2020, 8, 74.	3.2	11
22	Editorial: FAST score—a new predictive marker for HCC after SVR. <i>Alimentary Pharmacology and Therapeutics</i> , 2020, 52, 1222-1223.	3.7	2
23	A validation study of the Ursodeoxycholic Acid Response Score in Japanese patients with primary biliary cholangitis. <i>Liver International</i> , 2020, 40, 1926-1933.	3.9	14
24	A case of multiple hepatocellular carcinoma tumors with thoracic vertebra and adrenal gland metastases successfully treated with prolonged administration of reduced-dose regorafenib for more than 12 months. <i>Acta Hepatologica Japonica</i> , 2020, 61, 426-433.	0.1	1
25	POGLUT1, the putative effector gene driven by rs2293370 in primary biliary cholangitis susceptibility locus chromosome 3q13.33. <i>Scientific Reports</i> , 2019, 9, 102.	3.3	23
26	Biochemical and plasma lipid responses to pemafibrate in patients with primary biliary cholangitis. <i>Hepatology Research</i> , 2019, 49, 1236-1243.	3.4	24
27	Bezafibrate Improves GLOBE and UK-PBC Scores and Long-Term Outcomes in Patients With Primary Biliary Cholangitis. <i>Hepatology</i> , 2019, 70, 2035-2046.	7.3	83
28	KIR/HLA genotypes confer susceptibility and progression in patients with autoimmune hepatitis. <i>JHEP Reports</i> , 2019, 1, 353-360.	4.9	16
29	Renal impairment is associated with increased risk of mortality in patients with cirrhosis. <i>Medicine (United States)</i> , 2019, 98, e14475.	1.0	9
30	Emergence of anti-mitochondrial M2 antibody in patient with angioimmunoblastic T-cell lymphoma. <i>Clinical Journal of Gastroenterology</i> , 2018, 11, 302-308.	0.8	2
31	Clinical features of autoimmune hepatitis with acute presentation: a Japanese nationwide survey. <i>Journal of Gastroenterology</i> , 2018, 53, 1079-1088.	5.1	35
32	A case of liver abscess co-infected with <i>Desulfovibrio desulfuricans</i> and <i>Escherichia coli</i> and review of the literature. <i>Journal of Infection and Chemotherapy</i> , 2018, 24, 393-397.	1.7	4
33	A case of hepatocellular carcinoma with iliac metastasis achieving complete long-term remission by multidisciplinary therapy with radiation therapy, transcatheter arterial chemoembolization, and sorafenib. <i>Acta Hepatologica Japonica</i> , 2018, 59, 117-124.	0.1	0
34	Genetics and epigenetics in the pathogenesis of primary biliary cholangitis. <i>Clinical Journal of Gastroenterology</i> , 2018, 11, 11-18.	0.8	36
35	Serum autotaxin is a useful liver fibrosis marker in patients with chronic hepatitis B virus infection. <i>Hepatology Research</i> , 2018, 48, 275-285.	3.4	34
36	Quantitative analysis of serum chemokines associated with treatment failure of direct-acting antivirals in chronic hepatitis C. <i>Cytokine</i> , 2018, 111, 357-363.	3.2	4

#	ARTICLE	IF	CITATIONS
37	Serum Autotaxin Is a Useful Disease Progression Marker in Patients with Primary Biliary Cholangitis. <i>Scientific Reports</i> , 2018, 8, 8159.	3.3	32
38	Association between KIR-HLA combination and ulcerative colitis and Crohn's disease in a Japanese population. <i>PLoS ONE</i> , 2018, 13, e0195778.	2.5	21
39	Miglitol attenuates non-alcoholic steatohepatitis in diabetic patients. <i>Hepatology Research</i> , 2018, 48, 1092-1098.	3.4	13
40	Past history of hepatocellular carcinoma is an independent risk factor of treatment failure in patients with chronic hepatitis C virus infection receiving direct-acting antivirals. <i>Journal of Viral Hepatitis</i> , 2018, 25, 1462-1471.	2.0	21
41	Changes in serum levels of autotaxin with direct-acting antiviral therapy in patients with chronic hepatitis C. <i>PLoS ONE</i> , 2018, 13, e0195632.	2.5	13
42	A cis-eQTL of HLA-DPB1 Affects Susceptibility to Type 1 Autoimmune Hepatitis. <i>Scientific Reports</i> , 2018, 8, 11924.	3.3	22
43	KIR2DL2 combined with HLA-C1 confers risk of hepatitis C virus-related hepatocellular carcinoma in younger patients. <i>Oncotarget</i> , 2018, 9, 19650-19661.	1.8	11
44	Serum autotaxin levels are correlated with hepatic fibrosis and ballooning in patients with non-alcoholic fatty liver disease. <i>World Journal of Gastroenterology</i> , 2018, 24, 1239-1249.	3.3	39
45	Mild drinking habit is a risk factor for hepatocarcinogenesis in non-alcoholic fatty liver disease with advanced fibrosis. <i>World Journal of Gastroenterology</i> , 2018, 24, 1440-1450.	3.3	54
46	III. Management for reactivation of hepatitis B virus. <i>The Journal of the Japanese Society of Internal Medicine</i> , 2018, 107, 26-31.	0.0	1
47	Serum <i>Wisteria floribunda</i> agglutinin-positive human Mac-2 binding protein may predict liver fibrosis and progression to hepatocellular carcinoma in patients with chronic hepatitis B virus infection. <i>Hepatology Research</i> , 2017, 47, 226-233.	3.4	42
48	Clinicopathological characteristics of non-B non-C hepatocellular carcinoma without past hepatitis B virus infection. <i>Hepatology Research</i> , 2017, 47, 405-418.	3.4	30
49	Genome-wide association studies identify PRKCB as a novel genetic susceptibility locus for primary biliary cholangitis in the Japanese population. <i>Human Molecular Genetics</i> , 2017, 26, ddw406.	2.9	46
50	Association of Serum Autotaxin Levels with Liver Fibrosis in Patients with Chronic Hepatitis C. <i>Scientific Reports</i> , 2017, 7, 46705.	3.3	49
51	Association of autoimmune hepatitis with Src homology 2 adaptor protein 3 gene polymorphisms in Japanese patients. <i>Journal of Human Genetics</i> , 2017, 62, 963-967.	2.3	20
52	Cimetidine/lactulose therapy ameliorates erythropoietic protoporphyria-related liver injury. <i>Clinical Journal of Gastroenterology</i> , 2017, 10, 452-458.	0.8	9
53	Association between lower air pressure and the onset of ischemic colitis: a case-control study. <i>European Journal of Gastroenterology and Hepatology</i> , 2017, 29, 1071-1078.	1.6	7
54	Association between serum soluble CD14 and IL-8 levels and clinical outcome in primary biliary cholangitis. <i>Liver International</i> , 2017, 37, 897-905.	3.9	22

#	ARTICLE	IF	CITATIONS
55	Genetic Contribution to the Pathogenesis of Primary Biliary Cholangitis. <i>Journal of Immunology Research</i> , 2017, 2017, 1-6.	2.2	17
56	Association between endotoxemia and histological features of nonalcoholic fatty liver disease. <i>World Journal of Gastroenterology</i> , 2017, 23, 712.	3.3	36
57	Liver stiffness-spleen size-to-platelet ratio risk score identifies esophageal varices in Japanese patients with chronic hepatitis C. <i>Hepatology Research</i> , 2016, 46, 884-889.	3.4	12
58	Controlled attenuation parameter is correlated with actual hepatic fat content in patients with non-alcoholic fatty liver disease with none-mild obesity and liver fibrosis. <i>Hepatology Research</i> , 2016, 46, 1019-1027.	3.4	35
59	Liver stiffness-spleen size-to-platelet ratio risk score detects esophageal varices in chronic liver disease. <i>SpringerPlus</i> , 2016, 5, 998.	1.2	15
60	Histopathology of IgG4-Related Autoimmune Hepatitis and IgG4-Related Hepatopathy in IgG4-Related Disease. <i>Seminars in Liver Disease</i> , 2016, 36, 229-241.	3.6	40
61	Geographic distribution and characteristics of genotype A hepatitis B virus infection in acute and chronic hepatitis B patients in Japan. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2016, 31, 180-189.	2.8	36
62	Immunogenetics of IgG4-Related AIP. <i>Current Topics in Microbiology and Immunology</i> , 2016, 401, 35-44.	1.1	9
63	Genetic Association of PTPN22 Polymorphisms with Autoimmune Hepatitis and Primary Biliary Cholangitis in Japan. <i>Scientific Reports</i> , 2016, 6, 29770.	3.3	27
64	Incidence and prevalence of autoimmune hepatitis in the Ueda area, <sc>Japan</sc>. <i>Hepatology Research</i> , 2016, 46, 878-883.	3.4	34
65	Mechanism of the development of nonalcoholic steatohepatitis after pancreaticoduodenectomy. <i>BBA Clinical</i> , 2015, 3, 168-174.	4.1	26
66	Serum Cell Death Biomarkers for Prediction of Liver Fibrosis and Poor Prognosis in Primary Biliary Cirrhosis. <i>PLoS ONE</i> , 2015, 10, e0131658.	2.5	24
67	Genetic factors affect the etiology, clinical characteristics and outcome of autoimmune hepatitis. <i>Clinical Journal of Gastroenterology</i> , 2015, 8, 360-366.	0.8	11
68	Steatogenesis in adult-onset type II citrullinemia is associated with down-regulation of PPAR α . <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2015, 1852, 473-481.	3.8	57
69	Primary hepatocellular carcinoma in a patient with neurofibromatosis type I. <i>Liver International</i> , 2015, 35, 2057-2058.	3.9	2
70	Serum sodium concentration is associated with increased risk of mortality in patients with compensated liver cirrhosis. <i>Hepatology Research</i> , 2015, 45, 739-744.	3.4	24
71	Factors associated with the effect of interferon α sequential therapy in order to discontinue nucleoside/nucleotide analog treatment in patients with chronic hepatitis B. <i>Hepatology Research</i> , 2015, 45, 1195-1202.	3.4	22
72	Diagnostic and clinical significance of Crohn's disease-specific anti-MZGP2 pancreatic antibodies by a novel ELISA. <i>Clinica Chimica Acta</i> , 2015, 441, 176-181.	1.1	23

#	ARTICLE	IF	CITATIONS
73	Ledipasvir and sofosbuvir fixed-dose combination with and without ribavirin for 12 weeks in treatment-naïve and previously treated Japanese patients with genotype 1 hepatitis C: an open-label, randomised, phase 3 trial. <i>Lancet Infectious Diseases</i> , The, 2015, 15, 645-653.	9.1	333
74	Serum <i>Wisteria floribunda</i> Agglutinin-Positive Mac-2-Binding Protein Level Predicts Liver Fibrosis and Prognosis in Primary Biliary Cirrhosis. <i>American Journal of Gastroenterology</i> , 2015, 110, 857-864.	0.4	115
75	Mutations of pre-core and basal core promoter before and after hepatitis B e antigen seroconversion. <i>World Journal of Gastroenterology</i> , 2015, 21, 541.	3.3	15
76	Human Leukocyte Antigen Class II Haplotypes Affect Clinical Characteristics and Progression of Type 1 Autoimmune Hepatitis in Japan. <i>PLoS ONE</i> , 2014, 9, e100565.	2.5	54
77	STAT4 Gene Polymorphisms Are Associated with Susceptibility and ANA Status in Primary Biliary Cirrhosis. <i>Disease Markers</i> , 2014, 2014, 1-8.	1.3	15
78	AST/platelet ratio index associates with progression to hepatic failure and correlates with histological fibrosis stage in Japanese patients with primary biliary cirrhosis. <i>Journal of Hepatology</i> , 2014, 61, 1443-1445.	3.7	32
79	Genetic polymorphism in <i>IFNL4</i> and response to pegylated interferon- α and ribavirin in Japanese chronic hepatitis C patients. <i>Tissue Antigens</i> , 2014, 83, 45-48.	1.0	10
80	Sofosbuvir plus ribavirin in Japanese patients with chronic genotype 2 <i>HCV</i> infection: an open-label, phase 3 trial. <i>Journal of Viral Hepatitis</i> , 2014, 21, 762-768.	2.0	191
81	Characteristics and prediction of hepatitis B e antigen negative hepatitis following seroconversion in patients with chronic hepatitis B. <i>Hepatology Research</i> , 2014, 44, E45-53.	3.4	2
82	Multicenter validation study of anti-programmed cell death-1 antibody as a serological marker for type 1 autoimmune hepatitis. <i>Hepatology Research</i> , 2014, 44, 1299-1307.	3.4	15
83	Serum levels of interleukin-22 and hepatitis B core-related antigen are associated with treatment response to entecavir therapy in chronic hepatitis B. <i>Hepatology Research</i> , 2014, 44, E172-80.	3.4	20
84	Laparoscopic findings of congenital hepatic fibrosis: A case report and review of the published work. <i>Hepatology Research</i> , 2014, 44, 818-824.	3.4	3
85	KIR3DL1-HLA-Bw4 combination and IL28B polymorphism predict response to Peg-IFN and ribavirin with and without telaprevir in chronic hepatitis C. <i>Human Immunology</i> , 2014, 75, 822-826.	2.4	11
86	Risk factors for long-term persistence of serum hepatitis B surface antigen following acute hepatitis B virus infection in Japanese adults. <i>Hepatology</i> , 2014, 59, 89-97.	7.3	86
87	A case of repeated liver injury induced by different herbal medicines containing the same components. <i>Acta Hepatologica Japonica</i> , 2014, 55, 214-220.	0.1	3
88	IgG4-Related Autoimmune Hepatitis. , 2014, , 137-143.		0
89	Association analysis of toll-like receptor 4 polymorphisms in Japanese primary biliary cirrhosis. <i>Human Immunology</i> , 2013, 74, 219-222.	2.4	6
90	Cutaneous sarcoidosis in a chronic hepatitis C patient receiving pegylated interferon and ribavirin therapy. <i>Hepatology Research</i> , 2013, 43, 801-807.	3.4	10

#	ARTICLE	IF	CITATIONS
91	Liver Dysfunction and Thrombocytopenia Diagnosed as Intravascular Large B-cell Lymphoma Using a Timely and Accurate Transjugular Liver Biopsy. <i>Internal Medicine</i> , 2013, 52, 1903-1908.	0.7	16
92	KIR, HLA, and IL28B Variant Predict Response to Antiviral Therapy in Genotype 1 Chronic Hepatitis C Patients in Japan. <i>PLoS ONE</i> , 2013, 8, e83381.	2.5	17
93	A patient with liver cirrhosis stage hepatitis C having hepatocellular carcinoma and cervical cancer of the uterus treated by octreotide for chylous ascites. <i>Acta Hepatologica Japonica</i> , 2013, 54, 284-290.	0.1	3
94	Changes in the serum level of hepatitis B virus (HBV) surface antigen over the natural course of HBV infection. <i>Journal of Gastroenterology</i> , 2012, 47, 1006-1013.	5.1	11
95	Association of IL28B gene polymorphism with development of hepatocellular carcinoma in Japanese patients with chronic hepatitis C virus infection. <i>Human Immunology</i> , 2012, 73, 298-300.	2.4	38
96	Genome-wide Association Study Identifies TNFSF15 and POU2AF1 as Susceptibility Loci for Primary Biliary Cirrhosis in the Japanese Population. <i>American Journal of Human Genetics</i> , 2012, 91, 721-728.	6.2	251
97	Long-term outcome of Japanese patients with type 1 autoimmune hepatitis. <i>Hepatology</i> , 2012, 56, 668-676.	7.3	95
98	Clinical Characteristics of Young-Onset Ischemic Colitis. <i>Digestive Diseases and Sciences</i> , 2012, 57, 1652-1659.	2.3	39
99	Human leukocyte antigen class II molecules confer both susceptibility and progression in Japanese patients with primary biliary cirrhosis. <i>Hepatology</i> , 2012, 55, 506-511.	7.3	73
100	Universal vaccination of hepatitis B virus vaccine. <i>Acta Hepatologica Japonica</i> , 2012, 53, 117-130.	0.1	3
101	Cytokine profiles affecting the pathogenesis of autoimmune hepatitis in Japanese patients. <i>Hepatology Research</i> , 2011, 41, 350-357.	3.4	19
102	Serum chemokine levels are associated with the outcome of pegylated interferon and ribavirin therapy in patients with chronic hepatitis C. <i>Hepatology Research</i> , 2011, 41, 587-593.	3.4	18
103	Early detection of interstitial pneumonia by monitoring KL α 6 in a chronic hepatitis C patient undergoing pegylated interferon and ribavirin therapy. <i>Hepatology Research</i> , 2011, 41, 904-909.	3.4	3
104	Serum interleukin (IL)-10 and IL-12 levels and IL28B gene polymorphisms: pretreatment prediction of treatment failure in chronic hepatitis C. <i>Antiviral Therapy</i> , 2011, 16, 1073-1080.	1.0	30
105	Polymorphism in the <i>KCNA3</i> Gene Is Associated with Susceptibility to Autoimmune Pancreatitis in the Japanese Population. <i>Disease Markers</i> , 2011, 31, 223-229.	1.3	44
106	A Case of Pyogenic Liver Abscess Infected with <i>Fusobacterium necrophorum</i> Depicted by Microscopy and Confirmed by Tissue Culture. <i>Internal Medicine</i> , 2011, 50, 1815-1819.	0.7	20
107	Clinical significance of immunoglobulin G4-associated autoimmune hepatitis. <i>Journal of Gastroenterology</i> , 2011, 46, 48-55.	5.1	113
108	Genetic background of autoimmune hepatitis in Japan. <i>Journal of Gastroenterology</i> , 2011, 46, 42-47.	5.1	25

#	ARTICLE	IF	CITATIONS
109	Genetic polymorphisms in CTLA4 and SLC4A2 are differentially associated with the pathogenesis of primary biliary cirrhosis in Japanese patients. <i>Journal of Gastroenterology</i> , 2011, 46, 1203-1212.	5.1	32
110	Association of Serum Cytokine Levels With Treatment Response to Pegylated Interferon and Ribavirin Therapy in Genotype 1 Chronic Hepatitis C Patients. <i>Journal of Infectious Diseases</i> , 2011, 203, 1087-1095.	4.0	50
111	Polymorphism in the KCNA3 gene is associated with susceptibility to autoimmune pancreatitis in the Japanese population. <i>Disease Markers</i> , 2011, 31, 223-9.	1.3	22
112	A Patient with Advanced Hepatocellular Carcinoma Treated with Sorafenib Tosylate Showed Massive Tumor Lysis with Avoidance of Tumor Lysis syndrome. <i>Internal Medicine</i> , 2010, 49, 991-994.	0.7	29
113	Nonalcoholic fatty liver disease in Japanese junior high school students: its prevalence and relationship to lifestyle habits. <i>Journal of Gastroenterology</i> , 2010, 45, 666-672.	5.1	36
114	Fucosylated Fraction of Alpha-Fetoprotein as a Predictor of Prognosis in Patients with Hepatocellular Carcinoma After Curative Treatment. <i>Digestive Diseases and Sciences</i> , 2010, 55, 2095-2101.	2.3	17
115	Another cause of autoimmune hepatitis. <i>Hepatology</i> , 2010, 52, 389-390.	7.3	21
116	Serum Fragmented Cytokeratin 18 Levels Reflect the Histologic Activity Score of Nonalcoholic Fatty Liver Disease More Accurately Than Serum Alanine Aminotransferase Levels. <i>Journal of Clinical Gastroenterology</i> , 2010, 44, 440-447.	2.2	68
117	A2BP1 as a novel susceptible gene for primary biliary cirrhosis in Japanese patients. <i>Human Immunology</i> , 2010, 71, 520-524.	2.4	18
118	Association analysis of cytotoxic T-lymphocyte antigen 4 gene polymorphisms with primary biliary cirrhosis in Japanese patients. <i>Journal of Hepatology</i> , 2010, 53, 537-541.	3.7	38
119	Down-regulation of SREBP-1c is associated with the development of burned-out NASH. <i>Journal of Hepatology</i> , 2010, 53, 724-731.	3.7	89
120	Prevention of immunosuppressive therapy or chemotherapy-induced reactivation of hepatitis B virus infection: Joint report of the Intractable Liver Diseases Study Group of Japan and the Japanese Study Group of the Standard Antiviral Therapy for Viral Hepatitis. <i>Acta Hepatologica Japonica</i> , 2009, 50, 38-42.	0.1	66
121	Epidemiology of hepatocellular carcinoma in Japan. <i>Journal of Gastroenterology</i> , 2009, 44, 102-107.	5.1	181
122	Association analysis of Toll-like receptor 4 polymorphisms with autoimmune pancreatitis. <i>Human Immunology</i> , 2009, 70, 742-746.	2.4	28
123	A case of well-differentiated cholangiolocellular carcinoma visualized with contrast-enhanced ultrasonography using Sonazoid. <i>Hepatology Research</i> , 2009, 39, 207-212.	3.4	20
124	A case of relapsed hepatocellular carcinoma successfully evaluated by contrast-enhanced ultrasonography using Sonazoid TM . <i>Acta Hepatologica Japonica</i> , 2009, 50, 250-256.	0.1	1
125	Development from simple steatosis to liver cirrhosis and hepatocellular carcinoma: a 27-year follow-up case. <i>Clinical Journal of Gastroenterology</i> , 2008, 1, 116-121.	0.8	27
126	History and prevention of de novo hepatitis B virus-related hepatitis in Japan and the world. <i>Clinical Journal of Gastroenterology</i> , 2008, 1, 83-86.	0.8	17

#	ARTICLE	IF	CITATIONS
127	Pretreatment prediction of virological response to peginterferon plus ribavirin therapy in chronic hepatitis C patients using viral and host factors. <i>Hepatology</i> , 2008, 48, 1753-1760.	7.3	129
128	Insulin resistance and hepatitis C virus: a case-control study of non-obese, non-alcoholic and non-steatotic hepatitis virus carriers with persistently normal serum aminotransferase. <i>Liver International</i> , 2008, 28, 1104-1111.	3.9	19
129	De novo autoimmune hepatitis following living donor liver transplantation for primary biliary cirrhosis. <i>Clinical Transplantation</i> , 2008, 22, 385-390.	1.6	26
130	Association of cytotoxic T-lymphocyte antigen 4 gene polymorphisms with type 1 autoimmune hepatitis in Japanese. <i>Hepatology Research</i> , 2008, 38, 689-695.	3.4	30
131	Association of Autoimmune Pancreatitis With Cytotoxic T-lymphocyte Antigen 4 Gene Polymorphisms in Japanese Patients. <i>American Journal of Gastroenterology</i> , 2008, 103, 588-594.	0.4	122
132	Mortality Secondary to Fulminant Hepatic Failure in Patients with Prior Resolution of Hepatitis B Virus Infection in Japan. <i>Clinical Infectious Diseases</i> , 2008, 47, e52-e56.	5.8	132
133	A Novel Immunoglobulin-Immunoglobulin Interaction in Autoimmunity. <i>PLoS ONE</i> , 2008, 3, e1637.	2.5	86
134	IgG4-Related Sclerosing Cholangitis Should Be Included as an Exclusion Criterion for the Diagnosis of Primary Sclerosing Cholangitis. <i>American Journal of Gastroenterology</i> , 2007, 102, 691-692.	0.4	20
135	A genomewide DNA microsatellite association study of Japanese patients with autoimmune hepatitis type 1. <i>Hepatology</i> , 2007, 45, 384-390.	7.3	45
136	Immunoglobulin G4-hepatopathy: Association of immunoglobulin G4-bearing plasma cells in liver with autoimmune pancreatitis. <i>Hepatology</i> , 2007, 46, 463-471.	7.3	256
137	Anti-Helicobacter pylori seropositivity: influence on severity and treatment response in patients with chronic hepatitis C. <i>Journal of Viral Hepatitis</i> , 2007, 14, 48-54.	2.0	7
138	Lack of association between FCRL3 and FcγRII polymorphisms in Japanese type 1 autoimmune hepatitis. <i>Clinical Immunology</i> , 2007, 122, 338-342.	3.2	14
139	Epidemiology of hepatocellular carcinoma in Japan. <i>Hepatology Research</i> , 2007, 37, S95-S100.	3.4	58
140	Sclerosing cholangitis associated with autoimmune pancreatitis. <i>Hepatology Research</i> , 2007, 37, S487-S495.	3.4	31
141	A case of primary hepatic actinomycosis with a presumed invasion to abdominal wall, diagnosed with image examinations by chance. <i>Acta Hepatologica Japonica</i> , 2007, 48, 553-558.	0.1	4
142	Severe Hepatic Injury Caused by Orlistat. <i>American Journal of Medicine</i> , 2006, 119, e7.	1.5	20
143	Fatal HBV Reactivation in a Subject with Anti-HBs and Anti-HBc. <i>Internal Medicine</i> , 2006, 45, 747-748.	0.7	45
144	Severe Alcoholic Hepatitis with Extremely High Neutrophil Count Successfully Treated by Granulocytapheresis. <i>Internal Medicine</i> , 2006, 45, 155-158.	0.7	11

#	ARTICLE	IF	CITATIONS
145	Useful parameters for distinguishing nonalcoholic steatohepatitis with mild steatosis from cryptogenic chronic hepatitis in the Japanese population. <i>Liver International</i> , 2006, 26, 956-963.	3.9	26
146	Two critical genes (HLA-DRB1 and ABCF1) in the HLA region are associated with the susceptibility to autoimmune pancreatitis. <i>Immunogenetics</i> , 2006, 59, 45-52.	2.4	100
147	Fulminant hepatitis after allogenic bone marrow transplantation caused by reactivation of hepatitis B virus with gene mutations in the core promoter region. <i>European Journal of Haematology</i> , 2006, 77, 255-258.	2.2	32
148	Quantitative analysis of anti-hepatitis C virus antibody-secreting B cells in patients with chronic hepatitis C. <i>Hepatology</i> , 2006, 43, 91-99.	7.3	32
149	Patients with and without loss of hepatitis B virus DNA after hepatitis B e antigen seroconversion have different virological characteristics. <i>Journal of Medical Virology</i> , 2006, 78, 68-73.	5.0	13
150	SEN virus: epidemiology and characteristics of a transfusion-transmitted virus. <i>Transfusion</i> , 2005, 45, 1084-1088.	1.6	36
151	Hepatocellular carcinoma: Recent trends in Japan. <i>Gastroenterology</i> , 2004, 127, S17-S26.	1.3	275
152	Prevalence of SEN Viruses among Injection Drug Users in the San Francisco Bay Area. <i>Journal of Infectious Diseases</i> , 2003, 188, 13-18.	4.0	10
153	Clinical significance of SEN virus infection in patients on maintenance haemodialysis. <i>Nephrology Dialysis Transplantation</i> , 2003, 18, 348-352.	0.7	21
154	Investigation of SEN Virus Infection in Patients with Cryptogenic Acute Liver Failure, Hepatitis-associated Aplastic Anemia, or Acute and Chronic Non-A-E Hepatitis. <i>Journal of Infectious Diseases</i> , 2003, 188, 1545-1552.	4.0	69
155	Observation of positive selection within hypervariable regions of a newly identified DNA virus (SEN) Tj ETQq1 1 0.784314 rgBJ / Overlock	2.8	40
156	SEN virus: Response to interferon alfa and influence on the severity and treatment response of coexistent hepatitis C. <i>Hepatology</i> , 2002, 35, 953-959.	7.3	34
157	SEN virus infection and its relationship to transfusion-associated hepatitis. <i>Hepatology</i> , 2001, 33, 1303-1311.	7.3	142
158	Genomic and Molecular Evolutionary Analysis of a Newly Identified Infectious Agent (SEN Virus) and Its Relationship to the TT Virus Family. <i>Journal of Infectious Diseases</i> , 2001, 183, 359-367.	4.0	158
159	Association between SEN Virus Infection and Hepatitis C in Japan. <i>Journal of Infectious Diseases</i> , 2001, 184, 1246-1251.	4.0	41
160	Dynamics of SEN Virus Infection among Injection Drug Users. <i>Journal of Infectious Diseases</i> , 2001, 184, 1315-1319.	4.0	35
161	T cell repertoire in the liver of patients with primary biliary cirrhosis. <i>Human Immunology</i> , 2000, 61, 675-683.	2.4	15
162	T cell repertoire in the liver of patients with autoimmune hepatitis. <i>Human Immunology</i> , 1999, 60, 806-815.	2.4	22