
Daniel Stahl

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1431145/publications.pdf Version: 2024-02-01



ΠΑΝΙΕΙ STAHL

#	Article	IF	CITATIONS
1	The Nature of Dopamine Dysfunction in Schizophrenia and What This Means for Treatment. Archives of General Psychiatry, 2012, 69, 776-86.	12.3	769
2	Treatments of Negative Symptoms in Schizophrenia: Meta-Analysis of 168 Randomized Placebo-Controlled Trials. Schizophrenia Bulletin, 2015, 41, 892-899.	4.3	505
3	A systematic review and meta-analysis of set-shifting ability in eating disorders. Psychological Medicine, 2007, 37, 1075-1084.	4.5	433
4	Therapeutic Interventions for Suicide Attempts and Self-Harm in Adolescents: Systematic Review and Meta-Analysis. Journal of the American Academy of Child and Adolescent Psychiatry, 2015, 54, 97-107.e2.	0.5	373
5	Daily Use, Especially of High-Potency Cannabis, Drives the Earlier Onset of Psychosis in Cannabis Users. Schizophrenia Bulletin, 2014, 40, 1509-1517.	4.3	364
6	Heterogeneity of Psychosis Risk Within Individuals at Clinical High Risk. JAMA Psychiatry, 2016, 73, 113.	11.0	354
7	A Systematic Review and Meta-analysis of the Association Between Depression and Insulin Resistance. Diabetes Care, 2013, 36, 480-489.	8.6	273
8	The epidemiology of trauma and post-traumatic stress disorder in a representative cohort of young people in England and Wales. Lancet Psychiatry,the, 2019, 6, 247-256.	7.4	256
9	Progressive increase in striatal dopamine synthesis capacity as patients develop psychosis: a PET study. Molecular Psychiatry, 2011, 16, 885-886.	7.9	255
10	The socio-emotional processing stream in Anorexia Nervosa. Neuroscience and Biobehavioral Reviews, 2011, 35, 970-988.	6.1	240
11	Machine learning, statistical learning and the future of biological research in psychiatry. Psychological Medicine, 2016, 46, 2455-2465.	4.5	225
12	Alexithymia in eating disorders: Systematic review and meta-analyses of studies using the Toronto Alexithymia Scale. Journal of Psychosomatic Research, 2017, 99, 66-81.	2.6	212
13	Development and Validation of a Clinically Based Risk Calculator for the Transdiagnostic Prediction of Psychosis. JAMA Psychiatry, 2017, 74, 493.	11.0	206
14	Progressive lateral ventricular enlargement in schizophrenia: A meta-analysis of longitudinal MRI studies. Schizophrenia Research, 2010, 120, 54-62.	2.0	201
15	Sampling children's spontaneous speech: how much is enough?. Journal of Child Language, 2004, 31, 101-121.	1.2	200
16	Antipsychotic treatment resistance in first-episode psychosis: prevalence, subtypes and predictors. Psychological Medicine, 2017, 47, 1981-1989.	4.5	200
17	Stress reduction through consolation in chimpanzees. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 8557-8562.	7.1	193
18	A Cohort Study of People With Diabetes and Their First Foot Ulcer: The role of depression on mortality. Diabetes Care, 2007, 30, 1473-1479.	8.6	192

#	Article	IF	CITATIONS
19	Insomnia, worry, anxiety and depression as predictors of the occurrence and persistence of paranoid thinking. Social Psychiatry and Psychiatric Epidemiology, 2012, 47, 1195-1203.	3.1	190
20	Central coherence in eating disorders: a systematic review. Psychological Medicine, 2008, 38, 1393-1404.	4.5	185
21	A systematic review and meta-analysis of cognitive bias to food stimuli in people with disordered eating behaviour. Clinical Psychology Review, 2011, 31, 37-51.	11.4	184
22	The Dark Side of the Moon: Meta-analytical Impact of Recruitment Strategies on Risk Enrichment in the Clinical High Risk State for Psychosis. Schizophrenia Bulletin, 2016, 42, 732-743.	4.3	183
23	Lack of evidence to favor specific preventive interventions in psychosis: a network metaâ€analysis. World Psychiatry, 2018, 17, 196-209.	10.4	183
24	Cognitive Flexibility and Clinical Severity in Eating Disorders. PLoS ONE, 2011, 6, e20462.	2.5	179
25	Central coherence in eating disorders: An updated systematic review and meta-analysis. World Journal of Biological Psychiatry, 2014, 15, 586-598.	2.6	173
26	Disorganization/Cognitive and Negative Symptom Dimensions in the At-Risk Mental State Predict Subsequent Transition to Psychosis. Schizophrenia Bulletin, 2012, 38, 351-359.	4.3	168
27	Emotion generation and regulation in anorexia nervosa: A systematic review and meta-analysis of self-report data. Clinical Psychology Review, 2015, 39, 83-95.	11.4	161
28	The socio-emotional processing stream in Anorexia Nervosa. Neuroscience and Biobehavioral Reviews, 2011, 35, 970-988.	6.1	161
29	An examination of the concept of central coherence in women with anorexia nervosa. International Journal of Eating Disorders, 2008, 41, 143-152.	4.0	156
30	Diagnostic Stability of ICD/DSM First Episode Psychosis Diagnoses: Meta-analysis. Schizophrenia Bulletin, 2016, 42, 1395-1406.	4.3	151
31	The Science of Prognosis in Psychiatry. JAMA Psychiatry, 2018, 75, 1289.	11.0	151
32	Combining clinical variables to optimize prediction of antidepressant treatment outcomes. Journal of Psychiatric Research, 2016, 78, 94-102.	3.1	149
33	Repetitive Transcranial Magnetic Stimulation Reduces Cue-Induced Food Craving in Bulimic Disorders. Biological Psychiatry, 2010, 67, 793-795.	1.3	147
34	Prognosis of Brief Psychotic Episodes. JAMA Psychiatry, 2016, 73, 211.	11.0	137
35	Weak central coherence in eating disorders: A step towards looking for an endophenotype of eating disorders. Journal of Clinical and Experimental Neuropsychology, 2009, 31, 117-125.	1.3	132

Contagious crying beyond the first days of life. , 2010, 33, 279-288.

129

#	Article	IF	CITATIONS
37	The set-shifting profiles of anorexia nervosa and autism spectrum disorder using the Wisconsin Card Sorting Test: a systematic review and meta-analysis. Psychological Medicine, 2016, 46, 1809-1827.	4.5	126
38	A systematic review and metaâ€analysis of the fertility of patients with schizophrenia and their unaffected relatives. Acta Psychiatrica Scandinavica, 2011, 123, 98-106.	4.5	121
39	Evoked facial emotional expression and emotional experience in people with anorexia nervosa. International Journal of Eating Disorders, 2011, 44, 531-539.	4.0	121
40	Set shifting in children and adolescents with anorexia nervosa: An exploratory systematic review and metaâ€analysis. International Journal of Eating Disorders, 2014, 47, 394-399.	4.0	121
41	A randomized controlled trial of internet-based cognitive-behavioural therapy for bulimia nervosa or related disorders in a student population. Psychological Medicine, 2011, 41, 407-417.	4.5	120
42	Sensitivity to triadic attention in early infancy. Developmental Science, 2005, 8, 333-343.	2.4	118
43	Risk factors associated with adverse outcomes in a population-based prospective cohort study of people with their first diabetic foot ulcer. Journal of Diabetes and Its Complications, 2007, 21, 341-349.	2.3	115
44	Deconstructing Pretest Risk Enrichment to Optimize Prediction of Psychosis in Individuals at Clinical High Risk. JAMA Psychiatry, 2016, 73, 1260.	11.0	111
45	Cardiovascular risk factors and metabolic syndrome in people with established psychotic illnesses: baseline data from the IMPaCT randomized controlled trial. Psychological Medicine, 2015, 45, 2619-2629.	4.5	110
46	Impaired Intellect and Memory. Archives of General Psychiatry, 2010, 67, 905.	12.3	104
47	A Meta-Analysis Investigating Factors Underlying Attrition Rates in Infant ERP Studies. Developmental Neuropsychology, 2012, 37, 226-252.	1.4	104
48	Long-term validity of the At Risk Mental State (ARMS) for predicting psychotic and non-psychotic mental disorders. European Psychiatry, 2017, 42, 49-54.	0.2	104
49	Implementing Precision Psychiatry: A Systematic Review of Individualized Prediction Models for Clinical Practice. Schizophrenia Bulletin, 2021, 47, 284-297.	4.3	101
50	Realâ€ŧime f <scp>MRI</scp> neurofeedback in adolescents with attention deficit hyperactivity disorder. Human Brain Mapping, 2017, 38, 3190-3209.	3.6	99
51	Negative psychotic symptoms and impaired role functioning predict transition outcomes in the at-risk mental state: a latent class cluster analysis study. Psychological Medicine, 2013, 43, 2311-2325.	4.5	95
52	The Association Between Depressive Symptoms and Systemic Inflammation in People With Type 2 Diabetes: Findings From the South London Diabetes Study. Diabetes Care, 2014, 37, 2186-2192.	8.6	95
53	Neurocognition in bulimic eating disorders: a systematic review. Acta Psychiatrica Scandinavica, 2011, 124, 120-140.	4.5	93
54	Estimated intelligence quotient in anorexia nervosa: a systematic review and meta-analysis of the literature. Annals of General Psychiatry, 2010, 9, 40.	2.7	90

#	Article	IF	CITATIONS
55	The protective effect of alcohol on developing rheumatoid arthritis: a systematic review and meta-analysis. Rheumatology, 2013, 52, 856-867.	1.9	89
56	Persecutory ideation and insomnia: Findings from the second British National Survey Of Psychiatric Morbidity. Journal of Psychiatric Research, 2010, 44, 1021-1026.	3.1	87
57	Efficacy and Acceptability of Interventions for Attenuated Positive Psychotic Symptoms in Individuals at Clinical High Risk of Psychosis: A Network Meta-Analysis. Frontiers in Psychiatry, 2018, 9, 187.	2.6	87
58	Systematic review and meta-analysis of the baseline concentrations and physiologic responses of gut hormones to food in eating disorders. American Journal of Clinical Nutrition, 2009, 89, 755-765.	4.7	86
59	ATXN2 trinucleotide repeat length correlates with risk of ALS. Neurobiology of Aging, 2017, 51, 178.e1.178.e9.	3.1	86
60	Functional connectivity changes associated with fMRI neurofeedback of right inferior frontal cortex in adolescents with ADHD. NeuroImage, 2019, 188, 43-58.	4.2	84
61	Evaluation and improvement of the National Early Warning Score (NEWS2) for COVID-19: a multi-hospital study. BMC Medicine, 2021, 19, 23.	5.5	80
62	Transdiagnostic Risk Calculator for the Automatic Detection of Individuals at Risk and the Prediction of Psychosis: Second Replication in an Independent National Health Service Trust. Schizophrenia Bulletin, 2019, 45, 562-570.	4.3	74
63	Five-year follow-up of a cohort of people with their first diabetic foot ulcer: the persistent effect of depression on mortality. Diabetologia, 2012, 55, 303-310.	6.3	73
64	Maternal eating disorders and infant feeding difficulties: maternal and child mediators in a longitudinal general population study. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2011, 52, 800-807.	5.2	71
65	Using digital notifications to improve attendance in clinic: systematic review and meta-analysis. BMJ Open, 2016, 6, e012116.	1.9	71
66	The Effect of Working Alliance on Adherence and Outcome in Cognitive Remediation Therapy. Journal of Nervous and Mental Disease, 2012, 200, 614-619.	1.0	70
67	Comparison of effectiveness and cost-effectiveness of an intensive community supported discharge service versus treatment as usual for adolescents with psychiatric emergencies: a randomised controlled trial. Lancet Psychiatry,the, 2018, 5, 477-485.	7.4	70
68	Predictors of Treatment Outcome in Contextual Cognitive and Behavioral Therapies for Chronic Pain: AÂSystematic Review. Journal of Pain, 2017, 18, 1153-1164.	1.4	68
69	Expressed emotion in relatives of patients with Eating Disorders following skills training program. International Journal of Eating Disorders, 2010, 43, 603-610.	4.0	67
70	Sample size and power calculations for medical studies by simulation when closed form expressions are not available. Statistical Methods in Medical Research, 2013, 22, 324-345.	1.5	65
71	Dimensions of Oppositionality in a Brazilian Community Sample: Testing the DSM-5 Proposal and Etiological Links. Journal of the American Academy of Child and Adolescent Psychiatry, 2013, 52, 389-400.e1.	0.5	65
72	The clinical characteristics at diagnosis of type 2 diabetes in a multi-ethnic population: the South London Diabetes cohort (SOUL-D). Diabetologia, 2013, 56, 1272-1281.	6.3	61

#	Article	IF	CITATIONS
73	Antidepressant, antipsychotic and psychological interventions in subjects at high clinical risk for psychosis: OASIS 6-year naturalistic study. Psychological Medicine, 2015, 45, 1327-1339.	4.5	60
74	Latent Cluster Analysis of ALS Phenotypes Identifies Prognostically Differing Groups. PLoS ONE, 2009, 4, e7107.	2.5	59
75	Comparison of the King's and MiToS staging systems for ALS. Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration, 2017, 18, 227-232.	1.7	58
76	Central coherence in women with bulimia nervosa. International Journal of Eating Disorders, 2008, 41, 340-347.	4.0	57
77	Nightmares in Patients with Psychosis: The Relation with Sleep, Psychotic, Affective, and Cognitive Symptoms. Canadian Journal of Psychiatry, 2015, 60, 354-361.	1.9	57
78	Association of a Locus in the <i>CAMTA1</i> Gene With Survival in Patients With Sporadic Amyotrophic Lateral Sclerosis. JAMA Neurology, 2016, 73, 812.	9.0	57
79	The association of depressive symptoms and diabetes distress with glycaemic control and diabetes complications over 2Ayears in newly diagnosed type 2 diabetes: a prospective cohort study. Diabetologia, 2017, 60, 2092-2102.	6.3	57
80	Randomised controlled trial of therapeutic assessment versus usual assessment in adolescents with self-harm: 2-year follow-up. Archives of Disease in Childhood, 2013, 98, 772-776.	1.9	55
81	Novel Machine Learning Methods for ERP Analysis: A Validation From Research on Infants at Risk for Autism. Developmental Neuropsychology, 2012, 37, 274-298.	1.4	54
82	Low Birth Weight in the Offspring of Women With Anorexia Nervosa. Epidemiologic Reviews, 2014, 36, 49-56.	3.5	54
83	A comparison of machine learning methods for classification using simulation with multiple real data examples from mental health studies. Statistical Methods in Medical Research, 2016, 25, 1804-1823.	1.5	54
84	Repositioning of diabetes treatments for depressive symptoms: A systematic review and meta-analysis of clinical trials. Psychoneuroendocrinology, 2018, 94, 91-103.	2.7	54
85	Psychological interventions to improve self-management of type 1 and type 2 diabetes: a systematic review. Health Technology Assessment, 2020, 24, 1-232.	2.8	54
86	Comparison of Depressive Symptoms in Type 2 Diabetes Using a Two-Stage Survey Design. Psychosomatic Medicine, 2013, 75, 791-797.	2.0	51
87	Cannabis affects people differently: inter-subject variation in the psychotogenic effects of Δ ⁹ -tetrahydrocannabinol: a functional magnetic resonance imaging study with healthy volunteers. Psychological Medicine, 2013, 43, 1255-1267.	4.5	51
88	Childhood psychopathology in children of women with eating disorders: understanding risk mechanisms. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2014, 55, 124-134.	5.2	51
89	Antidepressant drug-specific prediction of depression treatment outcomes from genetic and clinical variables. Scientific Reports, 2018, 8, 5530.	3.3	51
90	Blinding success of rTMS applied to the dorsolateral prefrontal cortex in randomised sham-controlled trials: A systematic review. World Journal of Biological Psychiatry, 2011, 12, 240-248.	2.6	50

#	Article	IF	CITATIONS
91	Clinical prediction models in psychiatry: a systematic review of two decades of progress and challenges. Molecular Psychiatry, 2022, 27, 2700-2708.	7.9	49
92	Systematic review and meta-analysis of the efficacy of interventions for people with Type 1 diabetes mellitus and disordered eating. Diabetic Medicine, 2017, 34, 1667-1675.	2.3	47
93	Modelâ€based cluster analysis. Wiley Interdisciplinary Reviews: Computational Statistics, 2012, 4, 341-358.	3.9	46
94	Sensitivity to social contingencies between 1 and 3 months of age. Developmental Science, 2005, 8, 509-518.	2.4	45
95	Executive functioning in familial bipolar I disorder patients and their unaffected relatives. Bipolar Disorders, 2011, 13, 208-216.	1.9	43
96	Individual Differences in Infants' Emotional Resonance to a Peer in Distress: Self–Other Awareness and Emotion Regulation. Social Development, 2011, 20, 450-470.	1.3	43
97	Psychiatric disorder in young adults born very preterm: Role of family history. European Psychiatry, 2008, 23, 527-531.	0.2	41
98	Quality of Life in People with Their First Diabetic Foot Ulcer. Journal of the American Podiatric Medical Association, 2009, 99, 406-414.	0.3	41
99	Adolescents with suicidal and nonsuicidal self-harm: Clinical characteristics and response to therapeutic assessment Psychological Assessment, 2012, 24, 11-20.	1.5	41
100	Reconciliation in wild white-faced capuchins (Cebus capucinus). American Journal of Primatology, 2005, 65, 205-219.	1.7	40
101	Brain derived neurotropic factor (BDNF) is associated with childhood abuse but not cognitive domains in first episode psychosis. Schizophrenia Research, 2014, 159, 56-61.	2.0	40
102	Psychological consequences of child trafficking: An historical cohort study of trafficked children in contact with secondary mental health services. PLoS ONE, 2018, 13, e0192321.	2.5	40
103	Randomised control trial of the effectiveness of an integrated psychosocial health promotion intervention aimed at improving health and reducing substance use in established psychosis (IMPaCT). BMC Psychiatry, 2017, 17, 413.	2.6	39
104	The benefit of evolving multidisciplinary care in ALS: a diagnostic cohort survival comparison. Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration, 2017, 18, 569-575.	1.7	38
105	Sensitivity to interpersonal timing at 3 and 6 months of age. Interaction Studies, 2006, 7, 251-271.	0.6	37
106	Quantitative magnetic resonance spectroscopic imaging in Parkinson's disease, progressive supranuclear palsy and multiple system atrophy. European Journal of Neurology, 2010, 17, 1193-1202.	3.3	37
107	Genetic overlap between episodic memory deficits and schizophrenia: results from The Maudsley Twin Study. Psychological Medicine, 2011, 41, 521-532.	4.5	37
108	The metabolic underpinning of eating disorders: A systematic review and meta-analysis of insulin sensitivity. Molecular and Cellular Endocrinology, 2019, 497, 110307.	3.2	37

#	Article	IF	CITATIONS
109	Group Composition of Guinea Baboons (Papio papio) at a Water Place Suggests a Fluid Social Organization. International Journal of Primatology, 2011, 32, 652-668.	1.9	36
110	Using Natural Language Processing on Electronic Health Records to Enhance Detection and Prediction of Psychosis Risk. Schizophrenia Bulletin, 2021, 47, 405-414.	4.3	36
111	The interactive effect of acute ovarian suppression and the cholinergic system on visuospatial working memory in young women. Psychoneuroendocrinology, 2010, 35, 987-1000.	2.7	35
112	Dyadic and triadic skills in preterm and full term infants: A longitudinal study in the first year. , 2011, 34, 179-188.		35
113	Developing an individualized risk calculator for psychopathology among young people victimized during childhood: A population-representative cohort study. Journal of Affective Disorders, 2020, 262, 90-98.	4.1	35
114	Education, occupation and retirement age effects on the age of onset of Alzheimer's disease. International Journal of Geriatric Psychiatry, 2010, 25, 30-36.	2.7	34
115	Genetic overlap between schizophrenia and selective components of executive function. Schizophrenia Research, 2011, 127, 181-187.	2.0	34
116	Determination of psychosis-related clinical profiles in children with autism spectrum disorders using latent class analysis. European Child and Adolescent Psychiatry, 2015, 24, 301-307.	4.7	32
117	Low attendance at structured education for people with newly diagnosed type 2 diabetes: General practice characteristics and individual patient factors predict uptake. Patient Education and Counseling, 2016, 99, 101-107.	2.2	31
118	Mediators of change in cognitive behaviour therapy and mebeverine for irritable bowel syndrome. Psychological Medicine, 2011, 41, 2669-2679.	4.5	30
119	A theoretically guided approach to identifying predictors of treatment outcome in Contextual Cognitive Behavioural Therapy for chronic pain. European Journal of Pain, 2019, 23, 354-366.	2.8	30
120	Real-world implementation of precision psychiatry: Transdiagnostic risk calculator for the automatic detection of individuals at-risk of psychosis. Schizophrenia Research, 2021, 227, 52-60.	2.0	30
121	Mechanisms of change underlying the efficacy of cognitive behaviour therapy for chronic fatigue syndrome in a specialist clinic: a mediation analysis. Psychological Medicine, 2014, 44, 1331-1344.	4.5	29
122	Improving physical health and reducing substance use in psychosis – randomised control trial (IMPACT RCT): study protocol for a cluster randomised controlled trial. BMC Psychiatry, 2013, 13, 263.	2.6	28
123	Development of a multivariable gene-expression signature targeting T-cell-mediated rejection in peripheral blood of kidney transplant recipients validated in cross-sectional and longitudinal samples. EBioMedicine, 2019, 41, 571-583.	6.1	28
124	Schoolâ€based early intervention for anxiety and depression in older adolescents: A feasibility randomised controlled trial of a selfâ€referral stress management workshop programme ("DISCOVERâ€). Journal of Adolescence, 2019, 71, 150-161.	2.4	28
125	Interpretation Bias in Paranoia: A Systematic Review and Meta-Analysis. Clinical Psychological Science, 2021, 9, 3-23.	4.0	28
126	The Function and Determinants of Reconciliation in Pan troglodytes. International Journal of Primatology, 2010, 31, 39-57.	1.9	27

#	Article	IF	CITATIONS
127	Therapist effects in routine psychotherapy practice: An account from chronic fatigue syndrome. Psychotherapy Research, 2011, 21, 168-178.	1.8	27
128	Dimensions and Latent Classes of Episodic Mania-Like Symptoms in Youth: An Empirical Enquiry. Journal of Abnormal Child Psychology, 2011, 39, 925-937.	3.5	27
129	The long-term effectiveness of cognitive behavior therapy for psychosis within a routine psychological therapies service. Frontiers in Psychology, 2015, 6, 1658.	2.1	26
130	Nurse-led psychological intervention for type 2 diabetes: a cluster randomised controlled trial (Diabetes-6 study) in primary care. British Journal of General Practice, 2018, 68, e531-e540.	1.4	26
131	Oxytocin modulates hippocampal perfusion in people at clinical high risk for psychosis. Neuropsychopharmacology, 2019, 44, 1300-1309.	5.4	26
132	Precision psychiatry—What it means for eating disorders?. European Eating Disorders Review, 2019, 27, 3-7.	4.1	26
133	Effect of lifestyle, medication and ethnicity on cardiometabolic risk in the year following the first episode of psychosis: prospective cohort study. British Journal of Psychiatry, 2019, 215, 712-719.	2.8	25
134	Systematic review and metaâ€analysis of randomized controlled trials of psychological interventions to improve glycaemic control in children and adults with type 1 diabetes. Diabetic Medicine, 2020, 37, 735-746.	2.3	25
135	Sensitivity to triadic attention between 6 weeks and 3 months of age. , 2007, 30, 529-534.		24
136	Development of the carer wellâ€being and support (CWS) questionnaire. Mental Health Review Journal, 2012, 17, 128-138.	0.7	24
137	Using Drawings of the Brain Cell to Exhibit Expertise in Neuroscience: Exploring the Boundaries of Experimental Culture. Science Education, 2013, 97, 468-491.	3.0	23
138	Interpersonal sensitivity in those at clinical high risk for psychosis mediates the association between childhood bullying victimisation and paranoid ideation: A virtual reality study. Schizophrenia Research, 2018, 192, 89-95.	2.0	23
139	Repetitive transcranial magnetic stimulation reduces cortisol concentrations in bulimic disorders. Psychological Medicine, 2011, 41, 1329-1336.	4.5	22
140	The Association Between Selective Serotonin Reuptake Inhibitors and Glycemia: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. Psychosomatic Medicine, 2019, 81, 570-583.	2.0	22
141	Reducing weight and increasing physical activity in people at high risk of cardiovascular disease: a randomised controlled trial comparing the effectiveness of enhanced motivational interviewing intervention with usual care. Heart, 2020, 106, 447-454.	2.9	22
142	Morphological variation in adult chimpanzees (<i>Pan troglodytes verus</i>) of the TaÃ ⁻ National Park, Côte d'Ivoire. American Journal of Physical Anthropology, 2008, 135, 34-41.	2.1	21
143	Interpersonal processes in paranoia: a systematic review. Psychological Medicine, 2018, 48, 2299-2312.	4.5	21
144	Clinical-learning versus machine-learning for transdiagnostic prediction of psychosis onset in individuals at-risk. Translational Psychiatry, 2019, 9, 259.	4.8	21

#	Article	IF	CITATIONS
145	Association between depressive symptoms and objectively measured daily step count in individuals at high risk of cardiovascular disease in South London, UK: a cross-sectional study. BMJ Open, 2018, 8, e020942.	1.9	21
146	Impact of Supplementary Feeding on Reproductive Success of White Storks. PLoS ONE, 2014, 9, e104276.	2.5	20
147	The Coping with Unusual Experiences for Children Study (<scp>CUES</scp>): A pilot randomized controlled evaluation of the acceptability and potential clinical utility of a cognitive behavioural intervention package for young people aged 8–14Âyears with unusual experiences and emotional symptoms. British Journal of Clinical Psychology, 2018, 57, 328-350.	3.5	20
148	Using Virtual Reality to Assess Associations Between Paranoid Ideation and Components of Social Performance: A Pilot Validation Study. Cyberpsychology, Behavior, and Social Networking, 2019, 22, 51-59.	3.9	20
149	Food competition in captive female sooty mangabeys (Cercocebus torquatus atys). Primates, 2003, 44, 203-216.	1.1	19
150	Taking a closer look at social and cognitive skills: A weekly longitudinal assessment between 7 and 10 months of age. European Journal of Developmental Psychology, 2009, 6, 567-591.	1.8	19
151	The interactive effect of the cholinergic system and acute ovarian suppression on the brain: An fMRI study. Hormones and Behavior, 2009, 55, 41-49.	2.1	19
152	Eye contact and emotional face processing in 6-month-old infants: Advanced statistical methods applied to event-related potentials. Brain and Development, 2010, 32, 305-317.	1.1	19
153	Effect of DISC1 on the P300 Waveform in Psychosis. Schizophrenia Bulletin, 2013, 39, 161-167.	4.3	19
154	Formal thought disorder in people at ultra-high risk of psychosis. BJPsych Open, 2017, 3, 165-170.	0.7	19
155	Psychological interventions to improve glycemic control in adults with type 2 diabetes: a systematic review and meta-analysis. BMJ Open Diabetes Research and Care, 2020, 8, e001150.	2.8	19
156	The McCollough Effect and Facial Emotion Discrimination in Patients With Schizophrenia and Their Unaffected Relatives. Schizophrenia Bulletin, 2012, 38, 599-607.	4.3	18
157	Theory of Mind as a potential trait marker of schizophrenia: A family study. Cognitive Neuropsychiatry, 2012, 17, 64-89.	1.3	18
158	Supported discharge service versus inpatient care evaluation (SITE): a randomised controlled trial comparing effectiveness of an intensive community care service versus inpatient treatment as usual for adolescents with severe psychiatric disorders: self-harm, functional impairment, and educational and clinical outcomes. European Child and Adolescent Psychiatry, 2021, 30, 1427-1436.	4.7	18
159	A review of the reliability and validity of OPCRIT in relation to its use for the routine clinical assessment of mental health patients. International Journal of Methods in Psychiatric Research, 2013, 22, 110-137.	2.1	17
160	Identifying psychosis spectrum disorder from experience sampling data using machine learning approaches. Schizophrenia Research, 2019, 209, 156-163.	2.0	17
161	Enhanced motivational interviewing for reducing weight and increasing physical activity in adults with high cardiovascular risk: the MOVE IT three-arm RCT. Health Technology Assessment, 2019, 23, 1-144.	2.8	17
162	Familial liability to schizophrenia and premorbid adjustment. British Journal of Psychiatry, 2007, 191, 260-261.	2.8	16

#	Article	IF	CITATIONS
163	Is there a common underlying mechanism for age-related decline in cortical thickness?. NeuroReport, 2009, 20, 1155-1160.	1.2	16
164	The distribution of self-reported psychotic-like experiences in non-psychotic help-seeking mental health patients in the general population; a factor mixture analysis. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 349-358.	3.1	16
165	Effects of cognitive remediation on negative symptoms dimensions: exploring the role of working memory. Psychological Medicine, 2017, 47, 2593-2601.	4.5	16
166	The relationship between exposure to adverse life events in childhood and adolescent years and subsequent adult psychopathology in 49,163 adult prisoners: A systematic review. Personality and Individual Differences, 2018, 131, 74-92.	2.9	16
167	Transdiagnostic Individualized Clinically Based Risk Calculator for the Detection of Individuals at Risk and the Prediction of Psychosis: Model Refinement Including Nonlinear Effects of Age. Frontiers in Psychiatry, 2019, 10, 313.	2.6	16
168	Development and validation of the first consensus gene-expression signature of operational tolerance in kidney transplantation, incorporating adjustment for immunosuppressive drug therapy. EBioMedicine, 2020, 58, 102899.	6.1	16
169	Copulation patterns in captive hamadryas baboons: a quantitative analysis. Primates, 2011, 52, 373-83.	1.1	15
170	Comparing the effectiveness of an enhanced MOtiVational intErviewing InTervention (MOVE IT) with usual care for reducing cardiovascular risk in high risk subjects: study protocol for a randomised controlled trial. Trials, 2015, 16, 112.	1.6	15
171	Cognitive Bias Modification for paranoia (CBM-pa): study protocol for a randomised controlled trial. Trials, 2017, 18, 298.	1.6	15
172	Transdiagnostic individualized clinically-based risk calculator for the automatic detection of individuals at-risk and the prediction of psychosis: external replication in 2,430,333 US patients. Translational Psychiatry, 2020, 10, 364.	4.8	15
173	Fact or fiction: reducing the proportion and impact of false positives. Psychological Medicine, 2018, 48, 1084-1091.	4.5	14
174	Fitness to plead: Development and validation of a standardised assessment instrument. PLoS ONE, 2018, 13, e0194332.	2.5	14
175	Response bias to a randomised controlled trial of a lifestyle intervention in people at high risk of cardiovascular disease: a cross-sectional analysis. BMC Public Health, 2018, 18, 1092.	2.9	13
176	Are Steeper Discounting Rates in Attention-Deficit/Hyperactivity Disorder Specifically Associated with Hyperactivity-Impulsivity Symptoms or Is This a Statistical Artifact?. Biological Psychiatry, 2010, 68, e15-e16.	1.3	12
177	Cardiac safety of repetitive transcranial magnetic stimulation in bulimic eating disorders. Brain Stimulation, 2011, 4, 112-114.	1.6	12
178	Cognitive Behaviour Therapy for Psychosis: The Impact of Therapist Training and Supervision. Psychotherapy and Psychosomatics, 2012, 81, 194-195.	8.8	12
179	How important are positive and negative outcome expectancies in the treatment of addiction: a narrative review of the literature. Drugs and Alcohol Today, 2014, 14, 137-149.	0.7	12
180	Association of KIBRA rs17070145 polymorphism with episodic memory in the early stages of a human neurodevelopmental disorder. Psychiatry Research, 2014, 220, 37-43.	3.3	12

#	Article	lF	CITATIONS
181	New insights into the endophenotypic status of cognition in bipolar disorder: Genetic modelling study of twins and siblings. British Journal of Psychiatry, 2016, 208, 539-547.	2.8	12
182	Development and validation of prediction model to estimate 10-year risk of all-cause mortality using modern statistical learning methods: a large population-based cohort study and external validation. BMC Medical Research Methodology, 2021, 21, 8.	3.1	12
183	A framework for handling missing accelerometer outcome data in trials. Trials, 2021, 22, 379.	1.6	12
184	Predicting Psychosis Using the Experience Sampling Method with Mobile Apps. , 2017, , .		11
185	A pilot study of an integrated mental health, social and medical model for diabetes care in an innerâ€city setting: Three Dimensions for Diabetes (3DFD). Diabetic Medicine, 2020, 37, 1658-1668.	2.3	11
186	The relationship between ethnicity and service access, treatment uptake and the incidence of psychosis among people at ultra high risk for psychosis. Psychiatry Research, 2019, 272, 618-627.	3.3	11
187	Relationship between jumping to conclusions and clinical outcomes in people at clinical high-risk for psychosis. Psychological Medicine, 2022, 52, 1569-1577.	4.5	11
188	Predicting onset of early- and late-treatment resistance in first-episode schizophrenia patients using advanced shrinkage statistical methods in a small sample. Psychiatry Research, 2020, 294, 113527.	3.3	11
189	Harnessing Clinical Psychiatric Data with an Electronic Assessment Tool (OPCRIT+): The Utility of Symptom Dimensions. PLoS ONE, 2013, 8, e58790.	2.5	10
190	Randomised controlled trial to improve health and reduce substance use in established psychosis (IMPaCT): cost-effectiveness of integrated psychosocial health promotion. BMC Psychiatry, 2017, 17, 407.	2.6	10
191	A qualitative study of the acceptability of cognitive bias modification for paranoia (CBM-pa) in patients with psychosis. BMC Psychiatry, 2019, 19, 225.	2.6	10
192	Real-World Implementation of Precision Psychiatry: A Systematic Review of Barriers and Facilitators. Brain Sciences, 2022, 12, 934.	2.3	10
193	The Prospective Association Between Inflammation and Depressive Symptoms in Type 2 Diabetes Stratified by Sex. Diabetes Care, 2019, 42, 1865-1872.	8.6	9
194	Development of an individualized risk calculator for poor functioning in young people victimized during childhood: A longitudinal cohort study. Child Abuse and Neglect, 2019, 98, 104188.	2.6	9
195	Working Towards a Blood-Derived Gene Expression Biomarker Specific for Alzheimer's Disease. Journal of Alzheimer's Disease, 2020, 74, 545-561.	2.6	9
196	Assessment of Somatosensory Function and Self-harm in Adolescents. JAMA Network Open, 2021, 4, e2116853.	5.9	9
197	Caregiver wellbeing during Covid-19: does being hopeful play a role?. Journal of Affective Disorders Reports, 2021, 6, 100239.	1.7	9
198	Can outcome expectancies be measured across substances? Development and validation of a questionnaire for populations in treatment. Drugs and Alcohol Today, 2014, 14, 172-186.	0.7	8

#	Article	IF	CITATIONS
199	Sexual dysfunction and central obesity in patients with first episode psychosis. European Psychiatry, 2017, 42, 1-7.	0.2	8
200	Steroid regulation: An overlooked aspect of tolerance and chronic rejection in kidney transplantation. Molecular and Cellular Endocrinology, 2018, 473, 205-216.	3.2	8
201	Diabetes and TelecommunicationS (DATES) study to support self-management for people with type 2 diabetes: a randomized controlled trial. BMC Public Health, 2018, 18, 1249.	2.9	8
202	The presence or absence of older siblings and variation in infant goal-directed motor development. International Journal of Behavioral Development, 2010, 34, 325-329.	2.4	7
203	Sustained attention in bipolar I disorder patients with familial psychosis and their first-degree relatives. Psychiatry Research, 2012, 199, 70-73.	3.3	7
204	A case series exploring possible predictors and mechanisms of change in hearing voices groups. Psychology and Psychotherapy: Theory, Research and Practice, 2014, 87, 60-79.	2.5	7
205	Feasibility trial of a psychoeducational intervention for parents with personality difficulties: The Helping Families Programme. Contemporary Clinical Trials Communications, 2017, 8, 67-74.	1.1	7
206	Abstinence preparation group intervention for dependent alcohol users. How does it work? Results of a process study. Journal of Substance Use, 2017, 22, 149-155.	0.7	6
207	Changes in care costs associated with cognitive behavioural therapy for psychosis delivered in routine clinical practice. Journal of Mental Health, 2020, 29, 605-610.	1.9	6
208	An intervention for parents with severe personality difficulties whose children have mental health problems: a feasibility RCT. Health Technology Assessment, 2020, 24, 1-188.	2.8	6
209	COGNITIVE AND NEGATIVE SYMPTOM DIMENSIONS IN THE AT RISK MENTAL STATE PREDICT SUBSEQUENT TRANSITION TO PSYCHOSIS. Schizophrenia Research, 2010, 117, 189.	2.0	5
210	Path analysis of cognitive behavioural models in substance misuse. What is the relationship between concepts involved?. Journal of Substance Use, 2014, 19, 399-404.	0.7	5
211	A Prediction Modelling and Pattern Detection Approach for the First-Episode Psychosis Associated to Cannabis Use. , 2016, , .		5
212	Early intervention for depression and anxiety in 16–18-year-olds: Protocol for a feasibility cluster randomised controlled trial of open-access psychological workshops in schools (DISCOVER). Contemporary Clinical Trials, 2016, 48, 52-58.	1.8	5
213	Feasibility randomized controlled trial of a one-day CBT workshop (â€~DISCOVER') for 15- to 18-year-olds with anxiety and/or depression in clinic settings. Behavioural and Cognitive Psychotherapy, 2020, 48, 142-159.	1.2	5
214	Randomised feasibility trial of the helping families programme-modified: an intensive parenting intervention for parents affected by severe personality difficulties. BMJ Open, 2020, 10, e033637.	1.9	5
215	SITAgliptin for Depressive Symptoms in Type 2 Diabetes: A Feasibility Randomized Controlled Trial. Psychosomatic Medicine, 2021, 83, 913-923.	2.0	5
216	Using a statistical learning approach to identify sociodemographic and clinical predictors of response to clozapine. Journal of Psychopharmacology, 2022, 36, 498-506.	4.0	5

#	Article	IF	CITATIONS
217	A Machine Learning Approach for Predicting Deterioration in Alzheimerâ \in Ms Disease. , 2021, , .		5
218	Pre-morbid fertility in psychosis: Findings from the AESOP first episode study. Schizophrenia Research, 2014, 156, 168-173.	2.0	4
219	Can Artificial Neural Networks Predict Psychiatric Conditions Associated with Cannabis Use?. IFIP Advances in Information and Communication Technology, 2018, , 311-322.	0.7	3
220	Neurocognitive Measures of Self-blame and Risk Prediction Models of Recurrence in Major Depressive Disorder. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2022, 7, 256-264.	1.5	3
221	A health promotion intervention to improve lifestyle choices and health outcomes in people with psychosis: a research programme including the IMPaCT RCT. Programme Grants for Applied Research, 2020, 8, 1-124.	1.0	3
222	Response to Comment on: Kan et al. A Systematic Review and Meta-analysis of the Association Between Depression and Insulin Resistance. Diabetes Care 2013;36:480-489. Diabetes Care, 2013, 36, e124-e124.	8.6	2
223	Path analysis of cognitive behavioral models in smoking: what is the relationship between concepts involved?. Journal of Substance Use, 2016, 21, 553-557.	0.7	2
224	A Signature of Gene Expression in Peripheral Blood that Enables Earlier Detection of Acute Rejection in Kidney Transplant Recipients. Transplantation, 2018, 102, S180.	1.0	2
225	PIDT: A Novel Decision Tree Algorithm Based on Parameterised Impurities and Statistical Pruning Approaches. IFIP Advances in Information and Communication Technology, 2018, , 273-284.	0.7	2
226	Applying the Higher Education Academy Framework for Partnership in Learning and Teaching in Higher Education to Online Partnership Learning Communities: A Case Study and an Extended Model. Teaching and Learning Inquiry, 2018, 6, 143-164.	0.4	2
227	A New Machine Learning Framework for Understanding the Link Between Cannabis Use and First-Episode Psychosis. Studies in Health Technology and Informatics, 2018, 248, 9-16.	0.3	2
228	HOW EFFECTIVE IS CBTP AND DOES THIS DEPEND ON YOUR THERAPIST?. Schizophrenia Research, 2010, 117, 159.	2.0	1
229	The structure of the ultra high risk mental state for psychosis. A latent class cluster analysis study. European Psychiatry, 2011, 26, 2087-2087.	0.2	1
230	A systematic review and meta-analysis of the association between depression and insulin resistance. Diabetes Care 2013;36:480-489. Diabetes Care, 2013, 36, 1429-1429.	8.6	1
231	T66. PREDICTING TREATMENT RESISTANT SCHIZOPHRENIA AT FIRST-EPISODE OF PSYCHOSIS. Schizophrenia Bulletin, 2019, 45, S229-S230.	4.3	1
232	Factors associated with women achieving and maintaining abstinence from alcohol: a rapid evidence assessment. Advances in Dual Diagnosis, 2019, 12, 161-172.	0.5	1
233	Reducing Self-harm in Adolescents. An individual participant data meta-analysis (RISA-IPD): systematic review protocol. BMJ Open, 2021, 11, e049255.	1.9	1
234	Combining Cox Model and Tree-Based Algorithms to Boost Performance and Preserve Interpretability for Health Outcomes. IFIP Advances in Information and Communication Technology, 2022, , 170-181.	0.7	1

#	Article	IF	CITATIONS
235	Prospective study of the association between depressive symptoms at type 2 diabetes diagnosis and time to insulin initiation in the South London diabetes (SOUL-D) cohort. Primary Care Diabetes, 2022, 16, 502-508.	1.8	1
236	Negative expectancies measured with the Substance Use Beliefs Questionnaire can differentiate controls from those in treatment for alcohol dependence. Drugs and Alcohol Today, 2015, 15, 76-81.	0.7	0
237	34.2 IMPROVING THE DETECTION OF INDIVIDUALS AT RISK OF PSYCHOSIS IN SECONDARY MENTAL HEALTH CARE. Schizophrenia Bulletin, 2018, 44, S56-S57.	4.3	0
238	O5.2. PREDICTORS OF CARDIOMETABOLIC RISK IN THE YEAR AFTER ONSET OF PSYCHOSIS: A PROSPECTIVE COHORT STUDY. Schizophrenia Bulletin, 2018, 44, S87-S87.	4.3	0
239	Data Science Challenges in Computational Psychiatry and Psychiatric Research. , 2018, , .		0
240	Predicting First-Episode Psychosis Associated with Cannabis Use with Artificial Neural Networks and Deep Learning. Communications in Computer and Information Science, 2018, , 691-702.	0.5	0
241	Frontal lobes dysfunction across clinical clusters of acute schizophrenia. Revista De PsiquiatrÃa Y Salud Mental, 2021, , .	1.8	0