

Emilio Casanova

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1433472/publications.pdf>

Version: 2024-02-01

73
papers

4,837
citations

172457

29
h-index

95266

68
g-index

76
all docs

76
docs citations

76
times ranked

8443
citing authors

#	ARTICLE	IF	CITATIONS
1	The glucocorticoid receptor associates with RAS complexes to inhibit cell proliferation and tumor growth. <i>Science Signaling</i> , 2022, 15, eabm4452.	3.6	11
2	Discovery of the cyclotide caripe 11 as a ligand of the cholecystokinin-2 receptor. <i>Scientific Reports</i> , 2022, 12, .	3.3	3
3	Efficient production of recombinant secretory IgA against <i>Clostridium difficile</i> toxins in CHO-K1 cells. <i>Journal of Biotechnology</i> , 2021, 331, 1-13.	3.8	7
4	Down-regulation of A20 promotes immune escape of lung adenocarcinomas. <i>Science Translational Medicine</i> , 2021, 13, .	12.4	10
5	STAT3: Versatile Functions in Non-Small Cell Lung Cancer. <i>Cancers</i> , 2020, 12, 1107.	3.7	60
6	Targeting KRAS Mutant Non-Small-Cell Lung Cancer: Past, Present and Future. <i>International Journal of Molecular Sciences</i> , 2020, 21, 4325.	4.1	84
7	IDO1+ Paneth cells promote immune escape of colorectal cancer. <i>Communications Biology</i> , 2020, 3, 252.	4.4	26
8	JAK-STAT inhibition impairs KRAS-driven lung adenocarcinoma progression. <i>International Journal of Cancer</i> , 2019, 145, 3376-3388.	5.1	54
9	A Mouse Model to Assess STAT3 and STAT5A/B Combined Inhibition in Health and Disease Conditions. <i>Cancers</i> , 2019, 11, 1226.	3.7	3
10	Validation of an enzyme-linked immunosorbent assay (ELISA) for quantification of endostatin levels in mice as a biomarker of developing glomerulonephritis. <i>PLoS ONE</i> , 2019, 14, e0220935.	2.5	5
11	MTHFD1 interaction with BRD4 links folate metabolism to transcriptional regulation. <i>Nature Genetics</i> , 2019, 51, 990-998.	21.4	61
12	Orthotopic Transplantation of Syngeneic Lung Adenocarcinoma Cells to Study PD-L1 Expression. <i>Journal of Visualized Experiments</i> , 2019, , .	0.3	4
13	Notch inhibition overcomes resistance to tyrosine kinase inhibitors in EGFR-driven lung adenocarcinoma. <i>Journal of Clinical Investigation</i> , 2019, 130, 612-624.	8.2	27
14	STAT3 ^{Δ2} is a tumor suppressor in acute myeloid leukemia. <i>Blood Advances</i> , 2019, 3, 1989-2002.	5.2	20
15	STAT1 is a sex-specific tumor suppressor in colitis-associated colorectal cancer. <i>Molecular Oncology</i> , 2018, 12, 514-528.	4.6	29
16	<sc>AKT</sc> ³ drives adenoid cystic carcinoma development in salivary glands. <i>Cancer Medicine</i> , 2018, 7, 445-453.	2.8	13
17	Breaking bad family ties: Pan-ERBB blockers inhibit KRAS driven lung tumorigenesis. <i>Molecular and Cellular Oncology</i> , 2018, 5, e1513724.	0.7	2
18	Non-blocking modulation contributes to sodium channel inhibition by a covalently attached photoreactive riluzole analog. <i>Scientific Reports</i> , 2018, 8, 8110.	3.3	16

#	ARTICLE	IF	CITATIONS
19	Aggressive B-cell lymphomas in patients with myelofibrosis receiving JAK1/2 inhibitor therapy. <i>Blood</i> , 2018, 132, 694-706.	1.4	132
20	Afatinib restrains K-RAS-driven lung tumorigenesis. <i>Science Translational Medicine</i> , 2018, 10, .	12.4	99
21	Epidermal growth factor signaling protects from cholestatic liver injury and fibrosis. <i>Journal of Molecular Medicine</i> , 2017, 95, 109-117.	3.9	21
22	The Transcription Factor ZNF683/HOBIT Regulates Human NK-Cell Development. <i>Frontiers in Immunology</i> , 2017, 8, 535.	4.8	30
23	Unexpected oncosuppressive role for STAT3 in KRAS-induced lung tumorigenesis. <i>Molecular and Cellular Oncology</i> , 2016, 3, e1036199.	0.7	3
24	Maintenance therapy with histamine plus IL-2 induces a striking expansion of two CD56bright NK cell subpopulations in patients with acute myeloid leukemia and supports their activation. <i>Oncotarget</i> , 2016, 7, 46466-46481.	1.8	19
25	Disruption of STAT3 signalling promotes KRAS-induced lung tumorigenesis. <i>Nature Communications</i> , 2015, 6, 6285.	12.8	124
26	Heterologous protein production using euchromatin-containing expression vectors in mammalian cells. <i>Nucleic Acids Research</i> , 2015, 43, e102-e102.	14.5	46
27	Myeloid STAT3 promotes formation of colitis-associated colorectal cancer in mice. <i>Oncotarget</i> , 2015, 4, e998529.	4.6	24
28	Growth hormone resistance exacerbates cholestasis-induced murine liver fibrosis. <i>Hepatology</i> , 2015, 61, 613-626.	7.3	27
29	Modeling Cancer Using Genetically Engineered Mice. <i>Methods in Molecular Biology</i> , 2015, 1267, 3-18.	0.9	7
30	Lactotransferrin-Cre reporter mice trace neutrophils, monocytes/macrophages and distinct subtypes of dendritic cells. <i>Haematologica</i> , 2014, 99, 1006-1015.	3.5	15
31	Heme Oxygenase-1 Drives Metaflammation and Insulin Resistance in Mouse and Man. <i>Cell</i> , 2014, 158, 25-40.	28.9	243
32	ETV6/RUNX1 Induces Reactive Oxygen Species and Drives the Accumulation of DNA Damage in B Cells. <i>Neoplasia</i> , 2013, 15, 1292-IN28.	5.3	39
33	Powerful expression in Chinese Hamster Ovary cells using bacterial artificial chromosomes: parameters influencing productivity. <i>BMC Proceedings</i> , 2013, 7, .	1.6	7
34	Exploration of BAC versus plasmid expression vectors in recombinant CHO cells. <i>Applied Microbiology and Biotechnology</i> , 2013, 97, 4049-4054.	3.6	22
35	Recent advances in recombinant protein production. <i>Bioengineered</i> , 2013, 4, 258-261.	3.2	20
36	The Use of Bacterial Artificial Chromosomes for Recombinant Protein Production in Mammalian Cell Lines. <i>Methods in Molecular Biology</i> , 2012, 824, 581-593.	0.9	9

#	ARTICLE	IF	CITATIONS
37	A mouse model to identify cooperating signaling pathways in cancer. <i>Nature Methods</i> , 2012, 9, 897-900.	19.0	15
38	A novel <i>Ncr1-Cre</i> mouse reveals the essential role of STAT5 for NK-cell survival and development. <i>Blood</i> , 2011, 117, 1565-1573.	1.4	193
39	Genetically modified mouse models of cancer invasion and metastasis. <i>Drug Discovery Today: Disease Models</i> , 2011, 8, 67-74.	1.2	23
40	JAK-STAT signaling in hepatic fibrosis. <i>Frontiers in Bioscience - Landmark</i> , 2011, 16, 2794.	3.0	56
41	Impairment of hepatic growth hormone and glucocorticoid receptor signaling causes steatosis and hepatocellular carcinoma in mice. <i>Hepatology</i> , 2011, 54, 1398-1409.	7.3	100
42	Disruption of the growth hormone-Signal transducer and activator of transcription 5-Insulinlike growth factor 1 axis severely aggravates liver fibrosis in a mouse model of cholestasis. <i>Hepatology</i> , 2010, 51, 1319-1326.	7.3	48
43	A mouse tool for conditional mutagenesis in ovarian granulosa cells. <i>Genesis</i> , 2010, 48, 612-617.	1.6	5
44	NMDA receptor-dependent GABA _B receptor internalization via CaMKII phosphorylation of serine 867 in GABA _{B1} . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 13924-13929.	7.1	98
45	Stat3 Is a Negative Regulator of Intestinal Tumor Progression in <i>ApcMin</i> Mice. <i>Gastroenterology</i> , 2010, 138, 1003-1011.e5.	1.3	139
46	Signal Transducer and Activator of Transcription 3 Protects From Liver Injury and Fibrosis in a Mouse Model of Sclerosing Cholangitis. <i>Gastroenterology</i> , 2010, 138, 2499-2508.	1.3	71
47	No evidence for a bone phenotype in <i>GPRC6A</i> knockout mice under normal physiological conditions. <i>Journal of Molecular Endocrinology</i> , 2009, 42, 215-223.	2.5	63
48	A mouse model for visualization of GABA _B receptors. <i>Genesis</i> , 2009, 47, 595-602.	1.6	13
49	A <i>Probasin</i> MerCreMer BAC allows inducible recombination in the mouse prostate. <i>Genesis</i> , 2009, 47, 757-764.	1.6	15
50	Loss of GABAB Receptors in Cochlear Neurons: Threshold Elevation Suggests Modulation of Outer Hair Cell Function by Type II Afferent Fibers. <i>JARO - Journal of the Association for Research in Otolaryngology</i> , 2009, 10, 50-63.	1.8	30
51	Bacterial artificial chromosomes improve recombinant protein production in mammalian cells. <i>BMC Biotechnology</i> , 2009, 9, 3.	3.3	26
52	Skeletal Muscle-Specific Ablation of raptor, but Not of rictor, Causes Metabolic Changes and Results in Muscle Dystrophy. <i>Cell Metabolism</i> , 2008, 8, 411-424.	16.2	557
53	↑ C31-mediated cassette exchange into a bacterial artificial chromosome. <i>BioTechniques</i> , 2007, 43, 659-664.	1.8	7
54	Expression of Cre recombinase in dopaminergic neurons. <i>BMC Neuroscience</i> , 2007, 8, 4.	1.9	68

#	ARTICLE	IF	CITATIONS
55	Neuronal migration in the murine rostral migratory stream requires serum response factor. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 6148-6153.	7.1	131
56	Genetic Inactivation of the Transcription Factor TIF-IA Leads to Nucleolar Disruption, Cell Cycle Arrest, and p53-Mediated Apoptosis. Molecular Cell, 2005, 19, 77-87.	9.7	230
57	Characterization of the promoter of the mouse c-Jun NH2-terminal/stress-activated protein kinase alpha gene. Biochimica Et Biophysica Acta Gene Regulatory Mechanisms, 2004, 1681, 47-52.	2.4	1
58	Floxed allele for conditional inactivation of the GABAB(1)gene. Genesis, 2004, 40, 125-130.	1.6	52
59	Generation of a conditional allele of theCBPgene in mouse. Genesis, 2004, 40, 82-89.	1.6	24
60	± Complementation in the Cre recombinase enzyme. Genesis, 2003, 37, 25-29.	1.6	42
61	CB1 Cannabinoid Receptors and On-Demand Defense Against Excitotoxicity. Science, 2003, 302, 84-88.	12.6	1,083
62	When reverse genetics meets physiology: the use of site-specific recombinases in mice. FEBS Letters, 2002, 529, 116-121.	2.8	46
63	Construction of a conditional allele of RSK-B/MSK2 in the mouse. Genesis, 2002, 32, 158-160.	1.6	2
64	ER-based double icre fusion protein allows partial recombination in forebrain. Genesis, 2002, 34, 208-214.	1.6	81
65	Analysis of splicing of four mouse JNK/SAPK± variants. NeuroReport, 2000, 11, 305-309.	1.2	2
66	Inducible site-specific recombination in the brain 1 Edited by M. Yaniv. Journal of Molecular Biology, 1999, 285, 175-182.	4.2	206
67	Cloning of chicken and mouse ±1b adrenergic receptor. Biochimica Et Biophysica Acta Gene Regulatory Mechanisms, 1998, 1396, 263-266.	2.4	3
68	Phosphorylation of the Third Intracellular Loop of the Mouse ± 1b -Adrenergic Receptor by cAMP-dependent Protein Kinase. Brain Research Bulletin, 1997, 42, 427-430.	3.0	2
69	Identification of four splice variants of the mouse stress-activated protein kinase JNK/SAPK ±-isoform. NeuroReport, 1996, 7, 1320-1324.	1.2	15
70	Immunodetection of serotonin transporter from mouse brain. NeuroReport, 1995, 6, 2353-2356.	1.2	6
71	Identification of a cyclic adenosine 3â€²,5â€²-monophosphate-dependent protein kinase phosphorylation site in the carboxy terminal tail of human D1 dopamine receptor. Neuroscience Letters, 1995, 188, 183-186.	2.1	19
72	Molecular Cloning of ±1d± Adrenergic Receptor and Tissue Distribution of Three ±1± Adrenergic Receptor Subtypes in Mouse. Journal of Neurochemistry, 1995, 65, 2387-2392.	3.9	35

#	ARTICLE	IF	CITATIONS
73	Differential effect of chronic ethanol treatment on barbiturate and steroid modulation of muscimol-binding to rat brain cortex. <i>Neuroscience Letters</i> , 1993, 158, 83-86.	2.1	8