

Ziyang Hu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1435256/publications.pdf>

Version: 2024-02-01

116
papers

3,580
citations

109321

35
h-index

161849

54
g-index

116
all docs

116
docs citations

116
times ranked

4913
citing authors

#	ARTICLE	IF	CITATIONS
1	Effects of Thickness and Si ₃ N ₄ Coverage on the Phase Transition Characteristics of GeTe Thin Films. <i>Crystal Growth and Design</i> , 2022, 22, 1292-1298.	3.0	7
2	Dependence of the Heterogeneity of Grain Boundaries on Adjacent Grains in Perovskites and Its Impact on Photovoltage. <i>Small</i> , 2022, 18, e2105140.	10.0	9
3	Facile surface homojunction reconstruction in halide perovskite solar cells. <i>Journal of Alloys and Compounds</i> , 2022, 916, 165442.	5.5	4
4	In Situ Microscopic Observation of Humidity-Induced Degradation in All-Inorganic Perovskite Films. <i>ACS Applied Energy Materials</i> , 2022, 5, 8092-8102.	5.1	4
5	Energetic, exergetic and ecological evaluations of a hybrid system based on a phosphoric acid fuel cell and an organic Rankine cycle. <i>Energy</i> , 2021, 217, 119365.	8.8	23
6	A new combined system consisting of a molten hydroxide direct carbon fuel cell and an alkali metal thermal electric converter: Energy and exergy analyses. <i>Applied Thermal Engineering</i> , 2021, 185, 116417.	6.0	15
7	Suppression of hysteresis in all-inorganic perovskite solar cells by the incorporation of PCBM. <i>Applied Physics Letters</i> , 2021, 118, .	3.3	18
8	2D ϵ -MA ₃ Sb ₂ I ₉ Back Surface Field for Efficient and Stable Perovskite Solar Cells. <i>Small Methods</i> , 2021, 5, e2001090.	8.6	8
9	An efficient hybrid system using a graphene-based cathode vacuum thermionic energy converter to harvest the waste heat from a molten hydroxide direct carbon fuel cell. <i>Energy</i> , 2021, 223, 120095.	8.8	11
10	An alkaline fuel cell/direct contact membrane distillation hybrid system for cogenerating electricity and freshwater. <i>Energy</i> , 2021, 225, 120303.	8.8	25
11	Stability in Photoinduced Instability in Mixed-Halide Perovskite Materials and Solar Cells. <i>Journal of Physical Chemistry C</i> , 2021, 125, 21370-21380.	3.1	10
12	Effective lewis base additive with S-donor for efficient and stable CsPbI ₂ Br based perovskite solar cells. <i>Chemical Engineering Journal</i> , 2021, 420, 129931.	12.7	49
13	Multifunctional liquid additive strategy for highly efficient and stable CsPbI ₂ Br all-inorganic perovskite solar cells. <i>Chemical Engineering Journal</i> , 2021, 422, 130572.	12.7	47
14	Zinc ion functional doping for all-inorganic planar CsPbI ₂ Br perovskite solar cells with efficiency over 10.5%. <i>Journal of Materials Chemistry C</i> , 2021, 9, 2145-2155.	5.5	43
15	PCBM/Ag interface dipole management in inverted perovskite solar cells. <i>Applied Physics Letters</i> , 2021, 119, .	3.3	10
16	Reconstruction of the (EMIm) _x MA _{1-x} Pb[(BF ₄) _x I _{1-x}] ₈ Interlayer for Efficient and Stable Perovskite Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 727-733.	8.0	8
17	Heterojunction Engineering and Ideal Factor Optimization Toward Efficient MINP Perovskite Solar Cells. <i>Advanced Energy Materials</i> , 2021, 11, 2102724.	19.5	29
18	Mitigating voltage loss in efficient CsPbI ₂ Br all-inorganic perovskite solar cells via metal ion-doped ZnO electron transport layer. <i>Applied Physics Letters</i> , 2021, 119, .	3.3	10

#	ARTICLE	IF	CITATIONS
19	Correlating carrier lifetime with device design and photovoltaic performance of perovskite solar cells. <i>Applied Physics Letters</i> , 2021, 119, .	3.3	1
20	All in One: A Versatile n-Perovskite/p-Spiro-MeOTAD p-n Heterojunction Diode as a Photovoltaic Cell, Photodetector, and Memristive Photosynapse. <i>Journal of Physical Chemistry Letters</i> , 2021, 12, 12098-12106.	4.6	17
21	Pb and Li co-doped NiO _x for efficient inverted planar perovskite solar cells. <i>Journal of Colloid and Interface Science</i> , 2020, 559, 29-38.	9.4	32
22	Pb Site Doping of Lead Halide Perovskites for Efficient Solar Cells. <i>Solar Rrl</i> , 2020, 4, 1900227.	5.8	8
23	Elimination of Light-Soaking Effect in Hysteresis-Free Perovskite Solar Cells by Interfacial Modification. <i>Journal of Physical Chemistry C</i> , 2020, 124, 1851-1860.	3.1	18
24	Hysteresis effects on carrier transport and photoresponse characteristics in hybrid perovskites. <i>Journal of Materials Chemistry C</i> , 2020, 8, 1962-1971.	5.5	13
25	Low-Temperature Preparation of CsPbI ₂ Br for Efficient and Stable Perovskite Solar Cells. <i>ACS Applied Energy Materials</i> , 2020, 3, 1076-1081.	5.1	13
26	A dual promotion strategy of interface modification and ion doping for efficient and stable carbon-based planar CsPbBr ₃ perovskite solar cells. <i>Journal of Materials Chemistry C</i> , 2020, 8, 17211-17221.	5.5	10
27	Heterogeneous photoresponse of individual grain in all-inorganic perovskite solar cells. <i>Applied Physics Letters</i> , 2020, 117, .	3.3	8
28	Performance improvement of perovskite solar cells via spiro-OMeTAD pre-crystallization. <i>Journal of Materials Science</i> , 2020, 55, 12264-12273.	3.7	5
29	High-temperature induced iodide and bromide ions filling lattice for high efficient all-inorganic perovskite solar cells. <i>Journal of Alloys and Compounds</i> , 2020, 848, 156247.	5.5	11
30	Comprehensive Elucidation of Grain Boundary Behavior in All-Inorganic Halide Perovskites by Scanning Probe Microscopy. <i>Advanced Materials Interfaces</i> , 2020, 7, 1901521.	3.7	18
31	BiBr ₃ as an additive in CsPbBr ₃ for carbon-based all-inorganic perovskite solar cell. <i>Journal of Alloys and Compounds</i> , 2020, 835, 155283.	5.5	23
32	Aged sol-gel solution-processed texture tin oxide for high-efficient perovskite solar cells. <i>Nanotechnology</i> , 2020, 31, 315205.	2.6	8
33	CoCl ₂ as film morphology controller for efficient planar CsPbI ₂ Br ₂ perovskite solar cells. <i>Electrochimica Acta</i> , 2020, 349, 136162.	5.2	15
34	Electronic and geometric stability of double titanium-doped silicon clusters. <i>Materials Research Express</i> , 2020, 7, 085006.	1.6	2
35	From Macroscopic to Nanoscopic Current Hysteresis Suppressed by Fullerene in Perovskite Solar Cells. <i>Solar Rrl</i> , 2019, 3, 1900235.	5.8	10
36	Formation mechanism of concentric and colorful ring perovskite films. <i>Synthetic Metals</i> , 2019, 255, 116107.	3.9	1

#	ARTICLE	IF	CITATIONS
37	Origination of Anomalous Current Fluctuation in Perovskite Solar Cells. ACS Applied Energy Materials, 2019, 2, 8138-8144.	5.1	3
38	Charge Carrier Dynamics in Electron-Transport-Layer-Free Perovskite Solar Cells. ACS Applied Electronic Materials, 2019, 1, 2334-2341.	4.3	11
39	Self-powered behavior based on the light-induced self-poling effect in perovskite-based transport layer-free photodetectors. Journal of Materials Chemistry C, 2019, 7, 609-616.	5.5	29
40	Three-dimensional perovskite modulated by two-dimensional homologue as light-absorbing materials for efficient solar cells. Organic Electronics, 2019, 74, 126-134.	2.6	14
41	Short-term Stability of Perovskite Solar Cells Affected by In Situ Interface Modification. Solar Rrl, 2019, 3, 1900089.	5.8	10
42	Pb-reduced CsPb _{0.9} Zn _{0.1} I ₂ Br Thin Films for Efficient Perovskite Solar Cells. Advanced Energy Materials, 2019, 9, 1900896.	19.5	150
43	Towards high efficiency inverted Sb ₂ Se ₃ thin film solar cells. Solar Energy Materials and Solar Cells, 2019, 200, 109945.	6.2	132
44	Direct formed tri-iodide ions stabilizing colloidal precursor solution and promoting the reproducibility of perovskite solar cells by solution process. Electrochimica Acta, 2019, 311, 132-140.	5.2	9
45	Enhanced hole extraction by NiO nanoparticles in carbon-based perovskite solar cells. Electrochimica Acta, 2019, 312, 100-108.	5.2	29
46	Organolead halide perovskite-based metal-oxide-semiconductor structure photodetectors achieving ultrahigh detectivity. Solar Energy, 2019, 183, 226-233.	6.1	14
47	Investigation of Spiro-OMeTAD Single Crystals toward Optoelectronic Applications. Crystal Growth and Design, 2019, 19, 3272-3278.	3.0	8
48	Comprehensive understanding of TiCl ₄ treatment on the compact TiO ₂ layer in planar perovskite solar cells with efficiencies over 20%. Journal of Alloys and Compounds, 2019, 787, 1082-1088.	5.5	29
49	Carrier Transfer Behaviors at Perovskite/Contact Layer Heterojunctions in Perovskite Solar Cells. Advanced Materials Interfaces, 2019, 6, 1801253.	3.7	27
50	Growth of monolithically grained CH ₃ NH ₃ PbI ₃ film by a uniform intermediate phase for high performance planar perovskite solar cells. Journal of Alloys and Compounds, 2019, 776, 250-258.	5.5	18
51	Lewis Acid-Base Interaction-Induced Porous PbI ₂ Film for Efficient Planar Perovskite Solar Cells. ACS Applied Energy Materials, 2018, 1, 2114-2122.	5.1	20
52	Zinc ion as effective film morphology controller in perovskite solar cells. Sustainable Energy and Fuels, 2018, 2, 1093-1100.	4.9	55
53	Low-temperature photochemical activation of sol-gel titanium dioxide films for efficient planar heterojunction perovskite solar cells. Journal of Alloys and Compounds, 2018, 735, 224-233.	5.5	14
54	Giant Zero-Drift Electronic Behaviors in Methylammonium Lead Halide Perovskite Diodes by Doping Iodine Ions. Materials, 2018, 11, 1606.	2.9	11

#	ARTICLE	IF	CITATIONS
55	Conformal coverage of TiO ₂ compact layers for high-efficient planar heterojunction perovskite solar cells. <i>Organic Electronics</i> , 2018, 59, 177-183.	2.6	12
56	Balancing transformation and dissolution-crystallization for pure phase CH ₃ NH ₃ PbI ₃ growth and its effect on photovoltaic performance in planar-structure perovskite solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2018, 185, 464-470.	6.2	15
57	Inorganic and Lead-Free AgBi ₄ Rudorffite for Stable Solar Cell Applications. <i>ACS Applied Energy Materials</i> , 2018, 1, 4485-4492.	5.1	58
58	Low-temperature processed SnO ₂ compact layer by incorporating TiO ₂ layer toward efficient planar heterojunction perovskite solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2017, 164, 87-92.	6.2	76
59	New Films on Old Substrates: Toward Green and Sustainable Energy Production via Recycling of Functional Components from Degraded Perovskite Solar Cells. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 3261-3269.	6.7	39
60	Low-temperature processed ultrathin TiO ₂ for efficient planar heterojunction perovskite solar cells. <i>Electrochimica Acta</i> , 2017, 231, 77-84.	5.2	31
61	Ionic behavior of organic-inorganic metal halide perovskite based metal-oxide-semiconductor capacitors. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 13002-13009.	2.8	9
62	Inhibition of Zero Drift in Perovskite-Based Photodetector Devices via [6,6]-Phenyl-C61-butyric Acid Methyl Ester Doping. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 15638-15643.	8.0	34
63	UV-Sintered Low-Temperature Solution-Processed SnO ₂ as Robust Electron Transport Layer for Efficient Planar Heterojunction Perovskite Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 21909-21920.	8.0	123
64	Temperature-dependence studies of organolead halide perovskite-based metal/semiconductor/metal photodetectors. <i>RSC Advances</i> , 2017, 7, 20206-20211.	3.6	13
65	Planar Heterojunction Perovskite Solar Cells with TiO ₂ Scaffold in Perovskite Film. <i>Electrochimica Acta</i> , 2017, 227, 180-184.	5.2	16
66	In situ recycle of PbI ₂ as a step towards sustainable perovskite solar cells. <i>Progress in Photovoltaics: Research and Applications</i> , 2017, 25, 1022-1033.	8.1	42
67	Amorphous polymer with C ₆₀ to improve the performance of perovskite solar cells. <i>Journal of Materials Chemistry C</i> , 2017, 5, 9037-9043.	5.5	45
68	Efficient and hysteresis-less pseudo-planar heterojunction perovskite solar cells fabricated by a facile and solution-saving one-step dip-coating method. <i>Organic Electronics</i> , 2017, 40, 13-23.	2.6	41
69	Improved perovskite morphology and crystallinity using porous PbI ₂ layers for efficient planar heterojunction solar cells. <i>Applied Physics Letters</i> , 2017, 111, .	3.3	13
70	Toward Revealing the Critical Role of Perovskite Coverage in Highly Efficient Electron-Transport Layer-Free Perovskite Solar Cells: An Energy Band and Equivalent Circuit Model Perspective. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 9811-9820.	8.0	54
71	Efficient electron-transport layer-free planar perovskite solar cells via recycling the FTO/glass substrates from degraded devices. <i>Solar Energy Materials and Solar Cells</i> , 2016, 152, 118-124.	6.2	63
72	A rapid annealing technique for efficient perovskite solar cells fabricated in air condition under high humidity. <i>Organic Electronics</i> , 2016, 34, 84-90.	2.6	20

#	ARTICLE	IF	CITATIONS
73	Evolution of film morphology in polymer solar cells based on rough electrode substrates. <i>Thin Solid Films</i> , 2016, 616, 690-697.	1.8	2
74	Low-temperature prepared carbon electrodes for hole-conductor-free mesoscopic perovskite solar cells. <i>Electrochimica Acta</i> , 2016, 218, 84-90.	5.2	31
75	Electron transport layer-free planar perovskite solar cells: Further performance enhancement perspective from device simulation. <i>Solar Energy Materials and Solar Cells</i> , 2016, 157, 1038-1047.	6.2	169
76	n-Type Doping and Energy States Tuning in $\text{CH}_3\text{NH}_3\text{PbI}_3\text{Sb}_2\text{I}_3$ Perovskite Solar Cells. <i>ACS Energy Letters</i> , 2016, 1, 535-541.	17.4	160
77	Copper iodide as a potential low-cost dopant for spiro-MeOTAD in perovskite solar cells. <i>Journal of Materials Chemistry C</i> , 2016, 4, 9003-9008.	5.5	56
78	Carbon nanotubes hybrid carbon counter electrode for high efficiency dye-sensitized solar cells. <i>Journal of Materials Science: Materials in Electronics</i> , 2016, 27, 4736-4743.	2.2	15
79	Enhancement in Photocurrent through Efficient Geometrical Light Trapping in Organic Photovoltaics. <i>Energy Technology</i> , 2016, 4, 314-318.	3.8	3
80	Efficient planar perovskite solar cells without a high temperature processed titanium dioxide electron transport layer. <i>Solar Energy Materials and Solar Cells</i> , 2016, 149, 1-8.	6.2	38
81	Polar molecules modify perovskite surface to reduce recombination in perovskite solar cells. <i>RSC Advances</i> , 2016, 6, 9090-9095.	3.6	25
82	Parametric study of a hybrid system integrating a phosphoric acid fuel cell with an absorption refrigerator for cooling purposes. <i>International Journal of Hydrogen Energy</i> , 2016, 41, 3579-3590.	7.1	49
83	W-doped TiO_2 photoanode for high performance perovskite solar cell. <i>Electrochimica Acta</i> , 2016, 195, 143-149.	5.2	42
84	Efficient and stable planar perovskite solar cells with a non-hygroscopic small molecule oxidant doped hole transport layer. <i>Electrochimica Acta</i> , 2016, 196, 328-336.	5.2	54
85	Bifunctional Alkyl Chain Barriers for Efficient Perovskite Solar Cells. , 2015, , .		0
86	Dip-coating of poly(3,4-ethylenedioxythiophene):poly(styrenesulfonate) anodes for efficient polymer solar cells. <i>Thin Solid Films</i> , 2015, 578, 161-166.	1.8	19
87	Bifunctional alkyl chain barriers for efficient perovskite solar cells. <i>Chemical Communications</i> , 2015, 51, 7047-7050.	4.1	135
88	$\text{CH}_3\text{NH}_3\text{PbI}_3\text{Cl}_x$ films with coverage approaching 100% and with highly oriented crystal domains for reproducible and efficient planar heterojunction perovskite solar cells. <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 22015-22022.	2.8	61
89	Multi-step slow annealing perovskite films for high performance planar perovskite solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2015, 141, 377-382.	6.2	101
90	Highly transparent ultrathin metal sulfide films as efficient counter electrodes for bifacial dye-sensitized solar cells. <i>Electrochimica Acta</i> , 2015, 170, 39-47.	5.2	37

#	ARTICLE	IF	CITATIONS
91	High efficiency quasi-solid state dye-sensitized solar cells based on a novel mixed-plasticizer modified polymer electrolyte. <i>Electrochimica Acta</i> , 2015, 153, 28-32.	5.2	14
92	Performance characteristics of a direct carbon fuel cell/thermoelectric generator hybrid system. <i>Energy Conversion and Management</i> , 2015, 89, 683-689.	9.2	99
93	Natural drying effect on active layer for achieving high performance in polymer solar cells. <i>Renewable Energy</i> , 2015, 74, 11-17.	8.9	16
94	Dip-Coated Active Layers for High-Efficiency Polymer Solar Cells at Room Temperature. <i>Journal of Nanoelectronics and Optoelectronics</i> , 2015, 10, 694-699.	0.5	2
95	Carbon nanotubes hybrid carbon counter electrode for high efficiency dye-sensitized solar cells. , 2015, , .		0
96	Towards Transparent Conductive Zinc Oxide Films as Effective Anodes in Organic Photovoltaics. <i>Journal of Nanoelectronics and Optoelectronics</i> , 2015, 10, 659-664.	0.5	1
97	Effects of solvent-treated PEDOT:PSS on organic photovoltaic devices. <i>Renewable Energy</i> , 2014, 62, 100-105.	8.9	57
98	Effective light trapping enhanced near-UV/blue light absorption in inverted polymer solar cells via sol-gel textured Al-doped ZnO buffer layer. <i>Solar Energy Materials and Solar Cells</i> , 2014, 121, 28-34.	6.2	39
99	Novel core-shell TiO ₂ microsphere scattering layer for dye-sensitized solar cells. <i>Journal of Materials Chemistry A</i> , 2014, 2, 1502-1508.	10.3	43
100	In situ growth of novel laminar-shaped Co ₃ S ₄ as an efficient counter electrode for dye-sensitized solar cells. <i>RSC Advances</i> , 2014, 4, 42917-42923.	3.6	28
101	Performance evaluation of an alkaline fuel cell/thermoelectric generator hybrid system. <i>International Journal of Hydrogen Energy</i> , 2014, 39, 11756-11762.	7.1	56
102	Hydrogenated microcrystalline silicon germanium as bottom sub-cell absorber for triple junction solar cell. <i>Solar Energy Materials and Solar Cells</i> , 2013, 114, 161-164.	6.2	19
103	Inverted polymer solar cells with a boron-doped zinc oxide layer deposited by metal organic chemical vapor deposition. <i>Solar Energy Materials and Solar Cells</i> , 2013, 117, 610-616.	6.2	19
104	Effect of sol-gel derived ZnO annealing rate on light-trapping in inverted polymer solar cells. <i>Materials Letters</i> , 2013, 108, 50-53.	2.6	23
105	High-performance and air-processed polymer solar cells by room-temperature drying of the active layer. <i>Applied Physics Letters</i> , 2013, 102, 043307.	3.3	11
106	Effect of textured electrodes with light-trapping on performance of polymer solar cells. <i>Journal of Applied Physics</i> , 2012, 111, .	2.5	33
107	Efficient polymer solar cells based on light-trapping transparent electrodes. <i>Applied Physics Letters</i> , 2012, 100, .	3.3	15
108	Performance of polymer solar cells fabricated by dip coating process. <i>Solar Energy Materials and Solar Cells</i> , 2012, 99, 221-225.	6.2	40

#	ARTICLE	IF	CITATIONS
109	Annealing-free, air-processed and high-efficiency polymer solar cells fabricated by a dip coating process. <i>Organic Electronics</i> , 2012, 13, 142-146.	2.6	18
110	Efficiency enhancement of inverted organic photovoltaic devices with ZnO nanopillars fabricated on FTO glass substrates. <i>Synthetic Metals</i> , 2011, 161, 2174-2178.	3.9	12
111	Influence of doped PEDOT:PSS on the performance of polymer solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2011, 95, 2763-2767.	6.2	85
112	Influence of ZnO interlayer on the performance of inverted organic photovoltaic device. <i>Solar Energy Materials and Solar Cells</i> , 2011, 95, 2126-2130.	6.2	48
113	Performance of electron beam deposited tungsten doped indium oxide films as anodes in organic solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2011, 95, 2173-2177.	6.2	15
114	Highly efficient organic photovoltaic devices using F-doped SnO ₂ anodes. <i>Applied Physics Letters</i> , 2011, 98, .	3.3	42
115	Indium-Doped Zinc Oxide Thin Films as Effective Anodes of Organic Photovoltaic Devices. <i>International Journal of Photoenergy</i> , 2011, 2011, 1-5.	2.5	9
116	The relationship of current transfer ratio and input light wavelengths in the organic photocoupler. <i>Applied Physics Letters</i> , 2009, 94, .	3.3	9