

Hiroshi Sakagami

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1437632/publications.pdf>

Version: 2024-02-01

482
papers

14,697
citations

43973

48
h-index

27345

106
g-index

493
all docs

493
docs citations

493
times ranked

22578
citing authors

#	ARTICLE	IF	CITATIONS
1	Guidelines for the use and interpretation of assays for monitoring autophagy. <i>Autophagy</i> , 2012, 8, 445-544.	4.3	3,122
2	Guidelines for the use and interpretation of assays for monitoring autophagy in higher eukaryotes. <i>Autophagy</i> , 2008, 4, 151-175.	4.3	2,064
3	Production of bioactive triterpenes by <i>Eriobotrya japonica</i> calli. <i>Phytochemistry</i> , 2002, 59, 315-323.	1.4	265
4	Antioxidant and prooxidant action of eugenol-related compounds and their cytotoxicity. <i>Toxicology</i> , 2002, 177, 39-54.	2.0	230
5	3,5-Dibenzoyl-1,4-dihydropyridines: Synthesis and MDR Reversal in Tumor Cells. <i>Bioorganic and Medicinal Chemistry</i> , 2002, 10, 1051-1055.	1.4	179
6	Inhibition of herpes simplex virus infection by tannins and related compounds. <i>Antiviral Research</i> , 1989, 11, 285-297.	1.9	168
7	Cytotoxic Flavonoids with Isoprenoid Groups from <i>Morus mongolica</i> 1. <i>Journal of Natural Products</i> , 2001, 64, 181-188.	1.5	160
8	Inhibition of human immunodeficiency viral replication by tannins and related compounds. <i>Antiviral Research</i> , 1992, 18, 91-103.	1.9	155
9	ACE2: The key Molecule for Understanding the Pathophysiology of Severe and Critical Conditions of COVID-19: Demon or Angel?. <i>Viruses</i> , 2020, 12, 491.	1.5	136
10	Polyphenols from <i>Eriobotrya japonica</i> and Their Cytotoxicity against Human Oral Tumor Cell Lines.. <i>Chemical and Pharmaceutical Bulletin</i> , 2000, 48, 687-693.	0.6	124
11	Mechanical, antibacterial and bond strength properties of nano-titanium-enriched glass ionomer cement. <i>Journal of Applied Oral Science</i> , 2015, 23, 321-328.	0.7	116
12	Synthesis and bioactivity studies on new 4-(3-(4-Substitutedphenyl)-3a,4-dihydro-3 <i>H</i> -indeno[1,2- <i>c</i>]pyrazol-2-yl) benzenesulfonamides. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2016, 31, 1619-1624.	2.5	113
13	Preliminary evaluation of antinephritis and radical scavenging activities of glabridin from <i>Glycyrrhiza glabra</i> . <i>FÄ-toterapÄ-Äç</i> , 2003, 74, 624-629.	1.1	111
14	The ERK-1/2 Signaling Pathway Is Involved in the Stimulation of Branching Morphogenesis of Fetal Mouse Submandibular Glands by EGF. <i>Developmental Biology</i> , 2000, 220, 183-196.	0.9	109
15	Synthesis and bioactivities of pyrazoline benzenesulfonamides as carbonic anhydrase and acetylcholinesterase inhibitors with low cytotoxicity. <i>Bioorganic Chemistry</i> , 2019, 84, 511-517.	2.0	108
16	Cytotoxic activity of hydrolyzable tannins against human oral tumor cell lines â€” A possible mechanism. <i>Phytomedicine</i> , 2000, 7, 39-47.	2.3	106
17	Antitumor Potential and Possible Targets of Phenothiazine-Related Compounds. <i>Current Drug Targets</i> , 2000, 1, 237-246.	1.0	106
18	Cancer prevention and therapy with kiwifruit in Chinese folklore medicine: a study of kiwifruit extracts. <i>Journal of Ethnopharmacology</i> , 2002, 81, 357-364.	2.0	101

#	ARTICLE	IF	CITATIONS
19	New anticancer drug candidates sulfonamides as selective hCA IX or hCA XII inhibitors. <i>Bioorganic Chemistry</i> , 2018, 77, 411-419.	2.0	99
20	Antinephritis and radical scavenging activity of prenylflavonoids. <i>FĀ-toterapĀ-Āċ</i> , 2003, 74, 720-724.	1.1	95
21	Radical scavenging activity and cytotoxicity of ferulic acid. <i>Anticancer Research</i> , 2002, 22, 2711-7.	0.5	95
22	New Diarylheptanoids and Diarylheptanoid Glucosides from the Rhizomes of <i>Tacca chantrieri</i> and Their Cytotoxic Activity. <i>Journal of Natural Products</i> , 2002, 65, 283-289.	1.5	92
23	Cytotoxic 3,5-bis(benzylidene)piperidin-4-ones and N-acyl analogs displaying selective toxicity for malignant cells. <i>European Journal of Medicinal Chemistry</i> , 2008, 43, 1-7.	2.6	89
24	Biological activity of persimmon (<i>Diospyros kaki</i>) peel extracts. <i>Phytotherapy Research</i> , 2003, 17, 495-500.	2.8	87
25	Distribution of ligninĀ-carbohydrate complex in plant kingdom and its functionality as alternative medicine. , 2010, 128, 91-105.		85
26	Tumor-specificity and apoptosis-inducing activity of stilbenes and flavonoids. <i>Anticancer Research</i> , 2005, 25, 2055-63.	0.5	84
27	Cytotoxic Potential of Phenothiazines. <i>Current Drug Targets</i> , 2006, 7, 1055-1066.	1.0	82
28	Cytotoxicity and apoptosis induction by butylated hydroxyanisole (BHA) and butylated hydroxytoluene (BHT). <i>Anticancer Research</i> , 2003, 23, 4693-701.	0.5	81
29	Non-targeted metabolite profiling in activated macrophage secretion. <i>Metabolomics</i> , 2012, 8, 624-633.	1.4	80
30	Cycloartane Glycosides from the Rhizomes of <i>Cimicifuga racemosa</i> and Their Cytotoxic Activities.. <i>Chemical and Pharmaceutical Bulletin</i> , 2002, 50, 121-125.	0.6	74
31	Anti-HIV (human immunodeficiency virus) activity of sulfated paramylon. <i>Antiviral Research</i> , 1993, 21, 1-14.	1.9	71
32	Antiviral and Antitumor Activity of Licorice Root Extracts. <i>In Vivo</i> , 2016, 30, 777-786.	0.6	70
33	Bufadienolide and Spirostanol Glycosides from the Rhizomes of <i>Helleborus orientalis</i> . <i>Journal of Natural Products</i> , 2003, 66, 236-241.	1.5	69
34	Triterpene glycosides from the roots of <i>Sanguisorba officinalis</i> . <i>Phytochemistry</i> , 2001, 57, 773-779.	1.4	68
35	Modification of Human Immunodeficiency Viral Replication by Pine Cone Extracts. <i>AIDS Research and Human Retroviruses</i> , 1990, 6, 205-217.	0.5	61
36	Benzophenones and Xanthenes with Isoprenoid Groups from <i>Cudrania cochinchinensis</i> . <i>Journal of Natural Products</i> , 2001, 64, 65-70.	1.5	61

#	ARTICLE	IF	CITATIONS
37	Molecular requirements of lignin-carbohydrate complexes for expression of unique biological activities. <i>Phytochemistry</i> , 2005, 66, 2108-2120.	1.4	61
38	Biological activity of barbados cherry (acerola fruits, fruit of <i>Malpighia emarginata</i> DC) extracts and fractions. <i>Phytotherapy Research</i> , 2004, 18, 212-223.	2.8	58
39	Alteration of metabolomic profiles by titanium dioxide nanoparticles in human gingivitis model. <i>Biomaterials</i> , 2015, 57, 33-40.	5.7	58
40	New azafluorenones with cytotoxic and carbonic anhydrase inhibitory properties: 2-Aryl-4-(4-hydroxyphenyl)-5H-indeno[1,2-b]pyridin-5-ones. <i>Bioorganic Chemistry</i> , 2018, 81, 433-439.	2.0	58
41	Production of hydrogen peroxide and methionine sulfoxide by epigallocatechin gallate and antioxidants. <i>Anticancer Research</i> , 2001, 21, 2633-41.	0.5	57
42	Hypoxia and Reoxygenation Augment Bone Resorbing Factor Production From Human Periodontal Ligament Cells. <i>Journal of Periodontology</i> , 2007, 78, 1803-1809.	1.7	54
43	Cytotoxicity and apoptosis-inducing activity of bisphenol A and hydroquinone in HL-60 cells. <i>Anticancer Research</i> , 2005, 25, 2241-7.	0.5	54
44	Design, synthesis and antiproliferative activity of some 3-benzylidene-2,3-dihydro-1-benzopyran-4-ones which display selective toxicity for malignant cells. <i>European Journal of Medicinal Chemistry</i> , 2008, 43, 839-845.	2.6	53
45	Synthesis and biological evaluation of some new mono Mannich bases with piperazines as possible anticancer agents and carbonic anhydrase inhibitors. <i>Bioorganic Chemistry</i> , 2019, 90, 103095.	2.0	53
46	Synthesis, cytotoxicity and carbonic anhydrase inhibitory activities of new pyrazolines. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2016, 31, 20-24.	2.5	52
47	Steroidal Glycosides from the Leaves of <i>Cestrum nocturnum</i> . <i>Journal of Natural Products</i> , 2002, 65, 1863-1868.	1.5	51
48	Synthesis and bioactivities of halogen bearing phenolic chalcones and their corresponding bis Mannich bases. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2016, 31, 125-131.	2.5	51
49	Flavonol Glycosides and Steroidal Saponins from the Leaves of <i>Cestrum nocturnum</i> and Their Cytotoxicity. <i>Journal of Natural Products</i> , 2001, 64, 17-22.	1.5	49
50	The cytotoxic properties and preferential toxicity to tumour cells displayed by some 2,4-bis(benzylidene)-8-methyl-8-azabicyclo[3.2.1] octan-3-ones and 3,5-bis(benzylidene)-1-methyl-4-piperidones. <i>European Journal of Medicinal Chemistry</i> , 2009, 44, 54-62.	2.6	48
51	Cytotoxic activity of deferiprone, maltol and related hydroxyketones against human tumor cell lines. <i>Anticancer Research</i> , 2004, 24, 755-62.	0.5	46
52	Inhibition of influenza virus infection by pine cone antitumor substances. <i>Antiviral Research</i> , 1990, 13, 11-21.	1.9	45
53	Synthesis of mono Mannich bases of 2-(4-hydroxybenzylidene)-2,3-dihydroinden-1-one and evaluation of their cytotoxicities. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2016, 31, 818-823.	2.5	45
54	New phenolic Mannich bases with piperazines and their bioactivities. <i>Bioorganic Chemistry</i> , 2019, 90, 103057.	2.0	45

#	ARTICLE	IF	CITATIONS
55	Microwave-assisted synthesis and bioevaluation of new sulfonamides. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2017, 32, 369-374.	2.5	44
56	Lignified Materials as Medicinal Resources. V. Anti-HIV(Human Immunodeficiency Virus) Activity of Some Synthetic Lignins.. <i>Chemical and Pharmaceutical Bulletin</i> , 1992, 40, 2102-2105.	0.6	43
57	Triterpene Glycosides from the Whole Plant of <i>Anemone hupehensis</i> var. <i>japonica</i> and Their Cytotoxic Activity. <i>Chemical and Pharmaceutical Bulletin</i> , 2009, 57, 1425-1430.	0.6	43
58	Platelet-derived growth factor exerts disparate effects on odontoblast differentiation depending on the dimers in rat dental pulp cells. <i>Cell and Tissue Research</i> , 2004, 315, 375-384.	1.5	42
59	Coumarin derivatives with tumor-specific cytotoxicity and multidrug resistance reversal activity. <i>In Vivo</i> , 2005, 19, 705-11.	0.6	41
60	Induction of cytotoxicity and apoptosis and inhibition of cyclooxygenase-2 gene expression by eugenol-related compounds. <i>Anticancer Research</i> , 2005, 25, 3263-9.	0.5	41
61	Steroidal Glycosides from the Bulbs of <i>Ornithogalum thyrsoides</i> . <i>Journal of Natural Products</i> , 2004, 67, 1690-1696.	1.5	40
62	Plasma pteridine concentrations in patients with chronic renal failure. <i>Nephrology Dialysis Transplantation</i> , 2002, 17, 1032-1036.	0.4	38
63	Carbonic anhydrase inhibition and cytotoxicity studies of Mannich base derivatives of thymol. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2016, 31, 1375-1380.	2.5	38
64	Designing, synthesis and bioactivities of 4-[3-(4-hydroxyphenyl)-5-aryl-4,5-dihydro-pyrazol-1-yl]benzenesulfonamides. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2017, 32, 169-175.	2.5	38
65	Induction of apoptosis by beta-diketones in human tumor cells. <i>Anticancer Research</i> , 2004, 24, 711-7.	0.5	38
66	Antimicrobial activity of trifluoromethyl ketones and their synergism with promethazine. <i>International Journal of Antimicrobial Agents</i> , 2001, 18, 161-165.	1.1	37
67	3,5-Bis(benzylidene)-1-[4-2-(morpholin-4-yl)ethoxyphenylcarbonyl]-4-piperidone hydrochloride: A lead tumor-specific cytotoxin which induces apoptosis and autophagy. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010, 20, 912-917.	1.0	37
68	Age-related decline in histone H1 fraction in human diploid fibroblast cultures. <i>Experimental Cell Research</i> , 1980, 126, 289-298.	1.2	36
69	Hydrolyzable Tannins of Tamaricaceous Plants. III. Hellinoyl- and Macrocyclic-Type Ellagitannins from <i>Tamarix nilotica</i> . <i>Journal of Natural Products</i> , 2010, 73, 870-879.	1.5	36
70	Three new flavonoids, proanthocyanidin, and accompanying phenolic constituents from <i>Feijoa sellowiana</i> . <i>Bioscience, Biotechnology and Biochemistry</i> , 2018, 82, 31-41.	0.6	36
71	3-Arylidene-1-(4-nitrophenylmethylene)-3,4-dihydro-1H-naphthalen-2-ones and related compounds displaying selective toxicity and reversal of multidrug resistance in neoplastic cells. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2005, 15, 1633-1636.	1.0	35
72	Induction of Apoptosis in Human Oral Keratinocyte by Doxorubicin. <i>Anticancer Research</i> , 2017, 37, 1023-1030.	0.5	35

#	ARTICLE	IF	CITATIONS
73	Synthesis, biological evaluation and in silico modelling studies of 1,3,5-trisubstituted pyrazoles carrying benzenesulfonamide as potential anticancer agents and selective cancer-associated hCA IX isoenzyme inhibitors. <i>Bioorganic Chemistry</i> , 2019, 92, 103222.	2.0	34
74	Tumor-specific cytotoxicity of 3,5-dibenzoyl-1,4-dihydropyridines. <i>Anticancer Research</i> , 2005, 25, 2033-8.	0.5	34
75	Tumor-specific cytotoxicity and apoptosis-inducing activity of berberines. <i>Anticancer Research</i> , 2005, 25, 4053-9.	0.5	34
76	Chemical Constituents of the Bulbs of <i>Habranthus brachyandrus</i> and Their Cytotoxic Activities. <i>Chemical and Pharmaceutical Bulletin</i> , 2009, 57, 1153-1157.	0.6	33
77	Biological Activities and Possible Dental Application of Three Major Groups of Polyphenols. <i>Journal of Pharmacological Sciences</i> , 2014, 126, 92-106.	1.1	33
78	Effects of 3-styrylchromones on metabolic profiles and cell death in oral squamous cell carcinoma cells. <i>Toxicology Reports</i> , 2015, 2, 1281-1290.	1.6	33
79	1-(3-Aminomethyl-4-hydroxyphenyl)-3-pyridinyl-2-propen-1-ones: A novel group of tumour-selective cytotoxins. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2013, 28, 974-980.	2.5	31
80	Induction of apoptosis by morphine in human tumor cell lines in vitro. <i>Anticancer Research</i> , 2007, 27, 857-64.	0.5	31
81	Possible involvement of lignin structure in anti-influenza virus activity. <i>Antiviral Research</i> , 1991, 15, 41-49.	1.9	30
82	Steroidal Glycosides from the Bulbs of <i>Camassia leichtlinii</i> and Their Cytotoxic Activities.. <i>Chemical and Pharmaceutical Bulletin</i> , 2001, 49, 726-731.	0.6	30
83	Comprehensive study on potent and selective carbonic anhydrase inhibitors: Synthesis, bioactivities and molecular modelling studies of 4-(3-(2-arylidenehydrazine-1-carbonyl)-5-(thiophen-2-yl)-1H-pyrazole-1-yl) benzenesulfonamides. <i>European Journal of Medicinal Chemistry</i> , 2021, 217, 113351.	2.6	30
84	Purinergic Receptors are Involved in Tooth-Pulp Evoked Nocifensive Behavior and Brainstem Neuronal Activity. <i>Molecular Pain</i> , 2010, 6, 1744-8069-6-59.	1.0	29
85	The requirement for and mobilization of calcium during induction by sodium ascorbate and by hydrogen peroxide of cell death. <i>Life Sciences</i> , 1996, 58, 1131-1138.	2.0	28
86	±-Trifluoromethylated acyloins induce apoptosis in human oral tumor cell lines. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1999, 9, 3113-3118.	1.0	28
87	Biological activity of 3-formylchromones and related compounds. <i>In Vivo</i> , 2007, 21, 829-34.	0.6	28
88	Selective antibacterial and apoptosis-modulating activities of mastic. <i>In Vivo</i> , 2009, 23, 215-23.	0.6	28
89	Serum Calcium-decreasing Factor, Caldecrin, Inhibits Osteoclast Differentiation by Suppression of NFATc1 Activity. <i>Journal of Biological Chemistry</i> , 2010, 285, 25448-25457.	1.6	27
90	3-(3,4,5-Trimethoxyphenyl)-1-oxo-2-propene: A novel pharmacophore displaying potent multidrug resistance reversal and selective cytotoxicity. <i>Bioorganic and Medicinal Chemistry</i> , 2007, 15, 3373-3380.	1.4	26

#	ARTICLE	IF	CITATIONS
91	Structure-activity relationships of alpha, beta-unsaturated ketones as assessed by their cytotoxicity against oral tumor cells. <i>Anticancer Research</i> , 2004, 24, 737-42.	0.5	26
92	Cell death induced by nutritional starvation in mouse macrophage-like RAW264.7 cells. <i>Anticancer Research</i> , 2009, 29, 343-7.	0.5	26
93	2-(3-Aryl-2-propenoyl)-3-methylquinoxaline-1,4-dioxides: A novel cluster of tumor-specific cytotoxins which reverse multidrug resistance. <i>Bioorganic and Medicinal Chemistry</i> , 2009, 17, 3909-3915.	1.4	25
94	Decrease of transferrin receptor during mouse myeloid leukemia (M1) cell differentiation. <i>Biochemical and Biophysical Research Communications</i> , 1982, 107, 1419-1424.	1.0	24
95	Effect of an Iron-Chelator on Ascorbate-Induced Cytotoxicity. <i>Free Radical Biology and Medicine</i> , 1997, 23, 260-270.	1.3	24
96	Synthesis and biological activity of N-acylphenothiazines. <i>International Journal of Antimicrobial Agents</i> , 2000, 14, 203-207.	1.1	24
97	Biological activity of kiwifruit peel extracts. <i>Phytotherapy Research</i> , 2001, 15, 337-343.	2.8	24
98	Bulbinelonesides A-E, Phenylanthraquinone Glycosides from the Roots of <i>Bulbinella floribunda</i> . <i>Journal of Natural Products</i> , 2003, 66, 894-897.	1.5	24
99	Dimeric 3,5-bis(benzylidene)-4-piperidones: A novel cluster of tumour-selective cytotoxins possessing multidrug-resistant properties. <i>European Journal of Medicinal Chemistry</i> , 2012, 51, 193-199.	2.6	24
100	Synthesis and biological evaluation of 1,5-bis(4-hydroxy-3-methoxyphenyl)penta-1,4-dien-3-one and its aminomethyl derivatives. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2015, 30, 383-388.	2.5	24
101	Structure-cytotoxic activity relationships of simple hydroxylated coumarins. <i>Anticancer Research</i> , 2003, 23, 3243-6.	0.5	24
102	Cytotoxic activity of azulenes against human oral tumor cell lines. <i>Anticancer Research</i> , 2003, 23, 4747-55.	0.5	24
103	Tumor-specificity and type of cell death induced by trihaloacetylazulenes in human tumor cell lines. <i>Anticancer Research</i> , 2007, 27, 133-43.	0.5	24
104	Lignified materials as a potential medicinal resource. IV. Dehydrogenation polymers of some phenylpropenoids and their capacity to stimulate polymorphonuclear cell iodination. <i>Chemical and Pharmaceutical Bulletin</i> , 1991, 39, 950-955.	0.6	23
105	Lucilianosides A and B, two novel tetranor-lanostane hexaglycosides from the bulbs of <i>Chionodoxa luciliae</i> . <i>Tetrahedron</i> , 2002, 58, 6735-6740.	1.0	23
106	Novel Polyoxygenated Spirostanol Glycosides from the Rhizomes of <i>Helleborus orientalis</i> . <i>Helvetica Chimica Acta</i> , 2003, 86, 398-407.	1.0	23
107	A New Method for Testing Filtration Efficiency of Mask Materials Under Sneeze-like Pressure. <i>In Vivo</i> , 2020, 34, 1637-1644.	0.6	23
108	Anti-influenza virus activity of synthetically polymerized phenylpropenoids. <i>Biochemical and Biophysical Research Communications</i> , 1990, 172, 1267-1272.	1.0	22

#	ARTICLE	IF	CITATIONS
109	Effect of glutathione-modulating compounds on hydrogen-peroxide-induced cytotoxicity in human glioblastoma and glioma cell lines. <i>Journal of Cancer Research and Clinical Oncology</i> , 1997, 123, 619-622.	1.2	22
110	Hydrolyzable Tannins of Tamaricaceous Plants. V. Structures of Monomeric and Trimeric Tannins and Cytotoxicity of Macrocyclic-Type Tannins Isolated from <i>Tamarix nilotica</i> . <i>Journal of Natural Products</i> , 2013, 76, 947-956.	1.5	22
111	Rhinacanthin C Inhibits Osteoclast Differentiation and Bone Resorption: Roles of TRAF6/TAK1/MAPKs/NF- κ B/NFATc1 Signaling. <i>PLoS ONE</i> , 2015, 10, e0130174.	1.1	22
112	Synthesis of some acrylophenones with <i>N</i> -methylpiperazine and evaluation of their cytotoxicities. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2016, 31, 147-151.	2.5	22
113	Re-evaluation of anti-inflammatory potential of eugenol in IL-1 β -stimulated gingival fibroblast and pulp cells. <i>In Vivo</i> , 2013, 27, 269-73.	0.6	22
114	Failure of Vitamin E to Extend the Life Span of a Human Diploid Cell Line in Culture. <i>Cell Structure and Function</i> , 1977, 2, 219-227.	0.5	21
115	Stimulation of human monocyte and polymorphonuclear cell iodination and interleukin-1 production by epigallocatechin gallate. <i>Journal of Leukocyte Biology</i> , 1992, 51, 478-483.	1.5	21
116	3,5-Bis(benzylidene)-1-[3-(2-hydroxyethylthio)propanoyl]piperidin-4-ones: A Novel Cluster of Potent Tumor-Selective Cytotoxins. <i>Journal of Medicinal Chemistry</i> , 2011, 54, 3445-3449.	2.9	21
117	Serum Calcium-decreasing Factor, Caldecrin, Inhibits Receptor Activator of NF- κ B Ligand (RANKL)-mediated Ca ²⁺ Signaling and Actin Ring Formation in Mature Osteoclasts via Suppression of Src Signaling Pathway. <i>Journal of Biological Chemistry</i> , 2012, 287, 17963-17974.	1.6	21
118	Hormetic and anti-radiation effects of tropolone-related compounds. <i>In Vivo</i> , 2010, 24, 843-51.	0.6	21
119	Cytotoxicity and type of cell death induced by local anesthetics in human oral normal and tumor cells. <i>Anticancer Research</i> , 2012, 32, 2925-33.	0.5	21
120	Four New Steroidal Saponins from the Rhizomes of <i>Helleborus orientalis</i> . <i>Heterocycles</i> , 2005, 65, 775.	0.4	20
121	Synthesis and structure elucidation of 1-(2,5/3,5-difluorophenyl)-3-(2,3/2,4/2,5/3,4-dimethoxyphenyl)-2-propen-1-ones as anticancer agents. <i>Medicinal Chemistry Research</i> , 2017, 26, 2015-2023.	1.1	20
122	Ellagitannins of <i>Davidia involucreta</i> . I. Structure of Davicratonic Acid A and Effects of <i>Davidia</i> Tannins on Drug-Resistant Bacteria and Human Oral Squamous Cell Carcinomas. <i>Molecules</i> , 2017, 22, 470.	1.7	20
123	Re-evaluation of cytotoxicity and iron chelation activity of three beta-diketones by semiempirical molecular orbital method. <i>In Vivo</i> , 2005, 19, 119-23.	0.6	20
124	Induction of tumor-specific cytotoxicity and apoptosis by doxorubicin. <i>Anticancer Research</i> , 2005, 25, 887-93.	0.5	20
125	Type of cell death induced by seven metals in cultured mouse osteoblastic cells. <i>In Vivo</i> , 2010, 24, 507-12.	0.6	20
126	Type of cell death induced by various metal cations in cultured human gingival fibroblasts. <i>In Vivo</i> , 2010, 24, 513-7.	0.6	20

#	ARTICLE	IF	CITATIONS
127	Effects of TiO ₂ nano glass ionomer cements against normal and cancer oral cells. <i>In Vivo</i> , 2014, 28, 895-907.	0.6	20
128	Synthesis, cytotoxicities, and carbonic anhydrase inhibition potential of 6-(3-aryl-2-propenoyl)-2(3H)-benzoxazolones. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2019, 34, 1722-1729.	2.5	19
129	<i>In Vitro</i> Assessment of Antitumor Potential and Combination Effect of Classical and Molecular-targeted Anticancer Drugs. <i>Anticancer Research</i> , 2019, 39, 6673-6684.	0.5	19
130	Recent Progress of Basic Studies of Natural Products and Their Dental Application. <i>Medicines (Basel)</i> , 2020, 9, 19.	0.7	19
131	Cytotoxic Components Against Human Oral Squamous Cell Carcinoma Isolated from <i>Andrographis paniculata</i> . <i>Anticancer Research</i> , 2016, 36, 5931-5936.	0.5	19
132	Radical modulation activity of lignins from a mangrove plant, <i>Ceriops decandra</i> (Griff.) Ding Hou. <i>In Vivo</i> , 1998, 12, 327-32.	0.6	19
133	Inhibition of NO production by activated macrophages by phenolcarboxylic acid monomers and polymers with radical scavenging activity. <i>Anticancer Research</i> , 2003, 23, 1317-23.	0.5	19
134	Quantitative structure-cytotoxicity relationship analysis of coumarin and its derivatives by semiempirical molecular orbital method. <i>Anticancer Research</i> , 2006, 26, 2883-6.	0.5	19
135	Induction of non-apoptotic cell death by morphinone in human promyelocytic leukemia HL-60 cells. <i>Anticancer Research</i> , 2006, 26, 3343-8.	0.5	19
136	A clinical pilot study of lignin-ascorbic acid combination treatment of herpes simplex virus. <i>In Vivo</i> , 2009, 23, 1011-6.	0.6	19
137	Evaluation of cytotoxicity and tumor-specificity of licorice flavonoids based on chemical structure. <i>Anticancer Research</i> , 2013, 33, 3061-8.	0.5	19
138	Interaction between sodium ascorbate and dopamine. <i>Free Radical Biology and Medicine</i> , 1998, 25, 1013-1020.	1.3	18
139	Cytotoxic and multidrug resistance reversal activity of a vegetable, "Anastasia Red", a variety of sweet pepper. <i>Phytotherapy Research</i> , 2003, 17, 348-352.	2.8	18
140	Sequential cytotoxicity: A theory examined using a series of 3,5-bis(benzylidene)-1-diethylphosphono-4-oxopiperidines and related phosphonic acids. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010, 20, 6464-6468.	1.0	18
141	Amurensiosides A-K, 11 new pregnane glycosides from the roots of <i>Adonis amurensis</i> . <i>Steroids</i> , 2010, 75, 83-94.	0.8	18
142	Synthesis and anticancer properties of mono Mannich bases containing vanillin moiety. <i>Medicinal Chemistry Research</i> , 2017, 26, 1528-1534.	1.1	18
143	Cytotoxicity, apoptosis, and QSAR studies of phenothiazine derived methoxylated chalcones as anticancer drug candidates. <i>Medicinal Chemistry Research</i> , 2018, 27, 2366-2378.	1.1	18
144	Apoptosis-inducing activity of cisplatin (CDDP) against human hepatoma and oral squamous cell carcinoma cell lines. <i>Anticancer Research</i> , 2004, 24, 655-61.	0.5	18

#	ARTICLE	IF	CITATIONS
145	Re-evaluation of anti-inflammatory activity of mastic using activated macrophages. <i>In Vivo</i> , 2009, 23, 583-9.	0.6	18
146	Polymeric phenylpropenoids are the active components in the pine cone extract that inhibit the replication of type-1 human immunodeficiency virus in vitro.. <i>Journal of General and Applied Microbiology</i> , 1992, 38, 303-312.	0.4	17
147	Lignified materials as medicinal resources. VI. Anti-HIV activity of dehydrogenation polymer of p-coumaric acid, a synthetic lignin, in a quasi-in-vivo assay system as an intermediary step to clinical trials.. <i>Biological and Pharmaceutical Bulletin</i> , 1993, 16, 434-436.	0.6	17
148	Triterpene Glycosides from the Tubers of <i>Anemone coronaria</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2009, 57, 724-729.	0.6	17
149	Search of Neuroprotective Polyphenols Using the "Overlay" Isolation Method. <i>Molecules</i> , 2018, 23, 1840.	1.7	17
150	Synthesis and Cytotoxic Activities of a Curcumin Analogue and Its bis- Mannich Derivatives. <i>Letters in Drug Design and Discovery</i> , 2015, 12, 643-649.	0.4	17
151	Cytotoxic activity of styrylchromones against human tumor cell lines. <i>In Vivo</i> , 2005, 19, 157-63.	0.6	17
152	Tumor-specific cytotoxicity and type of cell death induced by benzaldehyde. <i>Anticancer Research</i> , 2010, 30, 5069-76.	0.5	17
153	Changes of metabolic profiles in an oral squamous cell carcinoma cell line induced by eugenol. <i>In Vivo</i> , 2013, 27, 233-43.	0.6	17
154	Stimulation of Human Peripheral Blood Polymorphonuclear Cell Iodination by Lignin-Related Substances. <i>Journal of Leukocyte Biology</i> , 1991, 49, 277-282.	1.5	16
155	Tetrahydrobiopterin impairs the action of endothelial nitric oxide via superoxide derived from platelets. <i>British Journal of Pharmacology</i> , 2000, 131, 958-964.	2.7	16
156	Lanosterol and tetranorlanosterol glycosides from the bulbs of <i>Muscari paradoxum</i> . <i>Phytochemistry</i> , 2003, 64, 1351-1359.	1.4	16
157	Oleanane and Taraxerane Glycosides from the Roots of <i>Gomphrenamacrocephala</i> . <i>Journal of Natural Products</i> , 2006, 69, 1606-1610.	1.5	16
158	Cytotoxic 2-benzylidene-6-(nitrobenzylidene)cyclohexanones which display substantially greater toxicity for neoplasms than non-malignant cells. <i>Bioorganic and Medicinal Chemistry</i> , 2010, 18, 2219-2224.	1.4	16
159	New Cardenolides from the Seeds of <i>Adonis aestivalis</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2012, 60, 1275-1282.	0.6	16
160	Metabolomic profiling of sodium fluoride-induced cytotoxicity in an oral squamous cell carcinoma cell line. <i>Metabolomics</i> , 2014, 10, 270-279.	1.4	16
161	3,5-Bis(3-alkylaminomethyl-4-hydroxybenzylidene)-4-piperidones: A Novel Class of Potent Tumor-Selective Cytotoxins. <i>Journal of Medicinal Chemistry</i> , 2016, 59, 763-769.	2.9	16
162	Two-Dimensional Electrophoretic Analysis of Nuclear Acidic Proteins in Senescent Human Diploid Cells. <i>Cell Structure and Function</i> , 1979, 4, 215-225.	0.5	16

#	ARTICLE	IF	CITATIONS
163	Induction of apoptosis by epigallocatechin gallate and autophagy inhibitors in a mouse macrophage-like cell line. <i>Anticancer Research</i> , 2008, 28, 1713-8.	0.5	16
164	Bimodal effect of glycyrrhizin on macrophage nitric oxide and prostaglandin E2 production. <i>In Vivo</i> , 2008, 22, 583-6.	0.6	16
165	Quantitative structure-cytotoxicity relationship of 3-styrylchromones. <i>Anticancer Research</i> , 2014, 34, 5405-11.	0.5	16
166	Prominent Anti-UV Activity and Possible Cosmetic Potential of Lignin-carbohydrate Complex. <i>In Vivo</i> , 2016, 30, 331-9.	0.6	16
167	Spirostanol Pentaglycosides from the Underground Parts of <i>Polianthes tuberosa</i> . <i>Journal of Natural Products</i> , 2002, 65, 1424-1428.	1.5	15
168	Steroidal Glycosides from <i>Furcraea foetida</i> and Their Cytotoxic Activity. <i>Chemical and Pharmaceutical Bulletin</i> , 2009, 57, 1161-1166.	0.6	15
169	Apoptosis-inducing activity and tumor-specificity of antitumor agents against oral squamous cell carcinoma. <i>Japanese Dental Science Review</i> , 2010, 46, 173-187.	2.0	15
170	Chemical Constituents of <i>Lycoris albiflora</i> and their Cytotoxic Activities. <i>Natural Product Communications</i> , 2011, 6, 1934578X1100600.	0.2	15
171	Quantitative Structure-Cytotoxicity Relationship of 2-Styrylchromones. <i>Anticancer Research</i> , 2019, 39, 6489-6498.	0.5	15
172	Exploring of tumor-associated carbonic anhydrase isoenzyme IX and XII inhibitory effects and cytotoxicities of the novel N-aryl-1-(4-sulfamoylphenyl)-5-(thiophen-2-yl)-1H-pyrazole-3-carboxamides. <i>Bioorganic Chemistry</i> , 2021, 115, 105194.	2.0	15
173	Hydroquinone-induced apoptosis in HL-60 cells. <i>Anticancer Research</i> , 2005, 25, 161-70.	0.5	15
174	Tumour-specific cytotoxicity and MDR-reversal activity of dihydropyridines. <i>In Vivo</i> , 2006, 20, 637-43.	0.6	15
175	Re-evaluation of tumor-specific cytotoxicity of mitomycin C, bleomycin and peplomycin. <i>Anticancer Research</i> , 2006, 26, 3373-80.	0.5	15
176	Anti-stress, anti-HIV and vitamin C-synergized radical scavenging activity of mulberry juice fractions. <i>In Vivo</i> , 2007, 21, 499-505.	0.6	15
177	Anti-HIV and vitamin C-synergized radical scavenging activity of cacao husk lignin fractions. <i>In Vivo</i> , 2008, 22, 327-32.	0.6	15
178	Effect of <i>Scutellariae radix</i> ingredients on prostaglandin E(2) production and COX-2 expression by LPS-activated macrophage. <i>In Vivo</i> , 2009, 23, 577-81.	0.6	15
179	Convallasaponin A, a New 5.BETA.-Spirostanol Triglycoside from the Rhizomes of <i>Convallaria majalis</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2007, 55, 337-339.	0.6	14
180	Metabolomic profiling of tumor-infiltrating macrophages during tumor growth. <i>Cancer Immunology, Immunotherapy</i> , 2020, 69, 2357-2369.	2.0	14

#	ARTICLE	IF	CITATIONS
181	Synthesis, cytotoxic, and carbonic anhydrase inhibitory effects of new 2-((3-(4-methoxyphenyl)-5-(aryloxy)-4,5-dihydro-1H-pyrazol-1-yl)benzo[d][1,2]thiazole-14 derivatives. <i>Journal of Heterocyclic Chemistry</i> , 2020, 57, 2762-2768.		
182	Antiviral, antibacterial and vitamin C-synergized radical-scavenging activity of <i>Sasa senanensis</i> Rehder extract. <i>In Vivo</i> , 2008, 22, 471-6.	0.6	14
183	Antitumor potential of three herbal extracts against human oral squamous cell lines. <i>Anticancer Research</i> , 2009, 29, 3211-9.	0.5	14
184	Changes in salivary amino acid composition during aging. <i>In Vivo</i> , 2010, 24, 853-6.	0.6	14
185	Anti-HIV and immunomodulation activities of cacao mass lignin-carbohydrate complex. <i>In Vivo</i> , 2011, 25, 229-36.	0.6	14
186	Cytotoxicity induced by docetaxel in human oral squamous cell carcinoma cell lines. <i>In Vivo</i> , 2013, 27, 321-32.	0.6	14
187	Anti-inflammatory Activity of Hangeshashinto in IL-1 β -stimulated Gingival and Periodontal Ligament Fibroblasts. <i>In Vivo</i> , 2016, 30, 257-63.	0.6	14
188	Possible Role of Hydrogen Peroxide in Apoptosis Induction by Ascorbic Acid in Human Myelogenous Leukemic Cell Lines. <i>The Showa University Journal of Medical Sciences</i> , 1994, 6, 135-144.	0.1	13
189	Cytotoxicity of Direct Current with Antibacterial Agents against Host Cells <i>In Vitro</i> . <i>Journal of Endodontics</i> , 2005, 31, 755-758.	1.4	13
190	Novel Cytotoxic Phenanthrenequinone from <i>Odontioda</i> Marie Noel $\text{\textcircled{TM}}$. <i>Chemical and Pharmaceutical Bulletin</i> , 2012, 60, 1216-1219.	0.6	13
191	Development of Newly Synthesized Chromone Derivatives with High Tumor Specificity against Human Oral Squamous Cell Carcinoma. <i>Medicines (Basel, Switzerland)</i> , 2020, 7, 50.	0.7	13
192	Protection of Differentiating Neuronal Cells from Amyloid β Peptide-induced Injury by Alkaline Extract of Leaves of <i>Sasa senanensis</i> Rehder. <i>In Vivo</i> , 2018, 32, 231-239.	0.6	13
193	Quantitative structure-cytotoxicity relationship analysis of phenoxazine derivatives by semiempirical molecular-orbital method. <i>Anticancer Research</i> , 2007, 27, 4053-7.	0.5	13
194	Efficient utilization of licorice root by alkaline extraction. <i>In Vivo</i> , 2014, 28, 785-94.	0.6	13
195	Quantitative Structure-Cytotoxicity Relationship of Oleoylamides. <i>Anticancer Research</i> , 2015, 35, 5341-51.	0.5	13
196	Synergism of Alkaline Extract of the Leaves of <i>Sasa senanensis</i> Rehder and Antiviral Agents. <i>In Vivo</i> , 2016, 30, 421-6.	0.6	13
197	Stimulation of tumor necrosis factor-induced human myelogenous leukemic cell differentiation by high molecular weight PSK subfraction. <i>Biochemical and Biophysical Research Communications</i> , 1989, 162, 597-603.	1.0	12
198	Stimulation of Granulocytic Cell Iodination by Pine Cone Antitumor Substances. <i>Journal of Leukocyte Biology</i> , 1989, 45, 168-175.	1.5	12

#	ARTICLE	IF	CITATIONS
199	Inhibition of Human Immunodeficiency Virus Forward and Reverse Transcription by PC6, a Natural Product from Cones of Pine Trees. <i>AIDS Research and Human Retroviruses</i> , 1991, 7, 349-357.	0.5	12
200	Induction of apoptotic cell death by direct-current treatment in human leukemic cell lines. <i>Journal of Cancer Research and Clinical Oncology</i> , 1997, 123, 370-376.	1.2	12
201	Induction of Apoptosis and Anti-HIV Activity by Tannin- and Lignin-Related Substances. , 1999, 66, 595-611.		12
202	Synthesis and bioactivity studies of 1-aryl-3-(2-hydroxyethylthio)-1-propanones. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2016, 31, 105-109.	2.5	12
203	Aestivalosides Aâ€“L, twelve pregnane glycosides from the seeds of <i>Adonis aestivalis</i> . <i>Phytochemistry</i> , 2018, 150, 75-84.	1.4	12
204	Quantitative Structureâ€“Cytotoxicity Relationship of Pyrano[4,3- <i>b</i>]chromones. <i>Anticancer Research</i> , 2018, 38, 4449-4457.	0.5	12
205	Further Quantitative Structureâ€“Cytotoxicity Relationship Analysis of 3-Styrylchromones. <i>Anticancer Research</i> , 2020, 40, 87-95.	0.5	12
206	Synthesis and Cytotoxicities of 2-[4-hydroxy-(3,5-bis-aminomethyl)-benzylidene]-indan-1-ones. <i>Letters in Drug Design and Discovery</i> , 2015, 12, 806-812.	0.4	12
207	Quantitative Structure-cytotoxicity Relationship of 3-Benzylidenechromanones. <i>Anticancer Research</i> , 2016, 36, 5803-5812.	0.5	12
208	Quantitative Structureâ€“Cytotoxicity Relationship of Chalcones. <i>Anticancer Research</i> , 2017, 37, 1091-1098.	0.5	12
209	Quantitative Structureâ€“Cytotoxicity Relationship of Newly Synthesized Piperic Acid Esters. <i>Anticancer Research</i> , 2017, 37, 6161-6168.	0.5	12
210	Re-evaluation of Culture Condition of PC12 and SH-SY5Y Cells Based on Growth Rate and Amino Acid Consumption. <i>In Vivo</i> , 2017, 31, 1089-1095.	0.6	12
211	Decline of superoxide dismutase activity during antioxidant-induced apoptosis in HL-60 cells. <i>Anticancer Research</i> , 2002, 22, 219-24.	0.5	12
212	Effect of lignins and their precursors on nitric oxide, citrulline and asparagine production by mouse macrophage-like Raw 264.7 cells. <i>Anticancer Research</i> , 2002, 22, 2719-24.	0.5	12
213	Cytotoxicity of nocobactins NA-a, NA-b and their ferric complexes assessed by semiempirical molecular orbital method. <i>In Vivo</i> , 2005, 19, 277-82.	0.6	12
214	Tumor-specific cytotoxicity and type of cell death induced by gefitinib in oral squamous cell carcinoma cell lines. <i>Anticancer Research</i> , 2009, 29, 5023-31.	0.5	12
215	Enhancement of Dectin-2 gene expression by lignin-carbohydrate complex from <i>Lentinus edodes</i> mycelia extract (LEM) in a mouse macrophage-like cell line. <i>Anticancer Research</i> , 2011, 31, 1241-8.	0.5	12
216	Biological activity of luteolin glycosides and tricrin from <i>Sasa senanensis</i> Rehder. <i>In Vivo</i> , 2011, 25, 757-62.	0.6	12

#	ARTICLE	IF	CITATIONS
217	Quest for anti-inflammatory substances using IL-1 β -stimulated gingival fibroblasts. <i>In Vivo</i> , 2011, 25, 763-8.	0.6	12
218	Quantitative structure-activity relationship (QSAR) analysis of tumor-specificity of 1,2,3,4-tetrahydroisoquinoline derivatives. <i>Anticancer Research</i> , 2011, 31, 4231-8.	0.5	12
219	Quantitative Structure-Cytotoxicity Relationship of 3-Styryl-2H-chromenes. <i>Anticancer Research</i> , 2015, 35, 5299-307.	0.5	12
220	A Rare Type of Sesquiterpene and β -Santalol Derivatives from <i>Santalum album</i> and Their Cytotoxic Activities. <i>Chemical and Pharmaceutical Bulletin</i> , 2014, 62, 1192-1199.	0.6	11
221	Tumour-specific cytotoxicity and structure-activity relationships of novel 1-[3-(2-methoxyethylthio)propionyl]-3,5-bis(benzylidene)-4-piperidones. <i>Bioorganic and Medicinal Chemistry</i> , 2016, 24, 2206-2214.	1.4	11
222	Photodynamic Therapy with Pyoktanin Blue and Diode Laser for Elimination of <i>Enterococcus faecalis</i> . <i>In Vivo</i> , 2018, 32, 707-712.	0.6	11
223	Quantitative Structure-Cytotoxicity Relationship of 3-(N-Cyclicamino)chromone Derivatives. <i>Anticancer Research</i> , 2018, 38, 4459-4467.	0.5	11
224	Adhesion and Proliferation of Osteoblastic Cells on Hydroxyapatite-dispersed Ti-based Composite Plate. <i>In Vivo</i> , 2019, 33, 1067-1079.	0.6	11
225	Synthesis and Cytotoxicities of New Azafluorenones with Apoptotic Mechanism of Action and Cell Cycle Analysis. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2019, 18, 1770-1778.	0.9	11
226	Search for New Type of Anticancer Drugs with High Tumor Specificity and Less Keratinocyte Toxicity. <i>Anticancer Research</i> , 2017, 37, 5919-5924.	0.5	11
227	Quantitative Structure-Cytotoxicity Relationship of Aurones. <i>Anticancer Research</i> , 2017, 37, 6169-6176.	0.5	11
228	In Vitro Anti-tumor Activity of Azulene Amide Derivatives. <i>In Vivo</i> , 2018, 32, 479-486.	0.6	11
229	Application of semiempirical method to estimate the cytotoxic activity of gallic acid and its related compounds. <i>Anticancer Research</i> , 2003, 23, 2549-52.	0.5	11
230	Cytotoxicity and radical modulating activity of isoflavones and isoflavanones from <i>Sophora</i> species. <i>Anticancer Research</i> , 2004, 24, 1481-8.	0.5	11
231	Cytotoxicity and radical modulating activity of Moxa smoke. <i>In Vivo</i> , 2005, 19, 391-7.	0.6	11
232	Selective toxicity and type of cell death induced by various natural and synthetic compounds in oral squamous cell carcinoma. <i>In Vivo</i> , 2007, 21, 311-20.	0.6	11
233	Induction of cell death by combination treatment with cisplatin and 5-fluorouracil in a human oral squamous cell carcinoma cell line. <i>Anticancer Research</i> , 2007, 27, 3331-7.	0.5	11
234	Tumor-specific cytotoxicity and type of cell death induced by naphtho[2,3-b]furan-4,9-diones and related compounds in human tumor cell lines: relationship to electronic structure. <i>Anticancer Research</i> , 2009, 29, 455-64.	0.5	11

#	ARTICLE	IF	CITATIONS
235	Declined asparagine synthetase mRNA expression and enhanced sensitivity to asparaginase in HL-60 cells committed to monocytic differentiation. <i>Anticancer Research</i> , 2009, 29, 1303-8.	0.5	11
236	Diurnal changes in salivary amino acid concentrations. <i>In Vivo</i> , 2010, 24, 837-42.	0.6	11
237	Changes in amino acid metabolism during activation of mouse macrophage-like cell lines. <i>In Vivo</i> , 2010, 24, 857-60.	0.6	11
238	Anti-UV/HIV activity of Kampo medicines and constituent plant extracts. <i>In Vivo</i> , 2012, 26, 1007-13.	0.6	11
239	Search of new cytotoxic crude materials against human oral squamous cell carcinoma using ¹ H NMR-based metabolomics. <i>Anticancer Research</i> , 2014, 34, 4117-20.	0.5	11
240	Differentiation-associated changes in human non-T, non-B leukemia cell lines after treatment with 12-O-tetradecanoylphorbol 13-acetate (TPA). <i>Leukemia Research</i> , 1984, 8, 187-195.	0.4	10
241	Polyhydroxylated Spirostanol Saponins from the Tubers of <i>Dioscorea polygonoides</i> . <i>Journal of Natural Products</i> , 2005, 68, 1116-1120.	1.5	10
242	Factors that Affect the Type of Cell Death Induced by Chemicals. <i>Autophagy</i> , 2007, 3, 493-495.	4.3	10
243	1-Aryl-2-dimethylaminomethyl-2-propen-1-one hydrochlorides and related adducts: A quest for selective cytotoxicity for malignant cells. <i>Bioorganic and Medicinal Chemistry</i> , 2008, 16, 5747-5753.	1.4	10
244	Furostanol glycosides from the rhizomes of <i>Helleborus orientalis</i> . <i>Journal of Natural Medicines</i> , 2010, 64, 452-459.	1.1	10
245	Hydrolyzable Tannins of Tamaricaceous Plants. 7.1 Structures and Cytotoxic Properties of Oligomeric Ellagitannins from Leaves of <i>Tamarix nilotica</i> and Cultured Tissues of <i>Tamarix tetrandra</i> . <i>Journal of Natural Products</i> , 2016, 79, 984-995.	1.5	10
246	Quantitative Structure–Cytotoxicity Relationship of 2-(<i>N</i> -cyclicamino)chromone Derivatives. <i>Anticancer Research</i> , 2018, 38, 3897-3906.	0.5	10
247	Kampo Therapies and the Use of Herbal Medicines in the Dentistry in Japan. <i>Medicines (Basel)</i> 11 0.784314 10.7	0.7	10
248	Amino acid utilization during cell growth and apoptosis induction. <i>Anticancer Research</i> , 1998, 18, 4303-6.	0.5	10
249	Interaction between dental metals and antioxidants, assessed by cytotoxicity assay and ESR spectroscopy. <i>Anticancer Research</i> , 2002, 22, 4017-22.	0.5	10
250	Inhibition of LPS-stimulated NO production in mouse macrophage-like cells by Barbados cherry, a fruit of <i>Malpighia emarginata</i> DC. <i>Anticancer Research</i> , 2003, 23, 3237-41.	0.5	10
251	Structural requirements of hydroxylated coumarins for in vitro anti- <i>Helicobacter pylori</i> activity. <i>In Vivo</i> , 2003, 17, 509-12.	0.6	10
252	Inhibition by Moxa smoke of NO production and iNOS expression in mouse macrophage-like cells Raw 264.7. <i>In Vivo</i> , 2005, 19, 471-4.	0.6	10

#	ARTICLE	IF	CITATIONS
253	Quantitative structure-cytotoxicity relationship of newly synthesized tropolones determined by a semiempirical molecular-orbital method (PM5). <i>Anticancer Research</i> , 2010, 30, 129-33.	0.5	10
254	DNA microarray analysis of signaling pathway in macrophages stimulated by lignin-carbohydrate complex from <i>lentinus edodes</i> mycelia (LEM) extract. <i>Anticancer Research</i> , 2010, 30, 2567-76.	0.5	10
255	Anti-UV activity of lignin-carbohydrate complex and related compounds. <i>In Vivo</i> , 2013, 27, 133-9.	0.6	10
256	Quantitative structure-cytotoxicity relationship of piperic acid amides. <i>Anticancer Research</i> , 2014, 34, 4877-84.	0.5	10
257	Investigation of carbonic anhydrase inhibitory effects and cytotoxicities of pyrazole-based hybrids carrying hydrazone and zinc-binding benzenesulfonamide pharmacophores. <i>Bioorganic Chemistry</i> , 2022, 127, 105969.	2.0	10
258	Effect of DL-ALPHA-tocopherol (vitamin E) on the differentiation of mouse myeloid leukemia cell.. <i>Journal of Nutritional Science and Vitaminology</i> , 1981, 27, 291-300.	0.2	9
259	Anatomical and electrophysiological mechanisms for asymmetrical excitatory propagation in the rat insular cortex: In vivo optical imaging and whole-cell patch-clamp studies. <i>Journal of Comparative Neurology</i> , 2013, 521, 1598-1613.	0.9	9
260	Partial Protection of Paclitaxel-induced Neurotoxicity by Antioxidants. <i>In Vivo</i> , 2018, 32, 745-752.	0.6	9
261	Quantitative Structure-Cytotoxicity Relationship of Furo[2,3- <i>b</i>]chromones. <i>Anticancer Research</i> , 2018, 38, 3283-3290.	0.5	9
262	Establishment of a Primary Culture System of Human Periodontal Ligament Cells that Differentiate into Cementum Protein 1-expressing Cementoblast-like Cells. <i>In Vivo</i> , 2019, 33, 349-352.	0.6	9
263	A comparative in vitro efficacy of conventional rotatory and chemomechanical caries removal: Influence on cariogenic flora, microhardness, and residual composition. <i>Journal of Conservative Dentistry</i> , 2014, 17, 536.	0.3	9
264	Changes in intracellular concentrations of amino acids and polyamines during the apoptosis of HL-60 cells. <i>Anticancer Research</i> , 2000, 20, 265-70.	0.5	9
265	Effect of two different groups of Chinese medicines on nitric oxide production by mouse macrophage-like cells. <i>In Vivo</i> , 2004, 18, 771-8.	0.6	9
266	Effect of anticancer agents on codeinone-induced apoptosis in human cancer cell lines. <i>Anticancer Research</i> , 2005, 25, 4037-41.	0.5	9
267	Biological impact of contact with metals on cells. <i>In Vivo</i> , 2006, 20, 605-11.	0.6	9
268	Tumor-specificity and type of cell death induced by phenoxazines. <i>Anticancer Research</i> , 2007, 27, 4233-8.	0.5	9
269	Tumor-specificity and type of cell death induced by vitamin K2 derivatives and prenylalcohols. <i>Anticancer Research</i> , 2008, 28, 151-8.	0.5	9
270	Tumor-specific cytotoxicity and type of cell death induced by beta-cyclodextrin benzaldehyde inclusion compound. <i>Anticancer Research</i> , 2008, 28, 229-36.	0.5	9

#	ARTICLE	IF	CITATIONS
271	Effect of three herbal extracts on NO and PGE2 production by activated mouse macrophage-like cells. <i>In Vivo</i> , 2009, 23, 537-44.	0.6	9
272	Multiple biological complex of alkaline extract of the leaves of <i>Sasa senanensis</i> Rehder. <i>In Vivo</i> , 2010, 24, 735-43.	0.6	9
273	Quantitative structure-cytotoxicity relationship of newly synthesised trihaloacetylazulenes determined by a semi-empirical molecular-orbital method (PM5). <i>Anticancer Research</i> , 2011, 31, 515-20.	0.5	9
274	Anti-UV activity of <i>Lentinus edodes</i> mycelia extract (LEM). <i>In Vivo</i> , 2011, 25, 733-40.	0.6	9
275	Cytotoxicity and type of cell death induced by midazolam in human oral normal and tumor cells. <i>Anticancer Research</i> , 2012, 32, 4737-47.	0.5	9
276	New biological activities of Rhinacanthins from the root of <i>Rhinacanthus nasutus</i> . <i>Anticancer Research</i> , 2013, 33, 453-9.	0.5	9
277	Cytotoxicity and pro-inflammatory action of chemo-mechanical caries-removal agents against oral cells. <i>In Vivo</i> , 2014, 28, 549-56.	0.6	9
278	Lignified natural products as potential medicinal resources. I. Potentiation of hemolytic plaque-forming cell production in mice.. <i>Chemical and Pharmaceutical Bulletin</i> , 1990, 38, 282-284.	0.6	8
279	27-Norlanostane Glycosides from the Bulbs of <i>Muscariparadoxum</i> . <i>Journal of Natural Products</i> , 2004, 67, 2099-2103.	1.5	8
280	Steroidal Glycosides from <i>Convallaria majalis</i> Whole Plants and Their Cytotoxic Activity. <i>International Journal of Molecular Sciences</i> , 2017, 18, 2358.	1.8	8
281	Evaluation of Biological Activity of Mastic Extracts Based on Chemotherapeutic Indices. <i>In Vivo</i> , 2017, 31, 591-598.	0.6	8
282	Changes in Metabolic Profiles of Human Oral Cells by Benzylidene Ascorbates and Eugenol. <i>Medicines (Basel, Switzerland)</i> , 2018, 5, 116.	0.7	8
283	Quantitative Structure–Cytotoxicity Relationship of Azulene Amide Derivatives. <i>Anticancer Research</i> , 2019, 39, 3507-3518.	0.5	8
284	EBV LMP1 in Gingival Epithelium Potentially Contributes to Human Chronic Periodontitis <i>via</i> Inducible IL8 Production. <i>In Vivo</i> , 2019, 33, 1793-1800.	0.6	8
285	QSAR Prediction Model to Search for Compounds with Selective Cytotoxicity Against Oral Cell Cancer. <i>Medicines (Basel, Switzerland)</i> , 2019, 6, 45.	0.7	8
286	Protection of Bortezomib-induced Neurotoxicity by Antioxidants. <i>Anticancer Research</i> , 2020, 40, 3685-3696.	0.5	8
287	New halogenated chalcones with cytotoxic and carbonic anhydrase inhibitory properties: 6-(3-halogenated phenyl)propan-1-oyl-3H-benzoxazolones. <i>Archiv Der Pharmazie</i> , 2020, 353, 1900384. ^{2,1}	0.1	8
288	Pine Cone Antitumor Substances Stimulate Cytotoxic Factor Production in Young Mice, but not in Aged or Tumor-Bearing Mice. <i>The Showa University Journal of Medical Sciences</i> , 1989, 1, 57-63.	0.1	8

#	ARTICLE	IF	CITATIONS
289	Lignosulfonate Rapidly Inactivates Human Immunodeficiency and Herpes Simplex Viruses. <i>Medicines (Basel, Switzerland)</i> , 2021, 8, 56.	0.7	8
290	Inhibition of Neurotoxicity/Anticancer Activity of Bortezomib by Caffeic Acid and Chlorogenic Acid. <i>Anticancer Research</i> , 2022, 42, 781-790.	0.5	8
291	Effects of prenylflavanones from <i>Sophora</i> species on growth and activation of mouse macrophage-like cell line. <i>Anticancer Research</i> , 2002, 22, 53-8.	0.5	8
292	Changes in fluoride sensitivity during in vitro senescence of normal human oral cells. <i>Anticancer Research</i> , 2005, 25, 2085-90.	0.5	8
293	Anti-stress activity of mulberry juice in mice. <i>In Vivo</i> , 2006, 20, 499-504.	0.6	8
294	Comparative analysis of cell death induction by cisplatin and 5-FU in human oral squamous and hepatocellular carcinoma cell lines. <i>Anticancer Research</i> , 2008, 28, 253-9.	0.5	8
295	COX-2 as possible target for the inhibition of PGE2 production by Rikko-san in activated macrophage. <i>In Vivo</i> , 2008, 22, 333-6.	0.6	8
296	Tumor-specific cytotoxicity and type of cell death induced by benzo[b]cyclohept[e][1,4]oxazine and 2-aminotropone derivatives. <i>Anticancer Research</i> , 2009, 29, 1123-30.	0.5	8
297	Lignin-like activity of <i>Lentinus edodes</i> mycelia extract (LEM). <i>In Vivo</i> , 2010, 24, 543-51.	0.6	8
298	Comparative study of biological activity of three commercial products of <i>Sasa senanensis</i> Rehder leaf extract. <i>In Vivo</i> , 2012, 26, 259-64.	0.6	8
299	Pilot clinical study of <i>Sasa senanensis</i> Rehder leaf extract treatment on lichenoid dysplasia. <i>In Vivo</i> , 2012, 26, 957-62.	0.6	8
300	Effects of TiO2 nanoparticles on cytotoxic action of chemotherapeutic drugs against a human oral squamous cell carcinoma cell line. <i>In Vivo</i> , 2014, 28, 209-15.	0.6	8
301	Induction of prostaglandin E2 production by TiO2 nanoparticles in human gingival fibroblast. <i>In Vivo</i> , 2014, 28, 217-22.	0.6	8
302	Anti-UV activity of Kampo medicines and constituent plant extracts: re-evaluation with skin keratinocyte system. <i>In Vivo</i> , 2014, 28, 571-8.	0.6	8
303	Quantitative structure-cytotoxicity relationship of phenylpropanoid amides. <i>Anticancer Research</i> , 2014, 34, 3543-8.	0.5	8
304	A Dual Anti-Inflammatory and Anti-Proliferative 3-Styrylchromone Derivative Synergistically Enhances the Anti-Cancer Effects of DNA-Damaging Agents on Colon Cancer Cells by Targeting HMGB1-RAGE-ERK1/2 Signaling. <i>International Journal of Molecular Sciences</i> , 2022, 23, 3426.	1.8	8
305	Effect of growth stage on histone H1 metabolism in human diploid fibroblasts. <i>Journal of Cellular Physiology</i> , 1982, 110, 213-218.	2.0	7
306	Lignified materials as potential medicinal resources. III. Diversity of biological activity and possible molecular species involved.. <i>Chemical and Pharmaceutical Bulletin</i> , 1990, 38, 3031-3034.	0.6	7

#	ARTICLE	IF	CITATIONS
307	Radical Production and Cytotoxic Activity of tert-Butyl-Substituted Phenols. <i>In Vitro & Molecular Toxicology</i> , 2001, 14, 53-63.	0.6	7
308	Norlanostane and Lanostane Glycosides from the Bulbs of <i>Chionodoxa luciliae</i> and Their Cytotoxic Activity. <i>Chemical and Pharmaceutical Bulletin</i> , 2003, 51, 92-95.	0.6	7
309	1,3-Diaryl-2-propenones and 2-Benzylidene-1,3-indandiones: A Quest for Compounds Displaying Greater Toxicity to Neoplasms than Normal Cells. <i>Archiv Der Pharmazie</i> , 2010, 343, 535-541.	2.1	7
310	A Novel Methodology for Synthesis of 1,5,6-Trisubstituted 2(1H<i>H</i>)-Pyrazinones of Biological Interest. <i>Chemical and Pharmaceutical Bulletin</i> , 2017, 65, 365-372.	0.6	7
311	Gene Expression Analysis of Cultured Rat-Endothelial Cells after Nd:YAG Laser Irradiation by Affymetrix GeneChip Array. <i>In Vivo</i> , 2017, 31, 51-54.	0.6	7
312	In Vitro Antitumor Activity of Alkylaminoguaiazulenes. <i>In Vivo</i> , 2018, 32, 541-547.	0.6	7
313	Induction of cell death by pro-oxidant action of Moxa smoke. <i>Anticancer Research</i> , 2002, 22, 159-63.	0.5	7
314	Re-evaluation of antitumor activity of Cepharanthin. <i>Anticancer Research</i> , 2002, 22, 165-70.	0.5	7
315	Induction of early apoptosis marker by morphine in human lung and breast carcinoma cell lines. <i>Anticancer Research</i> , 2003, 23, 2413-7.	0.5	7
316	Cytotoxic activity of tropolones against human oral tumor cell lines. <i>Anticancer Research</i> , 2003, 23, 4757-63.	0.5	7
317	Tumor-specific cytotoxic activity of 1,2,3,4-tetrahydroisoquinoline derivatives against human oral squamous cell carcinoma cell lines. <i>Anticancer Research</i> , 2009, 29, 3079-86.	0.5	7
318	Serum calcium-decreasing factor, caldecrin, ameliorates muscular dystrophy in dy/dy mice. <i>In Vivo</i> , 2011, 25, 157-63.	0.6	7
319	Anti-LIV Activity of Alkaline Extract of the Leaves of <i>Sasa senanensis</i> Rehder. <i>In Vivo</i> , 2011, 25, 751-5.	0.6	7
320	Cytotoxicity of dental compounds towards human oral squamous cell carcinoma and normal oral cells. <i>In Vivo</i> , 2013, 27, 85-95.	0.6	7
321	Amurensiosides L-P, five new cardenolide glycosides from the roots of <i>Adonis amurensis</i> . <i>Natural Product Communications</i> , 2015, 10, 27-32.	0.2	7
322	Anti-Halitosis Effect of Toothpaste Supplemented with Alkaline Extract of the Leaves of <i>Sasa senanensis</i> Rehder. <i>In Vivo</i> , 2016, 30, 107-11.	0.6	7
323	Enhancement of Cytotoxicity of Three Apoptosis-inducing Agents Against Human Oral Squamous Cell Carcinoma Cell Line by Benzoxazinotropone. <i>In Vivo</i> , 2016, 30, 645-50.	0.6	7
324	Role of Free Radicals and Metal Ions in Direct Current-Induced Cytotoxicity. <i>Journal of Endodontics</i> , 2006, 32, 442-446.	1.4	6

#	ARTICLE	IF	CITATIONS
325	Glutathione Can Efficiently Prevent Direct Current-induced Cytotoxicity. <i>Journal of Endodontics</i> , 2008, 34, 693-697.	1.4	6
326	Functional Analysis of Natural Polyphenols and Saponins as Alternative Medicines. , 2012, , .		6
327	Karataviosides K, five new bisdesmosidic steroidal glycosides from the bulbs of <i>Allium karataviense</i> . <i>Steroids</i> , 2015, 93, 96-104.	0.8	6
328	Combined SN-38 and gefitinib treatment promotes CD44 degradation in head and neck squamous cell carcinoma cells. <i>Oncology Reports</i> , 2018, 39, 367-375.	1.2	6
329	Change in Anticancer Drug Sensitivity During Neuronal Differentiation of PC12 Cells. <i>In Vivo</i> , 2018, 32, 765-770.	0.6	6
330	Search for Drugs Used in Hospitals to Treat Stomatitis. <i>Medicines (Basel, Switzerland)</i> , 2019, 6, 19.	0.7	6
331	Antitumor Effects and Tumor-specificity of Guaiazulene-3-Carboxylate Derivatives Against Oral Squamous Cell Carcinoma In Vitro. <i>Anticancer Research</i> , 2020, 40, 4885-4894.	0.5	6
332	Multi-Omics Analysis of Anti-Inflammatory Action of Alkaline Extract of the Leaves of <i>Sasa sp.</i> . <i>Journal of Clinical Medicine</i> , 2021, 10, 2100.	1.0	6
333	Feiyanning Formula Induces Apoptosis of Lung Adenocarcinoma Cells by Activating the Mitochondrial Pathway. <i>Frontiers in Oncology</i> , 2021, 11, 690878.	1.3	6
334	Two new C-glycosidic ellagitannins and accompanying tannins from <i>Lawsonia inermis</i> leaves and their cytotoxic effects. <i>FÄ-toterapÄ-Äç</i> , 2021, 153, 104925.	1.1	6
335	Fractionation of a Differentiated Mouse Leukemia Cell Line by Discontinuous Ficoll-Urografin Density Gradients. <i>Cell Structure and Function</i> , 1981, 6, 51-59.	0.5	6
336	Quantitative Structure-Cytotoxicity Relationship of Cinnamic Acid Phenetyl Esters. <i>Anticancer Research</i> , 2018, 38, 817-823.	0.5	6
337	Changes in amino acid pool and utilization during apoptosis in HL-60 cells induced by epigallocatechin gallate or gallic acid. <i>Anticancer Research</i> , 2001, 21, 2441-7.	0.5	6
338	Tumor-specificity and radical scavenging activity of poly-herbal formula. <i>Anticancer Research</i> , 2002, 22, 1217-23.	0.5	6
339	QSAR of molecular structure and cytotoxic activity of vitamin K2 derivatives with concept of absolute hardness. <i>Anticancer Research</i> , 2007, 27, 4059-63.	0.5	6
340	Effect of <i>Sasa senanensis</i> Rehder extract on NO and PGE2 production by activated mouse macrophage-like RAW264.7 cells. <i>In Vivo</i> , 2009, 23, 773-7.	0.6	6
341	Biological interaction between <i>Sasa senanensis</i> Rehder leaf extract and toothpaste ingredients. <i>In Vivo</i> , 2013, 27, 275-84.	0.6	6
342	Interaction of pine cone extract fraction VI with mutagens. <i>Mutation Research - Reviews in Genetic Toxicology</i> , 1993, 297, 53-60.	3.0	5

#	ARTICLE	IF	CITATIONS
343	Tumor Specificity and the Type of Cell Death Induced by Heterocycles. Topics in Heterocyclic Chemistry, 2007, , 173-199.	0.2	5
344	Biological Activity of Cacao Husk and Mass Lignin-Carbohydrate Complexes. , 2013, , 247-262.		5
345	Dental Application of Natural Products. Medicines (Basel, Switzerland), 2018, 5, 21.	0.7	5
346	Steroidal constituents isolated from the seeds of <i>Withania somnifera</i> . Natural Product Research, 2021, 35, 2205-2210.	1.0	5
347	A Unique Anti-Cancer 3-Styrylchromone Suppresses Inflammatory Response via HMGB1-RAGE Signaling. Medicines (Basel, Switzerland), 2021, 8, 17.	0.7	5
348	Antileishmanial and lung adenocarcinoma cell toxicity of <i>Withania somnifera</i> (Linn.) dunal root and fruit extracts. Natural Product Research, 2022, 36, 4231-4237.	1.0	5
349	Close Association of Mouse Myeloid Leukemia (M1) Cell Differentiation with Cessation of DNA Synthesis. Cell Structure and Function, 1981, 6, 147-157.	0.5	5
350	Quantitative Structureâ€“Cytotoxicity Relationship of 2-Azolychromones. Anticancer Research, 2018, 38, 763-770.	0.5	5
351	Induction of non-apoptotic cell death by sodium 5,6-benzylidene-L-ascorbate in a human salivary gland tumor cell line. Anticancer Research, 1999, 19, 4045-8.	0.5	5
352	Effects of isoflavones from Sophora species on the growth and activation of a mouse macrophage-like cell line. Anticancer Research, 2002, 22, 2185-91.	0.5	5
353	Effect of antioxidants, oxidants, metals and saliva on cytotoxicity induction by sodium fluoride. Anticancer Research, 2003, 23, 3719-26.	0.5	5
354	Changes in intracellular concentrations of polyamines during apoptosis of HL-60 cells. Anticancer Research, 2003, 23, 4797-803.	0.5	5
355	Inhibition of LPS-stimulated NO production in mouse macrophage-like cells by tropolones. Anticancer Research, 2004, 24, 3917-22.	0.5	5
356	Cytotoxic activity of azulenequinones against human oral tumor cell lines. Anticancer Research, 2005, 25, 305-12.	0.5	5
357	Cytotoxic activity of selected trifluoromethyl ketones against oral tumor cells. Anticancer Research, 2006, 26, 4335-41.	0.5	5
358	Tumor-specific cytotoxicity and type of cell death induced by sodium 5,6-benzylidene-L-ascorbate. Anticancer Research, 2008, 28, 2577-84.	0.5	5
359	Quantification of enhanced osteoblastic adhesion to ultraviolet-treated titanium plate. In Vivo, 2010, 24, 519-23.	0.6	5
360	New biological activity of Rhinacanthus nasutus extracts. In Vivo, 2011, 25, 367-73.	0.6	5

#	ARTICLE	IF	CITATIONS
361	Induction of non-apoptotic cell death in human oral squamous cell carcinoma cell lines by <i>Rhinacanthus nasutus</i> extract. <i>In Vivo</i> , 2012, 26, 305-9.	0.6	5
362	Analysis of type of cell death induced by topoisomerase inhibitor SN-38 in human oral squamous cell carcinoma cell lines. <i>Anticancer Research</i> , 2012, 32, 4823-32.	0.5	5
363	Anti-UV activity of newly-synthesized water-soluble azulenes. <i>In Vivo</i> , 2013, 27, 119-26.	0.6	5
364	Anti-inflammatory potential of Rikkosan based on IL-1 β network through macrophages to oral tissue cells. <i>In Vivo</i> , 2014, 28, 563-9.	0.6	5
365	Determination of sodium 5,6-benzylidene-l-ascorbate and related compounds by high-performance liquid chromatography. <i>Journal of Chromatography A</i> , 1993, 653, 37-43.	1.8	4
366	Disruption of programmed masticatory movements in unilateral MPTP-treated monkeys as a model of jaw movement abnormality in Parkinson's disease. <i>Journal of Neural Transmission</i> , 2012, 119, 933-941.	1.4	4
367	Synthesis and Cytotoxic Activity of (4-Substituted-benzylidene)-(3-Phenyl-1,2,4-Oxadiazol-5-yl)methylamines. <i>Pharmaceutical Chemistry Journal</i> , 2016, 50, 234-238.	0.3	4
368	Induction of Non-Apoptotic Cell Death by Adrenergic Agonists in Human Oral Squamous Cell Carcinoma Cell Lines. <i>Anticancer Research</i> , 2019, 39, 3519-3529.	0.5	4
369	Quantification of the Ability of Natural Products to Prevent Herpes Virus Infection. <i>Medicines (Basel)</i> , 2019, 8, 1071-1075.	0.7	4
370	Effect of Small-molecule GSK3 Antagonist on Differentiation of Rat Dental Pulp Cells into Odontoblasts. <i>In Vivo</i> , 2020, 34, 1071-1075.	0.6	4
371	Stimulation of arginine consumption and asparagine production in LPS-activated macrophages. <i>Anticancer Research</i> , 2002, 22, 203-9.	0.5	4
372	Effect of poly-herbal formula on NO production by LPS-stimulated mouse macrophage-like cells. <i>Anticancer Research</i> , 2002, 22, 3293-301.	0.5	4
373	Protection by antioxidants of copper-induced decline of proliferation and SOD activity. <i>Anticancer Research</i> , 2005, 25, 283-9.	0.5	4
374	Quantitative structure-cytotoxicity relationship analysis of betulinic acid and its derivatives by semi-empirical molecular-orbital method. <i>Anticancer Research</i> , 2005, 25, 3951-5.	0.5	4
375	Effect of Sairei-to and its ingredients on prostaglandin E2 production by mouse macrophage-like cells. <i>In Vivo</i> , 2008, 22, 571-5.	0.6	4
376	Inhibition of LPS-stimulated NO production in mouse macrophage-like cells by benzocycloheptoxazines. <i>Anticancer Research</i> , 2008, 28, 2657-62.	0.5	4
377	Effect of tropolone, azulene and azulenequinone derivatives on prostaglandin E2 production by activated macrophage-like cells. <i>Anticancer Research</i> , 2009, 29, 379-83.	0.5	4
378	Inhibition of NO production in LPS-stimulated mouse macrophage-like cells by benzo[b]cyclohept[e][1,4]oxazine and 2-aminotropone derivatives. <i>In Vivo</i> , 2009, 23, 691-7.	0.6	4

#	ARTICLE	IF	CITATIONS
379	Hormetic response of cultured normal and tumor cells to 2-aminotroponone derivatives. <i>In Vivo</i> , 2010, 24, 39-44.	0.6	4
380	Morphological features of osteoblasts cultured on ultraviolet-irradiated titanium plates. <i>In Vivo</i> , 2011, 25, 649-55.	0.6	4
381	Effect of three fluoride compounds on the growth of oral normal and tumor cells. <i>In Vivo</i> , 2012, 26, 657-64.	0.6	4
382	In search of new biological activities of isolates from <i>Odontoglossum Harvengtense</i> 'Tutu'. <i>In Vivo</i> , 2012, 26, 993-9.	0.6	4
383	Quantitative structure-activity relationship analysis of cytotoxicity and anti-UV activity of 2-aminotropones. <i>Anticancer Research</i> , 2014, 34, 1743-50.	0.5	4
384	Morphine and Fentanyl Citrate Induce Retrotransposition of Long Interspersed Element-1. <i>In Vivo</i> , 2016, 30, 113-8.	0.6	4
385	Histone H1 depletion with human cellular aging: Biochemical and cytochemical evidences. <i>Acta Histochemica Et Cytochemica</i> , 1983, 16, 403-414.	0.8	3
386	Treatment of Herpes Simplex Virus with Lignin-Carbohydrate Complex Tablet, an Alternative Therapeutic Formula. , 0, , .		3
387	6-Benzylidene-2-[4-(pyridin-3-ylcarboxy)benzylidene]cyclohexanones: A novel cluster of tumour-selective cytotoxins. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2017, 27, 1611-1615.	1.0	3
388	Structures, NMR Spectroscopic Features, and Cytotoxic Properties of Oligomeric Hellinoyl (<i>m</i>-GO-<i>m</i>-GOG)-Type Ellagitannins from the Galls of <i>Tamarix aphylla</i>. <i>Journal of Natural Products</i> , 2019, 82, 2682-2695.	1.5	3
389	Biological Properties of the Aggregated Form of Chitosan Magnetic Nanoparticle. <i>In Vivo</i> , 2020, 34, 1729-1738.	0.6	3
390	Re-Evaluation of Chemotherapeutic Potential of Pyoktanin Blue. <i>Medicines (Basel, Switzerland)</i> , 2021, 8, 33.	0.7	3
391	Synthesis and biological evaluation of new pyrazolebenzene-sulphonamides as potential anticancer agents and hCA I and II inhibitors. <i>Turkish Journal of Chemistry</i> , 2021, 45, 528-539.	0.5	3
392	Design, Synthesis and Tumour-Selective Toxicity of Novel 1-[3-{3,5-Bis(benzylidene)-4-oxo-1-piperidino}-3-oxopropyl]-4-piperidone Oximes and Related Quaternary Ammonium Salts. <i>Molecules</i> , 2021, 26, 7132.	1.7	3
393	Partial purification of cytotoxic substances from moxa extract. <i>Anticancer Research</i> , 2002, 22, 2777-82.	0.5	3
394	Analysis of apoptosis signaling pathway in human cancer cells by codeinone, a synthetic derivative of codeine. <i>Anticancer Research</i> , 2003, 23, 2569-76.	0.5	3
395	Comparison of cytotoxicity and radical scavenging activity between tea extracts and Chinese medicines. <i>In Vivo</i> , 2003, 17, 577-81.	0.6	3
396	Relationship between differentiation-inducing activity and hypercalcemic activity of hexafluorotrihydroxyvitamin D3 derivatives. <i>Anticancer Research</i> , 2004, 24, 683-9.	0.5	3

#	ARTICLE	IF	CITATIONS
397	Inhibition of LPS-stimulated NO production in mouse macrophage-like cells by azulenes. <i>Anticancer Research</i> , 2004, 24, 3939-44.	0.5	3
398	Inhibition of LPS-stimulated NO production in mouse macrophage-like cells by azulenequinones. <i>Anticancer Research</i> , 2005, 25, 4157-63.	0.5	3
399	Relationship between electronic structure and cytotoxic activity of tropolones. <i>In Vivo</i> , 2006, 20, 391-5.	0.6	3
400	Apoptosis-inducing activity of trihaloacetylazulenes against human oral tumor cell lines. <i>Anticancer Research</i> , 2006, 26, 1917-23.	0.5	3
401	Concentration-dependent effect of Rikko-san on the prostaglandin E2 production by mouse macrophage-like cells. <i>In Vivo</i> , 2006, 20, 491-7.	0.6	3
402	Enhancement of cytotoxic activity of sodium fluoride against human periodontal ligament fibroblasts by water pressure. <i>In Vivo</i> , 2006, 20, 849-56.	0.6	3
403	Inhibition of NO production in LPS-stimulated mouse macrophage-like cells by trihaloacetylazulene derivatives. <i>Anticancer Research</i> , 2008, 28, 171-8.	0.5	3
404	Tumor-specific cytotoxicity and type of cell death induced by benzocycloheptoxazines in human tumor cell lines. <i>Anticancer Research</i> , 2008, 28, 1069-78.	0.5	3
405	Estimation of relationship between descriptors and cytotoxicity of newly synthesized 1,2,3,4-tetrahydroisoquinoline derivatives. <i>Anticancer Research</i> , 2009, 29, 4077-82.	0.5	3
406	Inhibition of prostaglandin E2 production by flavone and its related compounds. <i>In Vivo</i> , 2010, 24, 55-8.	0.6	3
407	Estimation of relationship between the structure of trihaloacetylazulene derivatives determined by a semiempirical molecular-orbital method (PM5) and their cytotoxicity. <i>Anticancer Research</i> , 2010, 30, 837-41.	0.5	3
408	Hormetic and UV-protective effects of azulene-related compounds. <i>In Vivo</i> , 2011, 25, 41-8.	0.6	3
409	Effect of CO ₂ laser irradiation on hormesis induction in human pulp and periodontal ligament fibroblasts. <i>In Vivo</i> , 2011, 25, 787-93.	0.6	3
410	Biological activity of SE-10, granulated powder of <i>Sasa senanensis</i> Rehder leaf extract. <i>In Vivo</i> , 2012, 26, 411-8.	0.6	3
411	Protection against copper-induced cytotoxicity by inclusion of gold. <i>In Vivo</i> , 2012, 26, 651-6.	0.6	3
412	Further Evidence for Loss of Growth Potential during Mouse Myeloid Leukemia (M1) Cell Differentiation. <i>Cell Structure and Function</i> , 1981, 6, 289-293.	0.5	2
413	Relation between counts of periodontopathic bacteria in the tongue coat of healthy subjects and the concentration of volatile sulfur compounds in their breath. <i>Pediatric Dental Journal</i> , 2010, 20, 57-64.	0.3	2
414	Change in Amino Acid Pools During Neuronal Differentiation of PC12 Cells. <i>In Vivo</i> , 2018, 32, 1403-1408.	0.6	2

#	ARTICLE	IF	CITATIONS
415	Quantitative Structure–Cytotoxicity Relationship of 2-Arylazolychromones and 2-Triazolylchromones. <i>Anticancer Research</i> , 2019, 39, 6479-6488.	0.5	2
416	Augmentation of Neurotoxicity of Anticancer Drugs by X-Ray Irradiation. <i>In Vivo</i> , 2020, 34, 1009-1016.	0.6	2
417	A 3-styrylchromone converted from trimebutine 3D pharmacophore possesses dual suppressive effects on RAGE and TLR4 signaling pathways. <i>Biochemical and Biophysical Research Communications</i> , 2021, 566, 1-8.	1.0	2
418	Induction of apoptotic cell death by direct-current treatment in human leukemic cell lines. <i>Journal of Cancer Research and Clinical Oncology</i> , 1997, 123, 370-376.	1.2	2
419	Amino acid utilization during apoptosis in HL-60 cells. <i>Anticancer Research</i> , 1999, 19, 329-32.	0.5	2
420	Radical scavenging activity and cytotoxicity of phenethyl ether and cinnamic amide derivatives. <i>Anticancer Research</i> , 2002, 22, 1661-6.	0.5	2
421	Mitochondrial control of cell death induction by sodium 5,6-benzylidene-L-ascorbate. <i>Anticancer Research</i> , 2003, 23, 1353-6.	0.5	2
422	Effect of antitumor agents on cytotoxicity induction by sodium fluoride. <i>Anticancer Research</i> , 2003, 23, 4729-36.	0.5	2
423	Inhibition by Rikko-san and its major ingredients of LPS-stimulated nitric oxide production by mouse macrophage-like cells. <i>In Vivo</i> , 2005, 19, 165-71.	0.6	2
424	Modulation of branching morphogenesis of fetal mouse submandibular gland by sodium ascorbate and epigallocatechin gallate. <i>In Vivo</i> , 2005, 19, 883-8.	0.6	2
425	Inhibition of NO production in LPS-stimulated mouse macrophage-like cells by trihaloacetylazulenes. <i>Anticancer Research</i> , 2006, 26, 2921-7.	0.5	2
426	Rapid changes in amino acid and polyamine metabolism during copper-induced cell death of human gingival fibroblast. <i>In Vivo</i> , 2007, 21, 835-40.	0.6	2
427	Tumor-specific cytotoxic activity and type of cell death induced by 4-trifluoromethylimidazoles in human oral squamous cell carcinoma cell lines. <i>Anticancer Research</i> , 2007, 27, 4065-9.	0.5	2
428	Quantitative structure-cytotoxicity relationship analysis of 5-trifluoromethyloxazole derivatives by a semiempirical molecular-orbital method with the concept of absolute hardness. <i>Anticancer Research</i> , 2008, 28, 997-1003.	0.5	2
429	Tumor-specific cytotoxicity and type of cell death induced by peplomycin in oral squamous cell carcinoma cell lines. <i>Anticancer Research</i> , 2008, 28, 2197-204.	0.5	2
430	Type of cell death induced by alpha-trifluoromethyl acylolins in oral squamous cell carcinoma. <i>Anticancer Research</i> , 2009, 29, 175-81.	0.5	2
431	Effect of simulated orthodontic forces on fluoride-induced cytotoxicity in MC3T3-E1 osteoblast-like cells. <i>In Vivo</i> , 2009, 23, 259-65.	0.6	2
432	Effect of itraconazoles on the production of pro-inflammatory substances in mouse macrophage-like cells. <i>In Vivo</i> , 2010, 24, 709-13.	0.6	2

#	ARTICLE	IF	CITATIONS
433	Effect of CO2 laser irradiation on hormesis induction in cultured oral cells. <i>In Vivo</i> , 2011, 25, 93-8.	0.6	2
434	Pilot study of changes in salivary metabolic profiles induced by template therapy. <i>In Vivo</i> , 2012, 26, 1015-20.	0.6	2
435	Effect of Low-intensity Pulsed Ultrasound on Healing of Bone Defects in Rat Tibia as Measured by Reconstructed Three-dimensional Analysis of Micro CT Images. <i>In Vivo</i> , 2022, 36, 643-648.	0.6	2
436	Tumor-Specificity, Neurotoxicity, and Possible Involvement of the Nuclear Receptor Response Pathway of 4,6,8-Trimethyl Azulene Amide Derivatives. <i>International Journal of Molecular Sciences</i> , 2022, 23, 2601.	1.8	2
437	DNA synthesizing activity during induced differentiation in mouse myeloid leukemia (M1) cells. <i>Cell Differentiation</i> , 1983, 12, 93-98.	1.3	1
438	Quantitative Structure–Cytotoxicity Relationship of Bioactive Heterocycles by the Semi-empirical Molecular Orbital Method with the Concept of Absolute Hardness. <i>Topics in Heterocyclic Chemistry</i> , 2008, , 93-133.	0.2	1
439	New Anti-Oxidative Compounds from <i>Rhinacanthus Nasutus</i> . <i>Heterocycles</i> , 2015, 91, 1036.	0.4	1
440	Effect of titanium dioxide nanoparticle on proliferation, drug-sensitivity, inflammation, and metabolomic profiling of human oral cells. , 2016, , 49-77.		1
441	Orthodontic treatment-induced temporal alteration of jaw-opening reflex excitability. <i>Journal of Neurophysiology</i> , 2017, 118, 2289-2295.	0.9	1
442	Introduction to the Special Issue “Biological Efficacy of Natural and Chemically Modified Products against Oral Inflammatory Lesions” • <i>Medicines (Basel, Switzerland)</i> , 2019, 6, 52.	0.7	1
443	A new and 23 known cardenolide glycosides from <i>Thevetia neriifolia</i> seeds and their cytotoxic activities against human oral carcinoma cell lines. <i>Natural Product Research</i> , 2021, 35, 4388-4393.	1.0	1
444	The occurrence of lysozyme activity in nuclei of a differentiated mouse myeloid leukemia cell line.. <i>Cell Structure and Function</i> , 1982, 7, 203-211.	0.5	1
445	Endogenous Production of Cytotoxic Factor in Normal Mice by PSK Combined with OK-432. <i>The Showa University Journal of Medical Sciences</i> , 1990, 2, 159-164.	0.1	1
446	Effects of Pretreatment with PSK, a Protein-Bound Polysaccharide, on <i>Escherichia Coli</i> Infection in Mice. <i>The Showa University Journal of Medical Sciences</i> , 1990, 2, 7-10.	0.1	1
447	Role of hydrogen peroxide in antitumor activity induction by sodium 5,6-benzylidene-L-ascorbate. <i>Anticancer Research</i> , 1998, 18, 2519-24.	0.5	1
448	Role of carbohydrate moiety in granulocyte colony stimulating factor. <i>Anticancer Research</i> , 2000, 20, 2355-9.	0.5	1
449	Relationship between electronic structure and cytotoxic activity of dopamine and 3-benzazepine derivatives. <i>In Vivo</i> , 2004, 18, 443-7.	0.6	1
450	Bioactivities of anastasia black (Russian sweet pepper). <i>Anticancer Research</i> , 2005, 25, 1991-9.	0.5	1

#	ARTICLE	IF	CITATIONS
451	Enhancement of sodium fluoride-induced cell death by centrifugal force. <i>In Vivo</i> , 2006, 20, 103-8.	0.6	1
452	Relationship between electronic structure and cytotoxic activity of azulenes. <i>In Vivo</i> , 2006, 20, 385-9.	0.6	1
453	Effect of saliva, epigallocatechin gallate and hypoxia on Cu-induced oxidation and cytotoxicity. <i>In Vivo</i> , 2007, 21, 603-7.	0.6	1
454	Relationship between electronic structure and cytotoxic activity of azulenequinones and trihaloacetylazulenes. <i>In Vivo</i> , 2007, 21, 715-20.	0.6	1
455	Quantitative structure-activity relationship analysis of 4-trifluoromethylimidazole derivatives with the concept of absolute hardness. <i>Anticancer Research</i> , 2007, 27, 4047-51.	0.5	1
456	Quantitative structure-cytotoxicity relationship analysis of 3-formylchromone derivatives by a semiempirical molecular-orbital method with the concept of absolute hardness. <i>Anticancer Research</i> , 2008, 28, 277-81.	0.5	1
457	Estimation of relationship between the structure of 1,2,3,4-tetrahydroisoquinoline derivatives determined by a semiempirical molecular-orbital method and their cytotoxicity. <i>Anticancer Research</i> , 2009, 29, 2265-71.	0.5	1
458	Estimation of relationship between structure of newly synthesized dihydroimidazoles determined by a semiempirical molecular-orbital method and their cytotoxicity. <i>Anticancer Research</i> , 2009, 29, 5019-22.	0.5	1
459	Non-apoptotic cell death induced by nutritional starvation in J774.1 mouse macrophage-like cell line. <i>Anticancer Research</i> , 2009, 29, 5083-8.	0.5	1
460	Diverse biological activity of <i>Odontioda Marie Noel 'Velano'</i> extracts. <i>In Vivo</i> , 2011, 25, 375-80.	0.6	1
461	Induction of non-apoptotic cell death by <i>Odontioda Marie Noel 'Velano'</i> extracts in human oral squamous cell carcinoma cell lines. <i>In Vivo</i> , 2012, 26, 265-9.	0.6	1
462	Structural characterization of anti-UV components from <i>Sasa senanensis</i> Rehder extract. <i>In Vivo</i> , 2013, 27, 77-83.	0.6	1
463	Quest for Cells Responsible for Age-related Increase of Salivary Glycine and Proline. <i>In Vivo</i> , 2016, 30, 91-7.	0.6	1
464	Cytotoxic Tumour-Selective 1,5-Diaryl-3-Oxo-1,4-Pentadienes Mounted on a Piperidine Ring. <i>Medicines (Basel, Switzerland)</i> , 2021, 8, 78.	0.7	1
465	Molecular Mechanisms of Cell Death Induction by Nedaplatin in Human Tumor Cell Lines. <i>The Showa University Journal of Medical Sciences</i> , 1998, 10, 129-140.	0.1	0
466	Molecular Requirements of Lignin-Carbohydrate Complexes for Expression of Unique Biological Activities.. <i>ChemInform</i> , 2006, 37, no.	0.1	0
467	Therapeutic potential of solubilized nanolignin against oral diseases. , 2017, , 545-576.		0
468	Applicability of Licorice Extracts for Treatment of Oral Diseases, Evaluated by Simplified In Vitro Assay Systems with Oral Cells. , 0, , .		0

#	ARTICLE	IF	CITATIONS
469	Evaluation of Cytotoxic Properties of N,N'-bis[(1-aryl-3-heteroaryl)propylidene]-hydrazine dihydrochlorides. <i>Pharmaceutical Chemistry Journal</i> , 2020, 54, 784-787.	0.3	0
470	Enamel Matrix Derivative in Diffusion Chamber Implanted Subcutaneously in Rat Induces Formation of Fibrous Connective Tissue Containing Abundant Blood Vessels. <i>In Vivo</i> , 2021, 35, 313-317.	0.6	0
471	Inhibitory effect of plasma on the growth of osteoblastic cells in culture. <i>Nihon Koku Geka Gakkai Zasshi</i> , 2005, 51, 67-76.	0.0	0
472	Enhancement of HL-60 Cell Chemiluminescence Generation by Pine Cone Extract-Induced Factor (s). <i>The Showa University Journal of Medical Sciences</i> , 1990, 2, 11-17.	0.1	0
473	Effect of Curdlan, A Bacterial Water-Insoluble β -1, 3-Glucan, on Experimental Escherichia coli Infection in Mice. <i>The Showa University Journal of Medical Sciences</i> , 1991, 3, 11-17.	0.1	0
474	Establishment and Characterization of a Human Somatostatinoma Cell Line (Soma-1). <i>The Showa University Journal of Medical Sciences</i> , 1996, 8, 73-79.	0.1	0
475	Establishment and Characterization of a Human Glioblastoma Cell Line Which Expresses Somatostatin and its Functional Receptor. <i>The Showa University Journal of Medical Sciences</i> , 1999, 11, 215-222.	0.1	0
476	Diverse biological activities of fermented pine seed shell extract. <i>Anticancer Research</i> , 2002, 22, 1569-74.	0.5	0
477	Inhibition of branching morphogenesis of mouse fetal submandibular gland by sodium fluoride-protection by epidermal growth factor. <i>In Vivo</i> , 2005, 19, 327-34.	0.6	0
478	Disruption of amino acid metabolism in human myelogenous leukemic cell lines destined to die after contact with metal plates. <i>In Vivo</i> , 2007, 21, 841-5.	0.6	0
479	Effect of contact with titanium alloys on the proliferation of mouse osteoblastic cells in culture. <i>In Vivo</i> , 2010, 24, 29-37.	0.6	0
480	Diverse biological activity of <i>Odontoglossum Harvengtense</i> 'Tutu' bulb extracts. <i>In Vivo</i> , 2011, 25, 381-6.	0.6	0
481	Cytotoxic activity of benzo[b]cyclohept[e][1,4]oxazines. <i>In Vivo</i> , 2013, 27, 507-12.	0.6	0
482	Dichloroacetyl Amides of 3,5-Bis(benzylidene)-4-piperidones Displaying Greater Toxicity to Neoplasms than to Non-Malignant Cells. <i>Medicines (Basel, Switzerland)</i> , 2022, 9, 35.	0.7	0