
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1442468/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Comparative effectiveness of renin-angiotensin system blockers and other antihypertensive drugs in patients with diabetes: systematic review and bayesian network meta-analysis. BMJ, The, 2013, 347, f6008-f6008.	6.0	199
2	Preoperative Proteinuria Predicts Adverse Renal Outcomes after Coronary Artery Bypass Grafting. Journal of the American Society of Nephrology: JASN, 2011, 22, 156-163.	6.1	142
3	Endoplasmic Reticulum Stress Implicated in the Development of Renal Fibrosis. Molecular Medicine, 2011, 17, 1295-1305.	4.4	124
4	Rate of decline of residual renal function is associated with all-cause mortality and technique failure in patients on long-term peritoneal dialysis. Nephrology Dialysis Transplantation, 2009, 24, 2909-2914.	0.7	122
5	Identification of a novel <i>FN1-FGFR1</i> genetic fusion as a frequent event in phosphaturic mesenchymal tumour. Journal of Pathology, 2015, 235, 539-545.	4.5	120
6	Metabolic Syndrome and Insulin Resistance as Risk Factors for Development of Chronic Kidney Disease and Rapid Decline in Renal Function in Elderly. Journal of Clinical Endocrinology and Metabolism, 2012, 97, 1268-1276.	3.6	111
7	Adiponectin in peritoneal dialysis patients: a comparison with hemodialysis patients and subjects with normal renal function. American Journal of Kidney Diseases, 2004, 43, 1047-1055.	1.9	95
8	Impact of timing of renal replacement therapy initiation on outcome of septic acute kidney injury. Critical Care, 2011, 15, R134.	5.8	87
9	Simple selfâ€report <scp>FRAIL</scp> scale might be more closely associated with dialysis complications than other frailty screening instruments in rural chronic dialysis patients. Nephrology, 2015, 20, 321-328.	1.6	78
10	Left Ventricular Systolic Strain in Chronic Kidney Disease and Hemodialysis Patients. American Journal of Nephrology, 2011, 33, 84-90.	3.1	77
11	Predictors of Faster Decline of Residual Renal Function in Taiwanese Peritoneal Dialysis Patients. Peritoneal Dialysis International, 2008, 28, 191-195.	2.3	62
12	Chemical chaperon 4-phenylbutyrate protects against the endoplasmic reticulum stress-mediated renal fibrosis <i>in vivo</i> and <i>in vitro</i> . Oncotarget, 2016, 7, 22116-22127.	1.8	59
13	Trace Metals' Abnormalities in Hemodialysis Patients: Relationship with Medications. Artificial Organs, 2000, 24, 841-844.	1.9	56
14	Circulating MicroRNA-125b Predicts the Presence and Progression of Uremic Vascular Calcification. Arteriosclerosis, Thrombosis, and Vascular Biology, 2017, 37, 1402-1414.	2.4	54
15	Diagnostic Performance of Random Urine Samples Using Albumin Concentration vs Ratio of Albumin to Creatinine for Microalbuminuria Screening in Patients With Diabetes Mellitus. JAMA Internal Medicine, 2014, 174, 1108.	5.1	52
16	Clinical characteristics of patients with segmental renal infarction. Nephrology, 2006, 11, 336-340.	1.6	51
17	Dipyridamole inhibits TGF-β–induced collagen gene expression in human peritoneal mesothelial cells. Kidney International, 2001, 60, 1249-1257.	5.2	49
18	Levamisole-Induced Multifocal Inflammatory Leukoencephalopathy. Medicine (United States), 2006, 85, 203-213.	1.0	47

#	Article	IF	CITATIONS
19	Ferritin heavy chain mediates the protective effect of heme oxygenase-1 against oxidative stress. Biochimica Et Biophysica Acta - General Subjects, 2015, 1850, 2506-2517.	2.4	47
20	Natural and non-natural antioxidative compounds: potential candidates for treatment of vascular calcification. Cell Death Discovery, 2019, 5, 145.	4.7	46
21	Chronic Fatigue in Long-Term Peritoneal Dialysis Patients. American Journal of Nephrology, 2001, 21, 479-485.	3.1	44
22	Pentoxifylline modulates intracellular signalling of TGF-Â in cultured human peritoneal mesothelial cells: implications for prevention of encapsulating peritoneal sclerosis. Nephrology Dialysis Transplantation, 2003, 18, 670-676.	0.7	44
23	Contributors, risk associates, and complications of frailty in patients with chronic kidney disease: a scoping review. Therapeutic Advances in Chronic Disease, 2019, 10, 204062231988038.	2.5	44
24	Safety Issues of Long-Term Glucose Load in Patients on Peritoneal Dialysis—A 7-Year Cohort Study. PLoS ONE, 2012, 7, e30337.	2.5	42
25	U-Curve Association between Timing of Renal Replacement Therapy Initiation and In-Hospital Mortality in Postoperative Acute Kidney Injury. PLoS ONE, 2012, 7, e42952.	2.5	40
26	Detrended Fluctuation Analysis of Heart Rate Dynamics Is an Important Prognostic Factor in Patients with End-Stage Renal Disease Receiving Peritoneal Dialysis. PLoS ONE, 2016, 11, e0147282.	2.5	40
27	Withdrawal from long-term hemodialysis in patients with end-stage renal disease in Taiwan. Journal of the Formosan Medical Association, 2013, 112, 589-599.	1.7	39
28	Intradialytic Hypotension and Cardiac Remodeling: A Vicious Cycle. BioMed Research International, 2015, 2015, 1-7.	1.9	37
29	Accumulation of epicardial fat rather than visceral fat is an independent risk factor for left ventricular diastolic dysfunction in patients undergoing peritoneal dialysis. Cardiovascular Diabetology, 2013, 12, 127.	6.8	36
30	Systemic Lupus Erythematosus and Peritoneal Dialysis: Outcomes and Infectious Complications. Peritoneal Dialysis International, 2001, 21, 143-148.	2.3	35
31	The doubleâ€edged sword of endoplasmic reticulum stress in uremic sarcopenia through myogenesis perturbation. Journal of Cachexia, Sarcopenia and Muscle, 2018, 9, 570-584.	7.3	35
32	Renal hypouricemia is an ominous sign in patients with severe acute respiratory syndrome. American Journal of Kidney Diseases, 2005, 45, 88-95.	1.9	34
33	Early Initiation of Dialysis and Late Implantation of Catheters Adversely Affect Outcomes of Patients on Chronic Peritoneal Dialysis. Peritoneal Dialysis International, 2008, 28, 73-81.	2.3	33
34	Higher plasma interleukin-18 levels associated with poor quality of sleep in peritoneal dialysis patients. Nephrology Dialysis Transplantation, 2007, 22, 3606-3609.	0.7	32
35	Latent transforming growth factor binding protein 4 regulates transforming growth factor beta receptor stability. Human Molecular Genetics, 2015, 24, 4024-4036.	2.9	32
36	Initial Glucose Load Predicts Technique Survival in Patients on Chronic Peritoneal Dialysis. American Journal of Nephrology, 2008, 28, 765-771.	3.1	31

#	Article	IF	CITATIONS
37	Age modifies the risk factor profiles for acute kidney injury among recently diagnosed type 2 diabetic patients: a population-based study. GeroScience, 2018, 40, 201-217.	4.6	31
38	Frailty Predicts an Increased Risk of End-Stage Renal Disease with Risk Competition by Mortality among 165,461 Diabetic Kidney Disease Patients. , 2019, 10, 1270.		31
39	Clinical Findings and Outcomes of Intra-Hemodialysis Cardiopulmonary Resuscitation. American Journal of Nephrology, 1999, 19, 468-473.	3.1	30
40	Lean Body Mass Predicts Long-Term Survival in Chinese Patients on Peritoneal Dialysis. PLoS ONE, 2013, 8, e54976.	2.5	29
41	Glycosylated Hemoglobin and Albumin-Corrected Fructosamine Are Good Indicators for Glycemic Control in Peritoneal Dialysis Patients. PLoS ONE, 2013, 8, e57762.	2.5	27
42	Factors associated with poor outcomes of continuous renal replacement therapy. PLoS ONE, 2017, 12, e0177759.	2.5	27
43	Acute renal failure in SARS patients: more than rhabdomyolysis. Nephrology Dialysis Transplantation, 2004, 19, 3180-3182.	0.7	26
44	Fibrin-Induced Epithelial-to-Mesenchymal Transition of Peritoneal Mesothelial Cells as a Mechanism of Peritoneal Fibrosis: Effects of Pentoxifylline. PLoS ONE, 2012, 7, e44765.	2.5	24
45	Micrococcus species-related peritonitis in patients receiving peritoneal dialysis. International Urology and Nephrology, 2014, 46, 261-264.	1.4	24
46	Viridans Streptococci in Peritoneal Dialysis Peritonitis: Clinical Courses and Long-Term Outcomes. Peritoneal Dialysis International, 2015, 35, 333-341.	2.3	24
47	Heart rhythm complexity impairment in patients undergoing peritoneal dialysis. Scientific Reports, 2016, 6, 28202.	3.3	24
48	Prognostic importance and determinants of uremic pruritus in patients receiving peritoneal dialysis: A prospective cohort study. PLoS ONE, 2018, 13, e0203474.	2.5	24
49	The Small Molecule Inhibitor QLT-0267 Decreases the Production of Fibrin-Induced Inflammatory Cytokines and Prevents Post-Surgical Peritoneal Adhesions. Scientific Reports, 2018, 8, 9481.	3.3	24
50	Natural Changes in Peritoneal Equilibration Test Results in Continuous Ambulatory Peritoneal Dialysis Patients: A Retrospective, Seven Year Cohort Survey. Artificial Organs, 2000, 24, 261-264.	1.9	23
51	Spontaneous bilateral bacterial empyema in a patient with nephrotic syndrome. Journal of Infection, 2006, 53, e131-e134.	3.3	23
52	Tamoxifen Downregulates Connective Tissue Growth Factor to Ameliorate Peritoneal Fibrosis. Blood Purification, 2011, 31, 252-258.	1.8	23
53	Frailty increases the risk for developing urinary tract infection among 79,887 patients with diabetic mellitus and chronic kidney disease. BMC Geriatrics, 2021, 21, 349.	2.7	23
54	Preservation of peritoneal morphology and function by pentoxifylline in a rat model of peritoneal dialysis: molecular studies. Nephrology Dialysis Transplantation, 2008, 23, 3831-3840.	0.7	22

#	Article	IF	CITATIONS
55	Correlation of Metabolic Syndrome with Residual Renal Function, Solute Transport Rate and Peritoneal Solute Clearance in Chronic Peritoneal Dialysis Patients. Blood Purification, 2008, 26, 138-144.	1.8	21
56	Microalbuminuria Screening for Detecting Chronic Kidney Disease in the General Population: A Systematic Review. Renal Failure, 2013, 35, 607-614.	2.1	21
57	Risk Factors Associated With Altered Circulating MicroRNAâ€125b andÂTheir Influences on Uremic Vascular Calcification Among PatientsÂWith Endâ€Stage Renal Disease. Journal of the American Heart Association, 2019, 8, e010805.	3.7	21
58	Vascular Calcification as an Underrecognized Risk Factor for Frailty in 1783 Communityâ€Đwelling Elderly Individuals. Journal of the American Heart Association, 2020, 9, e017308.	3.7	21
59	Functional assessment of chronic illness therapy—the fatigue scale exhibits stronger associations with clinical parameters in chronic dialysis patients compared to other fatigue-assessing instruments. PeerJ, 2016, 4, e1818.	2.0	21
60	Risk factors for herpes zoster reactivation in maintenance hemodialysis patients. European Journal of Internal Medicine, 2012, 23, 711-715.	2.2	20
61	<i>Citrobacter</i> Peritoneal Dialysis Peritonitis: Rare Occurrence with Poor Outcomes. International Journal of Medical Sciences, 2013, 10, 1092-1098.	2.5	20
62	Serum vitamin D levels are positively associated with varicella zoster immunity in chronic dialysis patients. Scientific Reports, 2014, 4, 7371.	3.3	20
63	Geriatric syndromes are potential determinants of the medication adherence status in prevalent dialysis patients. PeerJ, 2016, 4, e2122.	2.0	20
64	Risk Factors for High Dialysate Glucose use in PD Patients—A Retrospective 5-Year Cohort Study. Peritoneal Dialysis International, 2010, 30, 448-455.	2.3	19
65	Comparative Study of Outcomes among Patients with Polycystic Kidney Disease on Hemodialysis and Peritoneal Dialysis. Scientific Reports, 2015, 5, 12816.	3.3	19
66	Frequency of Early Predialysis Nephrology Care andÂPostdialysisÂCardiovascular Events. American Journal of Kidney Diseases, 2017, 70, 164-172.	1.9	19
67	Frailty severity is significantly associated with electrocardiographic QRS duration in chronic dialysis patients. PeerJ, 2015, 3, e1354.	2.0	19
68	Selfâ€reported frailty among endâ€stage renal disease patients: A potential predictor of dialysis access outcomes. Nephrology, 2017, 22, 333-334.	1.6	18
69	Factors associated with metabolic acidosis in patients receiving parenteral nutrition. Nephrology, 2007, 12, 3-7.	1.6	17
70	Acinetobacter Peritoneal Dialysis Peritonitis: A Changing Landscape over Time. PLoS ONE, 2014, 9, e110315.	2.5	17
71	Comparative effectiveness of angiotensin-converting enzyme inhibitors versus angiotensin II receptor blockers for major renal outcomes in patients with diabetes: A 15-year cohort study. PLoS ONE, 2017, 12, e0177654.	2.5	17
72	Association between serum aspartate transaminase and homocysteine levels in hemodialysis patients. American Journal of Kidney Diseases, 2002, 40, 1195-1201.	1.9	16

#	Article	IF	CITATIONS
73	Hypoglycemic episodes are associated with an increased risk of incident frailty among new onset diabetic patients. Journal of Diabetes and Its Complications, 2020, 34, 107492.	2.3	16
74	Proteinuria as a Therapeutic Target in Advanced Chronic Kidney Disease: a Retrospective Multicenter Cohort Study. Scientific Reports, 2016, 6, 26539.	3.3	15
75	LTBP4 affects renal fibrosis by influencing angiogenesis and altering mitochondrial structure. Cell Death and Disease, 2021, 12, 943.	6.3	15
76	Factors associated with increased plasma homocysteine in patients using an amino acid peritoneal dialysis fluid. Nephrology Dialysis Transplantation, 2005, 20, 161-166.	0.7	14
77	Metabolic syndrome and abdominal fat are associated with inflammation, but not with clinical outcomes, in peritoneal dialysis patients. Cardiovascular Diabetology, 2013, 12, 86.	6.8	14
78	Peritoneal dialysis peritonitis by anaerobic pathogens: a retrospective case series. BMC Nephrology, 2013, 14, 111.	1.8	14
79	Vitamin D is closely linked to the clinical courses of herpes zoster: From pathogenesis to complications. Medical Hypotheses, 2015, 85, 452-457.	1.5	14
80	Women on hemodialysis have lower self-reported health-related quality of life scores but better survival than men. Journal of Nephrology, 2013, 26, 366-374.	2.0	14
81	Early elimination of uremic toxin ameliorates AKI-to-CKD transition. Clinical Science, 2021, 135, 2643-2658.	4.3	14
82	Visceral fat area is associated with HbA1c but not dialysate-related glucose load in nondiabetic PD patients. Scientific Reports, 2015, 5, 12811.	3.3	13
83	Outcome Comparisons Between Patients on Peritoneal Dialysis With and Without Polycystic Kidney Disease. Medicine (United States), 2015, 94, e2166.	1.0	13
84	Acarbose Use and Liver Injury in Diabetic Patients With Severe Renal Insufficiency and Hepatic Diseases: A Propensity Score-Matched Cohort Study. Frontiers in Pharmacology, 2018, 9, 860.	3.5	13
85	Astaxanthin Counteracts Vascular Calcification In Vitro Through an Early Up-Regulation of SOD2 Based on a Transcriptomic Approach. International Journal of Molecular Sciences, 2020, 21, 8530.	4.1	13
86	CAPD-Related Peritonitis due to Salmonella enteritidis in a Patient With SLE. American Journal of Kidney Diseases, 2005, 46, e21-e23.	1.9	12
87	Randomized Study of Darbepoetin Alfa and Recombinant Human Erythropoietin for Treatment of Renal Anemia in Chronic Renal Failure Patients Receiving Peritoneal Dialysis. Journal of the Formosan Medical Association, 2008, 107, 843-850.	1.7	12
88	Impact of Spiritual and Religious Activity on Quality of Sleep in Hemodialysis Patients. Blood Purification, 2008, 26, 221-225.	1.8	12
89	N-Acetylcysteine-Mediated Antioxidation Prevents Hyperglycemia-Induced Apoptosis and Collagen Synthesis in Rat Mesangial Cells. American Journal of Nephrology, 2009, 29, 192-202.	3.1	12
90	Application of Speckle-Tracking Echocardiography in Detecting Coronary Artery Disease in Patients with Maintenance Hemodialysis. Blood Purification, 2011, 32, 38-42.	1.8	12

#	Article	lF	CITATIONS
91	Interplay between Superoxide Dismutase, Glutathione Peroxidase, and Peroxisome Proliferator Activated Receptor Gamma Polymorphisms on the Risk of End-Stage Renal Disease among Han Chinese Patients. Oxidative Medicine and Cellular Longevity, 2016, 2016, 1-7.	4.0	12
92	Effect of Frail Phenotype on Bone Mass and Vertebral Compression Fracture in Individuals Undergoing Dialysis. Journal of the American Geriatrics Society, 2016, 64, e19-21.	2.6	12
93	A Simpler Creatinine Index Can Predict Long-Term Survival in Chinese Hemodialysis Patients. PLoS ONE, 2016, 11, e0165164.	2.5	12
94	Benefits of Sevelamer on Markers of Bone Turnover in Taiwanese Hemodialysis Patients. Journal of the Formosan Medical Association, 2010, 109, 663-672.	1.7	11
95	Increased Procollagen Type I C-Terminal Peptide Levels Indicate Diastolic Dysfunction in End-Stage Renal Disease Patients Undergoing Maintenance Dialysis Therapy. Journal of the American Society of Echocardiography, 2012, 25, 895-901.	2.8	11
96	Association of increased travel distance to dialysis units with the risk of anemia in rural chronic hemodialysis elderly. Hemodialysis International, 2015, 19, 44-53.	0.9	11
97	Frail phenotype is associated with distinct quantitative electroencephalographic findings among end-stage renal disease patients: an observational study. BMC Geriatrics, 2017, 17, 277.	2.7	11
98	Icodextrin is Associated with a Lower Mortality Rate in Peritoneal Dialysis Patients. Peritoneal Dialysis International, 2019, 39, 252-260.	2.3	11
99	Advanced Age and Chronic Kidney Disease Modify the Association Between Metabolic Syndrome and Frailty Among Community-Dwelling Elderly. Rejuvenation Research, 2020, 23, 333-340.	1.8	11
100	Gustatory Dysfunction Is Closely Associated With Frailty in Patients With Chronic Kidney Disease. , 2021, 31, 49-56.		11
101	Circulating microRNA-125b Levels Are Associated With the Risk of Vascular Calcification in Healthy Community-Dwelling Older Adults. Frontiers in Cardiovascular Medicine, 2021, 8, 624313.	2.4	11
102	Acute Renal Failure Caused by Mushroom Poisoning. Journal of the Formosan Medical Association, 2006, 105, 263-267.	1.7	10
103	Estimated Creatinine Clearance Rate Is Associated With the Treatment Effectiveness and Toxicity of Pemetrexed As Continuation Maintenance Therapy for Advanced Nonsquamous Non–Small-Cell Lung Cancer. Clinical Lung Cancer, 2015, 16, e131-e140.	2.6	10
104	Applicability of laboratory deficitâ€based frailty index in predominantly older patients with endâ€stage renal disease under chronic dialysis: A pilot test of its correlation with survival and selfâ€reported instruments. Nephrology, 2020, 25, 73-81.	1.6	10
105	Dissecting the Mechanisms of Left Ventricular Diastolic Dysfunction and Inflammation in Peritoneal Dialysis Patients. PLoS ONE, 2013, 8, e62722.	2.5	10
106	Frailty modifies the association between opioid use and mortality in chronic kidney disease patients with diabetes: a population-based cohort study. Aging, 2020, 12, 21730-21746.	3.1	10
107	The Case â^£ Ascites with oliguric acute renal failure. Kidney International, 2008, 74, 249-250.	5.2	9
108	Development of Encapsulating Peritoneal Sclerosis Following Bacterial Peritonitis in a Peritoneal Dialysis Patient. American Journal of Kidney Diseases, 2010, 55, 198-202.	1.9	9

#	Article	IF	CITATIONS
109	Frailty predicts a higher risk of incident urolithiasis in 525 368 patients with diabetes mellitus: a population-based study. BMJ Open Diabetes Research and Care, 2020, 8, e000755.	2.8	9
110	Lipid-Based Nanocarriers in Renal RNA Therapy. Biomedicines, 2022, 10, 283.	3.2	9
111	Intraperitoneal Vascular Endothelial Growth Factor C Level Is Related to Peritoneal Dialysis Ultrafiltration. Blood Purification, 2009, 28, 69-74.	1.8	8
112	Sequence Variants of Peroxisome Proliferator-Activated Receptor-Gamma Gene and the Clinical Courses of Patients with End-Stage Renal Disease. Disease Markers, 2015, 2015, 1-7.	1.3	8
113	Effects of atorvastatin treatment on left ventricular diastolic function in peritoneal dialysis patients—The ALEVENT clinical trial. Journal of Clinical Lipidology, 2017, 11, 657-666.	1.5	8
114	Frail Phenotype Might Be Associated With Higher Appendicular but Not Truncal Fat Among End-Stage Renal Disease Patients. Journal of Pain and Symptom Management, 2017, 53, e1-e4.	1.2	8
115	Heart Rhythm Complexity Predicts Longâ€Term Cardiovascular Outcomes in Peritoneal Dialysis Patients: A Prospective Cohort Study. Journal of the American Heart Association, 2020, 9, e013036.	3.7	8
116	Peritoneal Fibrosing Syndrome: Pathogenetic Mechanism and Current Therapeutic Strategies. Journal of the Chinese Medical Association, 2005, 68, 401-405.	1.4	7
117	Skin Color is Associated with Insulin Resistance in Nondiabetic Peritoneal Dialysis Patients. Peritoneal Dialysis International, 2009, 29, 458-464.	2.3	7
118	Left Ventricular Diastolic Dysfunction in Peritoneal Dialysis. Medicine (United States), 2015, 94, e819.	1.0	7
119	Gustatory Function and the Uremic Toxin, Phosphate, Are Modulators of the Risk of Vascular Calcification among Patients with Chronic Kidney Disease: A Pilot Study. Toxins, 2020, 12, 420.	3.4	7
120	Encapsulating peritoneal sclerosis. Cmaj, 2009, 181, 177-177.	2.0	6
121	High Peritoneal KT/V and Peritonitis Rates Are Associated with Peritoneal Calcification. PLoS ONE, 2013, 8, e71636.	2.5	6
122	Thrombocytopenia on the first day of emergency department visit predicts higher risk of acute kidney injury among elderly patients. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2017, 25, 11.	2.6	6
123	Diabetes mellitus, superoxide dismutase and peroxisome proliferator activated receptor gamma polymorphisms modify the outcome of endâ€stage renal disease patients of Han Chinese origin. Nephrology, 2018, 23, 117-125.	1.6	6
124	N-Terminal Pro-Brain Natriuretic Peptide Predicts Long-Term Technique Failure in Patients Undergoing Peritoneal Dialysis. Journal of Clinical Medicine, 2018, 7, 557.	2.4	6
125	Impact of Self-Report and eGFR-Based Chronic Kidney Disease on the Risk of Chronic Kidney Disease-Related Complications and Geriatric Syndromes in Community-Dwelling Older Adults. Kidney and Blood Pressure Research, 2018, 43, 1908-1918.	2.0	6
126	The association between heart rhythm complexity and the severity of abdominal aorta calcification in peritoneal dialysis patients. Scientific Reports, 2018, 8, 15627.	3.3	6

#	Article	IF	CITATIONS
127	Frailty is associated with a higher risk of developing delirium and cognitive impairment among patients with diabetic kidney disease: A longitudinal populationâ€based cohort study. Diabetic Medicine, 2021, 38, e14566.	2.3	6
128	Gender-Related Differences in Chronic Kidney Disease-Associated Vascular Calcification Risk and Potential Risk Mediators: A Scoping Review. Healthcare (Switzerland), 2021, 9, 979.	2.0	6
129	Frail phenotype might herald bone health worsening among end-stage renal disease patients. PeerJ, 2017, 5, e3542.	2.0	6
130	The down-regulation of XBP1, an unfolded protein response effector, promotes acute kidney injury to chronic kidney disease transition. Journal of Biomedical Science, 2022, 29, .	7.0	6
131	Human Immunodeficiency Virus-associated Nephropathy. Journal of the Formosan Medical Association, 2006, 105, 680-684.	1.7	5
132	Dipstick proteinuria level is significantly associated with pre-morbid and in-hospital functional status among hospitalized older adults: a preliminary study. Scientific Reports, 2017, 7, 42030.	3.3	5
133	Is dialysis vintage a perioperative risk for end-stage renal disease patients receiving total knee and hip arthroplasty. Journal of Orthopaedic Surgery, 2019, 27, 230949901985388.	1.0	5
134	RAPID-ADPKD (Retrospective epidemiological study of Asia-Pacific patients with rapId Disease) Tj ETQqO 0 0 rgB retrospective cohort study. BMJ Open, 2020, 10, e034103.	T /Overloci 1.9	10 Tf 50 462 5
135	Integrating the Surprise Question, Palliative Care Screening Tool, and Clinical Risk Models to Identify Peritoneal Dialysis Patients With High One-Year Mortality. Journal of Pain and Symptom Management, 2020, 60, 613-621.e6.	1.2	5
136	Frailty as an Independent Risk Factor for Depression in Patients With End-Stage Renal Disease: A Cross-Sectional Study. Frontiers in Medicine, 2022, 9, 799544.	2.6	5
137	Effects of Early Frequent Nephrology Care on Emergency Department Visits among Patients with End-stage Renal Disease. International Journal of Environmental Research and Public Health, 2019, 16, 1158.	2.6	4
138	Determinants of circulating microRNAâ€125b, a risk predictor of vascular calcification, among communityâ€dwelling older adults [*] . Clinical and Translational Medicine, 2020, 10, e145.	4.0	4
139	Asymptomatic Green Dialysate. American Journal of the Medical Sciences, 2012, 344, 227.	1.1	3
140	Serum free 1,25-dihydroxy-vitamin D is more closely associated with fibroblast growth factor 23 than other vitamin D forms in chronic dialysis patients. Clinica Chimica Acta, 2015, 439, 122-127.	1.1	3
141	Cerebral Microbleeds in Autosomal Dominant Polycystic Kidney Disease. Journal of Stroke, 2020, 22, 153-156.	3.2	3
142	Muscle relaxant use and the associated risk of incident frailty in patients with diabetic kidney disease: a longitudinal cohort study. Therapeutic Advances in Drug Safety, 2021, 12, 204209862110146.	2.4	2
143	New Mechanisms of Bromelain in Alleviating Non-Alcoholic Fatty Liver Disease-Induced Deregulation of Blood Coagulation. Nutrients, 2022, 14, 2329.	4.1	2
144	A computer-aided method for automatic localization and thickness measurement of peritoneum in ultrasound images. , 2011, 2011, 8005-8.		1

#	Article	IF	CITATIONS
145	Acute kidney injury as a risk factor for diagnostic discrepancy among geriatric patients: a pilot study. Scientific Reports, 2016, 6, 38549.	3.3	1
146	Association between education level and potentially inappropriate medication among older patients. Aging Clinical and Experimental Research, 2018, 30, 101-103.	2.9	1
147	One Man's Meat and Another's Poison: Adding Glucose in Dialysis Fluid. Blood Purification, 2007, 25, 420-421.	1.8	0
148	Scenario of assessment might influence results using selfâ€report frailty instrument in chronic dialysis patients. Nephrology, 2016, 21, 344-345.	1.6	0
149	SP495TARGETING INTERLEUKIN 6 AND INTERLEUKIN 8: A NOVEL STRATEGY FOR PREVENTING THE PROGRESSION OF PERITONEAL CALCIFICATION. Nephrology Dialysis Transplantation, 2019, 34, .	0.7	0
150	SO082LATENT TRANSFORMING GROWTH FACTOR BETA BINDING PROTEIN (LTBP4) CAN REGULATE RENAL FIBROSIS AND ALTER INFLAMMATION AND MITOCHONDRIAL DYSFUNCTION IN CHRONIC KIDNEY DISEASE (CKD). Nephrology Dialysis Transplantation, 2020, 35, .	0.7	0
151	Lysophosphatidic Acid and Renal Fibrosis. Recent Patents on Endocrine, Metabolic & Immune Drug Discovery, 2008, 2, 204-210.	0.6	0