

# Robis Group

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1444115/publications.pdf>

Version: 2024-02-01

71  
papers

7,005  
citations

172386

29  
h-index

102432

66  
g-index

75  
all docs

75  
docs citations

75  
times ranked

9263  
citing authors

#	ARTICLE	IF	CITATIONS
1	A systematic review and narrative synthesis of antenatal interventions to improve maternal and neonatal health in Nepal. <i>AJOG Global Reports</i> , 2022, 2, 100019.	0.4	6
2	Comparative clinical effectiveness and safety of tobacco cessation pharmacotherapies and electronic cigarettes: a systematic review and network meta-analysis of randomized controlled trials. <i>Addiction</i> , 2022, 117, 861-876.	1.7	23
3	Interventions to prevent obesity in children aged 12 to 18 years old. <i>The Cochrane Library</i> , 2022, 2022, .	1.5	1
4	Interventions to prevent obesity in children aged 5 to 11 years old. <i>The Cochrane Library</i> , 2022, 2022, .	1.5	0
5	Which treatment is most effective for patients with Achilles tendinopathy? A living systematic review with network meta-analysis of 29 randomised controlled trials. <i>British Journal of Sports Medicine</i> , 2021, 55, 249-256.	3.1	97
6	Effects of non-pharmacological interventions as vaccine adjuvants in humans: a systematic review and network meta-analysis. <i>Health Psychology Review</i> , 2021, 15, 245-271.	4.4	4
7	Comparative effectiveness of treatments for patellofemoral pain: a living systematic review with network meta-analysis. <i>British Journal of Sports Medicine</i> , 2021, 55, 369-377.	3.1	21
8	Understanding adolescent health risk behaviour and socioeconomic position: A grounded theory study of UK young adults. <i>Sociology of Health and Illness</i> , 2021, 43, 528-544.	1.1	4
9	Community mobilisation approaches to preventing and reducing adolescent multiple risk behaviour: a realist review protocol. <i>Systematic Reviews</i> , 2021, 10, 147.	2.5	5
10	Cost-Effectiveness Analysis of Smoking Cessation Interventions in the United Kingdom Accounting for Major Neuropsychiatric Adverse Events. <i>Value in Health</i> , 2021, 24, 780-788.	0.1	5
11	Infographic. Comparative effectiveness of treatments for patellofemoral pain: a living systematic review with network meta-analysis. <i>British Journal of Sports Medicine</i> , 2021, 55, bjsports-2021-104360.	3.1	6
12	School-based interventions to prevent anxiety, depression and conduct disorder in children and young people: a systematic review and network meta-analysis. <i>Public Health Research</i> , 2021, 9, 1-284.	0.5	11
13	Is adolescent multiple risk behaviour associated with reduced socioeconomic status in young adulthood and do those with low socioeconomic backgrounds experience greater negative impact? Findings from two UK birth cohort studies. <i>BMC Public Health</i> , 2021, 21, 1614.	1.2	3
14	Smoking cessation medicines and e-cigarettes: a systematic review, network meta-analysis and cost-effectiveness analysis. <i>Health Technology Assessment</i> , 2021, 25, 1-224.	1.3	62
15	Cost-Effectiveness of Different Formats for Delivery of Cognitive Behavioral Therapy for Depression: A Systematic Review Based Economic Model. <i>Value in Health</i> , 2020, 23, 1662-1670.	0.1	7
16	Protocol for a systematic review and network meta-analysis of randomised controlled trials examining the effectiveness of early parenting interventions in preventing internalising problems in children and adolescents. <i>Systematic Reviews</i> , 2020, 9, 244.	2.5	4
17	Agreement was moderate between data-based and opinion-based assessments of biases affecting randomized trials within meta-analyses. <i>Journal of Clinical Epidemiology</i> , 2020, 125, 16-25.	2.4	0
18	School-based interventions to prevent anxiety and depression in children and young people: a systematic review and network meta-analysis. <i>Lancet Psychiatry</i> , 2019, 6, 1011-1020.	3.7	155

#	ARTICLE	IF	CITATIONS
19	Directly Acting Oral Anticoagulants for the Prevention of Stroke in Atrial Fibrillation in England and Wales: Cost-Effectiveness Model and Value of Information Analysis. <i>MDM Policy and Practice</i> , 2019, 4, 238146831986682.	0.5	9
20	The process and delivery of CBT for depression in adults: a systematic review and network meta-analysis. <i>Psychological Medicine</i> , 2019, 49, 1937-1947.	2.7	70
21	Psychological interventions as vaccine adjuvants: A systematic review. <i>Vaccine</i> , 2019, 37, 3255-3266.	1.7	14
22	Threshold Analysis as an Alternative to GRADE for Assessing Confidence in Guideline Recommendations Based on Network Meta-analyses. <i>Annals of Internal Medicine</i> , 2019, 170, 538.	2.0	36
23	Synthesising quantitative evidence in systematic reviews of complex health interventions. <i>BMJ Global Health</i> , 2019, 4, e000858.	2.0	133
24	Interventions to prevent spontaneous preterm birth in high-risk women with singleton pregnancy: a systematic review and network meta-analysis. <i>The Cochrane Library</i> , 2019, , .	1.5	2
25	Network meta-analysis explained. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2019, 104, F8-F12.	1.4	102
26	Which treatment is most effective for patients with patellofemoral pain? A protocol for a living systematic review including network meta-analysis. <i>BMJ Open</i> , 2018, 8, e022920.	0.8	6
27	Examining subgroup effects by socioeconomic status of public health interventions targeting multiple risk behaviour in adolescence. <i>BMC Public Health</i> , 2018, 18, 1180.	1.2	15
28	Educational interventions for improving primary caregiver complementary feeding practices for children aged 24 months and under. <i>The Cochrane Library</i> , 2018, 2018, CD011768.	1.5	57
29	Individual-, family-, and school-level interventions targeting multiple risk behaviours in young people. <i>The Cochrane Library</i> , 2018, 2018, CD009927.	1.5	67
30	Additional considerations are required when preparing a protocol for a systematic review with multiple interventions. <i>Journal of Clinical Epidemiology</i> , 2017, 83, 65-74.	2.4	108
31	How do smoking cessation medicines compare with respect to their neuropsychiatric safety? A protocol for a systematic review, network meta-analysis and cost-effectiveness analysis. <i>BMJ Open</i> , 2017, 7, e015414.	0.8	4
32	Oral anticoagulants for prevention of stroke in atrial fibrillation: systematic review, network meta-analysis, and cost effectiveness analysis. <i>BMJ: British Medical Journal</i> , 2017, 359, j5058.	2.4	373
33	Oral anticoagulants for primary prevention, treatment and secondary prevention of venous thromboembolic disease, and for prevention of stroke in atrial fibrillation: systematic review, network meta-analysis and cost-effectiveness analysis. <i>Health Technology Assessment</i> , 2017, 21, 1-386.	1.3	117
34	Network meta-analyses and treatment recommendations for obsessive-compulsive disorder – Authors' reply. <i>Lancet Psychiatry</i> , 2016, 3, 921-922.	3.7	5
35	A threshold analysis assessed the credibility of conclusions from network meta-analysis. <i>Journal of Clinical Epidemiology</i> , 2016, 80, 68-76.	2.4	20
36	Peer-led interventions to prevent tobacco, alcohol and/or drug use among young people aged 11–21 years: a systematic review and meta-analysis. <i>Addiction</i> , 2016, 111, 391-407.	1.7	169

#	ARTICLE	IF	CITATIONS
37	Approaches for synthesising complex mental health interventions in meta-analysis. Evidence-Based Mental Health, 2016, 19, 16-21.	2.2	54
38	Pharmacological and psychotherapeutic interventions for management of obsessive-compulsive disorder in adults: a systematic review and network meta-analysis. Lancet Psychiatry, the, 2016, 3, 730-739.	3.7	251
39	ROBIS: A new tool to assess risk of bias in systematic reviews was developed. Journal of Clinical Epidemiology, 2016, 69, 225-234.	2.4	1,204
40	A systematic review of the clinical effectiveness and cost-effectiveness of pharmacological and psychological interventions for the management of obsessive-compulsive disorder in children/adolescents and adults. Health Technology Assessment, 2016, 20, 1-392.	1.3	84
41	Which method is best for the induction of labour? A systematic review, network meta-analysis and cost-effectiveness analysis. Health Technology Assessment, 2016, 20, 1-584.	1.3	81
42	Extending Treatment Networks in Health Technology Assessment: How Far Should We Go?. Value in Health, 2015, 18, 673-681.	0.1	33
43	Labour induction with prostaglandins: a systematic review and network meta-analysis. BMJ, The, 2015, 350, h217-h217.	3.0	98
44	The Quality of Reporting Methods and Results in Network Meta-Analyses: An Overview of Reviews and Suggestions for Improvement. PLoS ONE, 2014, 9, e92508.	1.1	82
45	An overview of conducting systematic reviews with network meta-analysis. Systematic Reviews, 2014, 3, 109.	2.5	60
46	Expected Value of Sample Information for Multi-Arm Cluster Randomized Trials with Binary Outcomes. Medical Decision Making, 2014, 34, 352-365.	1.2	20
47	Novel presentational approaches were developed for reporting network meta-analysis. Journal of Clinical Epidemiology, 2014, 67, 672-680.	2.4	36
48	Specificity of CBT for Depression: A Contribution from Multiple Treatments Meta-analyses. Cognitive Therapy and Research, 2014, 38, 249-260.	1.2	21
49	Quantity and quality of psychotherapy trials for depression in the past five decades. Journal of Affective Disorders, 2014, 165, 190-195.	2.0	8
50	Evaluating the Quality of Evidence from a Network Meta-Analysis. PLoS ONE, 2014, 9, e99682.	1.1	947
51	Behavioural therapies versus other psychological therapies for depression. The Cochrane Library, 2013, 2013, CD008696.	1.5	67
52	'Third wave' cognitive and behavioural therapies versus other psychological therapies for depression. The Cochrane Library, 2013, , CD008704.	1.5	77
53	Evidence Synthesis for Decision Making 4. Medical Decision Making, 2013, 33, 641-656.	1.2	513
54	Evidence Synthesis for Decision Making 7. Medical Decision Making, 2013, 33, 679-691.	1.2	79

#	ARTICLE	IF	CITATIONS
55	Selecting the best scale for measuring treatment effect in a network meta-analysis: a case study in childhood nocturnal enuresis. <i>Research Synthesis Methods</i> , 2012, 3, 126-141.	4.2	21
56	Fluid restriction for symptomatic patent ductus arteriosus in preterm infants. <i>The Cochrane Library</i> , 2010, 2010, .	1.5	3
57	Mindfulness-based 'third wave' cognitive and behavioural therapies versus other psychological therapies for depression. , 2010, , .		18
58	Psychodynamic therapies versus treatment as usual for depression. <i>The Cochrane Library</i> , 2010, , .	1.5	2
59	Interpersonal, cognitive analytic and other integrative therapies versus other psychological therapies for depression. <i>The Cochrane Library</i> , 2010, , .	1.5	3
60	Humanistic therapies versus treatment as usual for depression. <i>The Cochrane Library</i> , 2010, , .	1.5	4
61	Interpersonal, cognitive analytic and other integrative therapies versus treatment as usual for depression. <i>The Cochrane Library</i> , 2010, , .	1.5	7
62	Behavioural therapies versus other psychological therapies for depression. , 2010, , .		9
63	Mindfulness-based 'third wave' cognitive and behavioural therapies versus treatment as usual for depression. , 2010, , .		10
64	Cognitive behavioural therapies versus treatment as usual for depression. <i>The Cochrane Library</i> , 2010, , .	1.5	9
65	Behavioural therapies versus treatment as usual for depression. <i>The Cochrane Library</i> , 2010, , .	1.5	3
66	Psychodynamic therapies versus other psychological therapies for depression. <i>The Cochrane Library</i> , 2010, , .	1.5	3
67	Cognitive behavioural therapies versus other psychological therapies for depression. <i>The Cochrane Library</i> , 2010, , .	1.5	9
68	Mixed treatment comparison analysis provides internally coherent treatment effect estimates based on overviews of reviews and can reveal inconsistency. <i>Journal of Clinical Epidemiology</i> , 2010, 63, 875-882.	2.4	118
69	Simultaneous comparison of multiple treatments: combining direct and indirect evidence. <i>BMJ: British Medical Journal</i> , 2005, 331, 897-900.	2.4	1,325
70	Pharmacological treatments in panic disorder in adults: a network meta-analysis. <i>The Cochrane Library</i> , 0, , .	1.5	2
71	Interpersonal, cognitive analytic and other integrative therapies versus treatment as usual for depression. <i>The Cochrane Library</i> , 0, , .	1.5	1