

# Li Liang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/144510/publications.pdf>

Version: 2024-02-01

69  
papers

3,036  
citations

186265  
28  
h-index

182427  
51  
g-index

83  
all docs

83  
docs citations

83  
times ranked

4324  
citing authors

#	ARTICLE	IF	CITATIONS
1	Integration of glucose and cardioplin anabolism confers radiation resistance of HCC. <i>Hepatology</i> , 2022, 75, 1386-1401.	7.3	27
2	Discovery and characterization of circulating tumor cell clusters in neuroendocrine tumor patients using nanosubstrate-embedded microchips. <i>Biosensors and Bioelectronics</i> , 2022, 199, 113854.	10.1	10
3	COMMD10 inhibits HIF1 $\pm$ /CP loop to enhance ferroptosis and radiosensitivity by disrupting Cu-Fe balance in hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2022, 76, 1138-1150.	3.7	99
4	Overexpression of GSTP1 promotes colorectal cancer cell proliferation, invasion and metastasis by upregulating STAT3. <i>Advances in Clinical and Experimental Medicine</i> , 2022, 31, 139-149.	1.4	8
5	Development of an immune-related prognostic biomarker for triple-negative breast cancer. <i>Annals of Medicine</i> , 2022, 54, 1212-1220.	3.8	6
6	SRSF9 promotes colorectal cancer progression via stabilizing DSN1 mRNA in an m6A-related manner. <i>Journal of Translational Medicine</i> , 2022, 20, 198.	4.4	10
7	Periostin <sup>+</sup> cancer-associated fibroblasts promote lymph node metastasis by impairing the lymphatic endothelial barriers in cervical squamous cell carcinoma. <i>Molecular Oncology</i> , 2021, 15, 210-227.	4.6	28
8	Circulating plasma exosomal miRNA profiles serve as potential metastasis-related biomarkers for hepatocellular carcinoma. <i>Oncology Letters</i> , 2021, 21, 168.	1.8	13
9	A novel lymphatic pattern promotes metastasis of cervical cancer in a hypoxic tumour-associated macrophage-dependent manner. <i>Angiogenesis</i> , 2021, 24, 549-565.	7.2	24
10	Covalent Chemistry-Mediated Multimarker Purification of Circulating Tumor Cells Enables Noninvasive Detection of Molecular Signatures of Hepatocellular Carcinoma. <i>Advanced Materials Technologies</i> , 2021, 6, 2001056.	5.8	4
11	CMTM6 expression in M2 macrophages is a potential predictor of PD-1/PD-L1 inhibitor response in colorectal cancer. <i>Cancer Immunology, Immunotherapy</i> , 2021, 70, 3235-3248.	4.2	23
12	Inhibition of CCL7 derived from Mo-MDSCs prevents metastatic progression from latency in colorectal cancer. <i>Cell Death and Disease</i> , 2021, 12, 484.	6.3	20
13	COMMD10 inhibits tumor progression and induces apoptosis by blocking NF $\kappa$ B signal and values up BCLC staging in predicting overall survival in hepatocellular carcinoma. <i>Clinical and Translational Medicine</i> , 2021, 11, e403.	4.0	11
14	Hybrid AI-assistive diagnostic model permits rapid TBS classification of cervical liquid-based thin-layer cell smears. <i>Nature Communications</i> , 2021, 12, 3541.	12.8	36
15	Depression accelerates gastric cancer invasion and metastasis by inducing a neuroendocrine phenotype via the catecholamine/ $\beta$ <sup>2</sup> -AR/MACC1 axis. <i>Cancer Communications</i> , 2021, 41, 1049-1070.	9.2	23
16	Antagonist targeting miR-106b <sup>5p</sup> attenuates acute renal injury by regulating renal function, apoptosis and autophagy via the upregulation of TCF4. <i>International Journal of Molecular Medicine</i> , 2021, 48, .	4.0	6
17	Tsc1 regulates tight junction independent of mTORC1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	6
18	Does post-operative radiotherapy improve the treatment outcomes of intracranial hemangiopericytoma? A retrospective study. <i>BMC Cancer</i> , 2021, 21, 915.	2.6	11

#	ARTICLE	IF	CITATIONS
19	Tumor cell-derived SPON2 promotes M2-polarized tumor-associated macrophage infiltration and cancer progression by activating PYK2 in CRC. <i>Journal of Experimental and Clinical Cancer Research</i> , 2021, 40, 304.	8.6	42
20	A Multilocus Blood-Based Assay Targeting Circulating Tumor DNA Methylation Enables Early Detection and Early Relapse Prediction of Colorectal Cancer. <i>Gastroenterology</i> , 2021, 161, 2053-2056.e2.	1.3	31
21	PPIP5K2 promotes colorectal carcinoma pathogenesis through facilitating DNA homologous recombination repair. <i>Oncogene</i> , 2021, 40, 6680-6691.	5.9	7
22	STK3 promotes gastric carcinogenesis by activating Ras-MAPK mediated cell cycle progression and serves as an independent prognostic biomarker. <i>Molecular Cancer</i> , 2021, 20, 147.	19.2	13
23	Identification of Five Cytotoxicity-Related Genes Involved in the Progression of Triple-Negative Breast Cancer. <i>Frontiers in Genetics</i> , 2021, 12, 723477.	2.3	5
24	CD8+ T Cell-Based Molecular Classification With Heterogeneous Immunogenomic Landscapes and Clinical Significance of Clear Cell Renal Cell Carcinoma. <i>Frontiers in Immunology</i> , 2021, 12, 745945.	4.8	11
25	KNK437 restricts the growth and metastasis of colorectal cancer via targeting DNAJA1/CDC45 axis. <i>Oncogene</i> , 2020, 39, 249-261.	5.9	43
26	CD24 and PRAME Are Novel Grading and Prognostic Indicators for Pineal Parenchymal Tumors of Intermediate Differentiation. <i>American Journal of Surgical Pathology</i> , 2020, 44, 11-20.	3.7	14
27	CREB5 promotes invasiveness and metastasis in colorectal cancer by directly activating MET. <i>Journal of Experimental and Clinical Cancer Research</i> , 2020, 39, 168.	8.6	36
28	FBX8 promotes metastatic dormancy of colorectal cancer in liver. <i>Cell Death and Disease</i> , 2020, 11, 622.	6.3	10
29	Interleukin-31 Receptor $\hat{\pm}$ Is Required for Basal-Like Breast Cancer Progression. <i>Frontiers in Oncology</i> , 2020, 10, 816.	2.8	9
30	A gene-expression-based signature predicts survival in adults with T-cell lymphoblastic lymphoma: a multicenter study. <i>Leukemia</i> , 2020, 34, 2392-2404.	7.2	13
31	A CpG Methylation Classifier to Predict Relapse in Adults with T-Cell Lymphoblastic Lymphoma. <i>Clinical Cancer Research</i> , 2020, 26, 3760-3770.	7.0	11
32	Hypoxia-induced ZEB1 promotes cervical cancer progression via CCL8-dependent tumour-associated macrophage recruitment. <i>Cell Death and Disease</i> , 2019, 10, 508.	6.3	90
33	UBN2 promotes tumor progression via the Ras/MAPK pathway and predicts poor prognosis in colorectal cancer. <i>Cancer Cell International</i> , 2019, 19, 126.	4.1	13
34	A robust panel based on tumour microenvironment genes for prognostic prediction and tailoring therapies in stage $\hat{\pm}$ III colon cancer. <i>EBioMedicine</i> , 2019, 42, 420-430.	6.1	46
35	Prognostic and predictive value of a microRNA signature in adults with T-cell lymphoblastic lymphoma. <i>Leukemia</i> , 2019, 33, 2454-2465.	7.2	38
36	Duodenojejunal Bypass Plus Sleeve Gastrectomy Reduces Infiltration of Macrophages and Secretion of TNF- $\hat{\pm}$ in the Visceral White Adipose Tissue of Goto-Kakizaki Rats. <i>Obesity Surgery</i> , 2019, 29, 1742-1750.	2.1	6

#	ARTICLE	IF	CITATIONS
37	The role of the hypoxiaâ€”HIF1 axis in the activation of M2â€”like tumorâ€”associated macrophages in the tumor microenvironment of cervical cancer. <i>Molecular Carcinogenesis</i> , 2019, 58, 388-397.	2.7	72
38	Cervical squamous cell carcinoma-secreted exosomal miR-221-3p promotes lymphangiogenesis and lymphatic metastasis by targeting VASH1. <i>Oncogene</i> , 2019, 38, 1256-1268.	5.9	158
39	Performance validation of an amplicon-based targeted next-generation sequencing assay and mutation profiling of 648 Chinese colorectal cancer patients. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2018, 472, 959-968.	2.8	13
40	Cancer-derived exosomal miR-25-3p promotes pre-metastatic niche formation by inducing vascular permeability and angiogenesis. <i>Nature Communications</i> , 2018, 9, 5395.	12.8	613
41	FOXF1 promotes angiogenesis and accelerates bevacizumab resistance in colorectal cancer by transcriptionally activating VEGFA. <i>Cancer Letters</i> , 2018, 439, 78-90.	7.2	44
42	FOXF1 Induces Epithelial-Mesenchymal Transition in Colorectal Cancer Metastasis by Transcriptionally Activating SNAI1. <i>Neoplasia</i> , 2018, 20, 996-1007.	5.3	25
43	STX2 promotes colorectal cancer metastasis through a positive feedback loop that activates the NF-Î”B pathway. <i>Cell Death and Disease</i> , 2018, 9, 664.	6.3	25
44	Preoperative SCC-Ag and thrombocytosis as predictive markers for pelvic lymphatic metastasis of squamous cervical cancer in early FIGO stage. <i>Journal of Cancer</i> , 2018, 9, 1660-1666.	2.5	23
45	HGF/R-spondin1 rescues liver dysfunction through the induction of Lgr5+ liver stem cells. <i>Nature Communications</i> , 2017, 8, 1175.	12.8	40
46	Downregulation of <i>SAFB</i> Sustains the NF-Î”B Pathway by Targeting <i>TAK1</i> during the Progression of Colorectal Cancer. <i>Clinical Cancer Research</i> , 2017, 23, 7108-7118.	7.0	31
47	TGFÎ”1-induced CK17 enhances cancer stem cellâ€”like properties rather than EMT in promoting cervical cancer metastasis via the ERK1/2â€”MZF1 signaling pathway. <i>FEBS Journal</i> , 2017, 284, 3000-3017.	4.7	44
48	MicroRNA-221-3p, a TWIST2 target, promotes cervical cancer metastasis by directly targeting THBS2. <i>Cell Death and Disease</i> , 2017, 8, 3220.	6.3	115
49	Clinical Significance of CD163+ and CD68+ Tumor-associated Macrophages in High-risk HPV-related Cervical Cancer. <i>Journal of Cancer</i> , 2017, 8, 3868-3875.	2.5	71
50	Discontinuation of Scheduled Infliximab in Crohnâ€”s Patients With Clinical Remission: A Retrospective Single-Center Study. <i>Gastroenterology Research</i> , 2017, 10, 92-99.	1.3	7
51	Performance study of an amplification-based NGS test on clinical FFPE specimens in Chinaâ€”s first multi-center study.. <i>Journal of Clinical Oncology</i> , 2017, 35, e13112-e13112.	1.6	0
52	Parallel mutation screening and methylation quantification improves the molecular diagnostic yield for colorectal cancer.. <i>Journal of Clinical Oncology</i> , 2017, 35, e13003-e13003.	1.6	0
53	TLE4 promotes colorectal cancer progression through activation of JNK/c-Jun signaling pathway. <i>Oncotarget</i> , 2016, 7, 2878-2888.	1.8	35
54	Small interfering RNA targeting NF-Î”B attenuates lipopolysaccharide-induced acute lung injury in rats. <i>BMC Physiology</i> , 2016, 16, 7.	3.6	36

#	ARTICLE	IF	CITATIONS
55	MicroRNA-224 sustains Wnt/ $\beta$ 2-catenin signaling and promotes aggressive phenotype of colorectal cancer. <i>Journal of Experimental and Clinical Cancer Research</i> , 2016, 35, 21.	8.6	82
56	miR-450b-5p induced by oncogenic KRAS is required for colorectal cancer progression. <i>Oncotarget</i> , 2016, 7, 61312-61324.	1.8	31
57	MiR-384 inhibits human colorectal cancer metastasis by targeting KRAS and CDC42. <i>Oncotarget</i> , 2016, 7, 84826-84838.	1.8	40
58	The SOX17/miR-371-5p/SOX2 axis inhibits EMT, stem cell properties and metastasis in colorectal cancer. <i>Oncotarget</i> , 2015, 6, 9099-9112.	1.8	57
59	MicroRNA-34a targets FMNL2 and E2F5 and suppresses the progression of colorectal cancer. <i>Experimental and Molecular Pathology</i> , 2015, 99, 173-179.	2.1	41
60	Significance of FBX8 in progression of gastric cancer. <i>Experimental and Molecular Pathology</i> , 2015, 98, 360-366.	2.1	12
61	Hypermethylation of FOXD3 suppresses cell proliferation, invasion and metastasis in hepatocellular carcinoma. <i>Experimental and Molecular Pathology</i> , 2015, 99, 374-382.	2.1	13
62	Radiation-induced microrna-622 causes radioresistance in colorectal cancer cells by down-regulating Rb. <i>Oncotarget</i> , 2015, 6, 15984-15994.	1.8	53
63	The positive feedback between Snail and DAB2IP regulates EMT, invasion and metastasis in colorectal cancer. <i>Oncotarget</i> , 2015, 6, 27427-27439.	1.8	33
64	Copper metabolism MURR1 domain-containing10 (COMMD10) as a predictive factor in HBV-related hepatocellular carcinoma (HCC).. <i>Journal of Clinical Oncology</i> , 2015, 33, e22254-e22254.	1.6	0
65	FOXC2 promotes colorectal cancer proliferation through inhibition of FOXO3a and activation of MAPK and AKT signaling pathways. <i>Cancer Letters</i> , 2014, 353, 87-94.	7.2	71
66	The efficacy of neoadjuvant chemotherapy in different histological types of cervical cancer. <i>Gynecologic Oncology</i> , 2014, 134, 419-425.	1.4	47
67	MicroRNA-137, an HMGA1 Target, Suppresses Colorectal Cancer Cell Invasion and Metastasis in Mice by Directly Targeting FMNL2. <i>Gastroenterology</i> , 2013, 144, 624-635.e4.	1.3	123
68	Down-regulation of formin-like 2 predicts poor prognosis in hepatocellular carcinoma. <i>Human Pathology</i> , 2011, 42, 1603-1612.	2.0	28
69	Protein and mRNA Characterization in Human Colorectal Carcinoma Cell Lines with Different Metastatic Potentials. <i>Cancer Investigation</i> , 2007, 25, 427-434.	1.3	36