Sang-hyun Kim

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1449618/publications.pdf

Version: 2024-02-01

122	2,250 citations	23	42
papers		h-index	g-index
122	122	122	3490
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	6-month versus 12-month or longer dual antiplatelet therapy after percutaneous coronary intervention in patients with acute coronary syndrome (SMART-DATE): a randomised, open-label, non-inferiority trial. Lancet, The, 2018, 391, 1274-1284.	6.3	261
2	Pulse Wave Velocity in Atherosclerosis. Frontiers in Cardiovascular Medicine, 2019, 6, 41.	1.1	226
3	Aspirin versus clopidogrel for chronic maintenance monotherapy after percutaneous coronary intervention (HOST-EXAM): an investigator-initiated, prospective, randomised, open-label, multicentre trial. Lancet, The, 2021, 397, 2487-2496.	6.3	162
4	2015 Korean Guidelines for the Management of Dyslipidemia: Executive Summary (English Translation). Korean Circulation Journal, 2016, 46, 275.	0.7	106
5	Clinical and Physiological Outcomes of Fractional Flow Reserve-Guided Percutaneous Coronary Intervention in Patients With Serial Stenoses Within One Coronary Artery. JACC: Cardiovascular Interventions, 2012, 5, 1013-1018.	1.1	94
6	A Randomized Comparison of Platinum Chromium-Based Everolimus-Eluting Stents Versus Cobalt Chromium-Based Zotarolimus-Eluting Stents in All-Comers Receiving Percutaneous Coronary Intervention. Journal of the American College of Cardiology, 2014, 63, 2805-2816.	1.2	80
7	Effects of Acute Hyperglycemia on Endothelium-Dependent Vasodilation in Patients with Diabetes Mellitus or Impaired Glucose Metabolism. Endothelium: Journal of Endothelial Cell Research, 2003, 10, 65-70.	1.7	54
8	In Vivo Hyperoxic Preconditioning Prevents Myocardial Infarction by Expressing Bcl-2. Experimental Biology and Medicine, 2006, 231, 463-472.	1.1	53
9	Effect of fixedâ€dose combinations of ezetimibe plus rosuvastatin in patients with primary hypercholesterolemia: MRSâ€ROZE (Multicenter Randomized Study of ROsuvastatin and eZEtimibe). Cardiovascular Therapeutics, 2016, 34, 371-382.	1.1	45
10	Incremental Prognostic Value of Brachial-Ankle Pulse Wave Velocity to Single-Photon Emission Computed Tomography in Patients with Suspected Coronary Artery Disease. Journal of Atherosclerosis and Thrombosis, 2015, 22, 1040-1050.	0.9	37
11	The association between arterial stiffness and left ventricular filling pressure in an apparently healthy Korean population. Cardiovascular Ultrasound, 2013, 11, 2.	0.5	35
12	Adjunctive Cilostazol Versus Double-Dose Clopidogrel After Drug-Eluting Stent Implantation. JACC: Cardiovascular Interventions, 2013, 6, 932-942.	1.1	32
13	The effects of metabolic syndrome and its components on arterial stiffness in relation to gender. Journal of Cardiology, 2015, 65, 243-249.	0.8	32
14	Association between arterial stiffness and left ventricular diastolic function in relation to gender and age. Medicine (United States), 2017, 96, e5783.	0.4	31
15	Influence of Second- and Third-Degree Heart Block on 30-Day Outcome Following Acute Myocardial Infarction in the Drug-Eluting Stent Era. American Journal of Cardiology, 2014, 114, 1658-1662.	0.7	30
16	Impact of Optimized Procedure-Related Factors in Drug-Eluting Balloon Angioplasty for Treatment of In-Stent Restenosis. JACC: Cardiovascular Interventions, 2018, 11, 969-978.	1.1	30
17	Impact of acute exercise on brachial artery flow-mediated dilatation in young healthy people. Cardiovascular Ultrasound, 2012, 10, 39.	0.5	28
18	Independent association between brachial-ankle pulse wave velocity and global longitudinal strain of left ventricle. International Journal of Cardiovascular Imaging, 2015, 31, 1563-1570.	0.7	26

#	Article	IF	CITATIONS
19	Efficacy and safety of fixed-dose combination therapy with olmesartan medoxomil and rosuvastatin in Korean patients with mild to moderate hypertension and dyslipidemia: an 8-week, multicenter, randomized, double-blind, factorial-design study (OLSTA-D RCT: OLmesartan rosuvaSTAtin from) Tj ETQq1 1 0.78-	4314 rgBT	/ <mark>3</mark> 6verlock 1
20	The efficacy and safety of mechanical hemodynamic support in patients undergoing high-risk percutaneous coronary intervention with or without cardiogenic shock: Bayesian approach network meta-analysis of 13 randomized controlled trials. International Journal of Cardiology, 2015, 184, 36-46.	0.8	25
21	Naringin suppresses the mitogenic effect of lysophosphatidylcholine on vascular smooth muscle cells. Nutrition Research, 2003, 23, 1671-1683.	1.3	24
22	Efficacy and tolerability of a generic and a branded formulation of atorvastatin 20 mg/d in hypercholesterolemic Korean adults at high risk for cardiovascular disease: A multicenter, prospective, randomized, double-blind, double-dummy clinical trial. Clinical Therapeutics, 2010, 32, 1896-1905.	1.1	24
23	Additional prognostic value of brachial-ankle pulse wave velocity to coronary computed tomography angiography in patients with suspected coronary artery disease. Atherosclerosis, 2018, 268, 127-137.	0.4	24
24	Prospective randomized comparison between omega-3 fatty acid supplements plus simvastatin versus simvastatin alone in Korean patients with mixed dyslipidemia: lipoprotein profiles and heart rate variability. European Journal of Clinical Nutrition, 2011, 65, 110-116.	1.3	23
25	Association Between Invasively Measured Central Aortic Pressure and Left Ventricular Diastolic Function in Patients Undergoing Coronary Angiography. American Journal of Hypertension, 2015, 28, 393-400.	1.0	22
26	Comparison of outcomes after treatment of in-stent restenosis using newer generation drug-eluting stents versus drug-eluting balloon: Patient-level pooled analysis of Korean Multicenter in-Stent Restenosis Registry. International Journal of Cardiology, 2017, 230, 181-190.	0.8	22
27	The Association of Brachial-Ankle Pulse Wave Velocity with Coronary Artery Disease Evaluated by Coronary Computed Tomography Angiography. PLoS ONE, 2015, 10, e0123164.	1.1	21
28	Efficacy and Safety of Morning Versus Evening Dose of Controlled-Release Simvastatin Tablets in Patients With Hyperlipidemia: A Randomized, Double-Blind, Multicenter Phase III Trial. Clinical Therapeutics, 2013, 35, 1350-1360.e1.	1.1	20
29	Three-Year Patient-Related and Stent-Related Outcomes of Second-Generation Everolimus-Eluting Xience V Stents Versus Zotarolimus-Eluting Resolute Stents in Real-World Practice (from the) Tj ETQq1 1 0.78433 2014, 114, 1329-1338.	.4 rgBT /O	verlock 10
30	Blood Pressure and Cholesterol-lowering Efficacy of a Fixed-dose Combination With Irbesartan and Atorvastatin in Patients With Hypertension and Hypercholesterolemia: A Randomized, Double-blind, Factorial, Multicenter Phase III Study. Clinical Therapeutics, 2016, 38, 2171-2184.	1.1	20
31	Cardiovascular effects of omega-3 fatty acids: Hope or hype?. Atherosclerosis, 2021, 322, 15-23.	0.4	19
32	Assessment of the Efficacy and Tolerability of 2 Formulations of Atorvastatin in Korean Adults With Hypercholesterolemia: A Multicenter, Prospective, Open-Label, Randomized Trial. Clinical Therapeutics, 2013, 35, 77-86.	1.1	18
33	Prediction of cardiovascular events using brachialâ€ankle pulse wave velocity in hypertensive patients. Journal of Clinical Hypertension, 2020, 22, 1659-1665.	1.0	18
34	Clinical Usefulness of PRECISE-DAPT Score for Predicting Bleeding Events in Patients With Acute Coronary Syndrome Undergoing Percutaneous Coronary Intervention. Circulation: Cardiovascular Interventions, 2020, 13, e008530.	1.4	18
35	Lifestyle Modification in the Management of Metabolic Syndrome: Statement From Korean Society of CardioMetabolic Syndrome (KSCMS). Korean Circulation Journal, 2022, 52, 93.	0.7	18
36	Re-Expression of Fetal Troponin Isoforms in the Postinfarction Failing Heart of the Rat Circulation Journal, 2002, 66, 959-964.	0.7	17

#	Article	IF	CITATIONS
37	Three-Year Clinical Follow-up Results of Intracoronary Radiation Therapy Using a Rhenium-188-Diethylene-Triamine-Penta-Acetic-Acid-Filled Balloon System. Circulation Journal, 2004, 68, 532-537.	0.7	16
38	Renin–angiotensin system inhibitor and statins combination therapeutics – what have we learnt?. Expert Opinion on Pharmacotherapy, 2015, 16, 949-953.	0.9	16
39	Soluble Tumor Necrosis Factor Receptors and Arterial Stiffness in Patients With Coronary Atherosclerosis. American Journal of Hypertension, 2017, 30, 313-318.	1.0	16
40	Simultaneously Presented Acute Ischemic Stroke and Non-ST Elevation Myocardial Infarction in a Patient with Paroxysmal Atrial Fibrillation. Korean Circulation Journal, 2013, 43, 766.	0.7	15
41	Predictors and Long-Term Clinical Outcome of Longitudinal Stent Deformation. Circulation: Cardiovascular Interventions, 2017, 10, .	1.4	14
42	Relationship between brachialâ€ankle pulse wave velocity and invasively measured aortic pulse pressure. Journal of Clinical Hypertension, 2018, 20, 462-468.	1.0	14
43	Comparison of Antiplatelet Effect and Tolerability of Clopidogrel Resinate With Clopidogrel Bisulfate in Patients With Coronary Heart Disease (CHD) or CHD-Equivalent Risks: A Phase IV, Prospective, Double-Dummy, Parallel-Group, 4-Week Noninferiority Trial. Clinical Therapeutics, 2011, 33, 1057-1068.	1.1	13
44	The Effect of Aspirin on C-Reactive Protein in Hypertensive Patients. Clinical and Experimental Hypertension, 2011, 33, 47-52.	0.5	13
45	The incidence and predictors of overall adverse effects caused by low dose amiodarone in real-world clinical practice. Korean Journal of Internal Medicine, 2014, 29, 588.	0.7	13
46	Different prognostic factors according to left ventricular systolic function in patients with acute myocardial infarction. International Journal of Cardiology, 2016, 221, 90-96.	0.8	13
47	Harmonizing Optimal Strategy for Treatment of coronary artery diseases – comparison of REDUCtion of prasugrEl dose or POLYmer TECHnology in ACS patients (HOST-REDUCE-POLYTECH-ACS RCT): study protocol for a randomized controlled trial. Trials, 2015, 16, 409.	0.7	12
48	Association between reduced arterial stiffness and preserved diastolic function of the left ventricle in middleâ€aged and elderly patients. Journal of Clinical Hypertension, 2017, 19, 620-626.	1.0	12
49	Interaction of Metabolic Health and Obesity on Subclinical Target Organ Damage. Metabolic Syndrome and Related Disorders, 2018, 16, 46-53.	0.5	12
50	Treatment Gap in the Management of Hypercholesterolemia in Korea: Return on Expenditure Achieved for Llpid Therapy (REALITY). Korean Circulation Journal, 2006, 36, 593.	0.7	11
51	Results of a phase III, 8-week, multicenter, prospective, randomized, double-blind, parallel-group clinical trial to assess the effects of amlodipine camsylate versus amlodipine besylate in korean adults with mild to moderate hypertension. Clinical Therapeutics, 2007, 29, 1924-1936.	1.1	11
52	Efficacy of fimasartan/hydrochlorothiazide combination in hypertensive patients inadequately controlled by fimasartan monotherapy. Drug Design, Development and Therapy, 2015, 9, 2847.	2.0	11
53	Relationship of Socioeconomic Status to Arterial Stiffness: Comparison Between Medical Aid Beneficiaries and National Health Insurance Beneficiaries. American Journal of Hypertension, 2020, 33, 718-725.	1.0	11
54	Associations of Brachial-Ankle Pulse Wave Velocity With Left Ventricular Geometry and Diastolic Function in Untreated Hypertensive Patients. Frontiers in Cardiovascular Medicine, 2021, 8, 647491.	1.1	11

#	Article	IF	CITATIONS
55	Incidence and Risk Factors Associated With Hospitalization for Variant Angina in Korea. Medicine (United States), 2016, 95, e3237.	0.4	10
56	The Current Status of Intervention for Intermediate Coronary Stenosis in the Korean Percutaneous Coronary Intervention (K-PCI) Registry. Korean Circulation Journal, 2019, 49, 1022.	0.7	10
57	Efficacy and safety of two fixed-dose combinations of S-amlodipine and telmisartan (CKD-828) versus S-amlodipine monotherapy in patients with hypertension inadequately controlled using S-amlodipine monotherapy: an 8-week, multicenter, randomized, double-blind, Phase III clinical study. Drug Design, Development and Therapy, 2016, Volume 10, 3817-3826.	2.0	9
58	The efficacy and safety of co-administration of fimasartan and rosuvastatin to patients with hypertension and dyslipidemia. BMC Pharmacology & Toxicology, 2017, 18, 2.	1.0	9
59	Interventions for Adherence Improvement in the Primary Prevention of Cardiovascular Diseases: Expert Consensus Statement. Korean Circulation Journal, 2022, 52, 1.	0.7	9
60	The 'Harmonizing Optimal Strategy for Treatment of coronary artery stenosis - sAfety & effectiveneSS of drug-elUting stents & antiplatelet REgimen' (HOST-ASSURE) trial: study protocol for a randomized controlled trial. Trials, 2012, 13, 29.	0.7	8
61	Association of arterial stiffness with aortic calcification and tortuosity. Medicine (United States), 2019, 98, e16802.	0.4	8
62	Prognostic value of arterial stiffness according to the cardiovascular risk profiles. Journal of Human Hypertension, 2021, 35, 978-984.	1.0	8
63	Efficacy and Tolerability of a New Extended-Release Formulation of Nicotinic Acid in Korean Adults With Mixed Dyslipidemia: An 8-Week, Multicenter, Prospective, Randomized, Double-Blind, and Placebo-Controlled Trial. Clinical Therapeutics, 2011, 33, 1357-1364.	1.1	7
64	Circulating tumour necrosis factor receptors 1 and 2 predict contrastâ€induced nephropathy and progressive renal dysfunction: A prospective cohort study. Nephrology, 2015, 20, 552-559.	0.7	7
65	Prognostic Value of the Ankle-Brachial Index in Patients Undergoing Drug-Eluting Stent Implantation. Journal of Atherosclerosis and Thrombosis, 2015, 22, 27-37.	0.9	7
66	Safety of 6-month duration of dual antiplatelet therapy after percutaneous coronary intervention in patients with acute coronary syndromes: Rationale and design of the Smart Angioplasty Research Teamâ€"safety of 6-month duration of Dual Antiplatelet Therapy after percutaneous coronary intervention in patients with acute coronary syndromes (SMART-DATE) prospective multicenter	1.2	7
67	randomized trial. American Heart Journal, 2016, 182, 1-8. Gender Difference in the Association between Aortic Pulse Pressure and Left Ventricular Filling Pressure in the Elderly: An Invasive Hemodynamic Study. Journal of Cardiac Failure, 2017, 23, 224-230.	0.7	7
68	Ezetimibe and Rosuvastatin Combination Treatment Can Reduce the Dose of Rosuvastatin Without Compromising Its Lipid-lowering Efficacy. Clinical Therapeutics, 2019, 41, 2571-2592.	1.1	7
69	Association between epicardial adipose tissue thickness and parameters of target organ damage in patients undergoing coronary angiography. Hypertension Research, 2019, 42, 549-557.	1.5	7
70	Effect of Probucol and/or Cilostazol on Carotid Intima Media Thickness in Patients with Coronary Heart Disease: A Randomized, Multicenter, Multinational Study. Journal of Atherosclerosis and Thrombosis, 2021, 28, 124-136.	0.9	7
71	Improved Prognostic Value in Predicting Long-Term Cardiovascular Events by a Combination of High-Sensitivity C-Reactive Protein and Brachial–Ankle Pulse Wave Velocity. Journal of Clinical Medicine, 2021, 10, 3291.	1.0	7
72	Gender difference in the association between brachial-ankle pulse wave velocity and cardiovascular risk scores. Korean Journal of Internal Medicine, 2019, 34, 539-548.	0.7	7

#	Article	IF	CITATIONS
73	The prevention of contrast induced nephropathy by sarpogrelate in patients with chronic kidney disease: a study protocol for a prospective randomized controlled clinical trial. Trials, 2010, 11, 122.	0.7	6
74	Phase IV, 8-Week, Multicenter, Randomized, Active Treatment–Controlled, Parallel Group, Efficacy, and Tolerability Study of High-Dose Candesartan Cilexetil Combined With Hydrochlorothiazide in Korean Adults With Stage II Hypertension. Clinical Therapeutics, 2011, 33, 1043-1056.	1.1	6
75	The association between ambulatory blood pressure profile and brachial–ankle pulse wave velocity in untreated hypertensive subjects. Blood Pressure, 2015, 24, 139-146.	0.7	6
76	Drug treatment of dyslipidemia. Journal of the Korean Medical Association, 2016, 59, 366.	0.1	6
77	Additional Value of Brachial-Ankle Pulse Wave Velocity to Single-Photon Emission Computed Tomography in the Diagnosis of Coronary Artery Disease. Journal of Atherosclerosis and Thrombosis, 2017, 24, 1249-1257.	0.9	6
78	The comparison of the impact of arterial stiffness and central pressure on left ventricular geometry and diastolic function. Clinical Hypertension, 2019, 25, 18.	0.7	6
79	Efficacy and tolerability of two formulations of ramipril in Korean adults with mild to moderate essential hypertension: An 8-week, multicenter, prospective, randomized, open-label, parallel-group noninferiority trial. Clinical Therapeutics, 2009, 31, 988-998.	1.1	5
80	Additional value of lateral tissue Doppler imaging in the assessment of diastolic dysfunction among subjects with pseudonormal pattern of mitral inflow. Cardiovascular Ultrasound, 2013, 11, 31.	0.5	5
81	Comparison of dual antiplatelet therapy prescribed as one-pill versus two-pill regimen. Thrombosis and Haemostasis, 2016, 116, 78-86.	1.8	5
82	Association between dental health and obstructive coronary artery disease: an observational study. BMC Cardiovascular Disorders, 2019, 19, 98.	0.7	5
83	Gender Related Association between Arterial Stiffness and Aortic Root Geometry. Journal of Cardiovascular Imaging, 2019, 27, 11.	0.2	5
84	Echocardiographic parameters determining cardiovascular outcomes in patients after acute ischemic stroke. International Journal of Cardiovascular Imaging, 2020, 36, 1445-1454.	0.7	5
85	Integrated Analysis of Two Probucol Trials for the Secondary Prevention of Atherosclerotic Cardiovascular Events: PROSPECTIVE and IMPACT. Journal of Atherosclerosis and Thrombosis, 2022, 29, 850-865.	0.9	5
86	Clinical Factors Associated with Obstructive Coronary Artery Disease in Patients with Out-of-Hospital Cardiac Arrest: Data from the Korean Cardiac Arrest Research Consortium (KoCARC) Registry. Journal of Korean Medical Science, 2019, 34, e159.	1.1	5
87	Association Between Body Mass Index and Arterial Stiffness. Cardiometabolic Syndrome Journal, 0, 2, .	1.0	5
88	Statin and the risk of new-onset diabetes mellitus. Journal of the Korean Medical Association, 2017, 60, 901.	0.1	4
89	Recurrent Acute Decompensated Heart Failure Owing to Severe Iron Deficiency Anemia Caused by Inappropriate Habitual Bloodletting. Journal of Cardiovascular Imaging, 2015, 23, 253.	0.8	3
90	Study design of the influence of SErotonin inhibition on patients with RENAI impairment or diabetes undergoing drug-eluting stent implantation (SERENADE) study: A multicenter, open-label, prospective, randomized study. Contemporary Clinical Trials, 2015, 43, 20-24.	0.8	3

#	Article	IF	Citations
91	Efficacy and tolerability of two different formulations of atorvastatin in Korean patients with hypercholesterolemia: a multicenter, prospective, randomized clinical trial. Drug Design, Development and Therapy, 2017, Volume 11, 2277-2285.	2.0	3
92	Fimasartan versus perindopril with and without diuretics in the treatment of elderly patients with essential hypertension (Fimasartan in the Senior Subjects (FITNESS)): study protocol for a randomized controlled trial. Trials, 2019, 20, 389.	0.7	3
93	Lomitapide, relief pitcher for patients with homozygous familial hypercholesterolemia. European Journal of Preventive Cardiology, 2020, 27, 155-156.	0.8	3
94	Frequency and Severity of Hypoglycemia in Type 2 Diabetes Mellitus Patients Treated with a Sulfonylurea-Based Regimen at University-Affiliated Hospitals in Korea: The Naturalistic Evaluation of Hypoglycemic Events in Diabetic Subjects Study. Korean Journal of Family Medicine, 2019, 40, 212-219.	0.4	3
95	Sex-specific associations of brachial–ankle pulse wave velocity with adverse cardiac remodeling and long-term cardiovascular outcome. Journal of Hypertension, 2022, 40, 364-373.	0.3	3
96	Prognostic value of arterial stiffness in menopausal women. Menopause, 2022, 29, 573-579.	0.8	3
97	Long-term clinical outcomes of dissections after intracoronary \hat{l}^2 -radiation with rhenium-188-diethylene triamine penta-acetic acid-filled balloon system. International Journal of Cardiology, 2005, 104, 190-196.	0.8	2
98	Changes of the Lipoprotein Profiles with Time after Discontinuation of Statin Therapy. Korean Circulation Journal, 2008, 38, 36.	0.7	2
99	Efficacy and Safety of DP-R202 in Patients with Chronic Artery Occlusive Disease: Multicenter Randomized Double-blind Active-controlled Parallel Group Phase III Clinical Study. Clinical Therapeutics, 2016, 38, 557-573.	1.1	2
100	The value of diastolic flow reversal in the descending thoracic aorta as a determinant of invasively measured aortic pulse pressure. Echocardiography, 2017, 34, 649-655.	0.3	2
101	Design and rationale of a randomized control trial testing the effectiveness of combined therapy with STAtin plus FENOfibrate and statin alone in non-diabetic, combined dyslipidemia patients with non-intervened intermediate coronary artery disease - STAFENO study. Trials, 2020, 21, 353.	0.7	2
102	Consensus Statement on Coronary Intervention during the Coronavirus Disease 2019 (COVID-19) Pandemic: from the Korean Society of Interventional Cardiology (KSIC). Korean Circulation Journal, 2020, 50, 974.	0.7	2
103	Prevalence and Gender-Related Characteristics of Metabolic Syndrome in Korean Community. Journal of Lipid and Atherosclerosis, 2014, 3, 89.	1.1	2
104	Associations between measurements of central blood pressure and target organ damage in high-risk patients. Clinical Hypertension, 2021, 27, 23.	0.7	2
105	Adult sail sign: radiographic and computed tomographic features. Acta Radiologica, 2008, 49, 37-40.	0.5	1
106	A Case of Left Atrial Metastasis From Hepatocellular Carcinoma: Life-Saving Palliative Resection Using Cardiopulmonary Bypass. Korean Circulation Journal, 2011, 41, 542.	0.7	1
107	Comparison of Two Different Strategies of Intravascular Ultrasound Guidance during Percutaneous Coronary Intervention; Routine versus Selective. Korean Circulation Journal, 2013, 43, 303.	0.7	1
108	Data on the clinical usefulness of brachial-ankle pulse wave velocity in patients with suspected coronary artery disease. Data in Brief, 2018, 16, 1078-1082.	0.5	1

#	Article	IF	Citations
109	Correlations between invasively measured aortic pressures and left ventricular end-diastolic pressure in patients undergoing coronary angiography. Blood Pressure Monitoring, 2019, 24, 241-247.	0.4	1
110	Association between the level of serum soluble ST2 and invasively measured aortic pulse pressure in patients undergoing coronary angiography. Medicine (United States), 2019, 98, e14215.	0.4	1
111	Association Between Metabolic Syndrome and Parameters of Subclinical Target Organ Damage in Urban Subjects Without Documented Cardiovascular Disease. Metabolic Syndrome and Related Disorders, 2020, 18, 373-380.	0.5	1
112	Age-specific association between invasively measured central blood pressure and left ventricular mass index. Clinical and Experimental Hypertension, 2021, 43, 1-9.	0.5	1
113	Effects of Prolonged Dual Antiplatelet Therapy in ST-Segment Elevation vs. Non-ST-Segment Elevation Myocardial Infarction. Circulation Journal, 2021, 85, 817-825.	0.7	1
114	Development of distance accuracy measurement program for quality control of diagnostic ultrasound system. Journal of the Korean Physical Society, 2013, 63, 2232-2238.	0.3	0
115	Effectiveness of Self Blood Pressure Monitoring on Awareness and Attainment of Target Blood Pressure Goal. Journal of Hypertension, 2015, 33, e30.	0.3	0
116	Dyslipidemia and Lipid-Lowering in Patients with High Risk of Cardiovascular Diseases and Their Cardiovascular Outcomes in Korea (ENSURE study): Secondary Prevention in Chronic Stable Angina. Journal of Lipid and Atherosclerosis, 2015, 4, 27.	1.1	0
117	Comparison of Angiographic Outcomes of Side Branch Ostium at Bifurcation Coronary Lesion between Two-stent and One-stent Techniques. Journal of Korean Medical Science, 2015, 30, 889.	1.1	0
118	New concept of treatment guideline of dyslipidemia. Journal of the Korean Medical Association, 2016, 59, 349.	0.1	0
119	A Randomized, Double-blind, Active-controlled, Two Parallel-Group, Optional Titration, Multicenter, Phase IIIb Study to Evaluate the Efficacy and Safety of Fimasartan Versus Perindopril Monotherapy With and Without a Diuretic Combination in Elderly Patients With Essential Hypertension. Clinical Therapeutics, 2021, 43, 1746-1756.	1.1	0
120	Association between inter-leg blood pressure difference and cardiovascular outcome in patients undergoing percutaneous coronary intervention. PLoS ONE, 2021, 16, e0257443.	1.1	0
121	A Randomized, Double-Blind, Non-Inferiority Clinical Trial for Safety and Efficacy of Candesartan Cilexetil Compared with Enalapril Maleate in Patients with Essential Hypertension. Journal of the Korean Society for Clinical Pharmacology and Therapeutics, 2003, 11, 48.	0.1	0
122	Efficacy and Safety of SID142 in Patients With Peripheral Arterial Disease: A Multicenter, Randomized, Double-Blind, Active-Controlled, Parallel-Group, Phase III Clinical Trial. Clinical Therapeutics, 2022, 44, 508-528.	1.1	0