

Sang-hyun Kim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1449618/publications.pdf>

Version: 2024-02-01

122
papers

2,250
citations

279701

23
h-index

265120

42
g-index

122
all docs

122
docs citations

122
times ranked

3490
citing authors

#	ARTICLE	IF	CITATIONS
1	Integrated Analysis of Two Probucol Trials for the Secondary Prevention of Atherosclerotic Cardiovascular Events: PROSPECTIVE and IMPACT. <i>Journal of Atherosclerosis and Thrombosis</i> , 2022, 29, 850-865.	0.9	5
2	Sex-specific associations of brachial-ankle pulse wave velocity with adverse cardiac remodeling and long-term cardiovascular outcome. <i>Journal of Hypertension</i> , 2022, 40, 364-373.	0.3	3
3	Interventions for Adherence Improvement in the Primary Prevention of Cardiovascular Diseases: Expert Consensus Statement. <i>Korean Circulation Journal</i> , 2022, 52, 1.	0.7	9
4	Prognostic value of arterial stiffness in menopausal women. <i>Menopause</i> , 2022, 29, 573-579.	0.8	3
5	Lifestyle Modification in the Management of Metabolic Syndrome: Statement From Korean Society of CardioMetabolic Syndrome (KSCMS). <i>Korean Circulation Journal</i> , 2022, 52, 93.	0.7	18
6	Efficacy and Safety of SID142 in Patients With Peripheral Arterial Disease: A Multicenter, Randomized, Double-Blind, Active-Controlled, Parallel-Group, Phase III Clinical Trial. <i>Clinical Therapeutics</i> , 2022, 44, 508-528.	1.1	0
7	Prognostic value of arterial stiffness according to the cardiovascular risk profiles. <i>Journal of Human Hypertension</i> , 2021, 35, 978-984.	1.0	8
8	Effect of Probucol and/or Cilostazol on Carotid Intima Media Thickness in Patients with Coronary Heart Disease: A Randomized, Multicenter, Multinational Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2021, 28, 124-136.	0.9	7
9	Age-specific association between invasively measured central blood pressure and left ventricular mass index. <i>Clinical and Experimental Hypertension</i> , 2021, 43, 1-9.	0.5	1
10	Cardiovascular effects of omega-3 fatty acids: Hope or hype?. <i>Atherosclerosis</i> , 2021, 322, 15-23.	0.4	19
11	Associations of Brachial-Ankle Pulse Wave Velocity With Left Ventricular Geometry and Diastolic Function in Untreated Hypertensive Patients. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 647491.	1.1	11
12	Effects of Prolonged Dual Antiplatelet Therapy in ST-Segment Elevation vs. Non-ST-Segment Elevation Myocardial Infarction. <i>Circulation Journal</i> , 2021, 85, 817-825.	0.7	1
13	Aspirin versus clopidogrel for chronic maintenance monotherapy after percutaneous coronary intervention (HOST-EXAM): an investigator-initiated, prospective, randomised, open-label, multicentre trial. <i>Lancet, The</i> , 2021, 397, 2487-2496.	6.3	162
14	Improved Prognostic Value in Predicting Long-Term Cardiovascular Events by a Combination of High-Sensitivity C-Reactive Protein and Brachial-Ankle Pulse Wave Velocity. <i>Journal of Clinical Medicine</i> , 2021, 10, 3291.	1.0	7
15	A Randomized, Double-blind, Active-controlled, Two Parallel-Group, Optional Titration, Multicenter, Phase IIIb Study to Evaluate the Efficacy and Safety of Fimasartan Versus Perindopril Monotherapy With and Without a Diuretic Combination in Elderly Patients With Essential Hypertension. <i>Clinical Therapeutics</i> , 2021, 43, 1746-1756.	1.1	0
16	Association between inter-leg blood pressure difference and cardiovascular outcome in patients undergoing percutaneous coronary intervention. <i>PLoS ONE</i> , 2021, 16, e0257443.	1.1	0
17	Associations between measurements of central blood pressure and target organ damage in high-risk patients. <i>Clinical Hypertension</i> , 2021, 27, 23.	0.7	2
18	Lomitapide, relief pitcher for patients with homozygous familial hypercholesterolemia. <i>European Journal of Preventive Cardiology</i> , 2020, 27, 155-156.	0.8	3

#	ARTICLE	IF	CITATIONS
19	Association Between Metabolic Syndrome and Parameters of Subclinical Target Organ Damage in Urban Subjects Without Documented Cardiovascular Disease. <i>Metabolic Syndrome and Related Disorders</i> , 2020, 18, 373-380.	0.5	1
20	Prediction of cardiovascular events using brachial-ankle pulse wave velocity in hypertensive patients. <i>Journal of Clinical Hypertension</i> , 2020, 22, 1659-1665.	1.0	18
21	Clinical Usefulness of PRECISE-DAPT Score for Predicting Bleeding Events in Patients With Acute Coronary Syndrome Undergoing Percutaneous Coronary Intervention. <i>Circulation: Cardiovascular Interventions</i> , 2020, 13, e008530.	1.4	18
22	Relationship of Socioeconomic Status to Arterial Stiffness: Comparison Between Medical Aid Beneficiaries and National Health Insurance Beneficiaries. <i>American Journal of Hypertension</i> , 2020, 33, 718-725.	1.0	11
23	Design and rationale of a randomized control trial testing the effectiveness of combined therapy with STAtin plus FENOfibrate and statin alone in non-diabetic, combined dyslipidemia patients with non-intervened intermediate coronary artery disease - STAFENO study. <i>Trials</i> , 2020, 21, 353.	0.7	2
24	Echocardiographic parameters determining cardiovascular outcomes in patients after acute ischemic stroke. <i>International Journal of Cardiovascular Imaging</i> , 2020, 36, 1445-1454.	0.7	5
25	Consensus Statement on Coronary Intervention during the Coronavirus Disease 2019 (COVID-19) Pandemic: from the Korean Society of Interventional Cardiology (KSIC). <i>Korean Circulation Journal</i> , 2020, 50, 974.	0.7	2
26	Fimasartan versus perindopril with and without diuretics in the treatment of elderly patients with essential hypertension (Fimasartan in the Senior Subjects (FITNESS)): study protocol for a randomized controlled trial. <i>Trials</i> , 2019, 20, 389.	0.7	3
27	The comparison of the impact of arterial stiffness and central pressure on left ventricular geometry and diastolic function. <i>Clinical Hypertension</i> , 2019, 25, 18.	0.7	6
28	Association between dental health and obstructive coronary artery disease: an observational study. <i>BMC Cardiovascular Disorders</i> , 2019, 19, 98.	0.7	5
29	Pulse Wave Velocity in Atherosclerosis. <i>Frontiers in Cardiovascular Medicine</i> , 2019, 6, 41.	1.1	226
30	Gender Related Association between Arterial Stiffness and Aortic Root Geometry. <i>Journal of Cardiovascular Imaging</i> , 2019, 27, 11.	0.2	5
31	Ezetimibe and Rosuvastatin Combination Treatment Can Reduce the Dose of Rosuvastatin Without Compromising Its Lipid-lowering Efficacy. <i>Clinical Therapeutics</i> , 2019, 41, 2571-2592.	1.1	7
32	Correlations between invasively measured aortic pressures and left ventricular end-diastolic pressure in patients undergoing coronary angiography. <i>Blood Pressure Monitoring</i> , 2019, 24, 241-247.	0.4	1
33	Association between the level of serum soluble ST2 and invasively measured aortic pulse pressure in patients undergoing coronary angiography. <i>Medicine (United States)</i> , 2019, 98, e14215.	0.4	1
34	Association of arterial stiffness with aortic calcification and tortuosity. <i>Medicine (United States)</i> , 2019, 98, e16802.	0.4	8
35	Association between epicardial adipose tissue thickness and parameters of target organ damage in patients undergoing coronary angiography. <i>Hypertension Research</i> , 2019, 42, 549-557.	1.5	7
36	Clinical Factors Associated with Obstructive Coronary Artery Disease in Patients with Out-of-Hospital Cardiac Arrest: Data from the Korean Cardiac Arrest Research Consortium (KoCARC) Registry. <i>Journal of Korean Medical Science</i> , 2019, 34, e159.	1.1	5

#	ARTICLE	IF	CITATIONS
37	Gender difference in the association between brachial-ankle pulse wave velocity and cardiovascular risk scores. <i>Korean Journal of Internal Medicine</i> , 2019, 34, 539-548.	0.7	7
38	The Current Status of Intervention for Intermediate Coronary Stenosis in the Korean Percutaneous Coronary Intervention (K-PCI) Registry. <i>Korean Circulation Journal</i> , 2019, 49, 1022.	0.7	10
39	Frequency and Severity of Hypoglycemia in Type 2 Diabetes Mellitus Patients Treated with a Sulfonylurea-Based Regimen at University-Affiliated Hospitals in Korea: The Naturalistic Evaluation of Hypoglycemic Events in Diabetic Subjects Study. <i>Korean Journal of Family Medicine</i> , 2019, 40, 212-219.	0.4	3
40	Relationship between brachial-ankle pulse wave velocity and invasively measured aortic pulse pressure. <i>Journal of Clinical Hypertension</i> , 2018, 20, 462-468.	1.0	14
41	Data on the clinical usefulness of brachial-ankle pulse wave velocity in patients with suspected coronary artery disease. <i>Data in Brief</i> , 2018, 16, 1078-1082.	0.5	1
42	Interaction of Metabolic Health and Obesity on Subclinical Target Organ Damage. <i>Metabolic Syndrome and Related Disorders</i> , 2018, 16, 46-53.	0.5	12
43	6-month versus 12-month or longer dual antiplatelet therapy after percutaneous coronary intervention in patients with acute coronary syndrome (SMART-DATE): a randomised, open-label, non-inferiority trial. <i>Lancet, The</i> , 2018, 391, 1274-1284.	6.3	261
44	Additional prognostic value of brachial-ankle pulse wave velocity to coronary computed tomography angiography in patients with suspected coronary artery disease. <i>Atherosclerosis</i> , 2018, 268, 127-137.	0.4	24
45	Impact of Optimized Procedure-Related Factors in Drug-Eluting Balloon Angioplasty for Treatment of In-Stent Restenosis. <i>JACC: Cardiovascular Interventions</i> , 2018, 11, 969-978.	1.1	30
46	Soluble Tumor Necrosis Factor Receptors and Arterial Stiffness in Patients With Coronary Atherosclerosis. <i>American Journal of Hypertension</i> , 2017, 30, 313-318.	1.0	16
47	The efficacy and safety of co-administration of fimasartan and rosuvastatin to patients with hypertension and dyslipidemia. <i>BMC Pharmacology & Toxicology</i> , 2017, 18, 2.	1.0	9
48	Association between reduced arterial stiffness and preserved diastolic function of the left ventricle in middle-aged and elderly patients. <i>Journal of Clinical Hypertension</i> , 2017, 19, 620-626.	1.0	12
49	Gender Difference in the Association between Aortic Pulse Pressure and Left Ventricular Filling Pressure in the Elderly: An Invasive Hemodynamic Study. <i>Journal of Cardiac Failure</i> , 2017, 23, 224-230.	0.7	7
50	The value of diastolic flow reversal in the descending thoracic aorta as a determinant of invasively measured aortic pulse pressure. <i>Echocardiography</i> , 2017, 34, 649-655.	0.3	2
51	Comparison of outcomes after treatment of in-stent restenosis using newer generation drug-eluting stents versus drug-eluting balloon: Patient-level pooled analysis of Korean Multicenter In-Stent Restenosis Registry. <i>International Journal of Cardiology</i> , 2017, 230, 181-190.	0.8	22
52	Association between arterial stiffness and left ventricular diastolic function in relation to gender and age. <i>Medicine (United States)</i> , 2017, 96, e5783.	0.4	31
53	Predictors and Long-Term Clinical Outcome of Longitudinal Stent Deformation. <i>Circulation: Cardiovascular Interventions</i> , 2017, 10, .	1.4	14
54	Statin and the risk of new-onset diabetes mellitus. <i>Journal of the Korean Medical Association</i> , 2017, 60, 901.	0.1	4

#	ARTICLE	IF	CITATIONS
55	Efficacy and tolerability of two different formulations of atorvastatin in Korean patients with hypercholesterolemia: a multicenter, prospective, randomized clinical trial. <i>Drug Design, Development and Therapy</i> , 2017, Volume 11, 2277-2285.	2.0	3
56	Additional Value of Brachial-Ankle Pulse Wave Velocity to Single-Photon Emission Computed Tomography in the Diagnosis of Coronary Artery Disease. <i>Journal of Atherosclerosis and Thrombosis</i> , 2017, 24, 1249-1257.	0.9	6
57	Drug treatment of dyslipidemia. <i>Journal of the Korean Medical Association</i> , 2016, 59, 366.	0.1	6
58	New concept of treatment guideline of dyslipidemia. <i>Journal of the Korean Medical Association</i> , 2016, 59, 349.	0.1	0
59	Efficacy and safety of fixed-dose combination therapy with olmesartan medoxomil and rosuvastatin in Korean patients with mild to moderate hypertension and dyslipidemia: an 8-week, multicenter, randomized, double-blind, factorial-design study (OLSTA-D RCT: OLmesartan rosuvaSTAtin from) <i>Tj ETQq1 1 0.784314 rgBT / Overlock</i>	2.0	26
60	Efficacy and safety of two fixed-dose combinations of S-amlodipine and telmisartan (CKD-828) versus S-amlodipine monotherapy in patients with hypertension inadequately controlled using S-amlodipine monotherapy: an 8-week, multicenter, randomized, double-blind, Phase III clinical study. <i>Drug Design, Development and Therapy</i> , 2016, Volume 10, 3817-3826.	2.0	9
61	2015 Korean Guidelines for the Management of Dyslipidemia: Executive Summary (English Translation). <i>Korean Circulation Journal</i> , 2016, 46, 275.	0.7	106
62	Comparison of dual antiplatelet therapy prescribed as one-pill versus two-pill regimen. <i>Thrombosis and Haemostasis</i> , 2016, 116, 78-86.	1.8	5
63	Incidence and Risk Factors Associated With Hospitalization for Variant Angina in Korea. <i>Medicine (United States)</i> , 2016, 95, e3237.	0.4	10
64	Safety of 6-month duration of dual antiplatelet therapy after percutaneous coronary intervention in patients with acute coronary syndromes: Rationale and design of the Smart Angioplasty Research Team's safety of 6-month duration of Dual Antiplatelet Therapy after percutaneous coronary intervention in patients with acute coronary syndromes (SMART-DATE) prospective multicenter randomized trial. <i>American Heart Journal</i> , 2016, 182, 1-8.	1.2	7
65	Effect of fixed-dose combinations of ezetimibe plus rosuvastatin in patients with primary hypercholesterolemia: MRS-ROZE (Multicenter Randomized Study of ROsuvastatin and eZetimibe). <i>Cardiovascular Therapeutics</i> , 2016, 34, 371-382.	1.1	45
66	Different prognostic factors according to left ventricular systolic function in patients with acute myocardial infarction. <i>International Journal of Cardiology</i> , 2016, 221, 90-96.	0.8	13
67	Blood Pressure and Cholesterol-lowering Efficacy of a Fixed-dose Combination With Irbesartan and Atorvastatin in Patients With Hypertension and Hypercholesterolemia: A Randomized, Double-blind, Factorial, Multicenter Phase III Study. <i>Clinical Therapeutics</i> , 2016, 38, 2171-2184.	1.1	20
68	Efficacy and Safety of DP-R202 in Patients with Chronic Artery Occlusive Disease: Multicenter Randomized Double-blind Active-controlled Parallel Group Phase III Clinical Study. <i>Clinical Therapeutics</i> , 2016, 38, 557-573.	1.1	2
69	Effectiveness of Self Blood Pressure Monitoring on Awareness and Attainment of Target Blood Pressure Goal. <i>Journal of Hypertension</i> , 2015, 33, e30.	0.3	0
70	Harmonizing Optimal Strategy for Treatment of coronary artery diseases " comparison of REDUction of prasugrEl dose or POLYmer TECHnology in ACS patients (HOST-REDUCE-POLYTECH-ACS RCT): study protocol for a randomized controlled trial. <i>Trials</i> , 2015, 16, 409.	0.7	12
71	Circulating tumour necrosis factor receptors 1 and 2 predict contrast-induced nephropathy and progressive renal dysfunction: A prospective cohort study. <i>Nephrology</i> , 2015, 20, 552-559.	0.7	7
72	Recurrent Acute Decompensated Heart Failure Owing to Severe Iron Deficiency Anemia Caused by Inappropriate Habitual Bloodletting. <i>Journal of Cardiovascular Imaging</i> , 2015, 23, 253.	0.8	3

#	ARTICLE	IF	CITATIONS
73	Dyslipidemia and Lipid-Lowering in Patients with High Risk of Cardiovascular Diseases and Their Cardiovascular Outcomes in Korea (ENSURE study): Secondary Prevention in Chronic Stable Angina. <i>Journal of Lipid and Atherosclerosis</i> , 2015, 4, 27.	1.1	0
74	Efficacy of fimasartan/hydrochlorothiazide combination in hypertensive patients inadequately controlled by fimasartan monotherapy. <i>Drug Design, Development and Therapy</i> , 2015, 9, 2847.	2.0	11
75	The Association of Brachial-Ankle Pulse Wave Velocity with Coronary Artery Disease Evaluated by Coronary Computed Tomography Angiography. <i>PLoS ONE</i> , 2015, 10, e0123164.	1.1	21
76	Incremental Prognostic Value of Brachial-Ankle Pulse Wave Velocity to Single-Photon Emission Computed Tomography in Patients with Suspected Coronary Artery Disease. <i>Journal of Atherosclerosis and Thrombosis</i> , 2015, 22, 1040-1050.	0.9	37
77	Comparison of Angiographic Outcomes of Side Branch Ostium at Bifurcation Coronary Lesion between Two-stent and One-stent Techniques. <i>Journal of Korean Medical Science</i> , 2015, 30, 889.	1.1	0
78	Prognostic Value of the Ankle-Brachial Index in Patients Undergoing Drug-Eluting Stent Implantation. <i>Journal of Atherosclerosis and Thrombosis</i> , 2015, 22, 27-37.	0.9	7
79	The efficacy and safety of mechanical hemodynamic support in patients undergoing high-risk percutaneous coronary intervention with or without cardiogenic shock: Bayesian approach network meta-analysis of 13 randomized controlled trials. <i>International Journal of Cardiology</i> , 2015, 184, 36-46.	0.8	25
80	Association Between Invasively Measured Central Aortic Pressure and Left Ventricular Diastolic Function in Patients Undergoing Coronary Angiography. <i>American Journal of Hypertension</i> , 2015, 28, 393-400.	1.0	22
81	Renin-angiotensin system inhibitor and statins combination therapeutics – what have we learnt?. <i>Expert Opinion on Pharmacotherapy</i> , 2015, 16, 949-953.	0.9	16
82	Study design of the influence of Serotonin inhibition on patients with RENAL impairment or diabetes undergoing drug-eluting stent implantation (SERENADE) study: A multicenter, open-label, prospective, randomized study. <i>Contemporary Clinical Trials</i> , 2015, 43, 20-24.	0.8	3
83	The effects of metabolic syndrome and its components on arterial stiffness in relation to gender. <i>Journal of Cardiology</i> , 2015, 65, 243-249.	0.8	32
84	The association between ambulatory blood pressure profile and brachial-ankle pulse wave velocity in untreated hypertensive subjects. <i>Blood Pressure</i> , 2015, 24, 139-146.	0.7	6
85	Independent association between brachial-ankle pulse wave velocity and global longitudinal strain of left ventricle. <i>International Journal of Cardiovascular Imaging</i> , 2015, 31, 1563-1570.	0.7	26
86	The incidence and predictors of overall adverse effects caused by low dose amiodarone in real-world clinical practice. <i>Korean Journal of Internal Medicine</i> , 2014, 29, 588.	0.7	13
87	A Randomized Comparison of Platinum Chromium-Based Everolimus-Eluting Stents Versus Cobalt Chromium-Based Zotarolimus-Eluting Stents in All-Corers Receiving Percutaneous Coronary Intervention. <i>Journal of the American College of Cardiology</i> , 2014, 63, 2805-2816.	1.2	80
88	Influence of Second- and Third-Degree Heart Block on 30-Day Outcome Following Acute Myocardial Infarction in the Drug-Eluting Stent Era. <i>American Journal of Cardiology</i> , 2014, 114, 1658-1662.	0.7	30
89	Three-Year Patient-Related and Stent-Related Outcomes of Second-Generation Everolimus-Eluting Xience V Stents Versus Zotarolimus-Eluting Resolute Stents in Real-World Practice (from the Tj ETQq1 1 0.784314 rgBT /Overlock 10 TT 2014, 114, 1329-1338.	0.7	20
90	Prevalence and Gender-Related Characteristics of Metabolic Syndrome in Korean Community. <i>Journal of Lipid and Atherosclerosis</i> , 2014, 3, 89.	1.1	2

#	ARTICLE	IF	CITATIONS
91	Assessment of the Efficacy and Tolerability of 2 Formulations of Atorvastatin in Korean Adults With Hypercholesterolemia: A Multicenter, Prospective, Open-Label, Randomized Trial. <i>Clinical Therapeutics</i> , 2013, 35, 77-86.	1.1	18
92	Efficacy and Safety of Morning Versus Evening Dose of Controlled-Release Simvastatin Tablets in Patients With Hyperlipidemia: A Randomized, Double-Blind, Multicenter Phase III Trial. <i>Clinical Therapeutics</i> , 2013, 35, 1350-1360.e1.	1.1	20
93	Adjunctive Cilostazol Versus Double-Dose Clopidogrel After Drug-Eluting Stent Implantation. <i>JACC: Cardiovascular Interventions</i> , 2013, 6, 932-942.	1.1	32
94	Additional value of lateral tissue Doppler imaging in the assessment of diastolic dysfunction among subjects with pseudonormal pattern of mitral inflow. <i>Cardiovascular Ultrasound</i> , 2013, 11, 31.	0.5	5
95	Development of distance accuracy measurement program for quality control of diagnostic ultrasound system. <i>Journal of the Korean Physical Society</i> , 2013, 63, 2232-2238.	0.3	0
96	The association between arterial stiffness and left ventricular filling pressure in an apparently healthy Korean population. <i>Cardiovascular Ultrasound</i> , 2013, 11, 2.	0.5	35
97	Comparison of Two Different Strategies of Intravascular Ultrasound Guidance during Percutaneous Coronary Intervention; Routine versus Selective. <i>Korean Circulation Journal</i> , 2013, 43, 303.	0.7	1
98	Simultaneously Presented Acute Ischemic Stroke and Non-ST Elevation Myocardial Infarction in a Patient with Paroxysmal Atrial Fibrillation. <i>Korean Circulation Journal</i> , 2013, 43, 766.	0.7	15
99	Impact of acute exercise on brachial artery flow-mediated dilatation in young healthy people. <i>Cardiovascular Ultrasound</i> , 2012, 10, 39.	0.5	28
100	The 'Harmonizing Optimal Strategy for Treatment of coronary artery stenosis - safety & effectiveness of drug-eluting stents & antiplatelet regimen' (HOST-ASSURE) trial: study protocol for a randomized controlled trial. <i>Trials</i> , 2012, 13, 29.	0.7	8
101	Clinical and Physiological Outcomes of Fractional Flow Reserve-Guided Percutaneous Coronary Intervention in Patients With Serial Stenoses Within One Coronary Artery. <i>JACC: Cardiovascular Interventions</i> , 2012, 5, 1013-1018.	1.1	94
102	A Case of Left Atrial Metastasis From Hepatocellular Carcinoma: Life-Saving Palliative Resection Using Cardiopulmonary Bypass. <i>Korean Circulation Journal</i> , 2011, 41, 542.	0.7	1
103	Prospective randomized comparison between omega-3 fatty acid supplements plus simvastatin versus simvastatin alone in Korean patients with mixed dyslipidemia: lipoprotein profiles and heart rate variability. <i>European Journal of Clinical Nutrition</i> , 2011, 65, 110-116.	1.3	23
104	Comparison of Antiplatelet Effect and Tolerability of Clopidogrel Resinate With Clopidogrel Bisulfate in Patients With Coronary Heart Disease (CHD) or CHD-Equivalent Risks: A Phase IV, Prospective, Double-Dummy, Parallel-Group, 4-Week Noninferiority Trial. <i>Clinical Therapeutics</i> , 2011, 33, 1057-1068.	1.1	13
105	Phase IV, 8-Week, Multicenter, Randomized, Active Treatment-Controlled, Parallel Group, Efficacy, and Tolerability Study of High-Dose Candesartan Cilexetil Combined With Hydrochlorothiazide in Korean Adults With Stage II Hypertension. <i>Clinical Therapeutics</i> , 2011, 33, 1043-1056.	1.1	6
106	Efficacy and Tolerability of a New Extended-Release Formulation of Nicotinic Acid in Korean Adults With Mixed Dyslipidemia: An 8-Week, Multicenter, Prospective, Randomized, Double-Blind, and Placebo-Controlled Trial. <i>Clinical Therapeutics</i> , 2011, 33, 1357-1364.	1.1	7
107	The Effect of Aspirin on C-Reactive Protein in Hypertensive Patients. <i>Clinical and Experimental Hypertension</i> , 2011, 33, 47-52.	0.5	13
108	Efficacy and tolerability of a generic and a branded formulation of atorvastatin 20 mg/d in hypercholesterolemic Korean adults at high risk for cardiovascular disease: A multicenter, prospective, randomized, double-blind, double-dummy clinical trial. <i>Clinical Therapeutics</i> , 2010, 32, 1896-1905.	1.1	24

#	ARTICLE	IF	CITATIONS
109	The prevention of contrast induced nephropathy by sarpogrelate in patients with chronic kidney disease: a study protocol for a prospective randomized controlled clinical trial. <i>Trials</i> , 2010, 11, 122.	0.7	6
110	Efficacy and tolerability of two formulations of ramipril in Korean adults with mild to moderate essential hypertension: An 8-week, multicenter, prospective, randomized, open-label, parallel-group noninferiority trial. <i>Clinical Therapeutics</i> , 2009, 31, 988-998.	1.1	5
111	Adult sail sign: radiographic and computed tomographic features. <i>Acta Radiologica</i> , 2008, 49, 37-40.	0.5	1
112	Changes of the Lipoprotein Profiles with Time after Discontinuation of Statin Therapy. <i>Korean Circulation Journal</i> , 2008, 38, 36.	0.7	2
113	Results of a phase III, 8-week, multicenter, prospective, randomized, double-blind, parallel-group clinical trial to assess the effects of amlodipine camsylate versus amlodipine besylate in Korean adults with mild to moderate hypertension. <i>Clinical Therapeutics</i> , 2007, 29, 1924-1936.	1.1	11
114	Treatment Gap in the Management of Hypercholesterolemia in Korea: Return on Expenditure Achieved for Lipid Therapy (REALITY). <i>Korean Circulation Journal</i> , 2006, 36, 593.	0.7	11
115	In Vivo Hyperoxic Preconditioning Prevents Myocardial Infarction by Expressing Bcl-2. <i>Experimental Biology and Medicine</i> , 2006, 231, 463-472.	1.1	53
116	Long-term clinical outcomes of dissections after intracoronary ^{125}I -radiation with rhenium-188-diethylene triamine penta-acetic acid-filled balloon system. <i>International Journal of Cardiology</i> , 2005, 104, 190-196.	0.8	2
117	Three-Year Clinical Follow-up Results of Intracoronary Radiation Therapy Using a Rhenium-188-Diethylene-Triamine-Penta-Acetic-Acid-Filled Balloon System. <i>Circulation Journal</i> , 2004, 68, 532-537.	0.7	16
118	Naringin suppresses the mitogenic effect of lysophosphatidylcholine on vascular smooth muscle cells. <i>Nutrition Research</i> , 2003, 23, 1671-1683.	1.3	24
119	Effects of Acute Hyperglycemia on Endothelium-Dependent Vasodilation in Patients with Diabetes Mellitus or Impaired Glucose Metabolism. <i>Endothelium: Journal of Endothelial Cell Research</i> , 2003, 10, 65-70.	1.7	54
120	A Randomized, Double-Blind, Non-Inferiority Clinical Trial for Safety and Efficacy of Candesartan Cilexetil Compared with Enalapril Maleate in Patients with Essential Hypertension. <i>Journal of the Korean Society for Clinical Pharmacology and Therapeutics</i> , 2003, 11, 48.	0.1	0
121	Re-Expression of Fetal Troponin Isoforms in the Postinfarction Failing Heart of the Rat. <i>Circulation Journal</i> , 2002, 66, 959-964.	0.7	17
122	Association Between Body Mass Index and Arterial Stiffness. <i>Cardiometabolic Syndrome Journal</i> , 0, 2, .	1.0	5