

Masaharu Tsubokura

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1450108/publications.pdf>

Version: 2024-02-01

244
papers

2,945
citations

218677

26
h-index

276875

41
g-index

250
all docs

250
docs citations

250
times ranked

1475
citing authors

#	ARTICLE	IF	CITATIONS
1	Internal Radiation Exposure After the Fukushima Nuclear Power Plant Disaster. JAMA - Journal of the American Medical Association, 2012, 308, 669.	7.4	116
2	Internal radiocesium contamination of adults and children in Fukushima 7 to 20 months after the Fukushima NPP accident as measured by extensive whole-body-counter surveys. Proceedings of the Japan Academy Series B: Physical and Biological Sciences, 2013, 89, 157-163.	3.8	105
3	Mortality Risk amongst Nursing Home Residents Evacuated after the Fukushima Nuclear Accident: A Retrospective Cohort Study. PLoS ONE, 2013, 8, e60192.	2.5	99
4	Impact of Natural Disaster Combined with Nuclear Power Plant Accidents on Local Medical Services: a Case Study of Minamisoma Municipal General Hospital after the Great East Japan Earthquake. Disaster Medicine and Public Health Preparedness, 2014, 8, 471-476.	1.3	80
5	Communicating With Residents About Risks Following the Fukushima Nuclear Accident. Asia-Pacific Journal of Public Health, 2017, 29, 74S-89S.	1.0	75
6	The Relationship between Media Consumption and Health-Related Anxieties after the Fukushima Daiichi Nuclear Disaster. PLoS ONE, 2013, 8, e65331.	2.5	71
7	Postnuclear disaster evacuation and chronic health in adults in Fukushima, Japan: a long-term retrospective analysis. BMJ Open, 2016, 6, e010080.	1.9	67
8	Changes in metabolic profiles after the Great East Japan Earthquake: a retrospective observational study. BMC Public Health, 2013, 13, 267.	2.9	59
9	Was the Risk from Nursing-Home Evacuation after the Fukushima Accident Higher than the Radiation Risk?. PLoS ONE, 2015, 10, e0137906.	2.5	58
10	Limited Internal Radiation Exposure Associated with Resettlements to a Radiation-Contaminated Homeland after the Fukushima Daiichi Nuclear Disaster. PLoS ONE, 2013, 8, e81909.	2.5	52
11	Hospital Staff Shortage after the 2011 Triple Disaster in Fukushima, Japan-An Earthquake, Tsunamis, and Nuclear Power Plant Accident: A Case of the Soso District. PLoS ONE, 2016, 11, e0164952.	2.5	52
12	Post-nuclear disaster evacuation and survival amongst elderly people in Fukushima: A comparative analysis between evacuees and non-evacuees. Preventive Medicine, 2016, 82, 77-82.	3.4	48
13	Reduction of High Levels of Internal Radio-Contamination by Dietary Intervention in Residents of Areas Affected by the Fukushima Daiichi Nuclear Plant Disaster: A Case Series. PLoS ONE, 2014, 9, e100302.	2.5	45
14	Breast cancer patient delay in Fukushima, Japan following the 2011 triple disaster: a long-term retrospective study. BMC Cancer, 2017, 17, 423.	2.6	45
15	Excess mortality due to indirect health effects of the 2011 triple disaster in Fukushima, Japan: a retrospective observational study. Journal of Epidemiology and Community Health, 2017, 71, 974-980.	3.7	44
16	Absence of Internal Radiation Contamination by Radioactive Cesium among Children Affected by the Fukushima Daiichi Nuclear Power Plant Disaster. Health Physics, 2015, 108, 39-43.	0.5	40
17	Factors Associated with COVID-19 Vaccine Booster Hesitancy: A Retrospective Cohort Study, Fukushima Vaccination Community Survey. Vaccines, 2022, 10, 515.	4.4	40
18	Twitter use in scientific communication revealed by visualization of information spreading by influencers within half a year after the Fukushima Daiichi nuclear power plant accident. PLoS ONE, 2018, 13, e0203594.	2.5	39

#	ARTICLE	IF	CITATIONS
19	Assessment of the Annual Additional Effective Doses amongst Minamisoma Children during the Second Year after the Fukushima Daiichi Nuclear Power Plant Disaster. PLoS ONE, 2015, 10, e0129114.	2.5	33
20	Comparison between Direct Measurements and Modeled Estimates of External Radiation Exposure among School Children 18 to 30 Months after the Fukushima Nuclear Accident in Japan. Environmental Science & Technology, 2015, 49, 1009-1016.	10.0	33
21	The role of radiological protection experts in stakeholder involvement in the recovery phase of post-nuclear accident situations: Some lessons from the Fukushima-Daïchi NPP accident. Radioprotection, 2019, 54, 259-270.	1.0	33
22	The Fukushima Daiichi Nuclear Power Plant accident and school bullying of affected children and adolescents: the need for continuous radiation education. Journal of Radiation Research, 2018, 59, 381-384.	1.6	30
23	Differences in drug approval processes of 3 regulatory agencies: a case study of gemtuzumab ozogamicin. Investigational New Drugs, 2013, 31, 473-478.	2.6	29
24	Whole-body counter surveys of over 2700 babies and small children in and around Fukushima Prefecture 33 to 49 months after the Fukushima Daiichi NPP accident. Proceedings of the Japan Academy Series B: Physical and Biological Sciences, 2015, 91, 440-446.	3.8	28
25	Social isolation and cancer management after the 2011 triple disaster in Fukushima, Japan. Medicine (United States), 2016, 95, e4027.	1.0	28
26	Evaluating Risk Communication After the Fukushima Disaster Based on Nudge Theory. Asia-Pacific Journal of Public Health, 2017, 29, 193S-200S.	1.0	28
27	Lower Psychological Distress Levels among Returnees Compared with Evacuees after the Fukushima Nuclear Accident. Tohoku Journal of Experimental Medicine, 2019, 247, 13-17.	1.2	28
28	Physical performance deterioration of temporary housing residents after the Great East Japan Earthquake. Preventive Medicine Reports, 2015, 2, 916-919.	1.8	27
29	Assessment of the Risk of Medium-Term Internal Contamination in Minamisoma City, Fukushima, Japan, after the Fukushima Dai-ichi Nuclear Accident. Environmental Health Perspectives, 2014, 122, 587-593.	6.0	26
30	The Immediate Physical and Mental Health Crisis in Residents Proximal to the Evacuation Zone After Japan's Nuclear Disaster: An Observational Pilot Study. Disaster Medicine and Public Health Preparedness, 2014, 8, 30-36.	1.3	26
31	Individual external doses below the lowest reference level of 1 mSv per year five years after the 2011 Fukushima nuclear accident among all children in Soma City, Fukushima: A retrospective observational study. PLoS ONE, 2017, 12, e0172305.	2.5	25
32	The voice of the most vulnerable: lessons from the nuclear crisis in Fukushima, Japan. Bulletin of the World Health Organization, 2012, 90, 629-630.	3.3	24
33	Acute Intake of Radionuclides Immediately After the Incident as the Main Contributor of the Internal Radiation Exposure After Fukushima Daiichi Nuclear Disaster. JAMA Pediatrics, 2013, 167, 1169.	6.2	24
34	Whole-body counter survey results 4 months after the Fukushima Dai-ichi NPP accident in Minamisoma City, Fukushima. Journal of Radiological Protection, 2014, 34, 787-799.	1.1	23
35	Additional risk of diabetes exceeds the increased risk of cancer caused by radiation exposure after the Fukushima disaster. PLoS ONE, 2017, 12, e0185259.	2.5	23
36	Low dose of external exposure among returnees to former evacuation areas: a cross-sectional all-municipality joint study following the 2011 Fukushima Daiichi nuclear power plant incident. Journal of Radiological Protection, 2020, 40, 1-18.	1.1	21

#	ARTICLE	IF	CITATIONS
37	Clinical features of calcineurin inhibitor-induced pain syndrome after allo-SCT. Bone Marrow Transplantation, 2012, 47, 593-595.	2.4	20
38	Dependence of radiation dose on the behavioral patterns among school children: a retrospective analysis 18 to 20 months following the 2011 Fukushima nuclear incident in Japan. Journal of Radiation Research, 2016, 57, 1-8.	1.6	20
39	Social isolation and cancer management “ advanced rectal cancer with patient delay following the 2011 triple disaster in Fukushima, Japan: a case report. Journal of Medical Case Reports, 2017, 11, 138.	0.8	20
40	Demographic transition and factors associated with remaining in place after the 2011 Fukushima nuclear disaster and related evacuation orders. PLoS ONE, 2018, 13, e0194134.	2.5	20
41	Impact of decontamination on individual radiation doses from external exposure among residents of Minamisoma City after the 2011 Fukushima Daiichi nuclear power plant incident in Japan: a retrospective observational study. Journal of Radiological Protection, 2019, 39, 854-871.	1.1	20
42	The difference between IgM and IgG antibody prevalence in different serological assays for COVID-19; lessons from the examination of healthcare workers. International Immunopharmacology, 2021, 92, 107360.	3.8	20
43	COVID-19 risk assessment at the opening ceremony of the Tokyo 2020 Olympic Games. Microbial Risk Analysis, 2021, 19, 100162.	2.3	20
44	An evaluation of early countermeasures to reduce the risk of internal radiation exposure after the Fukushima nuclear incident in Japan. Health Policy and Planning, 2016, 31, 425-433.	2.7	19
45	Disappearing everyday materials: The displacement of medical resources following disaster in Fukushima, Japan. Social Science and Medicine, 2017, 191, 117-124.	3.8	18
46	New “loss of happy life expectancy” indicator and its use in risk comparison after Fukushima disaster. Science of the Total Environment, 2018, 615, 1527-1534.	8.0	18
47	Assessment of dysplasia in bone marrow smear with convolutional neural network. Scientific Reports, 2020, 10, 14734.	3.3	18
48	The decision to return home and wellbeing after the Fukushima disaster. International Journal of Disaster Risk Reduction, 2020, 47, 101538.	3.9	18
49	Managing Type 2 Diabetes Mellitus through Periodical Hospital Visits in the Aftermath of the Great East Japan Earthquake Disaster: A Retrospective Case Series. PLoS ONE, 2015, 10, e0125632.	2.5	18
50	The importance of family caregiving to achieving palliative care at home. Medicine (United States), 2017, 96, e8721.	1.0	16
51	Birth Outcomes after the Fukushima Daiichi Nuclear Power Plant Disaster: A Long-Term Retrospective Study. International Journal of Environmental Research and Public Health, 2017, 14, 542.	2.6	16
52	Seroprevalence of SARS-CoV-2 antibodies among hospital staff in rural Central Fukushima, Japan: A historical cohort study. International Immunopharmacology, 2021, 98, 107884.	3.8	16
53	Measurement of Internal Radiation Exposure among Decontamination Workers in Villages near the Crippled Fukushima Daiichi Nuclear Power Plant. Health Physics, 2013, 105, 379-381.	0.5	15
54	Second-Generation BCR-ABL Kinase Inhibitors in CML. New England Journal of Medicine, 2010, 363, 1672-1675.	27.0	14

#	ARTICLE	IF	CITATIONS
55	Balancing the risk of the evacuation and sheltering-in-place options: a survival study following Japan's 2011 Fukushima nuclear incident. <i>BMJ Open</i> , 2018, 8, e021482.	1.9	14
56	Living in the Restoration Public Housing after the Great East Japan Earthquake Correlates with Lower Subjective Well-Being of Older Adults. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 2696.	2.6	14
57	Combating "fake news" and social stigma after the Fukushima Daiichi Nuclear Power Plant incident—the importance of accurate longitudinal clinical data. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2019, 112, 479-481.	0.5	14
58	Factors associated with anti-severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) spike protein antibody titer and neutralizing activity among healthcare workers following vaccination with the BNT162b2 vaccine. <i>PLoS ONE</i> , 2022, 17, e0269917.	2.5	14
59	Mesenchymal stem cells for acute graft-versus-host disease. <i>Lancet</i> , The, 2008, 372, 715-716.	13.7	13
60	The impact of H1N1 influenza A virus pandemic on the blood donations in Hyogo Prefecture, Japan. <i>Transfusion</i> , 2010, 50, 1803-1805.	1.6	13
61	Fatal intracranial hemorrhage following administration of recombinant thrombomodulin in a patient after cord blood transplantation. <i>Bone Marrow Transplantation</i> , 2011, 46, 1030-1031.	2.4	13
62	The growth of high quality GaAsSb and type-II InGaAs/GaAsSb superlattice structure. <i>Journal of Applied Physics</i> , 2013, 113, .	2.5	13
63	Impacts of the 2011 Fukushima nuclear accident on emergency medical service times in Soma District, Japan: a retrospective observational study. <i>BMJ Open</i> , 2016, 6, e013205.	1.9	13
64	The increase in long-term care public expenditure following the 2011 Fukushima nuclear disaster. <i>Journal of Epidemiology and Community Health</i> , 2016, 70, 738-738.	3.7	13
65	Non-communicable diseases in decontamination workers in areas affected by the Fukushima nuclear disaster: a retrospective observational study. <i>BMJ Open</i> , 2016, 6, e013885.	1.9	13
66	Current Psychological Distress, Post-traumatic Stress, and Radiation Health Anxiety Remain High for Those Who Have Rebuilt Permanent Homes Following the Fukushima Nuclear Disaster. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 9532.	2.6	13
67	Usefulness of the whole-body counter for infants and small children (BABYSCAN) as a risk communication tool after the Fukushima Daiichi nuclear power plant incident. <i>Proceedings of the Japan Academy Series B: Physical and Biological Sciences</i> , 2020, 96, 70-78.	3.8	13
68	Cross-Country Student Perceptions about Online Medical Education during the COVID-19 Pandemic. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 2840.	2.6	13
69	The impact of the Great Tohoku Earthquake on the dialysis practice in the disaster-stricken area. <i>Hemodialysis International</i> , 2012, 16, 320-321.	0.9	12
70	Sociodemographic patterning of long-term diabetes mellitus control following Japan's 3.11 triple disaster: a retrospective cohort study. <i>BMJ Open</i> , 2016, 6, e011455.	1.9	12
71	<i>Klebsiella Pneumoniae</i> sepsis deteriorated by uncontrolled underlying disease in a decontamination worker in Fukushima, Japan. <i>Journal of Occupational Health</i> , 2016, 58, 320-322.	2.1	12
72	Estimated association between dwelling soil contamination and internal radiation contamination levels after the 2011 Fukushima Daiichi nuclear accident in Japan. <i>BMJ Open</i> , 2016, 6, e010970.	1.9	12

#	ARTICLE	IF	CITATIONS
73	Towards a Long-Term Strategy for Voluntary-Based Internal Radiation Contamination Monitoring: A Population-Level Analysis of Monitoring Prevalence and Factors Associated with Monitoring Participation Behavior in Fukushima, Japan. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 397.	2.6	12
74	Post-Fukushima radiation education for Japanese high school students in affected areas and its positive effects on their radiation literacy. <i>Journal of Radiation Research</i> , 2018, 59, ii65-ii74.	1.6	12
75	Breast Cancer Provider Interval Length in Fukushima, Japan, After the 2011 Triple Disaster: A Long-Term Retrospective Study. <i>Clinical Breast Cancer</i> , 2020, 20, e127-e150.	2.4	12
76	Risk of Fatal Adverse Events after H1N1 Influenza Vaccination. <i>Clinical Infectious Diseases</i> , 2010, 50, 1548-1549.	5.8	11
77	Increased incidence of dog-bite injuries after the Fukushima nuclear accident. <i>Preventive Medicine</i> , 2013, 57, 363-365.	3.4	11
78	Compliance with the proper use of an individual radiation dosimeter among children and the effects of improper use on the measured dose: a retrospective study 18â€“20â€“months following Japan's 2011 Fukushima nuclear incident. <i>BMJ Open</i> , 2015, 5, e009555.	1.9	11
79	Cytarabine Dose for Acute Myeloid Leukemia. <i>New England Journal of Medicine</i> , 2011, 364, 2166-2169.	27.0	10
80	Comprehensive whole-body counter surveys of Miharu-town school children for three consecutive years after the Fukushima NPP accident. <i>Proceedings of the Japan Academy Series B: Physical and Biological Sciences</i> , 2014, 90, 211-213.	3.8	10
81	Towards a Long-Term Strategy for Voluntary-Based Internal Radiation Contamination Monitoring: Representativeness of the Monitoring Results in Fukushima, Japan. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 656.	2.6	10
82	Death of the sole doctor at Takano Hospital 6 years after the Fukushima nuclear crisisâ€”who is responsible for health care delivery in the Fukushima disaster zone?. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2018, 111, 79-81.	0.5	10
83	Stable Iodine Distribution Among Children After the 2011 Fukushima Nuclear Disaster in Japan: An Observational Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 1658-1666.	3.6	10
84	Premature death associated with long-term evacuation among a vulnerable population after the Fukushima nuclear disaster. <i>Medicine (United States)</i> , 2019, 98, e16162.	1.0	10
85	Stay with your community: Bridges between clusters trigger expansion of COVID-19. <i>PLoS ONE</i> , 2020, 15, e0242766.	2.5	10
86	Whole-body counter surveys of Miharu-town school children for four consecutive years after the Fukushima NPP accident. <i>Proceedings of the Japan Academy Series B: Physical and Biological Sciences</i> , 2015, 91, 92-98.	3.8	9
87	Minimal Internal Radiation Exposure in Residents Living South of the Fukushima Daiichi Nuclear Power Plant Disaster. <i>PLoS ONE</i> , 2015, 10, e0140482.	2.5	9
88	School restrictions on outdoor activities and weight status in adolescent children after Japanâ€™s 2011 Fukushima Nuclear Power Plant disaster: a mid-term to long-term retrospective analysis. <i>BMJ Open</i> , 2016, 6, e013145.	1.9	9
89	Multiple Norovirus Outbreaks Due to Shredded, Dried, Laver Seaweed in Japan. <i>Infection Control and Hospital Epidemiology</i> , 2017, 38, 885-886.	1.8	9
90	Long-term vulnerability of access to hemodialysis facilities in repopulated areas after the Fukushima Nuclear Disaster: a case report. <i>Oxford Medical Case Reports</i> , 2018, 2018, omy040.	0.4	9

#	ARTICLE	IF	CITATIONS
91	Premature Death of a Schizophrenic Patient due to Evacuation after a Nuclear Disaster in Fukushima. <i>Case Reports in Psychiatry</i> , 2019, 2019, 1-5.	0.5	9
92	Internal exposure risk due to radiocesium and the consuming behaviour of local foodstuffs among pregnant women in Minamisoma City near the Fukushima nuclear power plant: a retrospective observational study. <i>BMJ Open</i> , 2019, 9, e023654.	1.9	9
93	Determinants and supporting factors for rebuilding nursing workforce in a post-disaster setting. <i>BMC Health Services Research</i> , 2019, 19, 917.	2.2	9
94	The trajectories of local food avoidance after the Fukushima Daiichi nuclear plant disaster: A five-year prospective cohort study. <i>International Journal of Disaster Risk Reduction</i> , 2020, 46, 101513.	3.9	9
95	<i>Helicobacter pylori</i> Infection Mass Screening for Children and Adolescents: a Systematic Review of Observational Studies. <i>Journal of Gastrointestinal Cancer</i> , 2021, 52, 489-497.	1.3	9
96	Successful emergency evacuation from a hospital within a 5-km radius of Fukushima Daiichi Nuclear Power Plant: the importance of cooperation with an external body. <i>Journal of Radiation Research</i> , 2021, 62, i122-i128.	1.6	9
97	Maturing of public-private-people partnership (4P): Lessons from 4P for triple disaster and subsequently COVID-19 pandemic in Fukushima. <i>Journal of Global Health</i> , 0, 12, .	2.7	9
98	Macrophages in Hodgkin's Lymphoma. <i>New England Journal of Medicine</i> , 2010, 362, 2135-2136.	27.0	8
99	Enhancement of Collective Immunity in Tokyo Metropolitan Area by Selective Vaccination against an Emerging Influenza Pandemic. <i>PLoS ONE</i> , 2013, 8, e72866.	2.5	8
100	Asymptomatic hepatic portal venous gas with gastric emphysema as a chronic complication of gastrostomy tube placement: a case report. <i>Journal of Medical Case Reports</i> , 2016, 10, 234.	0.8	8
101	Enhancement of PTSD treatment through social support in Idobata-Nagaya community housing after Fukushima's triple disaster. <i>BMJ Case Reports</i> , 2018, 2018, bcr-2018-224935.	0.5	8
102	Legionnaires' disease as an occupational risk related to decontamination work after the Fukushima nuclear disaster: A case report. <i>Journal of Occupational Health</i> , 2018, 60, 271-274.	2.1	8
103	High internal radiation exposure associated with low socio-economic status six years after the Fukushima nuclear disaster. <i>Medicine (United States)</i> , 2019, 98, e17989.	1.0	8
104	Ethnic-minority health care workers discrimination: An example from Japan during COVID-19 pandemic. <i>Journal of Global Health</i> , 2020, 10, 020393.	2.7	8
105	The risks and characteristics of the delayed bleeding after endoscopic submucosal dissection for early gastric carcinoma in cases with anticoagulants. <i>Scandinavian Journal of Gastroenterology</i> , 2020, 55, 1253-1260.	1.5	8
106	Review of health risks among decontamination workers after the Fukushima Daiichi Nuclear Power Plant Accident. <i>Radioprotection</i> , 2020, 55, 277-282.	1.0	8
107	Worsening Health Status among Evacuees: Analysis of Medical Expenditures after the 2011 Great East Japan Earthquake and Nuclear Disaster in Fukushima. <i>Tohoku Journal of Experimental Medicine</i> , 2019, 248, 115-123.	1.2	8
108	Emergency Hospital Evacuation From a Hospital Within 5 km Radius of Fukushima Daiichi Nuclear Power Plant: A Retrospective Analysis of Disaster Preparedness for Hospitalized Patients. <i>Disaster Medicine and Public Health Preparedness</i> , 2022, 16, 2190-2193.	1.3	8

#	ARTICLE	IF	CITATIONS
109	The impact of H1N1 influenza A virus pandemic on the emergency medical service in Kobe. <i>American Journal of Emergency Medicine</i> , 2010, 28, 248-251.	1.6	7
110	A report from Fukushima: an assessment of bone health in an area affected by the Fukushima nuclear plant incident. <i>Journal of Bone and Mineral Metabolism</i> , 2013, 31, 613-617.	2.7	7
111	Comparison of external doses between radio-contaminated areas and areas with high natural terrestrial background using the individual dosimeter "D-shuttle"™ 75 months after the Fukushima Daiichi nuclear power plant accident. <i>Journal of Radiological Protection</i> , 2018, 38, 273-285.	1.1	7
112	Radiation Oncology and Related Oncology Fields in the Face of the 2011 "Triple Disaster" in Fukushima, Japan. <i>International Journal of Radiation Oncology Biology Physics</i> , 2018, 100, 845-848.	0.8	7
113	Radiation is not a political tool. <i>Science</i> , 2019, 366, 581-582.	12.6	7
114	Secondary aortoenteric fistula possibly associated with continuous physical stimulation: a case report and review of the literature. <i>Journal of Medical Case Reports</i> , 2019, 13, 61.	0.8	7
115	Change of access to emergency care in a repopulated village after the 2011 Fukushima nuclear disaster: a retrospective observational study. <i>BMJ Open</i> , 2019, 9, e023836.	1.9	7
116	Efficacy of prolonged exposure therapy for a patient with late-onset PTSD affected by evacuation due to the Fukushima nuclear power plant accident. <i>BMJ Case Reports</i> , 2019, 12, e231960.	0.5	7
117	New physician specialty training system impact on distribution of trainees in Japan. <i>Public Health</i> , 2020, 182, 143-150.	2.9	7
118	Comparative risk assessment of non-communicable diseases by evacuation scenario" a retrospective study in the 7 years following the Fukushima Daiichi nuclear power plant accident. <i>Global Health Action</i> , 2021, 14, 1918886.	1.9	7
119	Long-term Care Utilization Discrepancy Among the Elderly in Former Evacuation Areas, Fukushima. <i>Disaster Medicine and Public Health Preparedness</i> , 2022, 16, 892-894.	1.3	7
120	Association of Living in Evacuation Areas With Long-Term Care Need After the Fukushima Accident. <i>Journal of the American Medical Directors Association</i> , 2021, , .	2.5	7
121	Public health after a nuclear disaster: beyond radiation risks. <i>Bulletin of the World Health Organization</i> , 2016, 94, 859-860.	3.3	7
122	Healthcare Delivery to a Repopulated Village after the Fukushima Nuclear Disaster: A Case of Kawauchi Village, Fukushima, Japan. <i>Japan Medical Association Journal</i> , 2016, 59, 159-161.	0.0	7
123	Reply to McNeil et al. <i>Clinical Infectious Diseases</i> , 2010, 51, 872-873.	5.8	6
124	Fatal Dysrhythmia Following Initiation of Lansoprazole During a Long-Term Course of Voriconazole. <i>Journal of Clinical Pharmacology</i> , 2011, 51, 1488-1490.	2.0	6
125	A Need for Tetanus Vaccination Before Restoration Activities in Fukushima, Japan. <i>Disaster Medicine and Public Health Preparedness</i> , 2014, 8, 467-468.	1.3	6
126	How do medical journalists treat cancer-related issues?. <i>Ecancermedicalsecience</i> , 2015, 9, 502.	1.1	6

#	ARTICLE	IF	CITATIONS
127	Voice from Fukushima: Responsibility of Epidemiologists to Avoid Irrational Stigmatization of Children in Fukushima. <i>Thyroid</i> , 2016, 26, 1332-1333.	4.5	6
128	Assessment of medium-term cardiovascular disease risk after Japan's 2011 Fukushima Daiichi nuclear accident: a retrospective analysis. <i>BMJ Open</i> , 2017, 7, e018502.	1.9	6
129	Pokémon GO & driving. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2017, 110, 311-312.	0.5	6
130	Radiation doses and decontamination effects in Minamisoma city: airborne and individual monitoring after the Fukushima nuclear accident. <i>Journal of Radiological Protection</i> , 2019, 39, N27-N35.	1.1	6
131	Intake of Radionuclides in the Trees of Fukushima Forests 1. Field Study. <i>Forests</i> , 2019, 10, 652.	2.1	6
132	Measurements of radiocesium in animals, plants and fungi in Svalbard after the Fukushima Daiichi nuclear power plant disaster. <i>Heliyon</i> , 2019, 5, e03051.	3.2	6
133	Analysis of the modalities of return of populations to the contaminated territories following the accident at the Fukushima power plant. <i>Radioprotection</i> , 2020, 55, 79-93.	1.0	6
134	Evacuation of residents in a natural disaster during the COVID-19 era. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2021, 114, 445-446.	0.5	6
135	Perforated appendiceal diverticulitis associated with appendiceal neurofibroma in neurofibromatosis type 1. <i>World Journal of Gastroenterology</i> , 2015, 21, 9817.	3.3	6
136	Weekly Paclitaxel in the Adjuvant Treatment of Breast Cancer. <i>New England Journal of Medicine</i> , 2008, 359, 310-311.	27.0	5
137	Bortezomib plus Melphalan and Prednisone for Multiple Myeloma. <i>New England Journal of Medicine</i> , 2008, 359, 2613-2614.	27.0	5
138	A possible association between the resumption of agricultural activities and a venomous snakebite after Fukushima nuclear crisis. <i>Oxford Medical Case Reports</i> , 2016, 2016, 22-23.	0.4	5
139	Decontamination Work and the Long-term Increase in Hospital Visits for Hymenoptera Stings Following the Fukushima Nuclear Disaster. <i>Disaster Medicine and Public Health Preparedness</i> , 2017, 11, 545-551.	1.3	5
140	Trend in unequal geographical distribution of doctors by age and sex in Japan from 2004 to 2014. <i>Public Health</i> , 2018, 159, 95-98.	2.9	5
141	Lessons learned from Fukushima, Japan: in what ways can the social sciences help to mitigate some of the health impacts of disaster?. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2020, 113, 237-238.	0.5	5
142	A call for individualized evacuation strategies for floods: A case report of secondary surgical site infection in a postsurgery breast cancer patient in Fukushima, Japan, following Typhoon Hagibis in 2019. <i>Clinical Case Reports (discontinued)</i> , 2021, 9, 1212-1214.	0.5	5
143	Mental distress in a clinical nurse due to a false-positive COVID-19 antibody test result during the COVID-19 epidemic in Japan: A case report. <i>Clinical Case Reports (discontinued)</i> , 2021, 9, e04122.	0.5	5
144	Development of a National Agreement on Human Papillomavirus Vaccination in Japan: An Infodemiology Study. <i>Journal of Medical Internet Research</i> , 2014, 16, e129.	4.3	5

#	ARTICLE	IF	CITATIONS
145	Need for more proactive use of pharmacists in the COVID-19 pandemic following lessons learnt from the Great East Japan Earthquake. <i>Journal of Global Health</i> , 2020, 10, 020397.	2.7	5
146	Those Who Have Continuing Radiation Anxiety Show High Psychological Distress in Cases of High Post-Traumatic Stress: The Fukushima Nuclear Disaster. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 12048.	2.6	5
147	Profiles of anemia in adolescent students with sports club membership in an outpatient clinic setting: a retrospective study. <i>PeerJ</i> , 2022, 10, e13004.	2.0	5
148	The long term participation trend for the colorectal cancer screening after the 2011 triple disaster in Minamisoma City, Fukushima, Japan. <i>Scientific Reports</i> , 2021, 11, 23851.	3.3	5
149	Mass screening for neuroblastoma at 6 months of age. <i>Lancet, The</i> , 2008, 372, 372-373.	13.7	4
150	H1N1 influenza A outbreak among young medical staff members who received single dose of non-adjuvanted split-virion 2009 H1N1 vaccine. <i>Hum Vaccin</i> , 2011, 7, 56-57.	2.4	4
151	Possible Anisakiasis Associated with Fishery Resumption. <i>Disaster Medicine and Public Health Preparedness</i> , 2014, 8, 117-118.	1.3	4
152	The Predictive Value for Pulmonary Infection by Area Over the Neutrophil Curve (D-index) in Patients Who Underwent Reduced Intensity Hematopoietic Stem Cell Transplantation. <i>Pathology and Oncology Research</i> , 2014, 20, 879-883.	1.9	4
153	Finger Fractures as an Early Manifestation of Primary Hyperparathyroidism Among Young Patients. <i>Medicine (United States)</i> , 2016, 95, e3683.	1.0	4
154	Parental wishes for continued internal radiation contamination screenings in Fukushima schoolchildren. <i>Journal of Radiological Protection</i> , 2016, 36, 1008-1010.	1.1	4
155	Long-term trends of hospital admissions among patients with cancer following the 2015 earthquake: a single institution observational study in Kathmandu, Nepal. <i>BMJ Open</i> , 2019, 9, e026746.	1.9	4
156	Low dose from external radiation among returning residents to the former evacuation zone in Minamisoma City, Fukushima Prefecture. <i>Journal of Radiological Protection</i> , 2019, 39, 548-563.	1.1	4
157	PTSD and bipolar II disorder in Fukushima disaster relief workers after the 2011 nuclear accident. <i>BMJ Case Reports</i> , 2020, 13, e236725.	0.5	4
158	Development of Behavior Abnormalities in a Patient Prevented From Returning Home After Evacuation Following the Fukushima Nuclear Disaster: Case Report. <i>Disaster Medicine and Public Health Preparedness</i> , 2020, , 1-4.	1.3	4
159	Exacerbation of Subthreshold PTSD Symptoms in a Great East Japan Earthquake Survivor in the Context of the COVID-19 Pandemic. <i>Case Reports in Psychiatry</i> , 2021, 2021, 1-3.	0.5	4
160	Deepening community-aligned science in response to wavering trust in science. <i>Lancet, The</i> , 2021, 397, 969-970.	13.7	4
161	Risk trade-off analysis of returning home and radiation exposure after a nuclear disaster using a happy life expectancy indicator. <i>Journal of Radiation Research</i> , 2021, 62, i101-i106.	1.6	4
162	Potential association of prolonged patient interval and advanced anatomic stage in breast cancer patients in the area affected by the 2011 triple disaster in Fukushima, Japan. <i>Medicine (United States)</i> , 2021, 100, e26830.	1.0	4

#	ARTICLE	IF	CITATIONS
163	Transition of originally external healthcare providers into local researchers: a case study of support activities in So-so District, Fukushima after the 2011 triple disaster. <i>Radioprotection</i> , 2020, 55, 263-270.	1.0	4
164	Improving the Rural-Urban Balance in Cambodia's Health Services. <i>International Journal of Health Policy and Management</i> , 2020, , .	0.9	4
165	Changes in radiation protection measures after the Fukushima Daiichi nuclear accident: evaluation of meeting minutes of the Nuclear Regulation Authority, Japan. <i>Radioprotection</i> , 2021, 56, 153-160.	1.0	4
166	Development of radiation education in schools after the Fukushima Daiichi nuclear power plant accident – a study from the perspectives of regionality, multidisciplinary and continuity. <i>Radioprotection</i> , 2020, 55, 317-324.	1.0	4
167	An attack on a nuclear power plant during a war is indiscriminate terrorism. <i>Lancet, The</i> , 2022, 399, 1379.	13.7	4
168	Disaster-related deaths after the Fukushima Daiichi nuclear power plant accident - Definition of the term and lessons learned. <i>Environmental Advances</i> , 2022, 8, 100248.	4.8	4
169	Disaster response among hospital nurses dispatched to evacuation centers after the Great East Japan Earthquake: a thematic analysis. <i>BMC Health Services Research</i> , 2022, 22, .	2.2	4
170	An autopsy case that manifested no convincing histological changes of severe renal failure after hematopoietic stem cell transplantation. <i>CEN Case Reports</i> , 2014, 3, 34-39.	0.9	3
171	Living in Contaminated Radioactive Areas Is Not an Acute Risk Factor for Noncommunicable Disease Development: A Retrospective Observational Study. <i>Disaster Medicine and Public Health Preparedness</i> , 2016, 10, 34-37.	1.3	3
172	Call for a new epidemiological approach to disaster response. <i>Journal of Epidemiology and Community Health</i> , 2018, 72, 267-268.	3.7	3
173	Successful institutional care for behavioral and psychological symptoms of dementia in a repopulated area after the 2011 Fukushima disaster: A case report. <i>Clinical Case Reports (discontinued)</i> , 2018, 6, 2266-2270.	0.5	3
174	Unambiguous evidence is required to accurately understand the health impacts of nuclear accidents. <i>Journal of Radiation Research</i> , 2020, 61, 90-91.	1.6	3
175	Age as a decisive factor in general anaesthesia use in paediatric proton beam therapy. <i>Scientific Reports</i> , 2020, 10, 15096.	3.3	3
176	Minimizing Isolation of the Elderly Following the Fukushima Nuclear Power Plant Disaster. <i>Disaster Medicine and Public Health Preparedness</i> , 2021, 15, 140-142.	1.3	3
177	Concealment of trauma and occupational accidents among Fukushima nuclear disaster decontamination workers: A case report. <i>Journal of Occupational Health</i> , 2020, 62, e12123.	2.1	3
178	Misunderstanding of the purpose and intermediate results of the Fukushima health management survey could impede progress in the radiation protection field. <i>Journal of Radiological Protection</i> , 2020, 40, 924-927.	1.1	3
179	Prevalence of non-communicable diseases among healthy male decontamination workers after the Fukushima nuclear disaster in Japan: an observational study. <i>Scientific Reports</i> , 2021, 11, 21980.	3.3	3
180	Importance of individualized disaster preparedness for hospitalized or institutionalized patients: Lessons learned from the legal revisions made to the Basic Act on Disaster Management in Japan following the Fukushima nuclear disaster. <i>Journal of Global Health</i> , 2021, 11, 03108.	2.7	3

#	ARTICLE	IF	CITATIONS
181	Promoting independent living and preventing lonely death in an older adult: Soma Idobata-Nagaya after the 2011 Fukushima disaster. <i>BMJ Case Reports</i> , 2022, 15, e243117.	0.5	3
182	Comparison of mortality patterns after the Fukushima Daiichi Nuclear Power Plant radiation disaster and during the COVID-19 pandemic. <i>Journal of Radiological Protection</i> , 2022, 42, 031502.	1.1	3
183	Radiotherapy hypofractionation in early breast cancer. <i>Lancet, The</i> , 2008, 372, 204.	13.7	2
184	Hydroxycarbamide use in young children with sickle-cell anaemia. <i>Lancet, The</i> , 2011, 378, 1777.	13.7	2
185	A Dog Bite Injury after the Fukushima Nuclear Accident. <i>Internal Medicine</i> , 2012, 51, 2493-2493.	0.7	2
186	Detection of 131I in a Patient With Thyroid Cancer by Internal Radiation Exposure Screening Using a Whole-Body Counter in Fukushima. <i>Clinical Nuclear Medicine</i> , 2014, 39, 281-282.	1.3	2
187	Exposure and current health issues in Minamisoma. <i>Annals of the ICRP</i> , 2016, 45, 129-134.	3.8	2
188	Assessment of Nutritional Status of Iodine Through Urinary Iodine Screening Among Local Children and Adolescents After the Fukushima Daiichi Nuclear Power Plant Accident. <i>Thyroid</i> , 2016, 26, 1778-1785.	4.5	2
189	Great East Japan Earthquake: Proactive sharing of lessons learned. <i>Pediatrics International</i> , 2018, 60, 213-213.	0.5	2
190	Legionnaires' disease as an occupational risk related to decontamination work after the Fukushima nuclear disaster: a case report. <i>Journal of Occupational Health</i> , 2018, 60, 527-528.	2.1	2
191	The responsibility of the Japanese media, the Fukushima accident and the use of personal data for research. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2019, , .	0.5	2
192	Intake of Radionuclides in the Trees of Fukushima Forests 2. Study of Radiocesium Flow to Poplar Seedlings as a Model Tree. <i>Forests</i> , 2019, 10, 736.	2.1	2
193	Will initial consultation patterns among undiagnosed cancer patients be the same after this COVID-19 pandemic? Experiences from the 2011 triple disaster in Fukushima, Japan. <i>Journal of Global Health</i> , 2020, 10, 020343.	2.7	2
194	The Increase in Frequency of Protective Behavior against Pesticide Poisoning in Narail, Bangladesh through Use of an Easy Paper Checklist; an Interventional Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 9349.	2.6	2
195	Impact of the H1N1 Influenza A virus epidemic on cancer treatment in Hyogo, Japan. <i>International Journal of Infection Control</i> , 2011, 7, .	0.2	2
196	Older adult living independently in a public rowhouse project after the 2011 Fukushima earthquake: A case report. <i>Clinical Case Reports (discontinued)</i> , 2022, 10, e05271.	0.5	2
197	Possible association of Typhoon Hagibis and the COVID-19 pandemic on patient delay in breast cancer patients: A case report. <i>Clinical Case Reports (discontinued)</i> , 2022, 10, e05621.	0.5	2
198	Changes in the proportion of anemia among young women after the Great East Japan Earthquake: the Fukushima health management survey. <i>Scientific Reports</i> , 2022, 12, .	3.3	2

#	ARTICLE	IF	CITATIONS
199	Identification of cardiac metastasis of primary gastric diffuse large B-cell lymphoma. <i>British Journal of Haematology</i> , 2007, 137, 179-179.	2.5	1
200	Failure of liver function tests in predicting drug clearance of chemotherapeutic agents in a patient who had recovered from hepatic congestion. <i>British Journal of Clinical Pharmacology</i> , 2010, 70, 277-279.	2.4	1
201	Japan's health policy. <i>Lancet, The</i> , 2010, 376, 1900.	13.7	1
202	Ocular palsy associated with aggressive NK-cell leukemia. <i>International Journal of Hematology</i> , 2011, 93, 687-688.	1.6	1
203	Detecting Residual Fluorine 18 From a Medical PET-CT Procedure During Population Whole Body Counter Screening in Fukushima. <i>Disaster Medicine and Public Health Preparedness</i> , 2014, 8, 469-470.	1.3	1
204	Whole body counter assessment of internal radiocontamination in patients with end-stage renal disease living in areas affected by the Fukushima Daiichi nuclear power plant disaster: a retrospective observational study. <i>BMJ Open</i> , 2015, 5, e009745.	1.9	1
205	Can a disaster affect rheumatoid arthritis status? A retrospective cohort study after the 2011 triple disaster in Fukushima, Japan. <i>International Journal of Rheumatic Diseases</i> , 2018, 21, 1254-1262.	1.9	1
206	Successful Renovation of a Closed School Into a Long-Term Care Facility in the Affected Area After the 2011 Fukushima Disaster. <i>Disaster Medicine and Public Health Preparedness</i> , 2019, 13, 107-108.	1.3	1
207	Intake of Radionuclides in the Trees of Fukushima Forests 4. Binding of Radioiodine to Xyloglucan. <i>Forests</i> , 2020, 11, 957.	2.1	1
208	Factors Affecting the Help-Seeking Behaviours of Patients with Schizophrenia in Rural Cambodia. <i>Case Reports in Psychiatry</i> , 2020, 2020, 1-3.	0.5	1
209	Need for Emergency Medical Functioning of Hospitals in Post-Nuclear Evacuation Areas. <i>Disaster Medicine and Public Health Preparedness</i> , 2021, 15, 137-139.	1.3	1
210	Nail Wound and Cellulitis Following Typhoon Hagibis in Fukushima, Japan. <i>Disaster Medicine and Public Health Preparedness</i> , 2021, 15, 540-542.	1.3	1
211	Securing Access to Hemodialysis Care After Typhoon Hagibis in Fukushima. <i>Disaster Medicine and Public Health Preparedness</i> , 2020, , 1-3.	1.3	1
212	Nurses' perceptions of medical procedures and nursing practices for older patients with non-cancer long-term illness and do not attempt resuscitation orders: A vignette study. <i>Nursing Open</i> , 2020, 7, 1179-1186.	2.4	1
213	No significant association between stable iodine intake and thyroid dysfunction in children after the Fukushima Nuclear Disaster: an observational study. <i>Journal of Endocrinological Investigation</i> , 2021, 44, 1491-1500.	3.3	1
214	Overall health information exposure, its barriers and impacts on attitude toward healthcare among cancer patients. The long-term aftermath of the 2011 triple disaster in Fukushima, Japan: A single institution cross-sectional study. <i>Health Informatics Journal</i> , 2021, 27, 146045822199642.	2.1	1
215	Evaluation of the emergency medical system in an area following lifting of the mandatory evacuation order after the Fukushima Daiichi Nuclear Power Plant accident. <i>Medicine (United States)</i> , 2021, 100, e26466.	1.0	1
216	Oncology clinical practice guidelines usage among physicians in Nepal. <i>Journal of Evaluation in Clinical Practice</i> , 2022, 28, 142-150.	1.8	1

#	ARTICLE	IF	CITATIONS
217	Les dates anniversaires des accidents de Tchernobyl et de Fukushima: une évolution des centres d'intérêt dans la gestion post-accident nucléaire. Radioprotection, 2020, 55, 259-261.	1.0	1
218	The Effects of Apple Pectin Intake on Decreasing Internal Radioactive Cesium Levels: A Single-armed Pilot Study. Immunology, Endocrine and Metabolic Agents in Medicinal Chemistry, 2017, 17, .	0.5	1
219	The Prevalence of High-Risk Human Papillomavirus in Women with Different Types of Cervical Cancer. Annals of Internal Medicine, 2008, 149, 283.	3.9	1
220	Was there an improvement in the years of life lost (YLLs) for non-communicable diseases in the Soma and Minamisoma cities of Fukushima after the 2011 disaster? A longitudinal study. BMJ Open, 2022, 12, e054716.	1.9	1
221	Home-visit rehabilitation in a repopulated village after the Fukushima nuclear disaster. Fukushima Journal of Medical Sciences, 2022, 68, 71-77.	0.4	1
222	Treatment for elderly patients with multiple myeloma. Lancet, The, 2008, 371, 983.	13.7	0
223	4014 Safety and effectiveness of rehabilitation for elderly patients with hematological malignancies who received intensive chemotherapies. European Journal of Cancer, Supplement, 2009, 7, 219.	2.2	0
224	Radiograph Abnormalities Caused by the Nuclear Accident. Internal Medicine, 2012, 51, 2073-2073.	0.7	0
225	CNS prophylaxis in diffuse large B-cell lymphoma. Lancet, The, 2012, 379, 1486.	13.7	0
226	Therapeutic platelet transfusion for hypoproliferative thrombocytopenia. Lancet, The, 2013, 381, 723-724.	13.7	0
227	Treatment for patients with indolent and mantle cell lymphoma. Lancet, The, 2013, 382, 1093-1094.	13.7	0
228	Mortality risk amongst nursing home residents evacuated after the Fukushima nuclear accident. European Journal of Public Health, 2015, 25, .	0.3	0
229	Voluntary Medical Support Is Key After Nuclear Disasters. Disaster Medicine and Public Health Preparedness, 2016, 10, 186-187.	1.3	0
230	Impact of the 2011 Triple Disaster in Fukushima, Japan - An Earthquake, Tsunamis, and a Nuclear Power Plant Accident - Physical Performance of the Children: A Retrospective Cohort Study in Soma City, Fukushima. Prehospital and Disaster Medicine, 2017, 32, S200.	1.3	0
231	Absence of Relatives Impairs the Approach of Nurses to Cardiopulmonary Resuscitation in Non-Cancer Elderly Patients without a Do-Not-Attempt-Resuscitation Order: A Vignette-Based Questionnaire Study. Tohoku Journal of Experimental Medicine, 2020, 250, 71-78.	1.2	0
232	Once-Weekly Insulin for Type 2 Diabetes without Previous Insulin Treatment. New England Journal of Medicine, 2021, 384, e26.	27.0	0
233	Response to commentary by Kageura et al. QJM - Monthly Journal of the Association of Physicians, 2021, , .	0.5	0
234	Alleviating the consequences of nuclear disasters on views on radiation risks among physicians and patients: Fukushima experience. Journal of Global Health, 2021, 11, 03069.	2.7	0

#	ARTICLE	IF	CITATIONS
235	Regional Differences in Admission Rates of Emergency Patients Who Visited a Private General Hospital in the Capital City of Cambodia: A Three-Year Observational Study. <i>International Journal of Health Policy and Management</i> , 2021, , .	0.9	0
236	Characteristics of Flood Fatalities in Japan's Typhoon Hagibis in 2019: Secondary Analysis of Public Data and Media Reports. <i>Disaster Medicine and Public Health Preparedness</i> , 2021, , 1-5.	1.3	0
237	Review of postmarketing surveillance of molecular targeted anticancer agents in Japan. <i>Journal of Clinical Oncology</i> , 2009, 27, 6598-6598.	1.6	0
238	A Study on Internal Radiation Exposure due to ¹³⁷ Cs Caused by Fukushima Daiichi NPP Accident. <i>Journal of Disaster Research</i> , 2013, 8, 756-761.	0.7	0
239	Abstract P3-10-14: Breast cancer provider delay after the 2011 triple disaster in Fukushima, Japan. , 2017, , .		0
240	Difference of sociodemographic characteristics among the disabled population in Cambodia: a cross-sectional study of the demographic and health survey data. <i>Journal of Rural Medicine: JRM</i> , 2022, 17, 79-84.	0.5	0
241	Political issues encouraging discrimination and prejudice associated with radiation exposure in the Fukushima Daiichi Nuclear Power Plant (FDNPP) incident for political purposes: a case of five former Japanese prime ministers. <i>Journal of Radiological Protection</i> , 2022, 42, 024503.	1.1	0
242	Influence of different media, producing stigma. , 2022, , 265-279.		0
243	Trend of locally produced food avoidance among the guardians with school children in Minamisoma City after the 2011 Fukushima Daiichi nuclear power plant disaster. <i>Journal of Radiological Protection</i> , 2022, 42, 024504.	1.1	0
244	Characteristics of Patients Transported by Doctor-Requested Helicopters After Japan's 2011 Nuclear Incident. <i>Disaster Medicine and Public Health Preparedness</i> , 0, , 1-5.	1.3	0