

# Masaharu Tsubokura

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1450108/publications.pdf>

Version: 2024-02-01

244  
papers

2,945  
citations

218677

26  
h-index

276875

41  
g-index

250  
all docs

250  
docs citations

250  
times ranked

1475  
citing authors

#	ARTICLE	IF	CITATIONS
1	Long-term Care Utilization Discrepancy Among the Elderly in Former Evacuation Areas, Fukushima. <i>Disaster Medicine and Public Health Preparedness</i> , 2022, 16, 892-894.	1.3	7
2	Oncology clinical practice guidelines usage among physicians in Nepal. <i>Journal of Evaluation in Clinical Practice</i> , 2022, 28, 142-150.	1.8	1
3	Emergency Hospital Evacuation From a Hospital Within 5 km Radius of Fukushima Daiichi Nuclear Power Plant: A Retrospective Analysis of Disaster Preparedness for Hospitalized Patients. <i>Disaster Medicine and Public Health Preparedness</i> , 2022, 16, 2190-2193.	1.3	8
4	Older adult living independently in a public rowhouse project after the 2011 Fukushima earthquake: A case report. <i>Clinical Case Reports (discontinued)</i> , 2022, 10, e05271.	0.5	2
5	Difference of sociodemographic characteristics among the disabled population in Cambodia: a cross-sectional study of the demographic and health survey data. <i>Journal of Rural Medicine: JRM</i> , 2022, 17, 79-84.	0.5	0
6	Cross-Country Student Perceptions about Online Medical Education during the COVID-19 Pandemic. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 2840.	2.6	13
7	Promoting independent living and preventing lonely death in an older adult: Soma Idobata-Nagaya after the 2011 Fukushima disaster. <i>BMJ Case Reports</i> , 2022, 15, e243117.	0.5	3
8	Profiles of anemia in adolescent students with sports club membership in an outpatient clinic setting: a retrospective study. <i>PeerJ</i> , 2022, 10, e13004.	2.0	5
9	Possible association of Typhoon Hagibis and the COVID-19 pandemic on patient delay in breast cancer patients: A case report. <i>Clinical Case Reports (discontinued)</i> , 2022, 10, e05621.	0.5	2
10	Factors Associated with COVID-19 Vaccine Booster Hesitancy: A Retrospective Cohort Study, Fukushima Vaccination Community Survey. <i>Vaccines</i> , 2022, 10, 515.	4.4	40
11	Was there an improvement in the years of life lost (YLLs) for non-communicable diseases in the Soma and Minamisoma cities of Fukushima after the 2011 disaster? A longitudinal study. <i>BMJ Open</i> , 2022, 12, e054716.	1.9	1
12	An attack on a nuclear power plant during a war is indiscriminate terrorism. <i>Lancet, The</i> , 2022, 399, 1379.	13.7	4
13	Political issues encouraging discrimination and prejudice associated with radiation exposure in the Fukushima Daiichi Nuclear Power Plant (FDNPP) incident for political purposes: a case of five former Japanese prime ministers. <i>Journal of Radiological Protection</i> , 2022, 42, 024503.	1.1	0
14	Home-visit rehabilitation in a repopulated village after the Fukushima nuclear disaster. <i>Fukushima Journal of Medical Sciences</i> , 2022, 68, 71-77.	0.4	1
15	Influence of different media, producing stigma. , 2022, , 265-279.		0
16	Disaster-related deaths after the Fukushima Daiichi nuclear power plant accident - Definition of the term and lessons learned. <i>Environmental Advances</i> , 2022, 8, 100248.	4.8	4
17	Trend of locally produced food avoidance among the guardians with school children in Minamisoma City after the 2011 Fukushima Daiichi nuclear power plant disaster. <i>Journal of Radiological Protection</i> , 2022, 42, 024504.	1.1	0
18	Factors associated with anti-severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) spike protein antibody titer and neutralizing activity among healthcare workers following vaccination with the BNT162b2 vaccine. <i>PLoS ONE</i> , 2022, 17, e0269917.	2.5	14

#	ARTICLE	IF	CITATIONS
19	Changes in the proportion of anemia among young women after the Great East Japan Earthquake: the Fukushima health management survey. <i>Scientific Reports</i> , 2022, 12, .	3.3	2
20	Disaster response among hospital nurses dispatched to evacuation centers after the Great East Japan Earthquake: a thematic analysis. <i>BMC Health Services Research</i> , 2022, 22, .	2.2	4
21	Comparison of mortality patterns after the Fukushima Daiichi Nuclear Power Plant radiation disaster and during the COVID-19 pandemic. <i>Journal of Radiological Protection</i> , 2022, 42, 031502.	1.1	3
22	Need for Emergency Medical Functioning of Hospitals in Post-Nuclear Evacuation Areas. <i>Disaster Medicine and Public Health Preparedness</i> , 2021, 15, 137-139.	1.3	1
23	Minimizing Isolation of the Elderly Following the Fukushima Nuclear Power Plant Disaster. <i>Disaster Medicine and Public Health Preparedness</i> , 2021, 15, 140-142.	1.3	3
24	Nail Wound and Cellulitis Following Typhoon Hagibis in Fukushima, Japan. <i>Disaster Medicine and Public Health Preparedness</i> , 2021, 15, 540-542.	1.3	1
25	No significant association between stable iodine intake and thyroid dysfunction in children after the Fukushima Nuclear Disaster: an observational study. <i>Journal of Endocrinological Investigation</i> , 2021, 44, 1491-1500.	3.3	1
26	A call for individualized evacuation strategies for floods: A case report of secondary surgical site infection in a postsurgery breast cancer patient in Fukushima, Japan, following Typhoon Hagibis in 2019. <i>Clinical Case Reports (discontinued)</i> , 2021, 9, 1212-1214.	0.5	5
27	Comparative risk assessment of non-communicable diseases by evacuation scenario—a retrospective study in the 7 years following the Fukushima Daiichi nuclear power plant accident. <i>Global Health Action</i> , 2021, 14, 1918886.	1.9	7
28	Once-Weekly Insulin for Type 2 Diabetes without Previous Insulin Treatment. <i>New England Journal of Medicine</i> , 2021, 384, e26.	27.0	0
29	Exacerbation of Subthreshold PTSD Symptoms in a Great East Japan Earthquake Survivor in the Context of the COVID-19 Pandemic. <i>Case Reports in Psychiatry</i> , 2021, 2021, 1-3.	0.5	4
30	Evacuation of residents in a natural disaster during the COVID-19 era. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2021, 114, 445-446.	0.5	6
31	Deepening community-aligned science in response to wavering trust in science. <i>Lancet, The</i> , 2021, 397, 969-970.	13.7	4
32	<i>Helicobacter pylori</i> Infection Mass Screening for Children and Adolescents: a Systematic Review of Observational Studies. <i>Journal of Gastrointestinal Cancer</i> , 2021, 52, 489-497.	1.3	9
33	The difference between IgM and IgG antibody prevalence in different serological assays for COVID-19; lessons from the examination of healthcare workers. <i>International Immunopharmacology</i> , 2021, 92, 107360.	3.8	20
34	COVID-19 risk assessment at the opening ceremony of the Tokyo 2020 Olympic Games. <i>Microbial Risk Analysis</i> , 2021, 19, 100162.	2.3	20
35	Response to commentary by Kageura et al. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2021, , .	0.5	0
36	Successful emergency evacuation from a hospital within a 5-km radius of Fukushima Daiichi Nuclear Power Plant: the importance of cooperation with an external body. <i>Journal of Radiation Research</i> , 2021, 62, i122-i128.	1.6	9

#	ARTICLE	IF	CITATIONS
37	Alleviating the consequences of nuclear disasters on views on radiation risks among physicians and patients: Fukushima experience. <i>Journal of Global Health</i> , 2021, 11, 03069.	2.7	0
38	Overall health information exposure, its barriers and impacts on attitude toward healthcare among cancer patients. The long-term aftermath of the 2011 triple disaster in Fukushima, Japan: A single institution cross-sectional study. <i>Health Informatics Journal</i> , 2021, 27, 146045822199642.	2.1	1
39	Risk trade-off analysis of returning home and radiation exposure after a nuclear disaster using a happy life expectancy indicator. <i>Journal of Radiation Research</i> , 2021, 62, i101-i106.	1.6	4
40	Mental distress in a clinical nurse due to a false-positive COVID-19 antibody test result during the COVID-19 epidemic in Japan: A case report. <i>Clinical Case Reports (discontinued)</i> , 2021, 9, e04122.	0.5	5
41	Regional Differences in Admission Rates of Emergency Patients Who Visited a Private General Hospital in the Capital City of Cambodia: A Three-Year Observational Study. <i>International Journal of Health Policy and Management</i> , 2021, , .	0.9	0
42	Evaluation of the emergency medical system in an area following lifting of the mandatory evacuation order after the Fukushima Daiichi Nuclear Power Plant accident. <i>Medicine (United States)</i> , 2021, 100, e26466.	1.0	1
43	Association of Living in Evacuation Areas With Long-Term Care Need After the Fukushima Accident. <i>Journal of the American Medical Directors Association</i> , 2021, , .	2.5	7
44	Characteristics of Flood Fatalities in Japan's Typhoon Hagibis in 2019: Secondary Analysis of Public Data and Media Reports. <i>Disaster Medicine and Public Health Preparedness</i> , 2021, , 1-5.	1.3	0
45	Potential association of prolonged patient interval and advanced anatomic stage in breast cancer patients in the area affected by the 2011 triple disaster in Fukushima, Japan. <i>Medicine (United States)</i> , 2021, 100, e26830.	1.0	4
46	The Increase in Frequency of Protective Behavior against Pesticide Poisoning in Narail, Bangladesh through Use of an Easy Paper Checklist; an Interventional Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 9349.	2.6	2
47	Seroprevalence of SARS-CoV-2 antibodies among hospital staff in rural Central Fukushima, Japan: A historical cohort study. <i>International Immunopharmacology</i> , 2021, 98, 107884.	3.8	16
48	Prevalence of non-communicable diseases among healthy male decontamination workers after the Fukushima nuclear disaster in Japan: an observational study. <i>Scientific Reports</i> , 2021, 11, 21980.	3.3	3
49	Changes in radiation protection measures after the Fukushima Daiichi nuclear accident: evaluation of meeting minutes of the Nuclear Regulation Authority, Japan. <i>Radioprotection</i> , 2021, 56, 153-160.	1.0	4
50	Those Who Have Continuing Radiation Anxiety Show High Psychological Distress in Cases of High Post-Traumatic Stress: The Fukushima Nuclear Disaster. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 12048.	2.6	5
51	Importance of individualized disaster preparedness for hospitalized or institutionalized patients: Lessons learned from the legal revisions made to the Basic Act on Disaster Management in Japan following the Fukushima nuclear disaster. <i>Journal of Global Health</i> , 2021, 11, 03108.	2.7	3
52	The long term participation trend for the colorectal cancer screening after the 2011 triple disaster in Minamisoma City, Fukushima, Japan. <i>Scientific Reports</i> , 2021, 11, 23851.	3.3	5
53	Breast Cancer Provider Interval Length in Fukushima, Japan, After the 2011 Triple Disaster: A Long-Term Retrospective Study. <i>Clinical Breast Cancer</i> , 2020, 20, e127-e150.	2.4	12
54	Lessons learned from Fukushima, Japan: in what ways can the social sciences help to mitigate some of the health impacts of disaster?. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2020, 113, 237-238.	0.5	5

#	ARTICLE	IF	CITATIONS
55	Low dose of external exposure among returnees to former evacuation areas: a cross-sectional all-municipality joint study following the 2011 Fukushima Daiichi nuclear power plant incident. <i>Journal of Radiological Protection</i> , 2020, 40, 1-18.	1.1	21
56	Unambiguous evidence is required to accurately understand the health impacts of nuclear accidents. <i>Journal of Radiation Research</i> , 2020, 61, 90-91.	1.6	3
57	Intake of Radionuclides in the Trees of Fukushima Forests 4. Binding of Radioiodine to Xyloglucan. <i>Forests</i> , 2020, 11, 957.	2.1	1
58	PTSD and bipolar II disorder in Fukushima disaster relief workers after the 2011 nuclear accident. <i>BMJ Case Reports</i> , 2020, 13, e236725.	0.5	4
59	Factors Affecting the Help-Seeking Behaviours of Patients with Schizophrenia in Rural Cambodia. <i>Case Reports in Psychiatry</i> , 2020, 2020, 1-3.	0.5	1
60	Analysis of the modalities of return of populations to the contaminated territories following the accident at the Fukushima power plant. <i>Radioprotection</i> , 2020, 55, 79-93.	1.0	6
61	Will initial consultation patterns among undiagnosed cancer patients be the same after this COVID-19 pandemic? Experiences from the 2011 triple disaster in Fukushima, Japan. <i>Journal of Global Health</i> , 2020, 10, 020343.	2.7	2
62	Ethnic-minority health care workers discrimination: An example from Japan during COVID-19 pandemic. <i>Journal of Global Health</i> , 2020, 10, 020393.	2.7	8
63	Age as a decisive factor in general anaesthesia use in paediatric proton beam therapy. <i>Scientific Reports</i> , 2020, 10, 15096.	3.3	3
64	The risks and characteristics of the delayed bleeding after endoscopic submucosal dissection for early gastric carcinoma in cases with anticoagulants. <i>Scandinavian Journal of Gastroenterology</i> , 2020, 55, 1253-1260.	1.5	8
65	Assessment of dysplasia in bone marrow smear with convolutional neural network. <i>Scientific Reports</i> , 2020, 10, 14734.	3.3	18
66	Current Psychological Distress, Post-traumatic Stress, and Radiation Health Anxiety Remain High for Those Who Have Rebuilt Permanent Homes Following the Fukushima Nuclear Disaster. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 9532.	2.6	13
67	Development of Behavior Abnormalities in a Patient Prevented From Returning Home After Evacuation Following the Fukushima Nuclear Disaster: Case Report. <i>Disaster Medicine and Public Health Preparedness</i> , 2020, , 1-4.	1.3	4
68	Securing Access to Hemodialysis Care After Typhoon Hagibis in Fukushima. <i>Disaster Medicine and Public Health Preparedness</i> , 2020, , 1-3.	1.3	1
69	The trajectories of local food avoidance after the Fukushima Daiichi nuclear plant disaster: A five-year prospective cohort study. <i>International Journal of Disaster Risk Reduction</i> , 2020, 46, 101513.	3.9	9
70	New physician specialty training system impact on distribution of trainees in Japan. <i>Public Health</i> , 2020, 182, 143-150.	2.9	7
71	Concealment of trauma and occupational accidents among Fukushima nuclear disaster decontamination workers: A case report. <i>Journal of Occupational Health</i> , 2020, 62, e12123.	2.1	3
72	Nurses' perceptions of medical procedures and nursing practices for older patients with non-cancer long-term illness and do-not-attempt-resuscitation orders: A vignette study. <i>Nursing Open</i> , 2020, 7, 1179-1186.	2.4	1

#	ARTICLE	IF	CITATIONS
73	Misunderstanding of the purpose and intermediate results of the Fukushima health management survey could impede progress in the radiation protection field. <i>Journal of Radiological Protection</i> , 2020, 40, 924-927.	1.1	3
74	The decision to return home and wellbeing after the Fukushima disaster. <i>International Journal of Disaster Risk Reduction</i> , 2020, 47, 101538.	3.9	18
75	Absence of Relatives Impairs the Approach of Nurses to Cardiopulmonary Resuscitation in Non-Cancer Elderly Patients without a Do-Not-Attempt-Resuscitation Order: A Vignette-Based Questionnaire Study. <i>Tohoku Journal of Experimental Medicine</i> , 2020, 250, 71-78.	1.2	0
76	Usefulness of the whole-body counter for infants and small children (BABYSCAN) as a risk communication tool after the Fukushima Daiichi nuclear power plant incident. <i>Proceedings of the Japan Academy Series B: Physical and Biological Sciences</i> , 2020, 96, 70-78.	3.8	13
77	Transition of originally external healthcare providers into local researchers: a case study of support activities in So-so District, Fukushima after the 2011 triple disaster. <i>Radioprotection</i> , 2020, 55, 263-270.	1.0	4
78	Review of health risks among decontamination workers after the Fukushima Daiichi Nuclear Power Plant Accident. <i>Radioprotection</i> , 2020, 55, 277-282.	1.0	8
79	Les dates anniversaires des accidents de Tchernobyl et de Fukushima: une évolution des centres d'intérêt dans la gestion post-accident nucléaire. <i>Radioprotection</i> , 2020, 55, 259-261.	1.0	1
80	Stay with your community: Bridges between clusters trigger expansion of COVID-19. <i>PLoS ONE</i> , 2020, 15, e0242766.	2.5	10
81	Need for more proactive use of pharmacists in the COVID-19 pandemic following lessons learnt from the Great East Japan Earthquake. <i>Journal of Global Health</i> , 2020, 10, 020397.	2.7	5
82	Improving the Rural-Urban Balance in Cambodia's Health Services. <i>International Journal of Health Policy and Management</i> , 2020, , .	0.9	4
83	Development of radiation education in schools after the Fukushima Daiichi nuclear power plant accident - a study from the perspectives of regionality, multidisciplinary and continuity. <i>Radioprotection</i> , 2020, 55, 317-324.	1.0	4
84	Premature Death of a Schizophrenic Patient due to Evacuation after a Nuclear Disaster in Fukushima. <i>Case Reports in Psychiatry</i> , 2019, 2019, 1-5.	0.5	9
85	The responsibility of the Japanese media, the Fukushima accident and the use of personal data for research. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2019, , .	0.5	2
86	Living in the Restoration Public Housing after the Great East Japan Earthquake Correlates with Lower Subjective Well-Being of Older Adults. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 2696.	2.6	14
87	Long-term trends of hospital admissions among patients with cancer following the 2015 earthquake: a single institution observational study in Kathmandu, Nepal. <i>BMJ Open</i> , 2019, 9, e026746.	1.9	4
88	Radiation is not a political tool. <i>Science</i> , 2019, 366, 581-582.	12.6	7
89	Intake of Radionuclides in the Trees of Fukushima Forests 2. Study of Radiocesium Flow to Poplar Seedlings as a Model Tree. <i>Forests</i> , 2019, 10, 736.	2.1	2
90	Radiation doses and decontamination effects in Minamisoma city: airborne and individual monitoring after the Fukushima nuclear accident. <i>Journal of Radiological Protection</i> , 2019, 39, N27-N35.	1.1	6

#	ARTICLE	IF	CITATIONS
91	Intake of Radionuclides in the Trees of Fukushima Forests 1. Field Study. <i>Forests</i> , 2019, 10, 652.	2.1	6
92	Impact of decontamination on individual radiation doses from external exposure among residents of Minamisoma City after the 2011 Fukushima Daiichi nuclear power plant incident in Japan: a retrospective observational study. <i>Journal of Radiological Protection</i> , 2019, 39, 854-871.	1.1	20
93	Low dose from external radiation among returning residents to the former evacuation zone in Minamisoma City, Fukushima Prefecture. <i>Journal of Radiological Protection</i> , 2019, 39, 548-563.	1.1	4
94	Lower Psychological Distress Levels among Returnees Compared with Evacuees after the Fukushima Nuclear Accident. <i>Tohoku Journal of Experimental Medicine</i> , 2019, 247, 13-17.	1.2	28
95	Secondary aortoenteric fistula possibly associated with continuous physical stimulation: a case report and review of the literature. <i>Journal of Medical Case Reports</i> , 2019, 13, 61.	0.8	7
96	Stable Iodine Distribution Among Children After the 2011 Fukushima Nuclear Disaster in Japan: An Observational Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 1658-1666.	3.6	10
97	Change of access to emergency care in a repopulated village after the 2011 Fukushima nuclear disaster: a retrospective observational study. <i>BMJ Open</i> , 2019, 9, e023836.	1.9	7
98	Combating "fake news" and social stigma after the Fukushima Daiichi Nuclear Power Plant incident: the importance of accurate longitudinal clinical data. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2019, 112, 479-481.	0.5	14
99	The role of radiological protection experts in stakeholder involvement in the recovery phase of post-nuclear accident situations: Some lessons from the Fukushima-Daiichi NPP accident. <i>Radioprotection</i> , 2019, 54, 259-270.	1.0	33
100	Internal exposure risk due to radiocesium and the consuming behaviour of local foodstuffs among pregnant women in Minamisoma City near the Fukushima nuclear power plant: a retrospective observational study. <i>BMJ Open</i> , 2019, 9, e023654.	1.9	9
101	Efficacy of prolonged exposure therapy for a patient with late-onset PTSD affected by evacuation due to the Fukushima nuclear power plant accident. <i>BMJ Case Reports</i> , 2019, 12, e231960.	0.5	7
102	Measurements of radiocesium in animals, plants and fungi in Svalbard after the Fukushima Daiichi nuclear power plant disaster. <i>Heliyon</i> , 2019, 5, e03051.	3.2	6
103	Determinants and supporting factors for rebuilding nursing workforce in a post-disaster setting. <i>BMC Health Services Research</i> , 2019, 19, 917.	2.2	9
104	Premature death associated with long-term evacuation among a vulnerable population after the Fukushima nuclear disaster. <i>Medicine (United States)</i> , 2019, 98, e16162.	1.0	10
105	High internal radiation exposure associated with low socio-economic status six years after the Fukushima nuclear disaster. <i>Medicine (United States)</i> , 2019, 98, e17989.	1.0	8
106	Successful Renovation of a Closed School Into a Long-Term Care Facility in the Affected Area After the 2011 Fukushima Disaster. <i>Disaster Medicine and Public Health Preparedness</i> , 2019, 13, 107-108.	1.3	1
107	Worsening Health Status among Evacuees: Analysis of Medical Expenditures after the 2011 Great East Japan Earthquake and Nuclear Disaster in Fukushima. <i>Tohoku Journal of Experimental Medicine</i> , 2019, 248, 115-123.	1.2	8
108	Great East Japan Earthquake: Proactive sharing of lessons learned. <i>Pediatrics International</i> , 2018, 60, 213-213.	0.5	2

#	ARTICLE	IF	CITATIONS
109	Comparison of external doses between radio-contaminated areas and areas with high natural terrestrial background using the individual dosimeter $\hat{D}$ -shuttle™ 75 months after the Fukushima Daiichi nuclear power plant accident. <i>Journal of Radiological Protection</i> , 2018, 38, 273-285.	1.1	7
110	Call for a new epidemiological approach to disaster response. <i>Journal of Epidemiology and Community Health</i> , 2018, 72, 267-268.	3.7	3
111	Can a disaster affect rheumatoid arthritis status? A retrospective cohort study after the 2011 triple disaster in Fukushima, Japan. <i>International Journal of Rheumatic Diseases</i> , 2018, 21, 1254-1262.	1.9	1
112	Radiation Oncology and Related Oncology Fields in the Face of the 2011 “Triple Disaster” in Fukushima, Japan. <i>International Journal of Radiation Oncology Biology Physics</i> , 2018, 100, 845-848.	0.8	7
113	Trend in unequal geographical distribution of doctors by age and sex in Japan from 2004 to 2014. <i>Public Health</i> , 2018, 159, 95-98.	2.9	5
114	New “loss of happy life expectancy” indicator and its use in risk comparison after Fukushima disaster. <i>Science of the Total Environment</i> , 2018, 615, 1527-1534.	8.0	18
115	Death of the sole doctor at Takano Hospital 6 years after the Fukushima nuclear crisis” who is responsible for health care delivery in the Fukushima disaster zone?. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2018, 111, 79-81.	0.5	10
116	Enhancement of PTSD treatment through social support in Idobata-Nagaya community housing after Fukushima’s triple disaster. <i>BMJ Case Reports</i> , 2018, 2018, bcr-2018-224935.	0.5	8
117	Legionnaires' disease as an occupational risk related to decontamination work after the Fukushima nuclear disaster: a case report. <i>Journal of Occupational Health</i> , 2018, 60, 527-528.	2.1	2
118	The Fukushima Daiichi Nuclear Power Plant accident and school bullying of affected children and adolescents: the need for continuous radiation education. <i>Journal of Radiation Research</i> , 2018, 59, 381-384.	1.6	30
119	Long-term vulnerability of access to hemodialysis facilities in repopulated areas after the Fukushima Nuclear Disaster: a case report. <i>Oxford Medical Case Reports</i> , 2018, 2018, omy040.	0.4	9
120	Successful institutional care for behavioral and psychological symptoms of dementia in a repopulated area after the 2011 Fukushima disaster: A case report. <i>Clinical Case Reports (discontinued)</i> , 2018, 6, 2266-2270.	0.5	3
121	Balancing the risk of the evacuation and sheltering-in-place options: a survival study following Japan’s 2011 Fukushima nuclear incident. <i>BMJ Open</i> , 2018, 8, e021482.	1.9	14
122	Twitter use in scientific communication revealed by visualization of information spreading by influencers within half a year after the Fukushima Daiichi nuclear power plant accident. <i>PLoS ONE</i> , 2018, 13, e0203594.	2.5	39
123	Post-Fukushima radiation education for Japanese high school students in affected areas and its positive effects on their radiation literacy. <i>Journal of Radiation Research</i> , 2018, 59, ii65-ii74.	1.6	12
124	Legionnaires’s disease as an occupational risk related to decontamination work after the Fukushima nuclear disaster: A case report. <i>Journal of Occupational Health</i> , 2018, 60, 271-274.	2.1	8
125	Demographic transition and factors associated with remaining in place after the 2011 Fukushima nuclear disaster and related evacuation orders. <i>PLoS ONE</i> , 2018, 13, e0194134.	2.5	20
126	Communicating With Residents About Risks Following the Fukushima Nuclear Accident. <i>Asia-Pacific Journal of Public Health</i> , 2017, 29, 74S-89S.	1.0	75



#	ARTICLE	IF	CITATIONS
127	Evaluating Risk Communication After the Fukushima Disaster Based on Nudge Theory. <i>Asia-Pacific Journal of Public Health</i> , 2017, 29, 193S-200S.	1.0	28
128	Decontamination Work and the Long-term Increase in Hospital Visits for Hymenoptera Stings Following the Fukushima Nuclear Disaster. <i>Disaster Medicine and Public Health Preparedness</i> , 2017, 11, 545-551.	1.3	5
129	Disappearing everyday materials: The displacement of medical resources following disaster in Fukushima, Japan. <i>Social Science and Medicine</i> , 2017, 191, 117-124.	3.8	18
130	Excess mortality due to indirect health effects of the 2011 triple disaster in Fukushima, Japan: a retrospective observational study. <i>Journal of Epidemiology and Community Health</i> , 2017, 71, 974-980.	3.7	44
131	Multiple Norovirus Outbreaks Due to Shredded, Dried, Laver Seaweed in Japan. <i>Infection Control and Hospital Epidemiology</i> , 2017, 38, 885-886.	1.8	9
132	The importance of family caregiving to achieving palliative care at home. <i>Medicine (United States)</i> , 2017, 96, e8721.	1.0	16
133	Breast cancer patient delay in Fukushima, Japan following the 2011 triple disaster: a long-term retrospective study. <i>BMC Cancer</i> , 2017, 17, 423.	2.6	45
134	Social isolation and cancer management – advanced rectal cancer with patient delay following the 2011 triple disaster in Fukushima, Japan: a case report. <i>Journal of Medical Case Reports</i> , 2017, 11, 138.	0.8	20
135	Assessment of medium-term cardiovascular disease risk after Japan’s 2011 Fukushima Daiichi nuclear accident: a retrospective analysis. <i>BMJ Open</i> , 2017, 7, e018502.	1.9	6
136	Impact of the 2011 Triple Disaster in Fukushima, Japan - An Earthquake, Tsunamis, and a Nuclear Power Plant Accident - Physical Performance of the Children: A Retrospective Cohort Study in Soma City, Fukushima. <i>Prehospital and Disaster Medicine</i> , 2017, 32, S200.	1.3	0
137	Birth Outcomes after the Fukushima Daiichi Nuclear Power Plant Disaster: A Long-Term Retrospective Study. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 542.	2.6	16
138	Towards a Long-Term Strategy for Voluntary-Based Internal Radiation Contamination Monitoring: Representativeness of the Monitoring Results in Fukushima, Japan. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 656.	2.6	10
139	Pokémon GO & driving. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2017, 110, 311-312.	0.5	6
140	Individual external doses below the lowest reference level of 1 mSv per year five years after the 2011 Fukushima nuclear accident among all children in Soma City, Fukushima: A retrospective observational study. <i>PLoS ONE</i> , 2017, 12, e0172305.	2.5	25
141	Towards a Long-Term Strategy for Voluntary-Based Internal Radiation Contamination Monitoring: A Population-Level Analysis of Monitoring Prevalence and Factors Associated with Monitoring Participation Behavior in Fukushima, Japan. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 397.	2.6	12
142	Additional risk of diabetes exceeds the increased risk of cancer caused by radiation exposure after the Fukushima disaster. <i>PLoS ONE</i> , 2017, 12, e0185259.	2.5	23
143	The Effects of Apple Pectin Intake on Decreasing Internal Radioactive Cesium Levels: A Single-armed Pilot Study. <i>Immunology, Endocrine and Metabolic Agents in Medicinal Chemistry</i> , 2017, 17, .	0.5	1
144	Abstract P3-10-14: Breast cancer provider delay after the 2011 triple disaster in Fukushima, Japan. , 2017, , .		0

#	ARTICLE	IF	CITATIONS
145	Hospital Staff Shortage after the 2011 Triple Disaster in Fukushima, Japan-An Earthquake, Tsunamis, and Nuclear Power Plant Accident: A Case of the Soso District. <i>PLoS ONE</i> , 2016, 11, e0164952.	2.5	52
146	Finger Fractures as an Early Manifestation of Primary Hyperparathyroidism Among Young Patients. <i>Medicine (United States)</i> , 2016, 95, e3683.	1.0	4
147	Parental wishes for continued internal radiation contamination screenings in Fukushima schoolchildren. <i>Journal of Radiological Protection</i> , 2016, 36, 1008-1010.	1.1	4
148	Impacts of the 2011 Fukushima nuclear accident on emergency medical service times in Soma District, Japan: a retrospective observational study. <i>BMJ Open</i> , 2016, 6, e013205.	1.9	13
149	Voluntary Medical Support Is Key After Nuclear Disasters. <i>Disaster Medicine and Public Health Preparedness</i> , 2016, 10, 186-187.	1.3	0
150	Living in Contaminated Radioactive Areas Is Not an Acute Risk Factor for Noncommunicable Disease Development: A Retrospective Observational Study. <i>Disaster Medicine and Public Health Preparedness</i> , 2016, 10, 34-37.	1.3	3
151	Voice from Fukushima: Responsibility of Epidemiologists to Avoid Irrational Stigmatization of Children in Fukushima. <i>Thyroid</i> , 2016, 26, 1332-1333.	4.5	6
152	Exposure and current health issues in Minamisoma. <i>Annals of the ICRP</i> , 2016, 45, 129-134.	3.8	2
153	The increase in long-term care public expenditure following the 2011 Fukushima nuclear disaster. <i>Journal of Epidemiology and Community Health</i> , 2016, 70, 738-738.	3.7	13
154	Assessment of Nutritional Status of Iodine Through Urinary Iodine Screening Among Local Children and Adolescents After the Fukushima Daiichi Nuclear Power Plant Accident. <i>Thyroid</i> , 2016, 26, 1778-1785.	4.5	2
155	A possible association between the resumption of agricultural activities and a venomous snakebite after Fukushima nuclear crisis. <i>Oxford Medical Case Reports</i> , 2016, 2016, 22-23.	0.4	5
156	Sociodemographic patterning of long-term diabetes mellitus control following Japan's 3.11 triple disaster: a retrospective cohort study. <i>BMJ Open</i> , 2016, 6, e011455.	1.9	12
157	<i>Klebsiella Pneumoniae</i> sepsis deteriorated by uncontrolled underlying disease in a decontamination worker in Fukushima, Japan. <i>Journal of Occupational Health</i> , 2016, 58, 320-322.	2.1	12
158	Non-communicable diseases in decontamination workers in areas affected by the Fukushima nuclear disaster: a retrospective observational study. <i>BMJ Open</i> , 2016, 6, e013885.	1.9	13
159	Estimated association between dwelling soil contamination and internal radiation contamination levels after the 2011 Fukushima Daiichi nuclear accident in Japan. <i>BMJ Open</i> , 2016, 6, e010970.	1.9	12
160	School restrictions on outdoor activities and weight status in adolescent children after Japan's 2011 Fukushima Nuclear Power Plant disaster: a mid-term to long-term retrospective analysis. <i>BMJ Open</i> , 2016, 6, e013145.	1.9	9
161	Postnuclear disaster evacuation and chronic health in adults in Fukushima, Japan: a long-term retrospective analysis. <i>BMJ Open</i> , 2016, 6, e010080.	1.9	67
162	Asymptomatic hepatic portal venous gas with gastric emphysema as a chronic complication of gastrostomy tube placement: a case report. <i>Journal of Medical Case Reports</i> , 2016, 10, 234.	0.8	8

#	ARTICLE	IF	CITATIONS
163	Social isolation and cancer management after the 2011 triple disaster in Fukushima, Japan. <i>Medicine (United States)</i> , 2016, 95, e4027.	1.0	28
164	Dependence of radiation dose on the behavioral patterns among school children: a retrospective analysis 18 to 20 months following the 2011 Fukushima nuclear incident in Japan. <i>Journal of Radiation Research</i> , 2016, 57, 1-8.	1.6	20
165	Post-nuclear disaster evacuation and survival amongst elderly people in Fukushima: A comparative analysis between evacuees and non-evacuees. <i>Preventive Medicine</i> , 2016, 82, 77-82.	3.4	48
166	An evaluation of early countermeasures to reduce the risk of internal radiation exposure after the Fukushima nuclear incident in Japan. <i>Health Policy and Planning</i> , 2016, 31, 425-433.	2.7	19
167	Public health after a nuclear disaster: beyond radiation risks. <i>Bulletin of the World Health Organization</i> , 2016, 94, 859-860.	3.3	7
168	Healthcare Delivery to a Repopulated Village after the Fukushima Nuclear Disaster: A Case of Kawauchi Village, Fukushima, Japan. <i>Japan Medical Association Journal</i> , 2016, 59, 159-161.	0.0	7
169	Whole-body counter surveys of over 2700 babies and small children in and around Fukushima Prefecture 33 to 49 months after the Fukushima Daiichi NPP accident. <i>Proceedings of the Japan Academy Series B: Physical and Biological Sciences</i> , 2015, 91, 440-446.	3.8	28
170	Whole-body counter surveys of Miharu-town school children for four consecutive years after the Fukushima NPP accident. <i>Proceedings of the Japan Academy Series B: Physical and Biological Sciences</i> , 2015, 91, 92-98.	3.8	9
171	Compliance with the proper use of an individual radiation dosimeter among children and the effects of improper use on the measured dose: a retrospective study 18â€“20â€…months following Japan's 2011 Fukushima nuclear incident. <i>BMJ Open</i> , 2015, 5, e009555.	1.9	11
172	Whole body counter assessment of internal radiocontamination in patients with end-stage renal disease living in areas affected by the Fukushima Daiichi nuclear power plant disaster: a retrospective observational study. <i>BMJ Open</i> , 2015, 5, e009745.	1.9	1
173	Assessment of the Annual Additional Effective Doses amongst Minamisoma Children during the Second Year after the Fukushima Daiichi Nuclear Power Plant Disaster. <i>PLoS ONE</i> , 2015, 10, e0129114.	2.5	33
174	Was the Risk from Nursing-Home Evacuation after the Fukushima Accident Higher than the Radiation Risk?. <i>PLoS ONE</i> , 2015, 10, e0137906.	2.5	58
175	Minimal Internal Radiation Exposure in Residents Living South of the Fukushima Daiichi Nuclear Power Plant Disaster. <i>PLoS ONE</i> , 2015, 10, e0140482.	2.5	9
176	Mortality risk amongst nursing home residents evacuated after the Fukushima nuclear accident. <i>European Journal of Public Health</i> , 2015, 25, .	0.3	0
177	Physical performance deterioration of temporary housing residents after the Great East Japan Earthquake. <i>Preventive Medicine Reports</i> , 2015, 2, 916-919.	1.8	27
178	Comparison between Direct Measurements and Modeled Estimates of External Radiation Exposure among School Children 18 to 30 Months after the Fukushima Nuclear Accident in Japan. <i>Environmental Science &amp; Technology</i> , 2015, 49, 1009-1016.	10.0	33
179	How do medical journalists treat cancer-related issues?. <i>Ecancermedalscience</i> , 2015, 9, 502.	1.1	6
180	Absence of Internal Radiation Contamination by Radioactive Cesium among Children Affected by the Fukushima Daiichi Nuclear Power Plant Disaster. <i>Health Physics</i> , 2015, 108, 39-43.	0.5	40

#	ARTICLE	IF	CITATIONS
181	Managing Type 2 Diabetes Mellitus through Periodical Hospital Visits in the Aftermath of the Great East Japan Earthquake Disaster: A Retrospective Case Series. PLoS ONE, 2015, 10, e0125632.	2.5	18
182	Perforated appendiceal diverticulitis associated with appendiceal neurofibroma in neurofibromatosis type 1. World Journal of Gastroenterology, 2015, 21, 9817.	3.3	6
183	Reduction of High Levels of Internal Radio-Contamination by Dietary Intervention in Residents of Areas Affected by the Fukushima Daiichi Nuclear Plant Disaster: A Case Series. PLoS ONE, 2014, 9, e100302.	2.5	45
184	Assessment of the Risk of Medium-Term Internal Contamination in Minamisoma City, Fukushima, Japan, after the Fukushima Dai-ichi Nuclear Accident. Environmental Health Perspectives, 2014, 122, 587-593.	6.0	26
185	Impact of Natural Disaster Combined with Nuclear Power Plant Accidents on Local Medical Services: a Case Study of Minamisoma Municipal General Hospital after the Great East Japan Earthquake. Disaster Medicine and Public Health Preparedness, 2014, 8, 471-476.	1.3	80
186	The Immediate Physical and Mental Health Crisis in Residents Proximal to the Evacuation Zone After Japan's Nuclear Disaster: An Observational Pilot Study. Disaster Medicine and Public Health Preparedness, 2014, 8, 30-36.	1.3	26
187	A Need for Tetanus Vaccination Before Restoration Activities in Fukushima, Japan. Disaster Medicine and Public Health Preparedness, 2014, 8, 467-468.	1.3	6
188	Detecting Residual Fluorine 18 From a Medical PET-CT Procedure During Population Whole Body Counter Screening in Fukushima. Disaster Medicine and Public Health Preparedness, 2014, 8, 469-470.	1.3	1
189	Possible Anisakiasis Associated with Fishery Resumption. Disaster Medicine and Public Health Preparedness, 2014, 8, 117-118.	1.3	4
190	Detection of 131I in a Patient With Thyroid Cancer by Internal Radiation Exposure Screening Using a Whole-Body Counter in Fukushima. Clinical Nuclear Medicine, 2014, 39, 281-282.	1.3	2
191	Whole-body counter survey results 4 months after the Fukushima Dai-ichi NPP accident in Minamisoma City, Fukushima. Journal of Radiological Protection, 2014, 34, 787-799.	1.1	23
192	An autopsy case that manifested no convincing histological changes of severe renal failure after hematopoietic stem cell transplantation. CEN Case Reports, 2014, 3, 34-39.	0.9	3
193	The Predictive Value for Pulmonary Infection by Area Over the Neutrophil Curve (D-index) in Patients Who Underwent Reduced Intensity Hematopoietic Stem Cell Transplantation. Pathology and Oncology Research, 2014, 20, 879-883.	1.9	4
194	Comprehensive whole-body counter surveys of Miharu-town school children for three consecutive years after the Fukushima NPP accident. Proceedings of the Japan Academy Series B: Physical and Biological Sciences, 2014, 90, 211-213.	3.8	10
195	Development of a National Agreement on Human Papillomavirus Vaccination in Japan: An Infodemiology Study. Journal of Medical Internet Research, 2014, 16, e129.	4.3	5
196	Changes in metabolic profiles after the Great East Japan Earthquake: a retrospective observational study. BMC Public Health, 2013, 13, 267.	2.9	59
197	A report from Fukushima: an assessment of bone health in an area affected by the Fukushima nuclear plant incident. Journal of Bone and Mineral Metabolism, 2013, 31, 613-617.	2.7	7
198	Therapeutic platelet transfusion for hypoproliferative thrombocytopenia. Lancet, The, 2013, 381, 723-724.	13.7	0

#	ARTICLE	IF	CITATIONS
199	The growth of high quality GaAsSb and type-II InGaAs/GaAsSb superlattice structure. <i>Journal of Applied Physics</i> , 2013, 113, .	2.5	13
200	Differences in drug approval processes of 3 regulatory agencies: a case study of gemtuzumab ozogamicin. <i>Investigational New Drugs</i> , 2013, 31, 473-478.	2.6	29
201	Treatment for patients with indolent and mantle cell lymphoma. <i>Lancet, The</i> , 2013, 382, 1093-1094.	13.7	0
202	Increased incidence of dog-bite injuries after the Fukushima nuclear accident. <i>Preventive Medicine</i> , 2013, 57, 363-365.	3.4	11
203	Internal radiocesium contamination of adults and children in Fukushima 7 to 20 months after the Fukushima NPP accident as measured by extensive whole-body-counter surveys. <i>Proceedings of the Japan Academy Series B: Physical and Biological Sciences</i> , 2013, 89, 157-163.	3.8	105
204	Acute Intake of Radionuclides Immediately After the Incident as the Main Contributor of the Internal Radiation Exposure After Fukushima Daiichi Nuclear Disaster. <i>JAMA Pediatrics</i> , 2013, 167, 1169.	6.2	24
205	Measurement of Internal Radiation Exposure among Decontamination Workers in Villages near the Crippled Fukushima Daiichi Nuclear Power Plant. <i>Health Physics</i> , 2013, 105, 379-381.	0.5	15
206	Enhancement of Collective Immunity in Tokyo Metropolitan Area by Selective Vaccination against an Emerging Influenza Pandemic. <i>PLoS ONE</i> , 2013, 8, e72866.	2.5	8
207	Limited Internal Radiation Exposure Associated with Resettlements to a Radiation-Contaminated Homeland after the Fukushima Daiichi Nuclear Disaster. <i>PLoS ONE</i> , 2013, 8, e81909.	2.5	52
208	Mortality Risk amongst Nursing Home Residents Evacuated after the Fukushima Nuclear Accident: A Retrospective Cohort Study. <i>PLoS ONE</i> , 2013, 8, e60192.	2.5	99
209	The Relationship between Media Consumption and Health-Related Anxieties after the Fukushima Daiichi Nuclear Disaster. <i>PLoS ONE</i> , 2013, 8, e65331.	2.5	71
210	A Study on Internal Radiation Exposure due to <sup>137</sup> Cs Caused by Fukushima Daiichi NPP Accident. <i>Journal of Disaster Research</i> , 2013, 8, 756-761.	0.7	0
211	The voice of the most vulnerable: lessons from the nuclear crisis in Fukushima, Japan. <i>Bulletin of the World Health Organization</i> , 2012, 90, 629-630.	3.3	24
212	Clinical features of calcineurin inhibitor-induced pain syndrome after allo-SCT. <i>Bone Marrow Transplantation</i> , 2012, 47, 593-595.	2.4	20
213	Internal Radiation Exposure After the Fukushima Nuclear Power Plant Disaster. <i>JAMA - Journal of the American Medical Association</i> , 2012, 308, 669.	7.4	116
214	A Dog Bite Injury after the Fukushima Nuclear Accident. <i>Internal Medicine</i> , 2012, 51, 2493-2493.	0.7	2
215	Radiograph Abnormalities Caused by the Nuclear Accident. <i>Internal Medicine</i> , 2012, 51, 2073-2073.	0.7	0
216	CNS prophylaxis in diffuse large B-cell lymphoma. <i>Lancet, The</i> , 2012, 379, 1486.	13.7	0

#	ARTICLE	IF	CITATIONS
217	The impact of the Great Tohoku Earthquake on the dialysis practice in the disaster-stricken area. <i>Hemodialysis International</i> , 2012, 16, 320-321.	0.9	12
218	Hydroxycarbamide use in young children with sickle-cell anaemia. <i>Lancet, The</i> , 2011, 378, 1777.	13.7	2
219	Ocular palsy associated with aggressive NK-cell leukemia. <i>International Journal of Hematology</i> , 2011, 93, 687-688.	1.6	1
220	Cytarabine Dose for Acute Myeloid Leukemia. <i>New England Journal of Medicine</i> , 2011, 364, 2166-2169.	27.0	10
221	Fatal Dysrhythmia Following Initiation of Lansoprazole During a Long-Term Course of Voriconazole. <i>Journal of Clinical Pharmacology</i> , 2011, 51, 1488-1490.	2.0	6
222	H1N1 influenza A outbreak among young medical staff members who received single dose of non-adjuvanted split-virion 2009 H1N1 vaccine. <i>Hum Vaccin</i> , 2011, 7, 56-57.	2.4	4
223	Fatal intracranial hemorrhage following administration of recombinant thrombomodulin in a patient after cord blood transplantation. <i>Bone Marrow Transplantation</i> , 2011, 46, 1030-1031.	2.4	13
224	Impact of the H1N1 Influenza A virus epidemic on cancer treatment in Hyogo, Japan. <i>International Journal of Infection Control</i> , 2011, 7, .	0.2	2
225	The impact of H1N1 influenza A virus pandemic on the blood donations in Hyogo Prefecture, Japan. <i>Transfusion</i> , 2010, 50, 1803-1805.	1.6	13
226	Failure of liver function tests in predicting drug clearance of chemotherapeutic agents in a patient who had recovered from hepatic congestion. <i>British Journal of Clinical Pharmacology</i> , 2010, 70, 277-279.	2.4	1
227	Risk of Fatal Adverse Events after H1N1 Influenza Vaccination. <i>Clinical Infectious Diseases</i> , 2010, 50, 1548-1549.	5.8	11
228	Reply to McNeil et al. <i>Clinical Infectious Diseases</i> , 2010, 51, 872-873.	5.8	6
229	Macrophages in Hodgkin's Lymphoma. <i>New England Journal of Medicine</i> , 2010, 362, 2135-2136.	27.0	8
230	Second-Generation BCR-ABL Kinase Inhibitors in CML. <i>New England Journal of Medicine</i> , 2010, 363, 1672-1675.	27.0	14
231	The impact of H1N1 influenza A virus pandemic on the emergency medical service in Kobe. <i>American Journal of Emergency Medicine</i> , 2010, 28, 248-251.	1.6	7
232	Japan's health policy. <i>Lancet, The</i> , 2010, 376, 1900.	13.7	1
233	4014 Safety and effectiveness of rehabilitation for elderly patients with hematological malignancies who received intensive chemotherapies. <i>European Journal of Cancer, Supplement</i> , 2009, 7, 219.	2.2	0
234	Review of postmarketing surveillance of molecular targeted anticancer agents in Japan. <i>Journal of Clinical Oncology</i> , 2009, 27, 6598-6598.	1.6	0

#	ARTICLE	IF	CITATIONS
235	Treatment for elderly patients with multiple myeloma. Lancet, The, 2008, 371, 983.	13.7	0
236	Radiotherapy hypofractionation in early breast cancer. Lancet, The, 2008, 372, 204.	13.7	2
237	Mass screening for neuroblastoma at 6 months of age. Lancet, The, 2008, 372, 372-373.	13.7	4
238	Mesenchymal stem cells for acute graft-versus-host disease. Lancet, The, 2008, 372, 715-716.	13.7	13
239	Weekly Paclitaxel in the Adjuvant Treatment of Breast Cancer. New England Journal of Medicine, 2008, 359, 310-311.	27.0	5
240	Bortezomib plus Melphalan and Prednisone for Multiple Myeloma. New England Journal of Medicine, 2008, 359, 2613-2614.	27.0	5
241	The Prevalence of High-Risk Human Papillomavirus in Women with Different Types of Cervical Cancer. Annals of Internal Medicine, 2008, 149, 283.	3.9	1
242	Identification of cardiac metastasis of primary gastric diffuse large B-cell lymphoma. British Journal of Haematology, 2007, 137, 179-179.	2.5	1
243	Maturing of public-private-people partnership (4P): Lessons from 4P for triple disaster and subsequently COVID-19 pandemic in Fukushima. Journal of Global Health, 0, 12, .	2.7	9
244	Characteristics of Patients Transported by Doctor-Requested Helicopters After Japan's 2011 Nuclear Incident. Disaster Medicine and Public Health Preparedness, 0, , 1-5.	1.3	0