

# Pradeep L Menezes

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1451855/publications.pdf>

Version: 2024-02-01

160  
papers

6,341  
citations

87888

38  
h-index

82547

72  
g-index

163  
all docs

163  
docs citations

163  
times ranked

4834  
citing authors

#	ARTICLE	IF	CITATIONS
1	Fiber-Reinforced Polymer Composites: Manufacturing, Properties, and Applications. <i>Polymers</i> , 2019, 11, 1667.	4.5	776
2	Mechanical and tribological properties of self-lubricating metal matrix nanocomposites reinforced by carbon nanotubes (CNTs) and "graphene" A review. <i>Composites Part B: Engineering</i> , 2015, 77, 402-420.	12.0	696
3	Laser surface texturing and related techniques for enhancing tribological performance of engineering materials: A review. <i>Journal of Manufacturing Processes</i> , 2020, 53, 153-173.	5.9	211
4	State of the art on tribological behavior of polymer matrix composites reinforced with natural fibers in the green materials world. <i>Engineering Science and Technology, an International Journal</i> , 2016, 19, 717-736.	3.2	207
5	The influence of fatty acids on tribological and thermal properties of natural oils as sustainable biolubricants. <i>Tribology International</i> , 2015, 90, 123-134.	5.9	181
6	Advanced Metal Matrix Nanocomposites. <i>Metals</i> , 2019, 9, 330.	2.3	174
7	Tribological performance of self-lubricating aluminum matrix nanocomposites: Role of graphene nanoplatelets. <i>Engineering Science and Technology, an International Journal</i> , 2016, 19, 463-469.	3.2	129
8	Influences of graphite reinforcement on the tribological properties of self-lubricating aluminum matrix composites for green tribology, sustainability, and energy efficiency" a review. <i>International Journal of Advanced Manufacturing Technology</i> , 2016, 83, 325-346.	3.0	121
9	Mechanical, physical and tribological characterization of nano-cellulose fibers reinforced bio-epoxy composites: An attempt to fabricate and scale the "Green"™ composite. <i>Carbohydrate Polymers</i> , 2016, 147, 282-293.	10.2	115
10	Plasma Electrolytic Oxidation (PEO) Process" Processing, Properties, and Applications. <i>Nanomaterials</i> , 2021, 11, 1375.	4.1	111
11	The Size Effect of Boron Nitride Particles on the Tribological Performance of Biolubricants for Energy Conservation and Sustainability. <i>Tribology Letters</i> , 2013, 51, 437-452.	2.6	110
12	Influence of surface texture and roughness parameters on friction and transfer layer formation during sliding of aluminium pin on steel plate. <i>Wear</i> , 2009, 267, 1534-1549.	3.1	109
13	Influence of boric acid additive size on green lubricant performance. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2010, 368, 4851-4868.	3.4	103
14	Effect of Roughness Parameter and Grinding Angle on Coefficient of Friction When Sliding of Al" Mg Alloy Over EN8 Steel. <i>Journal of Tribology</i> , 2006, 128, 697-704.	1.9	83
15	Friction-based welding processes: friction welding and friction stir welding. <i>Journal of Adhesion Science and Technology</i> , 2020, 34, 2613-2637.	2.6	78
16	Experimental and numerical analysis of helical-wedge rolling process for producing steel balls. <i>International Journal of Machine Tools and Manufacture</i> , 2013, 67, 1-7.	13.4	72
17	Role of Surface Texture, Roughness, and Hardness on Friction During Unidirectional Sliding. <i>Tribology Letters</i> , 2011, 41, 1-15.	2.6	71
18	Diamond-Like Carbon (DLC) Coatings: Classification, Properties, and Applications. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 4445.	2.5	71

#	ARTICLE	IF	CITATIONS
19	The influence of surface roughness and particulate size on the tribological performance of bio-based multi-functional hybrid lubricants. <i>Tribology International</i> , 2015, 88, 40-55.	5.9	63
20	A Review on the Science and Technology of Natural and Synthetic Biolubricants. <i>Journal of Bio- and Tribo-Corrosion</i> , 2017, 3, 1.	2.6	61
21	Study of solid lubrication with MoS <sub>2</sub> coating in the presence of additives using reciprocating ball-on-flat scratch tester. <i>Sadhana - Academy Proceedings in Engineering Sciences</i> , 2008, 33, 207-220.	1.3	59
22	Studies on the formation of discontinuous rock fragments during cutting operation. <i>International Journal of Rock Mechanics and Minings Sciences</i> , 2014, 71, 131-142.	5.8	59
23	Influence of roughness parameters on coefficient of friction under lubricated conditions. <i>Sadhana - Academy Proceedings in Engineering Sciences</i> , 2008, 33, 181-190.	1.3	58
24	Water-Based Lubricants: Development, Properties, and Performances. <i>Lubricants</i> , 2021, 9, 73.	2.9	58
25	Influence of surface texture on coefficient of friction and transfer layer formation during sliding of pure magnesium pin on O80 M40 (EN8) steel plate. <i>Wear</i> , 2006, 261, 578-591.	3.1	57
26	Effect of surface roughness parameters and surface texture on friction and transfer layer formation in tin-steel tribo-system. <i>Journal of Materials Processing Technology</i> , 2008, 208, 372-382.	6.3	57
27	Friction and transfer layer formation in polymer-steel tribo-system: Role of surface texture and roughness parameters. <i>Wear</i> , 2011, 271, 2213-2221.	3.1	55
28	Surface characterization and tribological performance of laser shock peened steel surfaces. <i>Surface and Coatings Technology</i> , 2018, 351, 188-197.	4.8	50
29	Evaluation of boron nitride particles on the tribological performance of avocado and canola oil for energy conservation and sustainability. <i>International Journal of Advanced Manufacturing Technology</i> , 2017, 89, 3475-3486.	3.0	49
30	Studies on the formation of discontinuous chips during rock cutting using an explicit finite element model. <i>International Journal of Advanced Manufacturing Technology</i> , 2014, 70, 635-648.	3.0	48
31	Peening Techniques for Surface Modification: Processes, Properties, and Applications. <i>Materials</i> , 2021, 14, 3841.	2.9	48
32	On the effect of surface texture on friction and transfer layer formation – A study using Al and steel pair. <i>Wear</i> , 2008, 265, 1655-1669.	3.1	47
33	Influence of friction during forming processes – a study using a numerical simulation technique. <i>International Journal of Advanced Manufacturing Technology</i> , 2009, 40, 1067-1076.	3.0	47
34	Studies on friction and transfer layer using inclined scratch. <i>Tribology International</i> , 2006, 39, 175-183.	5.9	46
35	Ultrasonic Surface Rolling Process: Properties, Characterization, and Applications. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 10986.	2.5	44
36	Effect of directionality of unidirectional grinding marks on friction and transfer layer formation of Mg on steel using inclined scratch test. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006, 429, 149-160.	5.6	43

#	ARTICLE	IF	CITATIONS
37	Study of Friction and Transfer Layer Formation in Copper-Steel Tribo-System: Role of Surface Texture and Roughness Parameters. Tribology Transactions, 2009, 52, 611-622.	2.0	40
38	Synthesis and recent advances in tribological applications of graphene. International Journal of Advanced Manufacturing Technology, 2018, 97, 3999-4019.	3.0	40
39	Analysis of the Contribution of Adhesion and Hysteresis to Shoeâ€œFloor Lubricated Friction in the Boundary Lubrication Regime. Tribology Letters, 2012, 47, 341-347.	2.6	39
40	Effect of graphite particles on improving tribological properties Al-16Si-5Ni-5Graphite self-lubricating composite under fully flooded and starved lubrication conditions for transportation applications. International Journal of Advanced Manufacturing Technology, 2016, 87, 929-939.	3.0	38
41	Surface texturing by indirect laser shock surface patterning for manipulated friction coefficient. Journal of Materials Processing Technology, 2018, 257, 227-233.	6.3	38
42	Tribological study of imidazolium and phosphonium ionic liquid-based lubricants as additives in carboxylic acid-based natural oil: Advancements in environmentally friendly lubricants. Journal of Cleaner Production, 2018, 176, 241-250.	9.3	38
43	Graphene-Reinforced Metal and Polymer Matrix Composites. Jom, 2018, 70, 829-836.	1.9	37
44	Self-Lubricating Materials for Extreme Condition Applications. Materials, 2021, 14, 5588.	2.9	36
45	A Brief Review of Fly Ash as Reinforcement for Composites with Improved Mechanical and Tribological Properties. Jom, 2020, 72, 2340-2351.	1.9	35
46	Recent progress on phosphonium-based room temperature ionic liquids: Synthesis, properties, tribological performances and applications. Tribology International, 2022, 167, 107331.	5.9	35
47	Synergistic wear-corrosion analysis and modelling of nanocomposite coatings. Tribology International, 2018, 121, 30-44.	5.9	34
48	Effect of Micro- and Nano-Sized Carbonous Solid Lubricants as Oil Additives in Nanofluid on Tribological Properties. Lubricants, 2019, 7, 25.	2.9	33
49	Self-healing and superhydrophobic coatings for corrosion inhibition and protection. International Journal of Advanced Manufacturing Technology, 2020, 106, 2119-2131.	3.0	33
50	Influence of roughness parameters and surface texture on friction during sliding of pure lead over O80 M40 steel. International Journal of Advanced Manufacturing Technology, 2009, 43, 731-743.	3.0	32
51	Role of surface texture of harder surface on subsurface deformation. Wear, 2009, 266, 103-109.	3.1	32
52	Enhanced corrosion resistance and surface bioactivity of AZ31B Mg alloy by high pressure cold sprayed monolayer Ti and bilayer Ta/Ti coatings in simulated body fluid. Materials Chemistry and Physics, 2020, 256, 123627.	4.0	32
53	Tribological Properties of High-Entropy Alloys under Dry Conditions for a Wide Temperature Rangeâ€œA Review. Materials, 2021, 14, 5814.	2.9	31
54	The influence of surface pre-twinning on the friction and wear performance of an AZ31B Mg alloy. Applied Surface Science, 2019, 480, 998-1007.	6.1	30

#	ARTICLE	IF	CITATIONS
55	Carbon solid lubricants: role of different dimensions. International Journal of Advanced Manufacturing Technology, 2020, 107, 3875-3895.	3.0	29
56	Nanocrystalline Materials: Synthesis, Characterization, Properties, and Applications. Crystals, 2021, 11, 1317.	2.2	27
57	Studies on the Tribological Behavior of Natural Fiber Reinforced Polymer Composite. Green Energy and Technology, 2012, , 329-345.	0.6	26
58	Tribological Properties of Additive Manufactured Materials for Energy Applications: A Review. Processes, 2021, 9, 31.	2.8	26
59	Advances in triboluminescence and mechanoluminescence. Journal of Materials Science: Materials in Electronics, 2019, 30, 19675-19690.	2.2	25
60	Role of Surface Texture on Friction under Boundary Lubricated Conditions. Tribology Online, 2008, 3, 12-18.	0.9	24
61	Analysis of Shoe Friction During Sliding Against Floor Material: Role of Fluid Contaminant. Journal of Tribology, 2012, 134, .	1.9	24
62	Self-Lubricating Behavior of Graphite Reinforced Metal Matrix Composites. Green Energy and Technology, 2012, , 445-480.	0.6	23
63	Tribocorrosion of Porous Titanium Used in Biomedical Applications. Journal of Bio- and Tribo-Corrosion, 2019, 5, 1.	2.6	23
64	Ultrasonic Nanocrystal Surface Modification: Processes, Characterization, Properties, and Applications. Nanomaterials, 2022, 12, 1415.	4.1	23
65	Conversion of Waste Plastic to Oils for Tribological Applications. Lubricants, 2020, 8, 78.	2.9	22
66	Tribological performance of environmental friendly ionic liquids for high-temperature applications. Journal of Cleaner Production, 2021, 279, 123666.	9.3	22
67	Tribological and Corrosion Behavior of High Pressure Cold Sprayed Duplex 316L Stainless Steel. Tribology International, 2022, 169, 107471.	5.9	22
68	Advanced High-Strength Steels for Automotive Applications: Arc and Laser Welding Process, Properties, and Challenges. Metals, 2022, 12, 1051.	2.3	22
69	Influence of Die Surface Textures during Metal Forming—A Study Using Experiments and Simulation. Materials and Manufacturing Processes, 2010, 25, 1030-1039.	4.7	21
70	The role of surface texture on friction and transfer layer formation during repeated sliding of Al <sub>2</sub> O <sub>3</sub> against steel. Wear, 2011, 271, 1785-1793.	3.1	21
71	Effect of In-situ Processing Parameters on the Mechanical and Tribological Properties of Self-Lubricating Hybrid Aluminum Nanocomposites. Tribology Letters, 2016, 62, 1.	2.6	21
72	Ionic Liquids: A Plausible Future of Bio-lubricants. Journal of Bio- and Tribo-Corrosion, 2017, 3, 1.	2.6	21

#	ARTICLE	IF	CITATIONS
73	Influence of cutter velocity, friction coefficient and rake angle on the formation of discontinuous rock fragments during rock cutting process. International Journal of Advanced Manufacturing Technology, 2017, 90, 3811-3827.	3.0	21
74	Material Design and Surface Engineering for Bio-implants. Jom, 2020, 72, 684-696.	1.9	21
75	Supersonic particle deposition as an additive technology: methods, challenges, and applications. International Journal of Advanced Manufacturing Technology, 2020, 106, 2079-2099.	3.0	21
76	Tribological Performance of Graphite Nanoplatelets Reinforced Al and Al/Al <sub>2</sub> O <sub>3</sub> Self-Lubricating Composites. Materials, 2021, 14, 1183.	2.9	21
77	Effect of Surface Topography on Friction and Transfer Layer during Sliding. Tribology Online, 2008, 3, 25-30.	0.9	20
78	Influence of rock mechanical properties and rake angle on the formation of rock fragments during cutting operation. International Journal of Advanced Manufacturing Technology, 2017, 90, 127-139.	3.0	20
79	Surface Energy and Tribology of Electrodeposited Ni and Ni-Graphene Coatings on Steel. Lubricants, 2019, 7, 87.	2.9	20
80	Friction Stir Processing on the Tribological, Corrosion, and Erosion Properties of Steel: A Review. Journal of Manufacturing and Materials Processing, 2021, 5, 97.	2.2	19
81	Advances in Bio-inspired Tribology for Engineering Applications. Journal of Bio- and Tribo-Corrosion, 2016, 2, 1.	2.6	18
82	Influence of environmental friendly multiphase lubricants on the friction and transfer layer formation during sliding against textured surfaces. Journal of Cleaner Production, 2019, 209, 1245-1251.	9.3	18
83	Critical Overview of Coatings Technology for Metal Matrix Composites. Journal of Bio- and Tribo-Corrosion, 2020, 6, 1.	2.6	18
84	Response of materials as a function of grinding angle on friction and transfer layer formation. International Journal of Advanced Manufacturing Technology, 2010, 49, 485-495.	3.0	17
85	Direct laser shock surface patterning of an AZ31B magnesium alloy: Microstructure evolution and friction performance. Journal of Materials Processing Technology, 2020, 275, 116333.	6.3	17
86	Tribology of Solid Lubricants. , 2013, , 447-494.		17
87	Synergistic Study of Solid Lubricant Nano-Additives Incorporated in canola oil for Enhancing Energy Efficiency and Sustainability. Sustainability, 2022, 14, 290.	3.2	17
88	An explicit finite element model to study the influence of rake angle and friction during orthogonal metal cutting. International Journal of Advanced Manufacturing Technology, 2014, 73, 875-885.	3.0	16
89	Recent Progress on Electroactive Polymers: Synthesis, Properties and Applications. Ceramics, 2021, 4, 516-541.	2.6	16
90	Friction and Wear. , 2013, , 43-91.		16

#	ARTICLE	IF	CITATIONS
91	Influence of friction and rake angle on the formation of built-up edge during the rock cutting process. <i>International Journal of Rock Mechanics and Minings Sciences</i> , 2016, 88, 175-182.	5.8	15
92	Advancements in Eco-friendly Lubricants for Tribological Applications: Past, Present, and Future. <i>Materials Forming, Machining and Tribology</i> , 2016, , 41-61.	1.1	15
93	Effect of Laser Shock Peening on the Wear&Corrosion Synergistic Behavior of an AZ31B Magnesium Alloy. <i>Journal of Tribology</i> , 2020, 142, .	1.9	15
94	Surface Modification of 6xxx Series Aluminum Alloys. <i>Coatings</i> , 2022, 12, 180.	2.6	15
95	Influence of inclination angle of plate on friction, stick-slip and transfer layer&A study of magnesium pin sliding against steel plate. <i>Wear</i> , 2009, 267, 476-484.	3.1	14
96	Influence of tilt angle of plate on friction and transfer layer&A study of aluminium pin sliding against steel plate. <i>Tribology International</i> , 2010, 43, 897-905.	5.9	14
97	Tribological response of soft materials sliding against hard surface textures at various numbers of cycles. <i>Lubrication Science</i> , 2013, 25, 79-99.	2.1	14
98	Ball Milled Graphene Nano Additives for Enhancing Sliding Contact in Vegetable Oil. <i>Nanomaterials</i> , 2021, 11, 610.	4.1	14
99	Green Lubricants: Role of Additive Size. <i>Green Energy and Technology</i> , 2012, , 265-286.	0.6	13
100	Tribological Performance of Environmentally Friendly Ionic Liquid Lubricants. , 2012, , .		13
101	Improvement of Wear, Pitting Corrosion Resistance and Repassivation Ability of Mg-Based Alloys Using High Pressure Cold Sprayed (HPCS) Commercially Pure-Titanium Coatings. <i>Coatings</i> , 2021, 11, 57.	2.6	13
102	Effect of Gas Propellant Temperature on the Microstructure, Friction, and Wear Resistance of High-Pressure Cold Sprayed Zr702 Coatings on Al6061 Alloy. <i>Coatings</i> , 2022, 12, 263.	2.6	13
103	Influence of Surface Texture and Roughness of Softer and Harder Counter Materials on Friction During Sliding. <i>Journal of Materials Engineering and Performance</i> , 2015, 24, 393-403.	2.5	12
104	Natural Adhesion System Leads to Synthetic Adhesives. <i>Journal of Bio- and Tribo-Corrosion</i> , 2018, 4, 1.	2.6	12
105	Influence of laser shock peening on the surface energy and tribocorrosion properties of an AZ31B Mg alloy. <i>Wear</i> , 2020, 462-463, 203490.	3.1	12
106	Thermodynamic stabilization of nanocrystalline aluminum. <i>Journal of Materials Science</i> , 2021, 56, 14611-14623.	3.7	12
107	Fundamentals of Engineering Surfaces. , 2013, , 3-41.		12
108	Fundamentals of Lubrication. , 2013, , 295-340.		12

#	ARTICLE	IF	CITATIONS
109	Tribology and Applications of Self-Lubricating Materials. , 0, , .		12
110	The effect of particulate additive mixtures on the tribological performance of phosphonium-based ionic liquid lubricants. Tribology International, 2022, 165, 107300.	5.9	12
111	Thermal decomposition of phosphonium salicylate and phosphonium benzoate ionic liquids. Journal of Molecular Liquids, 2022, 352, 118700.	4.9	12
112	Response of Materials During Sliding on Various Surface Textures. Journal of Materials Engineering and Performance, 2011, 20, 1438-1446.	2.5	11
113	Analysis of Strain Rates and Microstructural Evaluation during Metal Forming: Role of Surface Texture and Friction. Tribology Transactions, 2012, 55, 582-589.	2.0	11
114	Self-Lubricating Behavior of Graphite-Reinforced Composites. , 2013, , 341-389.		11
115	Surface texturing to control friction and wear for energy efficiency and sustainability. International Journal of Advanced Manufacturing Technology, 2016, 85, 1385-1394.	3.0	11
116	Cermet Systems: Synthesis, Properties, and Applications. Ceramics, 2022, 5, 210-236.	2.6	11
117	Subsurface deformation and the role of surface texture—A study with Cu pins and steel plates. Sadhana - Academy Proceedings in Engineering Sciences, 2008, 33, 191-201.	1.3	10
118	Performance Analysis of Retrofitted Tribo-Corrosion Test Rig for Monitoring In Situ Oil Conditions. Materials, 2017, 10, 1145.	2.9	10
119	Friction and Wear Behavior of Environmentally Friendly Ionic Liquids for Sustainability of Biolubricants. Journal of Tribology, 2019, 141, .	1.9	10
120	Atmospheric Plasma Spray Coating of NiTi on Mild Steel Substrate: An Microstructural Investigation. Journal of Bio- and Tribo-Corrosion, 2021, 7, 1.	2.6	10
121	Influence of Cryomilling on Crystallite Size of Aluminum Powder and Spark Plasma Sintered Component. Nanomaterials, 2022, 12, 551.	4.1	10
122	Welding Techniques for High Entropy Alloys: Processes, Properties, Characterization, and Challenges. Materials, 2022, 15, 2273.	2.9	10
123	Studies on friction and formation of transfer layer when Al—4Mg alloy pins slid at various numbers of cycles on steel plates of different surface texture. Wear, 2009, 267, 525-534.	3.1	9
124	In-Situ Fretting Wear Analysis of Electrical Connectors for Real System Applications. Journal of Manufacturing and Materials Processing, 2019, 3, 47.	2.2	9
125	Anisotropic microstructure evolution of an AZ31B magnesium alloy subjected to dry sliding and its effects on friction and wear performance. Materialia, 2019, 8, 100444.	2.7	9
126	Role of surface texture and roughness parameters in friction and transfer layer formation under dry and lubricated sliding conditions. International Journal of Materials Research, 2008, 99, 795-807.	0.3	8



#	ARTICLE	IF	CITATIONS
127	A parameter characterizing plowing nature of surfaces close to Gaussian. Tribology International, 2010, 43, 370-380.	5.9	8
128	Influence of Inclination Angle and Machining Direction on Friction and Transfer Layer Formation. Journal of Tribology, 2011, 133, .	1.9	8
129	A Brief Review on Factors Affecting the Tribological Interaction between Human Skin and Different Textile Materials. Materials, 2022, 15, 2184.	2.9	8
130	Review of Molecular Dynamics Simulations of Phosphonium Ionic Liquid Lubricants. Tribology Letters, 2022, 70, 1.	2.6	8
131	Influence of roughness parameters of harder surface on coefficient of friction and transfer layer formation. International Journal of Surface Science and Engineering, 2008, 2, 98.	0.4	7
132	Studies on Friction in an Iron-Steel Tribo-System Under Dry and Lubricated Conditions. Materials and Manufacturing Processes, 2008, 23, 698-707.	4.7	7
133	Friction and Wear Behavior of Alumina Composites with In-Situ Formation of Aluminum Borate and Boron Nitride. Materials, 2020, 13, 4502.	2.9	7
134	Tribocorrosion Behavior of Inconel 718 Fabricated by Laser Powder Bed Fusion-Based Additive Manufacturing. Coatings, 2021, 11, 195.	2.6	7
135	Dynamically Tunable Friction via Subsurface Stiffness Modulation. Frontiers in Robotics and AI, 2021, 8, 691789.	3.2	7
136	Studies on Friction and Formation of Transfer Layer in HCP Metals. Journal of Tribology, 2009, 131, .	1.9	6
137	Tribological Behavior of Aluminum Micro-and Nano-Composites. International Journal of Aerospace Innovations, 2011, 3, 153-162.	0.2	6
138	Tribocorrosion Performance of Tool Steel for Rock Drilling Process. Journal of Bio- and Tribo-Corrosion, 2019, 5, 1.	2.6	6
139	Tribological interactions of 3D printed polyurethane and polyamide with water-responsive skin model. Friction, 2022, 10, 159-166.	6.4	6
140	Graphene aerogel and its composites: synthesis, properties and applications. Journal of Porous Materials, 2022, 29, 1011-1025.	2.6	6
141	Studies On Friction And Transfer Layer Using Inclined Scratch. Tribology and Interface Engineering Series, 2006, , 262-279.	0.0	5
142	Comparative Analysis of Two Methods for Evaluating Wear Rate of Nanocrystalline Diamond Films. Key Engineering Materials, 2016, 721, 345-350.	0.4	5
143	Corrosion performance of nanocomposite coatings in moist SO2 environment. International Journal of Advanced Manufacturing Technology, 2020, 106, 4769-4776.	3.0	5
144	Application of Metal Matrix Composites in Engineering Sectors. , 2021, , 525-539.		5

#	ARTICLE	IF	CITATIONS
145	Role of B <sub>2</sub> O <sub>3</sub> and CaO in Al <sub>2</sub> O <sub>3</sub> matrix composite: In-situ phases, density, hardness and wear resistance. Tribology International, 2022, 172, 107588.	5.9	5
146	Influence of hydrostatic pressure on wetting state and corrosion of superhydrophobic coatings. International Journal of Advanced Manufacturing Technology, 2020, 110, 457-470.	3.0	4
147	Tribological Properties of Fly Ash-Based Green Friction Products. Green Energy and Technology, 2012, , 429-443.	0.6	4
148	Wear Rate of Nanocrystalline Diamond Coating under High Temperature Sliding Conditions. Solid State Phenomena, 0, 267, 219-223.	0.3	4
149	Role of CuO in Al <sub>2</sub> O <sub>3</sub> -B <sub>2</sub> O <sub>3</sub> Composites: In Situ Phases, Density, Hardness, and Wear Resistance. Journal of Tribology, 2022, 144, .	1.9	4
150	Tribology in Metal Forming. , 2013, , 783-818.		3
151	Manufacturing and Mechanical Characterization of Fly-Ash-Reinforced Materials for Furnace Lining Applications. Journal of Materials Engineering and Performance, 2020, 29, 6307-6321.	2.5	3
152	Influence of Friction and Rake Angle on the Formation of Discontinuous Rock Fragments During Rock Cutting. , 2010, , .		2
153	Engineering and Technology of Environmentally Friendly Lubricants. , 2016, , 233-271.		2
154	Surface Engineering of Solar Cells to Improve Efficiency. Jom, 2019, 71, 4319-4329.	1.9	2
155	Influence of Abrasive Load on Wettability and Corrosion Inhibition of a Commercial Superhydrophobic Coating. Coatings, 2020, 10, 887.	2.6	2
156	Transition from Self-Organized Criticality into Self-Organization during Sliding Si <sub>3</sub> N <sub>4</sub> Balls against Nanocrystalline Diamond Films. Entropy, 2019, 21, 1055.	2.2	1
157	Effect of Ion Pair on Contact Angle for Phosphonium Ionic Liquids. Journal of Physical Chemistry B, 2022, 126, 4354-4363.	2.6	1
158	Friction tensor concept for textured surfaces. Sadhana - Academy Proceedings in Engineering Sciences, 2008, 33, 203-206.	1.3	0
159	Introduction to tribocorrosion. , 2021, , 1-16.		0
160	Additively Manufactured Coatings. Coatings, 2021, 11, 609.	2.6	0