

Fiona Cramp

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1454372/publications.pdf>

Version: 2024-02-01

57
papers

2,769
citations

304743

22
h-index

233421

45
g-index

58
all docs

58
docs citations

58
times ranked

3835
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Foundational Research Could Improve Future Transcutaneous Electrical Nerve Stimulation Evaluations. <i>Medicina (Lithuania)</i> , 2022, 58, 149. | 2.0 | 3 |
| 2 | P179â€fA feasibility randomised controlled trial of a fibromyalgia self-management programme in a community setting with a nested qualitative study. <i>Rheumatology</i> , 2022, 61, . | 1.9 | 0 |
| 3 | A feasibility randomised controlled trial of a Fibromyalgia Self-management Programme for adults in a community setting with a nested qualitative study (FALCON). <i>BMC Musculoskeletal Disorders</i> , 2022, 23, . | 1.9 | 1 |
| 4 | Exercise for the management of cancer-related fatigue in adults. <i>The Cochrane Library</i> , 2021, 2021, CD006145. | 2.8 | 524 |
| 5 | A feasibility randomised controlled trial of a fibromyalgia selfâ€management programme in a community setting with a nested qualitative study (FALCON): Study protocol. <i>Musculoskeletal Care</i> , 2021, 19, 59-66. | 1.4 | 3 |
| 6 | Peoplesâ€™ experiences of painful diabetic neuropathy: are pain management programmes appropriate?. <i>British Journal of Pain</i> , 2021, 15, 450-459. | 1.5 | 0 |
| 7 | Brachytherapy for locally advanced cervical cancer: A survey of UK provision of care and support. <i>Radiotherapy and Oncology</i> , 2021, 159, 60-66. | 0.6 | 4 |
| 8 | Patient perceptions of physical activity after a diagnosis of Giant Cell Arteritis: analysis of multinational qualitative data. <i>Arthritis Care and Research</i> , 2021, , . | 3.4 | 1 |
| 9 | Management of fatigue with physical activity and behavioural change support in vasculitis: a feasibility study. <i>Rheumatology</i> , 2021, 60, 4130-4140. | 1.9 | 10 |
| 10 | A survey examining the use of mechanical insufflation-exsufflation on adult intensive care units across the UK. <i>Journal of the Intensive Care Society</i> , 2020, 21, 283-289. | 2.2 | 11 |
| 11 | P185â€fPatient perceptions of physical activity following a diagnosis of giant cell arteritis: a multinational qualitative study. <i>Rheumatology</i> , 2020, 59, . | 1.9 | 1 |
| 12 | Promoting engagement in physical activity in early rheumatoid arthritis: A proofâ€ofâ€concept intervention study. <i>Musculoskeletal Care</i> , 2020, 18, 487-500. | 1.4 | 4 |
| 13 | Facilitating Activity and Self-management for people with Arthritic knee, hip or lower back pain (FASA): A cluster randomised controlled trial. <i>Musculoskeletal Science and Practice</i> , 2020, 50, 102271. | 1.3 | 6 |
| 14 | The use of mechanical insufflation-exsufflation in invasively ventilated critically ill adults: a scoping review protocol. <i>Systematic Reviews</i> , 2020, 9, 287. | 5.3 | 7 |
| 15 | Provision of first contact physiotherapy in primary care across the UK: a survey of the service. <i>Physiotherapy</i> , 2020, 108, 2-9. | 0.4 | 21 |
| 16 | Fibromyalgia Selfâ€Management: Mapping the behaviour change techniques used in a practiceâ€based programme. <i>Musculoskeletal Care</i> , 2020, 18, 372-382. | 1.4 | 14 |
| 17 | The role of non-pharmacological interventions in the management of rheumatoid-arthritis-related fatigue. <i>Rheumatology</i> , 2019, 58, v22-v28. | 1.9 | 21 |
| 18 | Physiotherapy outcome measures of haemophilia acute bleed episodes: What matters to patients?. <i>Haemophilia</i> , 2019, 25, 1066-1072. | 2.1 | 3 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | 042â€œThe pain doesnâ€™t go, but itâ€™s better since exercisingâ€ promoting engagement in physical activity in early rheumatoid arthritis. <i>Rheumatology</i> , 2019, 58, . | 1.9 | 0 |
| 20 | 043â€Is a novel delivery of Nordic walking acceptable for people with inflammatory rheumatic disease?. <i>Rheumatology</i> , 2019, 58, . | 1.9 | 0 |
| 21 | Developing a group intervention to manage fatigue in rheumatoid arthritis through modifying physical activity. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 194. | 1.9 | 12 |
| 22 | The revised Bristol Rheumatoid Arthritis Fatigue measures and the Rheumatoid Arthritis Impact of Disease scale: validation in six countries. <i>Rheumatology</i> , 2018, 57, 300-308. | 1.9 | 31 |
| 23 | 279â€Mapping the behaviour change techniques used in a practice-based fibromyalgia self-management programme: a qualitative study. <i>Rheumatology</i> , 2018, 57, . | 1.9 | 0 |
| 24 | A qualitative evaluation of the appropriateness, validity, acceptability, feasibility and interpretability of the Bristol Impact of Hypermobility (BloH) questionnaire. <i>Musculoskeletal Science and Practice</i> , 2018, 38, 69-76. | 1.3 | 5 |
| 25 | Treatment of fatigue with physical activity and behavioural change support in vasculitis: study protocol for an open-label randomised controlled feasibility study. <i>BMJ Open</i> , 2018, 8, e023769. | 1.9 | 14 |
| 26 | Combining a psychological intervention with physiotherapy: A systematic review to determine the effect on physical function and quality of life for adults with chronic pain. <i>Physical Therapy Reviews</i> , 2018, 23, 214-226. | 0.8 | 15 |
| 27 | Physical activity interventions for fatigue in rheumatoid arthritis: a systematic review. <i>Physical Therapy Reviews</i> , 2017, 22, 12-22. | 0.8 | 9 |
| 28 | Biologic interventions for fatigue in rheumatoid arthritis. <i>The Cochrane Library</i> , 2016, 2016, CD008334. | 2.8 | 60 |
| 29 | Consensus on Exercise Reporting Template (CERT): Modified Delphi Study. <i>Physical Therapy</i> , 2016, 96, 1514-1524. | 2.4 | 279 |
| 30 | Problems, Solutions, and Strategies Reported by Users of Transcutaneous Electrical Nerve Stimulation for Chronic Musculoskeletal Pain: Qualitative Exploration Using Patient Interviews. <i>Physical Therapy</i> , 2016, 96, 1039-1048. | 2.4 | 18 |
| 31 | Physical activity engagement in early rheumatoid arthritis: a qualitative study to inform intervention development. <i>Physiotherapy</i> , 2016, 102, 264-271. | 0.4 | 29 |
| 32 | The feasibility of a randomised controlled trial of physiotherapy for adults with joint hypermobility syndrome. <i>Health Technology Assessment</i> , 2016, 20, 1-264. | 2.8 | 18 |
| 33 | Diagnosis, Management and Assessment of Adults with Joint Hypermobility Syndrome: A UK-Wide Survey of Physiotherapy Practice. <i>Musculoskeletal Care</i> , 2015, 13, 101-111. | 1.4 | 21 |
| 34 | The role of physical activity and psychological coping strategies in the management of painful diabetic neuropathy â€ A systematic review of the literature. <i>Physiotherapy</i> , 2015, 101, 319-326. | 0.4 | 22 |
| 35 | Direct and Indirect Benefits Reported by Users of Transcutaneous Electrical Nerve Stimulation for Chronic Musculoskeletal Pain: Qualitative Exploration Using Patient Interviews. <i>Physical Therapy</i> , 2015, 95, 1518-1528. | 2.4 | 26 |
| 36 | The biology of cancer-related fatigue: a review of the literature. <i>Supportive Care in Cancer</i> , 2015, 23, 2461-2478. | 2.2 | 209 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Behaviour change interventions to promote physical activity in rheumatoid arthritis: a systematic review. <i>Rheumatology International</i> , 2015, 35, 1631-1640. | 3.0 | 41 |
| 38 | Transcutaneous Electrical Nerve Stimulation as an Adjunct to Education and Exercise for Knee Osteoarthritis: A Randomized Controlled Trial. <i>Arthritis Care and Research</i> , 2014, 66, 387-394. | 3.4 | 48 |
| 39 | Cancer-related fatigue and its impact on functioning. <i>Cancer</i> , 2013, 119, 2124-2130. | 4.1 | 131 |
| 40 | Health Behaviour Change Interventions for the Promotion of Physical Activity in Rheumatoid Arthritis: A Systematic Review. <i>Musculoskeletal Care</i> , 2013, 11, 238-247. | 1.4 | 32 |
| 41 | Myofascial trigger point therapy for triceps surae dysfunction: A case series. <i>Manual Therapy</i> , 2013, 18, 519-525. | 1.6 | 26 |
| 42 | Exercise and self-management for people with chronic knee, hip or lower back pain: a cluster randomised controlled trial of clinical and cost-effectiveness. Study protocol. <i>Physiotherapy</i> , 2013, 99, 352-357. | 0.4 | 18 |
| 43 | The prevalence of latent myofascial trigger points and diagnostic criteria of the triceps surae and upper trapezius: a cross sectional study. <i>Physiotherapy</i> , 2013, 99, 278-284. | 0.4 | 40 |
| 44 | A randomised trial comparing the cost effectiveness of different emergency department healthcare professionals in soft tissue injury management. <i>BMJ Open</i> , 2013, 3, e001116. | 1.9 | 22 |
| 45 | Empirical Support for Radiographic Review: A Follow-Up Study of Total Hip Arthroplasty. <i>HIP International</i> , 2013, 23, 80-86. | 1.7 | 5 |
| 46 | Development of a generic working definition of "supportive care"™. <i>BMJ Supportive and Palliative Care</i> , 2013, 3, 53-60. | 1.6 | 16 |
| 47 | Non-pharmacological interventions for fatigue in rheumatoid arthritis. <i>The Cochrane Library</i> , 2013, , CD008322. | 2.8 | 134 |
| 48 | A randomised trial comparing the clinical effectiveness of different emergency department healthcare professionals in soft tissue injury management. <i>BMJ Open</i> , 2012, 2, e001092. | 1.9 | 37 |
| 49 | Fatigue in rheumatoid arthritis: time for a conceptual model. <i>Rheumatology</i> , 2011, 50, 1004-1006. | 1.9 | 163 |
| 50 | The effects of resistance training on quality of life in cancer: a systematic literature review and meta-analysis. <i>Supportive Care in Cancer</i> , 2010, 18, 1367-1376. | 2.2 | 63 |
| 51 | Use of Morphometry to Quantify Osteolysis after Total Hip Arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 2010, 468, 3077-3083. | 1.5 | 10 |
| 52 | Fatigue in Gynecological Cancer Patients During and After Anticancer Treatment. <i>Journal of Pain and Symptom Management</i> , 2010, 39, 197-210. | 1.2 | 42 |
| 53 | Collaboration with patients in the design of patient-reported outcome measures: Capturing the experience of fatigue in rheumatoid arthritis. <i>Arthritis Care and Research</i> , 2010, 62, 1552-1558. | 3.4 | 90 |
| 54 | Measuring fatigue in rheumatoid arthritis: A cross-sectional study to evaluate the Bristol Rheumatoid Arthritis Fatigue Multi-Dimensional questionnaire, visual analog scales, and numerical rating scales. <i>Arthritis Care and Research</i> , 2010, 62, 1559-1568. | 3.4 | 140 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Transcutaneous electrical nerve stimulation and transcutaneous spinal electroanalgesia: A preliminary efficacy and mechanisms-based investigation. <i>Physiotherapy</i> , 2009, 95, 185-191. | 0.4 | 10 |
| 56 | Exercise for the management of cancer-related fatigue in adults. , 2008, , CD006145. | | 263 |
| 57 | The effect of transcutaneous electrical nerve stimulation on local and distal cutaneous blood flow following a prolonged heat stimulus in healthy subjects. <i>Clinical Physiology and Functional Imaging</i> , 2007, 27, 154-161. | 1.2 | 31 |