

# Zhen Li

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1455106/publications.pdf>

Version: 2024-02-01

124  
papers

2,590  
citations

361413

20  
h-index

233421

45  
g-index

134  
all docs

134  
docs citations

134  
times ranked

4801  
citing authors

#	ARTICLE	IF	CITATIONS
1	Clinical and CT features in pediatric patients with COVID-19 infection: Different points from adults. <i>Pediatric Pulmonology</i> , 2020, 55, 1169-1174.	2.0	791
2	Elevated serum levels of S100A8/A9 and HMGB1 at hospital admission are correlated with inferior clinical outcomes in COVID-19 patients. <i>Cellular and Molecular Immunology</i> , 2020, 17, 992-994.	10.5	202
3	Visceral Adiposity and High Intramuscular Fat Deposition Independently Predict Critical Illness in Patients with SARS-CoV-2. <i>Obesity</i> , 2020, 28, 2040-2048.	3.0	89
4	Intrahepatic Cholangiocarcinoma Treated with Local-Regional Therapy: Quantitative Volumetric Apparent Diffusion Coefficient Maps for Assessment of Tumor Response. <i>Radiology</i> , 2012, 264, 285-294.	7.3	60
5	Neuroendocrine Liver Metastasis Treated by Using Intraarterial Therapy: Volumetric Functional Imaging Biomarkers of Early Tumor Response and Survival. <i>Radiology</i> , 2013, 266, 502-513.	7.3	54
6	Comparison of reduced field-of-view diffusion-weighted imaging (DWI) and conventional DWI techniques in the assessment of rectal carcinoma at 3.0T: Image quality and histological T staging. <i>Journal of Magnetic Resonance Imaging</i> , 2018, 47, 967-975.	3.4	54
7	Differentiation of atypical pancreatic neuroendocrine tumors from pancreatic ductal adenocarcinomas: Using whole-tumor CT texture analysis as quantitative biomarkers. <i>Cancer Medicine</i> , 2018, 7, 4924-4931.	2.8	50
8	Unresectable Hepatocellular Carcinoma: MR Imaging after Intraarterial Therapy. Part II. Response Stratification Using Volumetric Functional Criteria after Intraarterial Therapy. <i>Radiology</i> , 2013, 268, 431-439.	7.3	49
9	Enhancement of therapeutic effectiveness by combining liposomal honokiol with cisplatin in ovarian carcinoma. <i>International Journal of Gynecological Cancer</i> , 2008, 18, 652-659.	2.5	46
10	Unresectable Hepatocellular Carcinoma: MR Imaging after Intraarterial Therapy. Part I. Identification and Validation of Volumetric Functional Response Criteria. <i>Radiology</i> , 2013, 268, 420-430.	7.3	41
11	Genome-wide association study of COVID-19 severity among the Chinese population. <i>Cell Discovery</i> , 2021, 7, 76.	6.7	41
12	Islet Cell Liver Metastases: Assessment of Volumetric Early Response with Functional MR Imaging after Transarterial Chemoembolization. <i>Radiology</i> , 2012, 264, 97-109.	7.3	40
13	Monoexponential, biexponential, and stretched exponential diffusion-weighted imaging models: Quantitative biomarkers for differentiating renal clear cell carcinoma and minimal fat angiomyolipoma. <i>Journal of Magnetic Resonance Imaging</i> , 2017, 46, 240-247.	3.4	39
14	Subtype Differentiation of Small (<math>\leq 4\text{ cm}</math>) Solid Renal Mass Using Volumetric Histogram Analysis of DWI at 3-T MRI. <i>American Journal of Roentgenology</i> , 2018, 211, 614-623.	2.2	36
15	Tumor heterogeneity in gastrointestinal stromal tumors of the small bowel: volumetric CT texture analysis as a potential biomarker for risk stratification. <i>Cancer Imaging</i> , 2018, 18, 46.	2.8	35
16	Bilateral uterine artery chemoembolization combined with dilation and curettage for treatment of cesarean scar pregnancy: A method for preserving the uterus. <i>Journal of Obstetrics and Gynaecology Research</i> , 2013, 39, 1153-1158.	1.3	30
17	Advancing COVID-19 diagnosis with privacy-preserving collaboration in artificial intelligence. <i>Nature Machine Intelligence</i> , 2021, 3, 1081-1089.	16.0	30
18	Depiction of Transplant Renal Vascular Anatomy and Complications: Unenhanced MR Angiography by Using Spatial Labeling with Multiple Inversion Pulses. <i>Radiology</i> , 2014, 271, 879-887.	7.3	24

#	ARTICLE	IF	CITATIONS
19	Whole-Tumor Quantitative Apparent Diffusion Coefficient Histogram and Texture Analysis to Differentiation of Minimal Fat Angiomyolipoma from Clear Cell Renal Cell Carcinoma. <i>Academic Radiology</i> , 2019, 26, 632-639.	2.5	24
20	Assessment of tumor heterogeneity: Differentiation of periampullary neoplasms based on CT whole-lesion histogram analysis. <i>European Journal of Radiology</i> , 2019, 115, 1-9.	2.6	24
21	Comparison of the Diagnostic Value of Monoexponential, Biexponential, and Stretched Exponential Diffusion-weighted MRI in Differentiating Tumor Stage and Histological Grade of Bladder Cancer. <i>Academic Radiology</i> , 2019, 26, 239-246.	2.5	23
22	Assessing the Early Response of Advanced Cervical Cancer to Neoadjuvant Chemotherapy Using Intravoxel Incoherent Motion Diffusion-weighted Magnetic Resonance Imaging. <i>Chinese Medical Journal</i> , 2016, 129, 665-671.	2.3	22
23	Cell apoptosis and regeneration of hepatocellular carcinoma after transarterial chemoembolization. <i>World Journal of Gastroenterology</i> , 2004, 10, 1876.	3.3	22
24	Volumetric Apparent Diffusion Coefficient Histogram Analysis in Differentiating Intrahepatic Mass-Forming Cholangiocarcinoma From Hepatocellular Carcinoma. <i>Journal of Magnetic Resonance Imaging</i> , 2019, 49, 975-983.	3.4	21
25	Comparison of reduced field-of-view diffusion-weighted imaging (DWI) and conventional DWI techniques in the assessment of Cervical carcinoma at 3.0T: Image quality and FIGO staging. <i>European Journal of Radiology</i> , 2021, 137, 109557.	2.6	21
26	Star-shaped polymer of $\beta$ -cyclodextrin-g-vitamin E TPGS for doxorubicin delivery and multidrug resistance inhibition. <i>Colloids and Surfaces B: Biointerfaces</i> , 2018, 169, 10-19.	5.0	20
27	Histological grades of rectal cancer: whole-volume histogram analysis of apparent diffusion coefficient based on reduced field-of-view diffusion-weighted imaging. <i>Quantitative Imaging in Medicine and Surgery</i> , 2020, 10, 243-256.	2.0	20
28	Effects of Gingko biloba Extract on Gap Junction Changes Induced by Reperfusion/Reoxygenation After Ischemia/Hypoxia in Rat Brain. <i>The American Journal of Chinese Medicine</i> , 2005, 33, 923-934.	3.8	18
29	A Novel Clinical-Radiomics Model Pre-operatively Predicted the Stone-Free Rate of Flexible Ureteroscopy Strategy in Kidney Stone Patients. <i>Frontiers in Medicine</i> , 2020, 7, 576925.	2.6	18
30	Inhibition of CaMKII $\alpha$ in the Central Nucleus of Amygdala Attenuates Fentanyl-Induced Hyperalgesia in Rats. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2016, 359, 82-89.	2.5	17
31	Did low tube voltage CT combined with low contrast media burden protocols accomplish the goal of "double low" for patients? An overview of applications in vessels and abdominal parenchymal organs over the past 5 years. <i>International Journal of Clinical Practice</i> , 2016, 70, B5-B15.	1.7	16
32	Single extracorporeal shock-wave lithotripsy for proximal ureter stones: Can CT texture analysis technique help predict the therapeutic effect?. <i>European Journal of Radiology</i> , 2018, 107, 84-89.	2.6	16
33	Evaluation of a Digital Brain Positron Emission Tomography Scanner Based on the Plug&Image Sensor Technology. <i>IEEE Transactions on Radiation and Plasma Medical Sciences</i> , 2020, 4, 327-334.	3.7	16
34	Application of R2* and Apparent Diffusion Coefficient in Estimating Tumor Grade and T Category of Bladder Cancer. <i>American Journal of Roentgenology</i> , 2020, 214, 383-389.	2.2	16
35	Evaluation of a fractional-order calculus diffusion model and bi-parametric VI-RADS for staging and grading bladder urothelial carcinoma. <i>European Radiology</i> , 2022, 32, 890-900.	4.5	16
36	NEMA-2008 and In-Vivo Animal and Plant Imaging Performance of the Large FOV Preclinical Digital PET/CT System Discoverist 180. <i>IEEE Transactions on Radiation and Plasma Medical Sciences</i> , 2020, 4, 622-629.	3.7	15

#	ARTICLE	IF	CITATIONS
37	Differentiating malignant from benign gastric mucosal lesions with quantitative analysis in dual energy spectral computed tomography. <i>Medicine (United States)</i> , 2017, 96, e5878.	1.0	14
38	Assessment of different mathematical models for diffusion-weighted imaging as quantitative biomarkers for differentiating benign from malignant solid hepatic lesions. <i>Cancer Medicine</i> , 2018, 7, 3501-3509.	2.8	14
39	Whole-tumor histogram analysis of non-Gaussian distribution DWI parameters to differentiation of pancreatic neuroendocrine tumors from pancreatic ductal adenocarcinomas. <i>Magnetic Resonance Imaging</i> , 2019, 55, 52-59.	1.8	14
40	Application of bi-planar reduced field-of-view DWI (rFOV DWI) in the assessment of muscle-invasiveness of bladder cancer. <i>European Journal of Radiology</i> , 2021, 136, 109486.	2.6	14
41	Combining volumetric apparent diffusion coefficient histogram analysis with vesical imaging reporting and data system to predict the muscle invasion of bladder cancer. <i>Abdominal Radiology</i> , 2021, 46, 4301-4310.	2.1	14
42	Computed tomography-based multiple body composition parameters predict outcomes in Crohn's disease. <i>Insights Into Imaging</i> , 2021, 12, 135.	3.4	14
43	Nonmuscle-invasive and Muscle-invasive Urinary Bladder Cancer. <i>Medicine (United States)</i> , 2016, 95, e2951.	1.0	13
44	Semi-quantitative visual assessment of hepatic tumor burden can reliably predict survival in neuroendocrine liver metastases treated with transarterial chemoembolization. <i>European Radiology</i> , 2019, 29, 5804-5812.	4.5	13
45	Prognostic value of baseline volumetric multiparametric MR imaging in neuroendocrine liver metastases treated with transarterial chemoembolization. <i>European Radiology</i> , 2019, 29, 5160-5171.	4.5	13
46	Metal ions-mediated self-assembly of nanomedicine for combinational therapy against triple-negative breast cancer. <i>Chemical Engineering Journal</i> , 2021, 425, 131420.	12.7	13
47	CaMKII $\beta$ may modulate fentanyl-induced hyperalgesia via a CeLC-PAG-RVM-spinal cord descending facilitative pain pathway in rats. <i>PLoS ONE</i> , 2017, 12, e0177412.	2.5	12
48	CT facilitates improved diagnosis of adult intestinal malrotation: a 7-year retrospective study based on 332 cases. <i>Insights Into Imaging</i> , 2021, 12, 58.	3.4	12
49	Noninvasive assessment of kidney dysfunction in children by using blood oxygenation level-dependent MRI and intravoxel incoherent motion diffusion-weighted imaging. <i>Insights Into Imaging</i> , 2021, 12, 146.	3.4	12
50	Use of the XRCC2 promoter for in vivo cancer diagnosis and therapy. <i>Cell Death and Disease</i> , 2018, 9, 420.	6.3	11
51	The combination of a reduction in contrast agent dose with low tube voltage and an adaptive statistical iterative reconstruction algorithm in CT enterography. <i>Medicine (United States)</i> , 2018, 97, e0151.	1.0	11
52	Gallbladder carcinoma: an initial clinical experience of reduced field-of-view diffusion-weighted MRI. <i>Cancer Imaging</i> , 2020, 20, 50.	2.8	11
53	Clinical Features and Temporal Changes of RT-PCR and Chest CT in COVID-19 Pediatric Patients. <i>Frontiers in Pediatrics</i> , 2020, 8, 579512.	1.9	11
54	Activation of the Extracellular Signal-Regulated Kinase in the Amygdale Modulates Fentanyl-Induced Hypersensitivity in Rats. <i>Journal of Pain</i> , 2017, 18, 188-199.	1.4	10

#	ARTICLE	IF	CITATIONS
55	Assessment of renal fibrosis in a rat model of unilateral ureteral obstruction with diffusion kurtosis imaging: Comparison with $\beta$ -SMA expression and 18F-FDG PET. <i>Magnetic Resonance Imaging</i> , 2020, 66, 176-184.	1.8	10
56	A Chinese host genetic study discovered IFNs and causality of laboratory traits on COVID-19 severity. <i>IScience</i> , 2021, 24, 103186.	4.1	10
57	Classification of Hepatic Tissues from CT Images Based on Texture Features and Multiclass Support Vector Machines. <i>Lecture Notes in Computer Science</i> , 2009, , 374-381.	1.3	10
58	Rectal Cancer Invasiveness: Whole-Lesion Diffusion-Weighted Imaging (DWI) Histogram Analysis by Comparison of Reduced Field-of-View and Conventional DWI Techniques. <i>Scientific Reports</i> , 2019, 9, 18760.	3.3	9
59	Prediction of the World Health Organization Grade of rectal neuroendocrine tumors based on CT histogram analysis. <i>Cancer Medicine</i> , 2021, 10, 595-604.	2.8	9
60	Role of Chemical Exchange Saturation Transfer and Magnetization Transfer MRI in Detecting Metabolic and Structural Changes of Renal Fibrosis in an Animal Model at 3T. <i>Korean Journal of Radiology</i> , 2020, 21, 588.	3.4	9
61	Body composition in relation to postoperative anastomotic leakage and overall survival in patients with esophageal cancer. <i>Nutrition</i> , 2022, 94, 111534.	2.4	9
62	Multiparametric MRI-Based Radiomic Signature for Preoperative Evaluation of Overall Survival in Intrahepatic Cholangiocarcinoma After Partial Hepatectomy. <i>Journal of Magnetic Resonance Imaging</i> , 2022, 56, 739-751.	3.4	9
63	Proton-density fat fraction measurement: A viable quantitative biomarker for differentiating adrenal adenomas from nonadenomas. <i>European Journal of Radiology</i> , 2017, 86, 112-118.	2.6	8
64	Use of pulmonary CT angiography with low tube voltage and low-iodine-concentration contrast agent to diagnose pulmonary embolism. <i>Scientific Reports</i> , 2017, 7, 12741.	3.3	8
65	Successful management of multiple-systemic Langerhans cell histiocytosis involving endocrine organs in an adult. <i>Medicine (United States)</i> , 2018, 97, e11215.	1.0	8
66	Quantitative T2*-Weighted Imaging and Reduced Field-of-View Diffusion-Weighted Imaging of Rectal Cancer: Correlation of R2* and Apparent Diffusion Coefficient With Histopathological Prognostic Factors. <i>Frontiers in Oncology</i> , 2021, 11, 670156.	2.8	8
67	Time-dependent changes in CT of radiation-induced liver injury: A preliminary study in gastric cancer patients. <i>Journal of Huazhong University of Science and Technology [Medical Sciences]</i> , 2010, 30, 683-686.	1.0	7
68	A Systematic Review of Technical Parameters for MR of the Small Bowel in non-IBD Conditions over the Last Ten Years. <i>Scientific Reports</i> , 2019, 9, 14100.	3.3	7
69	Reduced Field-of-View Diffusion-Weighted Imaging in Histological Characterization of Rectal Cancer: Impact of Different Region-of-Interest Positioning Protocols on Apparent Diffusion Coefficient Measurements. <i>European Journal of Radiology</i> , 2020, 127, 109028.	2.6	7
70	Partial splenic embolization through endoscopic ultrasound-guided implantation of coil as a potential technique to treat portal hypertension. <i>Endoscopy</i> , 2021, 53, E40-E41.	1.8	7
71	Hemodynamic effect through a novel endoscopic intervention in management of varices and hypersplenism (with video). <i>Gastrointestinal Endoscopy</i> , 2022, 95, 172-183.e2.	1.0	7
72	Apparent diffusion coefficient-based histogram analysis differentiates histological subtypes of periampullary adenocarcinoma. <i>World Journal of Gastroenterology</i> , 2019, 25, 6116-6128.	3.3	7

#	ARTICLE	IF	CITATIONS
73	The Preventive Effect of Cardiac Sympathetic Denervation Induced by 6-OHDA on Myocardial Ischemiaâ€“Reperfusion Injury: The Changes of lncRNA/circRNAs-miRNA-mRNA Network of the Upper Thoracic Spinal Cord in Rats. <i>Oxidative Medicine and Cellular Longevity</i> , 2021, 2021, 1-28.	4.0	7
74	Accuracy and Challenges in the Vesical <sc>Imagingâ€“Reporting</sc> and Data System for Staging Bladder Cancer. <i>Journal of Magnetic Resonance Imaging</i> , 2022, 56, 391-398.	3.4	7
75	Adrenal and nephrogenic hypertension: an image quality study of low tube voltage, low-concentration contrast media combined with adaptive statistical iterative reconstruction. <i>International Journal of Clinical Practice</i> , 2016, 70, B29-B36.	1.7	6
76	Predictive factors of postoperative pancreatic fistula after laparoscopic pancreatoduodenectomy. <i>Annals of Translational Medicine</i> , 2021, 9, 41-41.	1.7	6
77	Utility of noncontrast MRI in the detection and risk grading of gastrointestinal stromal tumor: a comparison with contrast-enhanced CT. <i>Quantitative Imaging in Medicine and Surgery</i> , 2021, 11, 2453-2464.	2.0	6
78	Exploration of plasma interleukin-27 levels in asthma patients and the correlation with lung function. <i>Respiratory Medicine</i> , 2020, 175, 106208.	2.9	5
79	Quantitative diffusion-weighted magnetic resonance enterography in ileal Crohn's disease: A systematic analysis of intra and interobserver reproducibility. <i>World Journal of Gastroenterology</i> , 2019, 25, 3619-3633.	3.3	5
80	Noninvasive assessment of clinical and pathological characteristics of patients with IgA nephropathy by diffusion kurtosis imaging. <i>Insights Into Imaging</i> , 2022, 13, 18.	3.4	5
81	Magnetic resonance imaging-based body composition is associated with nutritional and inflammatory status: a longitudinal study in patients with Crohn's disease. <i>Insights Into Imaging</i> , 2021, 12, 178.	3.4	5
82	Ureteral calculi lithotripsy for single ureteral calculi: can DNN-assisted model help preoperatively predict risk factors for sepsis?. <i>European Radiology</i> , 2022, 32, 8540-8549.	4.5	5
83	Hepatoid adenocarcinoma in the peritoneal cavity. <i>Medicine (United States)</i> , 2019, 98, e14226.	1.0	4
84	Estimation of Renal Function Using Unenhanced Computed Tomography in Upper Urinary Tract Stones Patients. <i>Frontiers in Medicine</i> , 2020, 7, 309.	2.6	4
85	Comparison and development of preoperative systemic inflammation markers-based models for the prediction of unfavorable pathology in newly diagnosed clinical T1 renal cell carcinoma. <i>Pathology Research and Practice</i> , 2021, 225, 153563.	2.3	4
86	Clinical and Radiological Features of Urachal Carcinoma and Infection. <i>Frontiers in Oncology</i> , 2021, 11, 702116.	2.8	4
87	Relationship between encephalopathy and portal vein-vena cava shunt: Value of computed tomography during arterial portography. <i>World Journal of Gastroenterology</i> , 2004, 10, 1939.	3.3	4
88	L-EGCG-Mn nanoparticles as a pH-sensitive MRI contrast agent. <i>Drug Delivery</i> , 2021, 28, 126-135.	5.7	4
89	One-stop assessment of renal function and renal artery in hypertensive patients with suspected renal dysfunction: non-enhanced MRI using spatial labeling with multiple inversion pulses. <i>European Radiology</i> , 2021, 31, 94-103.	4.5	3
90	â€“Curved tunnelâ€“ sign on MRI: a typical radiological feature in hepatic trichinellosis. <i>Abdominal Radiology</i> , 2021, 46, 2584-2594.	2.1	3

#	ARTICLE	IF	CITATIONS
91	Morphometric assessment of the mesorectal fat in Chinese Han population: A clinical MRI study. <i>Science Progress</i> , 2021, 104, 003685042110162.	1.9	3
92	Correlation of [18F]florbetaben textural features and age of onset of Alzheimer's disease: a principal components analysis approach. <i>EJNMMI Research</i> , 2021, 11, 40.	2.5	3
93	Serum semaphorin4C as an auxiliary diagnostic biomarker for breast cancer. <i>Clinical and Translational Medicine</i> , 2021, 11, e480.	4.0	3
94	DWI-based radiomic signature: potential role for individualized adjuvant chemotherapy in intrahepatic cholangiocarcinoma after partial hepatectomy. <i>Insights Into Imaging</i> , 2022, 13, 37.	3.4	3
95	A magnetic resonance nanoprobe with STING activation character collaborates with platinum-based drug for enhanced tumor immunochemotherapy. <i>Journal of Nanobiotechnology</i> , 2021, 19, 415.	9.1	3
96	Clinical characteristics, risk factors and outcomes of cancer patients with COVID-19: A population-based study. <i>Cancer Medicine</i> , 2023, 12, 287-296.	2.8	3
97	Bis(4-methylimidazolium) succinate succinic acid solvate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2009, 65, o607-o608.	0.2	2
98	Potential of diffusion-weighted imaging in magnetic resonance enterography to identify neoplasms in the ileocecal region: Use of ultra-high b-value diffusion-weighted imaging. <i>Oncology Letters</i> , 2019, 18, 1451-1457.	1.8	2
99	Evaluation of hepatic steatosis before liver transplantation in ex vivo by volumetric quantitative PDF-MRI. <i>Magnetic Resonance in Medicine</i> , 2021, 85, 2805-2814.	3.0	2
100	Assessment of renal function using magnetic resonance quantitative histogram analysis based on spatial labeling with multiple inversion pulses. <i>Annals of Translational Medicine</i> , 2021, 9, 1614-1614.	1.7	2
101	Hepatic Tumors: Diagnosis and Therapeutic Effect Evaluation of Diffusion-Weighted Imaging. <i>Current Medical Imaging</i> , 2018, 14, 172-178.	0.8	2
102	Renal functional and interstitial fibrotic assessment with non-Gaussian diffusion kurtosis imaging. <i>Insights Into Imaging</i> , 2022, 13, 70.	3.4	2
103	The Role of the Superior Cervical Sympathetic Ganglion in Ischemia Reperfusion-Induced Acute Kidney Injury in Rats. <i>Frontiers in Medicine</i> , 2022, 9, 792000.	2.6	2
104	Case Report: "Area of Focus" Atypical Trichinellosis and Fascioliasis Coinfection. <i>Frontiers in Medicine</i> , 2022, 9, .	2.6	2
105	Mass Screening for Low Bone Density Using Basic Check-Up Items. <i>IEEE Transactions on Computational Social Systems</i> , 2023, 10, 2579-2586.	4.4	2
106	4,4'-Methylenedianilinium bis(3-carboxy-4-hydroxybenzenesulfonate) monohydrate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2008, 64, o1947-o1948.	0.2	1
107	Implementation of an interactive liver surgery planning system. <i>Proceedings of SPIE</i> , 2011, , .	0.8	1
108	Diffusion-Weighted Imaging in Abdominal Oncology. <i>Current Medical Imaging</i> , 2012, 8, 82-91.	0.8	1

#	ARTICLE	IF	CITATIONS
109	Detection of unsuspected pelvic DVTs on abdominopelvic CT scans: a potentially life-saving diagnosis. <i>Emergency Radiology</i> , 2017, 24, 127-131.	1.8	1
110	Developmental anomalies of the right hepatic lobe: systematic comparative analysis of radiological features. <i>Open Life Sciences</i> , 2017, 12, 489-500.	1.4	1
111	Risk of nodal disease in patients with MRI-detected extramural vascular invasion in rectal cancer: a systematic review and meta-analysis. <i>Tumori</i> , 2020, 107, 030089162097586.	1.1	1
112	3-D Textural Analysis of 2-[ <sup>18</sup> F]FDG PET and Ki67 Expression in Nonsmall Cell Lung Cancer. <i>IEEE Transactions on Radiation and Plasma Medical Sciences</i> , 2022, 6, 113-120.	3.7	1
113	Bone Fragment Co-transplantation Alongside Bone Marrow Aspirate Infusion Protects Kidney Transplant Recipients. <i>Frontiers in Immunology</i> , 2021, 12, 630710.	4.8	1
114	Hemodynamic study of unenhanced magnetic resonance angiography using spatial labeling with multiple inversion pulses sequence: a phantom study. <i>Quantitative Imaging in Medicine and Surgery</i> , 2021, 11, 1828-1835.	2.0	1
115	“Curved tunnel” sign on MRI: a typical radiological feature in hepatic trichinellosis. , 2021, 46, 2584.		1
116	Novel imaging phenotypes of naïve asthma patients with distinctive clinical characteristics and T2 inflammation traits. <i>Therapeutic Advances in Chronic Disease</i> , 2022, 13, 204062232210848.	2.5	1
117	Diagnostic value of 16 slices spiral-CT for portal vein disorders. <i>Journal of Huazhong University of Science and Technology [Medical Sciences]</i> , 2004, 24, 300-302.	1.0	0
118	Assessment of Gastric Cancer: Value of Two-phase Multidetector-row Spiral CT Three-dimensional Reconstruction Technique. <i>Chinese-German Journal of Clinical Oncology</i> , 2005, 4, 365-368.	0.1	0
119	A method for quickly and exactly extracting hepatic vein. , 2013, , .		0
120	Manganese threonine chelate—a new enteric contrast agent for MRI: a pilot study on rats. <i>NMR in Biomedicine</i> , 2020, 33, e4293.	2.8	0
121	Primary Gastro-Intestinal Lymphoma and Gastro-Intestinal Adenocarcinoma: An Initial Study of CT Texture Analysis as Quantitative Biomarkers for Differentiation. <i>Life</i> , 2021, 11, 264.	2.4	0
122	Small colorectal cancer liver metastases: Clinical value of quantitative iodine-based material decomposition images of spectral CT. <i>World Chinese Journal of Digestology</i> , 2016, 24, 2421.	0.1	0
123	The connectome from the cerebral cortex to the viscera using viral transneuronal tracers.. <i>American Journal of Translational Research (discontinued)</i> , 2021, 13, 12152-12167.	0.0	0
124	Response to the letter to the editor from Dupouy-Camet et al.. <i>Abdominal Radiology</i> , 0, , .	2.1	0