

Rolf-Detlef Treede

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1468519/publications.pdf>

Version: 2024-02-01

124
papers

22,930
citations

23567

58
h-index

16183

124
g-index

131
all docs

131
docs citations

131
times ranked

16682
citing authors

#	ARTICLE	IF	CITATIONS
1	Classification of chronic pain for the International Classification of Diseases (ICD-11): results of the 2017 international World Health Organization field testing. <i>Pain</i> , 2022, 163, e310-e318.	4.2	34
2	Reliability and clinical utility of the chronic pain classification in the 11th Revision of the International Classification of Diseases from a global perspective: results from India, Cuba, and New Zealand. <i>Pain</i> , 2022, 163, e453-e462.	4.2	8
3	Review of techniques useful for the assessment of sensory small fiber neuropathies: Report from an IFCN expert group. <i>Clinical Neurophysiology</i> , 2022, 136, 13-38.	1.5	21
4	Features and methods to discriminate between mechanism-based categories of pain experienced in the musculoskeletal system: a Delphi expert consensus study. <i>Pain</i> , 2022, 163, 1812-1828.	4.2	21
5	Dose-Dependent Pain and Pain Radiation after Chemical Stimulation of the Thoracolumbar Fascia and Multifidus Muscle: A Single-Blinded, Cross-Over Study Revealing a Higher Impact of Fascia Stimulation. <i>Life</i> , 2022, 12, 340.	2.4	4
6	IMI2-PainCare-BioPain-RCT1: study protocol for a randomized, double-blind, placebo-controlled, crossover, multi-center trial in healthy subjects to investigate the effects of lacosamide, pregabalin, and tapentadol on biomarkers of pain processing observed by peripheral nerve excitability testing (NET). <i>Trials</i> , 2022, 23, 163.	1.6	2
7	Pain severity ratings in the 11th revision of the International Classification of Diseases: a versatile tool for rapid assessment. <i>Pain</i> , 2022, 163, 2421-2429.	4.2	2
8	TRPM3-mediated dynamic mitochondrial activity in nerve growth factor-induced latent sensitization of chronic low back pain. <i>Pain</i> , 2022, 163, e1115-e1128.	4.2	4
9	Pain sensitivities predict prophylactic treatment outcomes of flunarizine in chronic migraine patients: A prospective study. <i>Cephalalgia</i> , 2022, 42, 899-909.	3.9	8
10	The serotonin receptor 2A (HTR2A) rs6313 variant is associated with higher ongoing pain and signs of central sensitization in neuropathic pain patients. <i>European Journal of Pain</i> , 2021, 25, 595-611.	2.8	16
11	Rat dorsal horn neurons primed by stress develop a long-lasting manifest sensitization after a short-lasting nociceptive low back input. <i>Pain Reports</i> , 2021, 6, e904.	2.7	7
12	Reply to Goebel and Molloy. <i>Pain</i> , 2021, 162, 322-322.	4.2	3
13	Comparing the ICD-11 chronic pain classification with ICD-10: how can the new coding system make chronic pain visible? A study in a tertiary care pain clinic setting. <i>Pain</i> , 2021, 162, 1995-2001.	4.2	18
14	Tenderness of the Skin after Chemical Stimulation of Underlying Temporal and Thoracolumbar Fasciae Reveals Somatosensory Crosstalk between Superficial and Deep Tissues. <i>Life</i> , 2021, 11, 370.	2.4	4
15	Spinal cord fractalkine (CX3CL1) signaling is critical for neuronal sensitization in experimental nonspecific, myofascial low back pain. <i>Journal of Neurophysiology</i> , 2021, 125, 1598-1611.	1.8	16
16	Human surrogate models of central sensitization: A critical review and practical guide. <i>European Journal of Pain</i> , 2021, 25, 1389-1428.	2.8	51
17	IMI2-PainCare-BioPain-RCT3: a randomized, double-blind, placebo-controlled, crossover, multi-center trial in healthy subjects to investigate the effects of lacosamide, pregabalin, and tapentadol on biomarkers of pain processing observed by electroencephalography (EEG). <i>Trials</i> , 2021, 22, 404.	1.6	3
18	Contralateral sensitisation is not specific for complex regional pain syndrome. Comment on Br J Anaesth 2021; 127: e1-3. <i>British Journal of Anaesthesia</i> , 2021, 127, e173-e176.	3.4	3

#	ARTICLE	IF	CITATIONS
19	Classification algorithm for the International Classification of Diseases-11 chronic pain classification: development and results from a preliminary pilot evaluation. <i>Pain</i> , 2021, 162, 2087-2096.	4.2	18
20	Mechanical Punctate Pain Thresholds in Patients With Migraine Across Different Migraine Phases: A Narrative Review. <i>Frontiers in Neurology</i> , 2021, 12, 801437.	2.4	2
21	Understanding Diabetic Neuropathyâ€”From Subclinical Nerve Lesions to Severe Nerve Fiber Deficits: A Cross-Sectional Study in Patients With Type 2 Diabetes and Healthy Control Subjects. <i>Diabetes</i> , 2020, 69, 436-447.	0.6	31
22	Evaluation of the International Classification of Diseases-11 chronic pain classification: study protocol for an ecological implementation field study in low-, middle-, and high-income countries. <i>Pain Reports</i> , 2020, 5, e825.	2.7	13
23	Contribution of the P2X4 Receptor in Rat Hippocampus to the Comorbidity of Chronic Pain and Depression. <i>ACS Chemical Neuroscience</i> , 2020, 11, 4387-4397.	3.5	18
24	Mechanical punctate pain threshold is associated with headache frequency and phase in patients with migraine. <i>Cephalalgia</i> , 2020, 40, 990-997.	3.9	18
25	Challenges of neuropathic pain: focus on diabetic neuropathy. <i>Journal of Neural Transmission</i> , 2020, 127, 589-624.	2.8	130
26	Pain thresholds and intensities of CRPS type I and neuropathic pain in respect to sex. <i>European Journal of Pain</i> , 2020, 24, 1058-1071.	2.8	14
27	The capsaicin receptor TRPV1 is the first line defense protecting from acute non damaging heat: a translational approach. <i>Journal of Translational Medicine</i> , 2020, 18, 28.	4.4	13
28	Effects of a Painful Stimulus on Stress Regulation in Male Patients With Borderline Personality Disorder: A Pilot Study. <i>Journal of Personality Disorders</i> , 2019, 33, 394-412.	1.4	3
29	Inflammatory and neuropathic pain conditions do not primarily evoke anxiety-like behaviours in C57BL/6 mice. <i>European Journal of Pain</i> , 2019, 23, 285-306.	2.8	39
30	Technical and clinical performance of the thermoQ&Sense to assess small fibre function: A head-to-head comparison with the Thermal Sensory Analyzerâ€•TSA in diabetic patients and healthy volunteers. <i>European Journal of Pain</i> , 2019, 23, 1863-1878.	2.8	5
31	Action potentials and subthreshold potentials of dorsal horn neurons in a rat model of myositis: a study employing intracellular recordings in vivo. <i>Journal of Neurophysiology</i> , 2019, 122, 632-643.	1.8	4
32	Neural network-based alterations during repetitive heat pain stimulation in major depression. <i>European Neuropsychopharmacology</i> , 2019, 29, 1033-1040.	0.7	7
33	The IASP classification of chronic pain for ICD-11: functioning properties of chronic pain. <i>Pain</i> , 2019, 160, 88-94.	4.2	101
34	The IASP classification of chronic pain for ICD-11: chronic secondary headache or orofacial pain. <i>Pain</i> , 2019, 160, 60-68.	4.2	87
35	The IASP classification of chronic pain for ICD-11: chronic neuropathic pain. <i>Pain</i> , 2019, 160, 53-59.	4.2	571
36	Combination pharmacotherapy for tackling descending controls and central sensitization. <i>European Journal of Pain</i> , 2019, 23, 1049-1050.	2.8	0

#	ARTICLE	IF	CITATIONS
37	The role of quantitative sensory testing in the prediction of chronic pain. <i>Pain</i> , 2019, 160, S66-S69.	4.2	81
38	The IASP classification of chronic pain for ICD-11: applicability in primary care. <i>Pain</i> , 2019, 160, 83-87.	4.2	56
39	Chronic pain as a symptom or a disease: the IASP Classification of Chronic Pain for the International Classification of Diseases (ICD-11). <i>Pain</i> , 2019, 160, 19-27.	4.2	1,547
40	The IASP classification of chronic pain for ICD-11: chronic primary pain. <i>Pain</i> , 2019, 160, 28-37.	4.2	645
41	The Inhibition by Guanfu Base A of Neuropathic Pain Mediated by P2Y ₁₂ Receptor in Dorsal Root Ganglia. <i>ACS Chemical Neuroscience</i> , 2019, 10, 1318-1325.	3.5	15
42	The IASP classification of chronic pain for ICD-11: chronic secondary visceral pain. <i>Pain</i> , 2019, 160, 69-76.	4.2	78
43	The IASP classification of chronic pain for ICD-11: chronic cancer-related pain. <i>Pain</i> , 2019, 160, 38-44.	4.2	176
44	The IASP classification of chronic pain for ICD-11: chronic secondary musculoskeletal pain. <i>Pain</i> , 2019, 160, 77-82.	4.2	200
45	The IASP classification of chronic pain for ICD-11: chronic postsurgical or posttraumatic pain. <i>Pain</i> , 2019, 160, 45-52.	4.2	377
46	SIGMA-1 Receptor Gene Variants Affect the Somatosensory Phenotype in Neuropathic Pain Patients. <i>Journal of Pain</i> , 2019, 20, 201-214.	1.4	10
47	Management of pain in individuals with spinal cord injury: Guideline of the German-Speaking Medical Society for Spinal Cord Injury. <i>GMS German Medical Science</i> , 2019, 17, Doc05.	2.7	5
48	Pathophysiological mechanisms of neuropathic pain: comparison of sensory phenotypes in patients and human surrogate pain models. <i>Pain</i> , 2018, 159, 1090-1102.	4.2	77
49	The International Association for the Study of Pain definition of pain: as valid in 2018 as in 1979, but in need of regularly updated footnotes. <i>Pain Reports</i> , 2018, 3, e643.	2.7	171
50	The Role of Sex in Sleep Deprivation Related Changes of Nociception and Conditioned Pain Modulation. <i>Neuroscience</i> , 2018, 387, 191-200.	2.3	47
51	Changes in birth-related pain perception impact of neurobiological and psycho-social factors. <i>Archives of Gynecology and Obstetrics</i> , 2018, 297, 591-599.	1.7	6
52	Variable transcriptional responsiveness of the P2X3 receptor gene during CFA-induced inflammatory hyperalgesia. <i>Journal of Cellular Biochemistry</i> , 2018, 119, 3922-3935.	2.6	9
53	Deep phenotyping neuropathy: An underestimated complication in patients with pre-diabetes and type 2 diabetes associated with albuminuria. <i>Diabetes Research and Clinical Practice</i> , 2018, 146, 191-201.	2.8	32
54	Pilot field testing of the chronic pain classification for ICD-11: the results of ecological coding. <i>BMC Public Health</i> , 2018, 18, 1239.	2.9	34

#	ARTICLE	IF	CITATIONS
55	Spinal cord stimulation modulates descending pain inhibition and temporal summation of pricking pain in patients with neuropathic pain. <i>Acta Neurochirurgica</i> , 2018, 160, 2509-2519.	1.7	16
56	Sleep Deprivation Related Changes of Plasma Oxytocin in Males and Female Contraceptive Users Depend on Sex and Correlate Differentially With Anxiety and Pain Hypersensitivity. <i>Frontiers in Behavioral Neuroscience</i> , 2018, 12, 161.	2.0	9
57	Assessment of pain quality reveals distinct differences between nociceptive innervation of low back fascia and muscle in humans. <i>Pain Reports</i> , 2018, 3, e662.	2.7	22
58	Conditioned pain modulation in patients with nonspecific chronic back pain with chronic local pain, chronic widespread pain, and fibromyalgia. <i>Pain</i> , 2017, 158, 430-439.	4.2	76
59	Peripheral neuropathic pain: a mechanism-related organizing principle based on sensory profiles. <i>Pain</i> , 2017, 158, 261-272.	4.2	462
60	Brain imaging tests for chronic pain: medical, legal and ethical issues and recommendations. <i>Nature Reviews Neurology</i> , 2017, 13, 624-638.	10.1	220
61	Prevention and reversal of latent sensitization of dorsal horn neurons by glial blockers in a model of low back pain in male rats. <i>Journal of Neurophysiology</i> , 2017, 118, 2059-2069.	1.8	24
62	Detection of central circuits implicated in the formation of novel pain memories. <i>Journal of Pain Research</i> , 2016, Volume 9, 671-681.	2.0	9
63	Altered pressure pain thresholds and increased wind-up in adult patients with chronic back pain with a history of childhood maltreatment: a quantitative sensory testing study. <i>Pain</i> , 2016, 157, 1799-1809.	4.2	83
64	Neuropathic pain: an updated grading system for research and clinical practice. <i>Pain</i> , 2016, 157, 1599-1606.	4.2	824
65	Quantitative sensory testing using DFNS protocol in Europe. <i>Pain</i> , 2016, 157, 750-758.	4.2	71
66	Gain control mechanisms in the nociceptive system. <i>Pain</i> , 2016, 157, 1199-1204.	4.2	80
67	Electrical high-frequency stimulation of the human thoracolumbar fascia evokes long-term potentiation-like pain amplification. <i>Pain</i> , 2016, 157, 2309-2317.	4.2	33
68	The role of seeing blood in non-suicidal self-injury in female patients with borderline personality disorder. <i>Psychiatry Research</i> , 2016, 246, 676-682.	3.3	17
69	High-frequency modulation of rat spinal field potentials: effects of slowly conducting muscle vs. skin afferents. <i>Journal of Neurophysiology</i> , 2016, 115, 692-700.	1.8	7
70	Neurogenic hyperalgesia: illuminating its mechanisms with an infrared laser. <i>Journal of Physiology</i> , 2016, 594, 6441-6442.	2.9	3
71	Trigeminal neuralgia. <i>Neurology</i> , 2016, 87, 220-228.	1.1	354
72	Cycloartanes from <i>Oxyanthus pallidus</i> and derivatives with analgesic activities. <i>BMC Complementary and Alternative Medicine</i> , 2016, 16, 97.	3.7	3

#	ARTICLE	IF	CITATIONS
73	<i>N</i>-octanoyl dopamine treatment exerts renoprotective properties in acute kidney injury but not in renal allograft recipients. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, 564-573.	0.7	10
74	Duloxetine and 8-OH-DPAT, but not fluoxetine, reduce depression-like behaviour in an animal model of chronic neuropathic pain. <i>Neuroscience Letters</i> , 2016, 619, 162-167.	2.1	28
75	Characterizing pinprick-evoked brain potentials before and after experimentally induced secondary hyperalgesia. <i>Journal of Neurophysiology</i> , 2015, 114, 2672-2681.	1.8	46
76	A classification of chronic pain for ICD-11. <i>Pain</i> , 2015, 156, 1003-1007.	4.2	1,701
77	Capsaicin-sensitive C- and A-fibre nociceptors control long-term potentiation-like pain amplification in humans. <i>Brain</i> , 2015, 138, 2505-2520.	7.6	102
78	Distinct quantitative sensory testing profiles in nonspecific chronic back pain subjects with and without psychological trauma. <i>Pain</i> , 2015, 156, 577-586.	4.2	67
79	Quantitative sensory testing in the German Research Network on Neuropathic Pain (DFNS): Reference data for the trunk and application in patients with chronic postherpetic neuralgia. <i>Pain</i> , 2014, 155, 1002-1015.	4.2	157
80	Sensory findings after stimulation of the thoracolumbar fascia with hypertonic saline suggest its contribution to low back pain. <i>Pain</i> , 2014, 155, 222-231.	4.2	115
81	Tramadol reduces anxiety-related and depression-associated behaviors presumably induced by pain in the chronic constriction injury model of neuropathic pain in rats. <i>Pharmacology Biochemistry and Behavior</i> , 2014, 124, 290-296.	2.9	61
82	Acetylsalicylic acid enhances tachyphylaxis of repetitive capsaicin responses in TRPV1-GFP expressing HEK293 cells. <i>Neuroscience Letters</i> , 2014, 563, 101-106.	2.1	12
83	Value of quantitative sensory testing in neurological and pain disorders: NeuPSIG consensus. <i>Pain</i> , 2013, 154, 1807-1819.	4.2	428
84	Injection of nerve growth factor into a low back muscle induces long-lasting latent hypersensitivity in rat dorsal horn neurons. <i>Pain</i> , 2013, 154, 1953-1960.	4.2	54
85	Interventional management of neuropathic pain: NeuPSIG recommendations. <i>Pain</i> , 2013, 154, 2249-2261.	4.2	344
86	Response to letter by Werner et al.. <i>Pain</i> , 2013, 154, 176-178.	4.2	4
87	Sensory signs in complex regional pain syndrome and peripheral nerve injury. <i>Pain</i> , 2012, 153, 765-774.	4.2	168
88	Assay sensitivity in clinical trials with chronic pain patients. <i>Pain</i> , 2012, 153, 1136-1137.	4.2	0
89	Nociceptive input from the rat thoracolumbar fascia to lumbar dorsal horn neurones. <i>European Journal of Pain</i> , 2011, 15, 810-815.	2.8	61
90	NeuPSIG guidelines on neuropathic pain assessment. <i>Pain</i> , 2011, 152, 14-27.	4.2	871

#	ARTICLE	IF	CITATIONS
91	Analysis of hyperalgesia time courses in humans after painful electrical high-frequency stimulation identifies a possible transition from early to late LTP-like pain plasticity. <i>Pain</i> , 2011, 152, 1532-1539.	4.2	86
92	A new definition of neuropathic pain. <i>Pain</i> , 2011, 152, 2204-2205.	4.2	1,074
93	Assessing symptom profiles in neuropathic pain clinical trials: Can it improve outcome?. <i>European Journal of Pain</i> , 2011, 15, 441-443.	2.8	88
94	Reference data for quantitative sensory testing (QST): Refined stratification for age and a novel method for statistical comparison of group data. <i>Pain</i> , 2010, 151, 598-605.	4.2	416
95	Recommendations for the Pharmacological Management of Neuropathic Pain: An Overview and Literature Update. <i>Mayo Clinic Proceedings</i> , 2010, 85, S3-S14.	3.0	1,083
96	Heat-Induced Action Potential Discharges in Nociceptive Primary Sensory Neurons of Rats. <i>Journal of Neurophysiology</i> , 2009, 102, 424-436.	1.8	11
97	Assessment of Neuropathic Pain in Primary Care. <i>American Journal of Medicine</i> , 2009, 122, S13-S21.	1.5	177
98	How to detect a sensory abnormality. <i>European Journal of Pain</i> , 2008, 12, 395-396.	2.8	31
99	Pseudoradicular and radicular low-back pain – A disease continuum rather than different entities? Answers from quantitative sensory testing. <i>Pain</i> , 2008, 135, 65-74.	4.2	140
100	The Kyoto protocol of IASP Basic Pain Terminology –†. <i>Pain</i> , 2008, 137, 473-477.	4.2	822
101	The role of heterosynaptic facilitation in long-term potentiation (LTP) of human pain sensation. <i>Pain</i> , 2008, 139, 507-519.	4.2	72
102	Modality-specific sensory changes in humans after the induction of long-term potentiation (LTP) in cutaneous nociceptive pathways. <i>Pain</i> , 2007, 128, 254-263.	4.2	73
103	Peripheral and central components of habituation of heat pain perception and evoked potentials in humans. <i>Pain</i> , 2007, 132, 301-311.	4.2	188
104	Pharmacologic management of neuropathic pain: Evidence-based recommendations. <i>Pain</i> , 2007, 132, 237-251.	4.2	1,740
105	Assessment of pain as an emotion in animals and in humans. <i>Experimental Neurology</i> , 2006, 197, 1-3.	4.1	15
106	Passing lanes and slow lanes into the nociceptive network of the human brain. <i>Pain</i> , 2006, 123, 223-225.	4.2	4
107	Perceptual Correlate of Nociceptive Long-Term Potentiation (LTP) in Humans Shares the Time Course of Early-LTP. <i>Journal of Neurophysiology</i> , 2006, 96, 3551-3555.	1.8	48
108	Neural Correlates of Antinociception in Borderline Personality Disorder. <i>Archives of General Psychiatry</i> , 2006, 63, 659.	12.3	263

#	ARTICLE	IF	CITATIONS
109	Human brain mechanisms of pain perception and regulation in health and disease. <i>European Journal of Pain</i> , 2005, 9, 463-463.	2.8	2,538
110	Human surrogate models of neuropathic pain. <i>Pain</i> , 2005, 115, 227-233.	4.2	108
111	Perceptual Correlates of Nociceptive Long-Term Potentiation and Long-Term Depression in Humans. <i>Journal of Neuroscience</i> , 2004, 24, 964-971.	3.6	318
112	Secondary tactile hypoesthesia: a novel type of pain-induced somatosensory plasticity in human subjects. <i>Neuroscience Letters</i> , 2004, 361, 136-139.	2.1	94
113	Sensitivity of laser-evoked potentials versus somatosensory evoked potentials in patients with multiple sclerosis. <i>Clinical Neurophysiology</i> , 2003, 114, 992-1002.	1.5	49
114	Clinical usefulness of laser-evoked potentials. <i>Neurophysiologie Clinique</i> , 2003, 33, 303-314.	2.2	334
115	Inward currents in primary nociceptive neurons of the rat and pain sensations in humans elicited by infrared diode laser pulses. <i>Pain</i> , 2002, 99, 145-155.	4.2	47
116	Inactivation and tachyphylaxis of heat-evoked inward currents in nociceptive primary sensory neurones of rats. <i>Journal of Physiology</i> , 2000, 528, 539-549.	2.9	43
117	The pain inhibiting pain effect: an electrophysiological study in humans. <i>Brain Research</i> , 2000, 862, 103-110.	2.2	93
118	Inhibition of Rapid Heat Responses in Nociceptive Primary Sensory Neurons of Rats by Vanilloid Receptor Antagonists. <i>Journal of Neurophysiology</i> , 1999, 82, 2853-2860.	1.8	71
119	Secondary hyperalgesia and perceptual wind-up following intradermal injection of capsaicin in humans. <i>Pain</i> , 1998, 74, 257-268.	4.2	229
120	Myelinated Mechanically Insensitive Afferents From Monkey Hairy Skin: Heat-Response Properties. <i>Journal of Neurophysiology</i> , 1998, 80, 1082-1093.	1.8	211
121	Peripheral Acute Pain Mechanisms. <i>Annals of Medicine</i> , 1995, 27, 213-216.	3.8	60
122	Dissociated secondary hyperalgesia in a subject with a large-fibre sensory neuropathy. <i>Pain</i> , 1993, 53, 169-174.	4.2	74
123	Peripheral and central mechanisms of cutaneous hyperalgesia. <i>Progress in Neurobiology</i> , 1992, 38, 397-421.	5.7	819
124	CO2 laser radiant heat pulses activate C nociceptors in man. <i>Pflugers Archiv European Journal of Physiology</i> , 1983, 399, 155-156.	2.8	69