

Isabelle Sagnes

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1470233/publications.pdf>

Version: 2024-02-01

673
papers

17,330
citations

16451
64
h-index

23533
111
g-index

677
all docs

677
docs citations

677
times ranked

10276
citing authors

#	ARTICLE	IF	CITATIONS
1	Near-optimal single-photon sources in the solid state. Nature Photonics, 2016, 10, 340-345.	31.4	858
2	Lasing in topological edge states of a one-dimensional lattice. Nature Photonics, 2017, 11, 651-656.	31.4	625
3	Ultrabright source of entangled photon pairs. Nature, 2010, 466, 217-220.	27.8	501
4	Spontaneous formation and optical manipulation of extended polariton condensates. Nature Physics, 2010, 6, 860-864.	16.7	431
5	Polariton Laser Using Single Micropillar $\langle \text{mml:math} \text{xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{display="inline"} \langle \text{mml:mi} \rangle \text{GaAs} \langle \text{mml:mi} \rangle \langle \text{mml:mtext} \text{mathvariant="normal"} \rangle \hat{\alpha}^{\sim} \langle \text{mml:mtext} \rangle \langle \text{mml:mi} \rangle \text{GaAlAs} \langle \text{mml:mi} \rangle \langle \text{mml:math} \rangle \text{Semiconductor Cavities. Physical Review Letters, 2008, 100, 047401.}$	7.8	394
6	Direct Observation of Dirac Cones and a Flatband in a Honeycomb Lattice for Polaritons. Physical Review Letters, 2014, 112, 116402.	7.8	352
7	Bright solid-state sources of indistinguishable single photons. Nature Communications, 2013, 4, 1425.	12.8	309
8	Controlled Light-Matter Coupling for a Single Quantum Dot Embedded in a Pillar Microcavity Using Far-Field Optical Lithography. Physical Review Letters, 2008, 101, 267404.	7.8	264
9	Bosonic Condensation and Disorder-Induced Localization in a Flat Band. Physical Review Letters, 2016, 116, 066402.	7.8	246
10	Macroscopic quantum self-trapping and Josephson oscillations of exciton polaritons. Nature Physics, 2013, 9, 275-279.	16.7	244
11	Sub-500-fs soliton-like pulse in a passively mode-locked broadband surface-emitting laser with 100 mW average power. Applied Physics Letters, 2002, 80, 3892-3894.	3.3	202
12	Temporal solitons and pulse compression in photonic crystal waveguides. Nature Photonics, 2010, 4, 862-868.	31.4	196
13	Hybrid indium phosphide-on-silicon nanolaser diode. Nature Photonics, 2017, 11, 297-300.	31.4	176
14	Strong Light-Matter Coupling in Subwavelength Metal-Dielectric Microcavities at Terahertz Frequencies. Physical Review Letters, 2009, 102, 186402.	7.8	171
15	Enhancement of second-harmonic generation in a one-dimensional semiconductor photonic band gap. Applied Physics Letters, 2001, 78, 3021-3023.	3.3	161
16	Optical absorption evidence of a quantum size effect in porous silicon. Applied Physics Letters, 1993, 62, 1155-1157.	3.3	156
17	Optical properties of metal-dielectric-metal microcavities in the THz frequency range. Optics Express, 2010, 18, 13886.	3.4	156
18	Polariton condensation in solitonic gap states in a one-dimensional periodic potential. Nature Communications, 2013, 4, 1749.	12.8	155

#	ARTICLE	IF	CITATIONS
19	Boson Sampling with Single-Photon Fock States from a Bright Solid-State Source. Physical Review Letters, 2017, 118, 130503.	7.8	155
20	Optomechanical Coupling in a Two-Dimensional Photonic Crystal Defect Cavity. Physical Review Letters, 2011, 106, 203902.	7.8	149
21	Ultra-low-threshold continuous-wave and pulsed lasing in tensile-strained GeSn alloys. Nature Photonics, 2020, 14, 375-382.	31.4	145
22	Interactions in Confined Polariton Condensates. Physical Review Letters, 2011, 106, 126401.	7.8	144
23	Spontaneous mirror-symmetry breaking in coupled photonic-crystal nanolasers. Nature Photonics, 2015, 9, 311-315.	31.4	142
24	Probing a Dissipative Phase Transition via Dynamical Optical Hysteresis. Physical Review Letters, 2017, 118, 247402.	7.8	142
25	Relative Refractory Period in an Excitable Semiconductor Laser. Physical Review Letters, 2014, 112, 183902.	7.8	138
26	Spin-Orbit Coupling for Photons and Polaritons in Microstructures. Physical Review X, 2015, 5, .	8.9	131
27	Polariton Condensation in Photonic Molecules. Physical Review Letters, 2012, 108, 126403.	7.8	124
28	All-optical phase modulation in a cavity-polariton Mach-Zehnder interferometer. Nature Communications, 2014, 5, 3278.	12.8	123
29	Realization of a Double-Barrier Resonant Tunneling Diode for Cavity Polaritons. Physical Review Letters, 2013, 110, 236601.	7.8	118
30	Acoustic Black Hole in a Stationary Hydrodynamic Flow of Microcavity Polaritons. Physical Review Letters, 2015, 114, 036402.	7.8	114
31	Deterministic and electrically tunable bright single-photon source. Nature Communications, 2014, 5, 3240.	12.8	110
32	Optically controlling the emission chirality of microlasers. Nature Photonics, 2019, 13, 283-288.	31.4	109
33	Propagation and Amplification Dynamics of 1D Polariton Condensates. Physical Review Letters, 2012, 109, 216404.	7.8	106
34	Scalable performance in solid-state single-photon sources. Optica, 2016, 3, 433.	9.3	106
35	Indistinguishable single photons from a single-quantum dot in a two-dimensional photonic crystal cavity. Applied Physics Letters, 2005, 87, 163107.	3.3	104
36	Fractal Energy Spectrum of a Polariton Gas in a Fibonacci Quasiperiodic Potential. Physical Review Letters, 2014, 112, 146404.	7.8	104

#	ARTICLE	IF	CITATIONS
37	Injection-locking of terahertz quantum cascade lasers up to 35GHz using RF amplitude modulation. Optics Express, 2010, 18, 20799.	3.4	103
38	Hybrid III-V semiconductor/silicon nanolaser. Optics Express, 2011, 19, 9221.	3.4	94
39	Phase-Matched Frequency Doubling at Photonic Band Edges: Efficiency Scaling as the Fifth Power of the Length. Physical Review Letters, 2002, 89, 043901.	7.8	93
40	Multiwattâ€‘power highlyâ€‘coherent compact singleâ€‘frequency tunable Verticalâ€‘Externalâ€‘Cavityâ€‘Surfaceâ€‘Emittingâ€‘Semiconductorâ€‘Laser. Optics Express, 2010, 18, 14627.	3.4	93
41	Charge-Induced Coherence between Intersubband Plasmons in a Quantum Structure. Physical Review Letters, 2012, 109, 246808.	7.8	91
42	Electroluminescence from strain-compensated Si _{0.2} Ge _{0.8} /Si quantum-cascade structures based on a bound-to-continuum transition. Applied Physics Letters, 2002, 81, 4700-4702.	3.3	87
43	Optical gain in single tensile-strained germanium photonic wire. Optics Express, 2011, 19, 17925.	3.4	83
44	Orbital Edge States in a Photonic Honeycomb Lattice. Physical Review Letters, 2017, 118, 107403.	7.8	79
45	Optical Nonlinearity for Few-Photon Pulses on a Quantum Dot-Pillar Cavity Device. Physical Review Letters, 2012, 109, 166806.	7.8	77
46	Recent advances in germanium emission [Invited]. Photonics Research, 2013, 1, 102.	7.0	76
47	Experimental demonstration of a tunable dual-frequency semiconductor laser free of relaxation oscillations. Optics Letters, 2009, 34, 3421.	3.3	75
48	Tensile-strained germanium microdisks. Applied Physics Letters, 2013, 102, 221112.	3.3	75
49	Ultra-strong lightâ€‘matter coupling for designer Reststrahlen band. New Journal of Physics, 2014, 16, 043029.	2.9	75
50	Interaction-induced hopping phase in driven-dissipative coupled photonic microcavities. Nature Communications, 2016, 7, 11887.	12.8	74
51	Reducing Phonon-Induced Decoherence in Solid-State Single-Photon Sources with Cavity Quantum Electrodynamics. Physical Review Letters, 2017, 118, 253602.	7.8	74
52	Restoration of photon indistinguishability in the emission of a semiconductor quantum dot. Physical Review B, 2005, 72, .	3.2	73
53	Macroscopic rotation of photon polarization induced by a single spin. Nature Communications, 2015, 6, 6236.	12.8	73
54	Near-infrared waveguide photodetector with Ge/Si self-assembled quantum dots. Applied Physics Letters, 2002, 80, 509-511.	3.3	72

#	ARTICLE	IF	CITATIONS
55	All-around SiN Stressor for High and Homogeneous Tensile Strain in Germanium Microdisk Cavities. Advanced Optical Materials, 2015, 3, 353-358.	7.3	72
56	Type-III and Tilted Dirac Cones Emerging from Flat Bands in Photonic Orbital Graphene. Physical Review X, 2019, 9, .	8.9	72
57	Polariton-generated intensity squeezing in semiconductor micropillars. Nature Communications, 2014, 5, 3260.	12.8	71
58	Spatiotemporal Chaos Induces Extreme Events in an Extended Microcavity Laser. Physical Review Letters, 2016, 116, 013901.	7.8	71
59	Measuring topological invariants from generalized edge states in polaritonic quasicrystals. Physical Review B, 2017, 95, .	3.2	70
60	Origin of the Optical Emission within the Cavity Mode of Coupled Quantum Dot-Cavity Systems. Physical Review Letters, 2009, 103, 027401.	7.8	68
61	Incoherent and coherent writing and erasure of cavity solitons in an optically pumped semiconductor amplifier. Optics Letters, 2006, 31, 1504.	3.3	66
62	Realization of an all optical exciton-polariton router. Applied Physics Letters, 2015, 107, .	3.3	66
63	A solid-state single-photon filter. Nature Nanotechnology, 2017, 12, 663-667.	31.5	66
64	Electroluminescence of Ge/Si self-assembled quantum dots grown by chemical vapor deposition. Applied Physics Letters, 2000, 77, 1822.	3.3	65
65	Quantum dot-cavity strong-coupling regime measured through coherent reflection spectroscopy in a very high-Q micropillar. Applied Physics Letters, 2010, 97, .	3.3	65
66	Bright Polarized Single-Photon Source Based on a Linear Dipole. Physical Review Letters, 2021, 126, 233601.	7.8	65
67	Control of cavity solitons and dynamical states in a monolithic vertical cavity laser with saturable absorber. European Physical Journal D, 2010, 59, 91-96.	1.3	64
68	Emergence of criticality through a cascade of delocalization transitions in quasiperiodic chains. Nature Physics, 2020, 16, 832-836.	16.7	64
69	10-GHz train of sub-500-fs optical soliton-like pulses from a surface-emitting semiconductor laser. IEEE Photonics Technology Letters, 2005, 17, 267-269.	2.5	63
70	Experimental Investigation and Analytical Modeling of Excess Intensity Noise in Semiconductor Class-A Lasers. Journal of Lightwave Technology, 2008, 26, 952-961.	4.6	63
71	Micropillar Resonators for Optomechanics in the Extremely High 19-95-GHz Frequency Range. Physical Review Letters, 2017, 118, 263901.	7.8	63
72	Fast manipulation of laser localized structures in a monolithic vertical cavity with saturable absorber. Applied Physics B: Lasers and Optics, 2010, 98, 327-331.	2.2	62

#	ARTICLE	IF	CITATIONS
73	Light transport regimes in slow light photonic crystal waveguides. Physical Review B, 2009, 80, .	3.2	61
74	Cavity-enhanced two-photon interference using remote quantum dot sources. Physical Review B, 2015, 92, .	3.2	60
75	Ultra-low threshold polariton lasing in photonic crystal cavities. Applied Physics Letters, 2011, 99, .	3.3	59
76	Metal-Coated Nanocylinder Cavity for Broadband Nonclassical Light Emission. Physical Review Letters, 2010, 105, 180502.	7.8	58
77	High quality tensile-strained n-doped germanium thin films grown on InGaAs buffer layers by metal-organic chemical vapor deposition. Applied Physics Letters, 2011, 98, .	3.3	58
78	Edge states in polariton honeycomb lattices. 2D Materials, 2015, 2, 034012.	4.4	58
79	Optical Self-Organization in Bulk and Multiquantum Well GaAlAs Microresonators. Physical Review Letters, 2000, 84, 6006-6009.	7.8	55
80	Coherent manipulation of a solid-state artificial atom with few photons. Nature Communications, 2016, 7, 11986.	12.8	55
81	Electro-osmotic propulsion of helical nanobelt swimmers. International Journal of Robotics Research, 2011, 30, 806-819.	8.5	54
82	Control of tensile strain in germanium waveguides through silicon nitride layers. Applied Physics Letters, 2012, 100, 201104.	3.3	54
83	Direct Band Gap Germanium Microdisks Obtained with Silicon Nitride Stressor Layers. ACS Photonics, 2016, 3, 443-448.	6.6	54
84	Sequential generation of linear cluster states from a single photon emitter. Nature Communications, 2020, 11, 5501.	12.8	53
85	Porous silicon: material properties, visible photo- and electroluminescence. Applied Surface Science, 1993, 65-66, 394-407.	6.1	52
86	Shot-noise-limited operation of a monomode high-cavity-finesse semiconductor laser for microwave photonics applications. Optics Letters, 2007, 32, 650.	3.3	52
87	Photoluminescence quenching of a low-pressure metal-organic vapor-phase-epitaxy grown quantum dots array with bimodal inhomogeneous broadening. Journal of Applied Physics, 2002, 91, 10115.	2.5	51
88	Measurement of the coupling constant in a two-frequency VECSEL. Optics Express, 2010, 18, 5008.	3.4	51
89	Direct and indirect band gap room temperature electroluminescence of Ge diodes. Journal of Applied Physics, 2010, 108, 023105.	2.5	51
90	Superradiant Emission from a Collective Excitation in a Semiconductor. Physical Review Letters, 2015, 115, 187402.	7.8	51

#	ARTICLE	IF	CITATIONS
91	Active demultiplexing of single photons from a solidâ€state source. Laser and Photonics Reviews, 2017, 11, 1600297.	8.7	51
92	Semiconductor Surface Plasmon Sources. Physical Review Letters, 2010, 104, 226806.	7.8	49
93	Coupling of a surface plasmon with localized subwavelength microcavity modes. Applied Physics Letters, 2011, 98, .	3.3	49
94	Homoclinic Snaking in a Semiconductor-Based Optical System. Physical Review Letters, 2008, 101, 253902.	7.8	48
95	Microwave modulation of terahertz quantum cascade lasers: a transmission-line approach. Applied Physics Letters, 2010, 96, .	3.3	48
96	Control of light polarization using optically spin-injected vertical external cavity surface emitting lasers. Applied Physics Letters, 2013, 103, .	3.3	48
97	Highly selective and compact tunable MOEMS photonic crystal Fabry-Perot filter. Optics Express, 2006, 14, 3129.	3.4	47
98	Unstable and stable regimes of polariton condensation. Optica, 2018, 5, 1163.	9.3	47
99	Vortex Laser based on III-V semiconductor metasurface: direct generation of coherent Laguerre-Gauss modes carrying controlled orbital angular momentum. Scientific Reports, 2016, 6, 38156.	3.3	46
100	Germanium microlasers on metallic pedestals. APL Photonics, 2018, 3, .	5.7	46
101	Continuous-wave operation of photonic band-edge laser near 1.55 Åµm on silicon wafer. Optics Express, 2007, 15, 7551.	3.4	45
102	Scalable implementation of strongly coupled cavity-quantum dot devices. Applied Physics Letters, 2009, 94, .	3.3	44
103	Entangling Quantum-Logic Gate Operated with an Ultrabright Semiconductor Single-Photon Source. Physical Review Letters, 2013, 110, 250501.	7.8	44
104	Reproducibility of High-Performance Quantum Dot Single-Photon Sources. ACS Photonics, 2020, 7, 1050-1059.	6.6	44
105	Measuring propagation loss in a multimode semiconductor waveguide. Journal of Applied Physics, 2005, 97, 073105.	2.5	43
106	Thermal optimization of 1.55Å¼m OP-VECSEL with hybrid metalâ€metamorphic mirror for single-mode high power operation. Optical and Quantum Electronics, 2008, 40, 155-165.	3.3	43
107	Heterogeneous integration and precise alignment of InP-based photonic crystal lasers to complementary metal-oxide semiconductor fabricated silicon-on-insulator wire waveguides. Journal of Applied Physics, 2010, 107, .	2.5	42
108	Photonic molecules: tailoring the coupling strength and sign. Optics Express, 2014, 22, 12359.	3.4	42

#	ARTICLE	IF	CITATIONS
109	Ultrafast all-optical switching and error-free 10 Gbit/s wavelength conversion in hybrid InP-silicon on insulator nanocavities using surface quantum wells. Applied Physics Letters, 2014, 104, .	3.3	42
110	Third Order Dispersion in Time-Delayed Systems. Physical Review Letters, 2019, 123, 043902.	7.8	42
111	Reduced Lasing Thresholds in GeSn Microdisk Cavities with Defect Management of the Optically Active Region. ACS Photonics, 2020, 7, 2713-2722.	6.6	42
112	Influence of the material parameters on quantum cascade devices. Applied Physics Letters, 2008, 93, 131108.	3.3	41
113	Characterization of semiconducting iron disilicide obtained by LRP/CVD. IEEE Transactions on Electron Devices, 1992, 39, 200-201.	3.0	40
114	Single-frequency cw vertical external cavity surface emitting semiconductor laser at 1003Ånm and 501Ånm by intracavity frequency doubling. Applied Physics B: Lasers and Optics, 2007, 86, 503-510.	2.2	40
115	Temporal summation in a neuromimetic micropillar laser. Optics Letters, 2015, 40, 5690.	3.3	40
116	Gap solitons in a one-dimensional driven-dissipative topological lattice. Nature Physics, 2022, 18, 678-684.	16.7	40
117	Continuous-wave versus time-resolved measurements of Purcell factors for quantum dots in semiconductor microcavities. Physical Review B, 2009, 80, .	3.2	39
118	Spatial, spectral, and polarization properties of coupled micropillar cavities. Applied Physics Letters, 2011, 99, 101103.	3.3	39
119	Phase-Controlled Bistability of a Dark Soliton Train in a Polariton Fluid. Physical Review Letters, 2016, 117, 217401.	7.8	39
120	Generation of non-classical light in a photon-number superposition. Nature Photonics, 2019, 13, 803-808.	31.4	39
121	Nonlinear Polariton Fluids in a Flatband Reveal Discrete Gap Solitons. Physical Review Letters, 2019, 123, 113901.	7.8	39
122	Optical bistability in a quantum dots/micropillar device with a quality factor exceeding 200 000. Applied Physics Letters, 2012, 100, 111111.	3.3	38
123	Optical critical coupling into highly confining metal-insulator-metal resonators. Applied Physics Letters, 2013, 103, .	3.3	38
124	Direct observation of photonic Landau levels and helical edge states in strained honeycomb lattices. Light: Science and Applications, 2020, 9, 144.	16.6	38
125	High power singleâ€“frequency continuouslyâ€“tunable compact extendedâ€“cavity semiconductor laser. Optics Express, 2009, 17, 9503.	3.4	37
126	Thermo-optical dynamics in an optically pumped Photonic Crystal nano-cavity. Optics Express, 2009, 17, 17118.	3.4	37

#	ARTICLE	IF	CITATIONS
127	Spontaneous nonground state polariton condensation in pillar microcavities. Physical Review B, 2010, 81, .	3.2	36
128	Higher-order photon correlations in pulsed photonic crystal nanolasers. Physical Review A, 2011, 84, .	2.5	36
129	Strain and composition of capped Ge/Si self-assembled quantum dots grown by chemical vapor deposition. Applied Physics Letters, 2000, 77, 370-372.	3.3	35
130	Ultrafast control of light emission from a quantum-well semiconductor microcavity using picosecond strain pulses. Physical Review B, 2008, 78, .	3.2	35
131	Exciton polaritons in two-dimensional photonic crystals. Physical Review B, 2009, 80, .	3.2	35
132	Deformable two-dimensional photonic crystal slab for cavity optomechanics. Optics Letters, 2011, 36, 3434.	3.3	35
133	Spike latency and response properties of an excitable micropillar laser. Physical Review E, 2016, 94, 042219.	2.1	35
134	10 Gbit s ⁻¹ Free Space Data Transmission at 9Âµm Wavelength With Unipolar Quantum Optoelectronics. Laser and Photonics Reviews, 2022, 16, .	8.7	35
135	Exploration of the ultimate patterning potential achievable with focused ion beams. Microelectronic Engineering, 2005, 78-79, 266-278.	2.4	34
136	Polariton parametric luminescence in a single micropillar. Applied Physics Letters, 2007, 90, 051107.	3.3	34
137	Purcell Enhancement of Spontaneous Emission from Quantum Cascades inside Mirror-Grating Metal Cavities at THz Frequencies. Physical Review Letters, 2007, 99, 223603.	7.8	34
138	Bright Phonon-Tuned Single-Photon Source. Nano Letters, 2015, 15, 6290-6294.	9.1	34
139	InAs ¹¹ •InP(001) quantum dots emitting at 1.55Î¼m grown by low-pressure metalorganic vapor-phase epitaxy. Applied Physics Letters, 2005, 87, 253114.	3.3	33
140	Midinfrared Ultrastrong Light-Matter Coupling for THz Thermal Emission. ACS Photonics, 2017, 4, 2550-2555.	6.6	33
141	High performance 1.55Îµm vertical external cavity surface emitting laser with broadband integrated dielectric-metal mirror. Electronics Letters, 2004, 40, 734.	1.0	32
142	Direct growth of GaAs-based structures on exactly (001)-oriented Ge/Si virtual substrates: reduction of the structural defect density and observation of electroluminescence at room temperature under CW electrical injection. Journal of Crystal Growth, 2004, 265, 53-59.	1.5	32
143	Hong-Ou-Mandel Interference with Imperfect Single Photon Sources. Physical Review Letters, 2021, 126, 063602.	7.8	32
144	Nonlinear mechanics with suspended nanomembranes. Europhysics Letters, 2012, 100, 68005.	2.0	31

#	ARTICLE	IF	CITATIONS
145	Intensity noise correlations in a two-frequency VECSEL. Optics Express, 2013, 21, 2538.	3.4	31
146	Picosecond pulse generation with 1.5-µm passively modelocked surface-emitting semiconductor laser. Electronics Letters, 2003, 39, 846.	1.0	30
147	Direct observation of the class-B to class-A transition in the dynamical behavior of a semiconductor laser. Europhysics Letters, 2009, 87, 44005.	2.0	30
148	Demonstration of coherent emission from high- \hat{I}^2 photonic crystal nanolasers at room temperature. Optics Letters, 2010, 35, 1154.	3.3	30
149	Atomic-plane-thick reconstruction across the interface during heteroepitaxial bonding of InP-clad quantum wells on silicon. Applied Physics Letters, 2013, 102, .	3.3	30
150	Interfacing scalable photonic platforms: solid-state based multi-photon interference in a reconfigurable glass chip. Optica, 2019, 6, 1471.	9.3	30
151	Designing novel organogermanium OMVPE precursors for high-purity germanium films. Journal of Crystal Growth, 2006, 287, 684-687.	1.5	29
152	Submicron-diameter semiconductor pillar microcavities with very high quality factors. Applied Physics Letters, 2007, 90, 091120.	3.3	29
153	III-V photonic crystal wire cavity laser on silicon wafer. Journal of the Optical Society of America B: Optical Physics, 2010, 27, 2146.	2.1	29
154	Low-Noise Dual-Frequency Laser for Compact Cs Atomic Clocks. Journal of Lightwave Technology, 2014, 32, 3817-3823.	4.6	29
155	Nonequilibrium polariton condensate in a magnetic field. Physical Review B, 2015, 91, .	3.2	29
156	Semi-Dirac Transport and Anisotropic Localization in Polariton Honeycomb Lattices. Physical Review Letters, 2020, 125, 186601.	7.8	29
157	Unequivocal Differentiation of Coherent and Chaotic Light through Interferometric Photon Correlation Measurements. Physical Review Letters, 2013, 110, 163603.	7.8	28
158	Coherent continuous-wave dual-frequency high-Q external-cavity semiconductor laser for GHz-THz applications. Optics Letters, 2016, 41, 3751.	3.3	28
159	Investigation of optical properties of free-standing porous silicon films by absorption and mirage effect. Journal of Luminescence, 1993, 57, 217-221.	3.1	27
160	Intersubband absorption performed on p-type modulation-doped Si _{0.2} Ge _{0.8} /Si quantum wells grown on Si _{0.5} Ge _{0.5} pseudosubstrate. Applied Physics Letters, 2002, 80, 3274-3276.	3.3	27
161	Room temperature laser operation of strained InGaAs [*] /GaAs QW structure monolithically grown by MOVCD on LE-PECVD Ge [*] /Si virtual substrate. Electronics Letters, 2003, 39, 1658.	1.0	27
162	Room-temperature continuous-wave laser operation of electrically-pumped 1.55-µm VECSEL. Electronics Letters, 2004, 40, 671.	1.0	27

#	ARTICLE	IF	CITATIONS
163	Optical self-organization and cavity solitons in optically pumped semiconductor microresonators. Physical Review A, 2006, 74, .	2.5	27
164	Metal organic vapor phase epitaxy of InAsP/InP(001) quantum dots for 1.55μm applications: Growth, structural, and optical properties. Journal of Applied Physics, 2008, 104, 043504.	2.5	27
165	Single InAs \times InP quantum dots	3.2	27
166	Nonlinear gallium phosphide nanoscale photonics [Invited]. Photonics Research, 2018, 6, B43.	7.0	27
167	A new concept for tunable long wavelength VCSEL. Optics Communications, 2003, 222, 341-350.	2.1	26
168	Dynamics of band-edge photonic crystal lasers. Optics Express, 2009, 17, 3165.	3.4	26
169	A semiconductor laser device for the generation of surface-plasmons upon electrical injection. Optics Express, 2009, 17, 9391.	3.4	26
170	Bimodal distribution of Indium composition in arrays of low-pressure metalorganic-vapor-phase-epitaxy grown InGaAs/GaAs quantum dots. Applied Physics Letters, 2001, 79, 2157-2159.	3.3	25
171	Silicon-on-insulator waveguide photodetector with Ge/Si self-assembled islands. Journal of Applied Physics, 2002, 92, 1858-1861.	2.5	25
172	Low-cost electrothermally tunable optical microcavities based on GaAs. IEEE Photonics Technology Letters, 2002, 14, 1566-1568.	2.5	25
173	Efficient coupling to W1 photonic crystal waveguide on InP membrane through suspended access guides. Applied Physics Letters, 2008, 92, 061105.	3.3	25
174	Field localization and enhancement of phase-locked second- and third-order harmonic generation in absorbing semiconductor cavities. Physical Review A, 2009, 80, .	2.5	25
175	Single-frequency external-cavity semiconductor ring-laser gyroscope. Optics Letters, 2009, 34, 97.	3.3	25
176	Frequency cavity pulling induced by a single semiconductor quantum dot. Physical Review B, 2014, 89, .	3.2	25
177	Spontaneous emission in highly excited semiconductors: Saturation of the radiative recombination rate. Journal of Applied Physics, 2002, 92, 6595-6600.	2.5	24
178	Surface-emitting quantum cascade lasers with metallic photonic-crystal resonators. Applied Physics Letters, 2009, 94, 221101.	3.3	24
179	Dark current investigation in thin P-i-N InGaAs photodiodes for nano-resonators. Journal of Applied Physics, 2016, 120, 084501.	2.5	24
180	Ge/Si self-assembled quantum dots grown on Si(001) in an industrial high-pressure chemical vapor deposition reactor. Journal of Applied Physics, 1999, 86, 1145-1148.	2.5	23

#	ARTICLE	IF	CITATIONS
181	Terahertz polariton sidebands generated by ultrafast strain pulses in an optical semiconductor microcavity. Physical Review B, 2009, 80, .	3.2	23
182	Polariton parametric oscillation in a single micropillar cavity. Applied Physics Letters, 2010, 97, .	3.3	23
183	Small volume excitation and enhancement of dye fluorescence on a 2D photonic crystal surface. Optics Express, 2010, 18, 3693.	3.4	23
184	Accurate measurement of the residual birefringence in VECSEL: Towards understanding of the polarization behavior under spin-polarized pumping. Optics Express, 2015, 23, 9573.	3.4	23
185	Homogeneous broadening of the S to P transition in InGaAs/GaAs quantum dots measured by infrared absorption imaging with nanoscale resolution. Physical Review B, 2011, 83, .	3.2	22
186	$\Gamma^+(2)$ semiconductor photonic crystals. Journal of the Optical Society of America B: Optical Physics, 2002, 19, 2094.	2.1	21
187	Hybrid InP-based photonic crystal lasers on silicon on insulator wires. Applied Physics Letters, 2009, 95, 201119.	3.3	21
188	Confining light flow in weakly coupled waveguide arrays by structuring the coupling constant: towards discrete diffractive optics. Optics Express, 2009, 17, 3148.	3.4	21
189	A quantum dot based bright source of entangled photon pairs operating at 53 K. Applied Physics Letters, 2010, 97, .	3.3	21
190	Circuit-tunable sub-wavelength THz resonators: hybridizing optical cavities and loop antennas. Optics Express, 2014, 22, 21302.	3.4	21
191	Towards strong light-matter coupling at the single-resonator level with sub-wavelength mid-infrared nano-antennas. Applied Physics Letters, 2016, 109, .	3.3	21
192	Harmonic generation with multi-layer dielectric metasurfaces. Nanophotonics, 2021, 10, 1837-1843.	6.0	21
193	Free-carrier and intersubband infrared absorption in $\text{p-type Si}_{1-x}\text{Ge}_x/\text{Si}$ multiple quantum wells. Physical Review B, 1995, 51, 14311-14316.	3.2	20
194	Recombination processes in SiGe/Si quantum wells measured by photoinduced absorption spectroscopy. Physical Review B, 1997, 56, 15734-15739.	3.2	20
195	Room temperature enhancement and inhibition of spontaneous emission in semiconductor microcavities. Applied Physics Letters, 2000, 77, 1345-1347.	3.3	20
196	MOCVD InP/AlGaInAs distributed Bragg reflector for 1.55 [μm] VCSELs. Electronics Letters, 2001, 37, 500.	1.0	20
197	Radiation patterns from coupled photonic crystal nanocavities. Applied Physics Letters, 2011, 99, 111101.	3.3	20
198	Thermal Management for High-Power Single-Frequency Tunable Diode-Pumped VECSEL Emitting in the Near- and Mid-IR. IEEE Journal of Selected Topics in Quantum Electronics, 2013, 19, 1701108-1701108.	2.9	20

#	ARTICLE	IF	CITATIONS
199	Tensile-strained germanium microdisk electroluminescence. Optics Express, 2015, 23, 6722.	3.4	20
200	Tensile-strained germanium microdisks with circular Bragg reflectors. Applied Physics Letters, 2016, 108, .	3.3	20
201	30Â°C CW operation of 1.52 [micro sign]m InGaAsP/AlGaAs vertical cavity lasers with in situ built-in lateral current confinement by localised fusion. Electronics Letters, 1998, 34, 1744.	1.0	20
202	Polarization- and diffraction-controlled second-harmonic generation from semiconductor metasurfaces. Journal of the Optical Society of America B: Optical Physics, 2019, 36, E55.	2.1	20
203	Reactive-ion etching of high-Q and submicron-diameter GaAs ⁺ AlAs micropillar cavities. Journal of Vacuum Science & Technology an Official Journal of the American Vacuum Society B, Microelectronics Processing and Phenomena, 2005, 23, 2499.	1.6	19
204	High-Q whispering-gallery modes in GaAs ⁺ AlOx microdisks. Applied Physics Letters, 2005, 86, 021103.	3.3	19
205	Smooth sidewall in InP-based photonic crystal membrane etched by N[sub 2]-based inductively coupled plasma. Journal of Vacuum Science & Technology B, 2008, 26, 1326.	1.3	19
206	Tunable single-frequency operation of a diode-pumped vertical external-cavity laser at the cesium D2 line. Applied Physics B: Lasers and Optics, 2009, 95, 315-321.	2.2	19
207	p and n-type germanium layers grown using iso-butyl germane in a III-V metal-organic vapor phase epitaxy reactor. Thin Solid Films, 2011, 519, 4186-4191.	1.8	19
208	Coherent Dual-Frequency Emission of a Vertical External-Cavity Semiconductor Laser at the Cesium $\{m D\}_{2}$ Line. IEEE Photonics Technology Letters, 2012, 24, 1218-1220.	2.5	19
209	Effect of increasing thickness on tensile-strained germanium grown on InGaAs buffer layers. Journal of Applied Physics, 2013, 113, 183508.	2.5	19
210	Phase Noise of the Radio Frequency (RF) Beatnote Generated by a Dual-Frequency VECSEL. Journal of Lightwave Technology, 2014, 32, 1307-1316.	4.6	19
211	Integrated III-V Photonic Crystal “Si waveguide platform with tailored optomechanical coupling. Scientific Reports, 2015, 5, 16526.	3.3	19
212	Room temperature CW lasing operation of monolithically grown 1.55 $\hat{1}/4$ m vertical external cavity surface emitting laser. Optics Communications, 2004, 230, 419-423.	2.1	18
213	Cavity optimization of optically pumped broad-area microcavity lasers. Applied Physics Letters, 2005, 86, 151119.	3.3	18
214	Observation of Slow Light in the Noise Spectrum of a Vertical External Cavity Surface-Emitting Laser. Physical Review Letters, 2010, 105, 223902.	7.8	18
215	High quality beaming and efficient free-space coupling in L3 photonic crystal active nanocavities. Optics Express, 2012, 20, 18876.	3.4	18
216	Backscattering Suppression in Supersonic 1D Polariton Condensates. Physical Review Letters, 2012, 108, 036405.	7.8	18

#	ARTICLE	IF	CITATIONS
217	Thermal management in hybrid InP/silicon photonic crystal nanobeam laser. Optics Express, 2014, 22, 10570.	3.4	18
218	High Q factor InP photonic crystal nanobeam cavities on silicon wire waveguides. Optics Letters, 2016, 41, 579.	3.3	18
219	Monolithic echo-less photoconductive switches as a high-resolution detector for terahertz time-domain spectroscopy. Applied Physics Letters, 2017, 110, .	3.3	18
220	Noise Investigation of a Dual-Frequency VECSEL for Application to Cesium Clocks. Journal of Lightwave Technology, 2018, 36, 3882-3891.	4.6	18
221	Photoinduced intersubband absorption in Si/SiGe quantum wells. Applied Physics Letters, 1995, 67, 2948-2950.	3.3	17
222	Microphotoluminescence of exciton and biexciton around $1.5\frac{1}{4}\mu\text{m}$ from a single InAs δ -InP(001) quantum dot. Applied Physics Letters, 2006, 88, 133101.	3.3	17
223	Time-resolved characterization of InAs δ -InP quantum dots emitting in the C-band telecommunication window. Applied Physics Letters, 2008, 93, 073106.	3.3	17
224	Technologies for thermal management of mid-IR Sb-based surface emitting lasers. Semiconductor Science and Technology, 2010, 25, 045021.	2.0	17
225	Discretization of Electronic States in Large $\langle \text{mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline">\langle \text{mml:mi>InAsP</mml:mi>\langle \text{mml:mo>/</mml:mo>\langle \text{mml:mi>InP</mml:mi>\langle \text{mml:math>Multilevel Quantum Dots Probed by Scanning Tunneling Spectroscopy. Physical Review Letters, 2012, 108, 126808.$	7.8	17
226	Uniformity of the lasing wavelength of heterogeneously integrated InP microdisk lasers on SOI. Optics Express, 2013, 21, 10622.	3.4	17
227	Coherent and Tunable THz Emission Driven by an Integrated III δ -V Semiconductor Laser. IEEE Journal of Selected Topics in Quantum Electronics, 2017, 23, 1-11.	2.9	17
228	Resonant intersubband polariton-LO phonon scattering in an optically pumped polaritonic device. Applied Physics Letters, 2018, 112, .	3.3	17
229	Photon-number entanglement generated by sequential excitation of a two-level atom. Nature Photonics, 2022, 16, 374-379.	31.4	17
230	Characterization of Porous Silicon: Structural, Optical and Electrical Properties. Materials Research Society Symposia Proceedings, 1992, 283, 97.	0.1	16
231	Room-temperature continuous-wave operation VCSEL at $1.48\text{ }\mu\text{m}$ with Sb-based Bragg reflector. Electronics Letters, 1998, 34, 1402.	1.0	16
232	Injection of midinfrared surface plasmon polaritons with an integrated device. Applied Physics Letters, 2010, 97, .	3.3	16
233	Polarized single-lobed surface emission in mid-infrared, photonic-crystal, quantum-cascade lasers. Optics Letters, 2010, 35, 859.	3.3	16
234	Influence of the Purcell effect on the purity of bright single photon sources. Applied Physics Letters, 2013, 103, .	3.3	16

#	ARTICLE	IF	CITATIONS
235	Optical parametric oscillation in one-dimensional microcavities. Physical Review B, 2013, 87, .	3.2	16
236	Theory of interferometric photon-correlation measurements: Differentiating coherent from chaotic light. Physical Review A, 2013, 88, .	2.5	16
237	Cavity-Enhanced Real-Time Monitoring of Single-Charge Jumps at the Microsecond Time Scale. Physical Review X, 2014, 4, .	8.9	16
238	Echo-Less Photoconductive Antenna Sources for High-Resolution Terahertz Time-Domain Spectroscopy. IEEE Transactions on Terahertz Science and Technology, 2016, 6, 20-25.	3.1	16
239	GaAs/GaAs twist-bonding for compliant substrates: interface structure and epitaxial growth. Applied Surface Science, 2000, 164, 15-21.	6.1	15
240	Origin of the bimodal distribution of low-pressure metal-organic-vapor-phase-epitaxy grown InGaAs/GaAs quantum dots. Journal of Applied Physics, 2002, 91, 3859-3863.	2.5	15
241	Metal-organic vapor-phase epitaxy of defect-free InGaAs/GaAs quantum dots emitting around 1.31 μ m. Journal of Crystal Growth, 2002, 235, 89-94.	1.5	15
242	Thermodynamical analysis of the shape and size dispersion of InAs \cdot InP(001) quantum dots. Physical Review B, 2006, 73, .	3.2	15
243	Towards the creation of quantum dots using FIB technology. Microelectronic Engineering, 2006, 83, 811-814.	2.4	15
244	Thermodynamic description of the competition between quantum dots and quantum dashes during metalorganic vapor phase epitaxy in the InAs \cdot InP(001) system: Experiment and theory. Physical Review B, 2006, 74, .	3.2	15
245	Room temperature spontaneous emission enhancement from quantum dots in photonic crystal slab cavities in the telecommunications C band. Applied Physics Letters, 2009, 94, .	3.3	15
246	Self-mixing in low-noise semiconductor vortex laser: detection of a rotational Doppler shift in backscattered light. Optics Letters, 2015, 40, 5778.	3.3	15
247	Radiatively Broadened Incandescent Sources. ACS Photonics, 2015, 2, 1663-1668.	6.6	15
248	Pulse train interaction and control in a microcavity laser with delayed optical feedback. Optics Letters, 2018, 43, 3013.	3.3	15
249	Gallium Phosphide as a Piezoelectric Platform for Quantum Optomechanics. Physical Review Letters, 2019, 123, 163602.	7.8	15
250	Parametric instability in coupled nonlinear microcavities. Physical Review A, 2020, 102, .	2.5	15
251	Temporal localized structures in mode-locked vertical external-cavity surface-emitting lasers. Optics Letters, 2018, 43, 5367.	3.3	15
252	Brillouin scattering in hybrid optophononic Bragg micropillar resonators at 300 μ m. Optica, 2019, 6, 854.	9.3	15

#	ARTICLE	IF	CITATIONS
253	Precursor forms of cavity solitons in nonlinear semiconductor microresonators. <i>Physical Review E</i> , 2002, 66, 066613.	2.1	14
254	Silicon-on-insulator and SiGe waveguide photodetectors with Ge/Si self-assembled islands. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2003, 16, 523-527.	2.7	14
255	Initial stage of the overgrowth of InP on InAs \cdot InP(001) quantum dots: Formation of InP terraces driven by preferential nucleation on quantum dot edges. <i>Applied Physics Letters</i> , 2006, 89, 031923.	3.3	14
256	Density of InAs \cdot InP(001) quantum dots grown by metal-organic vapor phase epitaxy: Independent effects of InAs and cap-layer growth rates. <i>Applied Physics Letters</i> , 2007, 91, .	3.3	14
257	Continuous-wave 155 μ m diode-pumped surface emitting semiconductor laser for broadband multiplex spectroscopy. <i>Optics Letters</i> , 2007, 32, 1387.	3.3	14
258	Inductively coupled plasma etching of GaAs suspended photonic crystal cavities. <i>Journal of Vacuum Science & Technology B</i> , 2009, 27, 1909-1914.	1.3	14
259	Transient chirp in high-speed photonic-crystal quantum-dot lasers with controlled spontaneous emission. <i>Optics Letters</i> , 2009, 34, 554.	3.3	14
260	Surface-emitting mid-infrared quantum cascade lasers with high-contrast photonic crystal resonators. <i>Optics Express</i> , 2010, 18, 11979.	3.4	14
261	Nanocavity Linewidth Narrowing and Group Delay Enhancement by Slow Light Propagation and Nonlinear Effects. <i>Physical Review Letters</i> , 2012, 109, 113903.	7.8	14
262	Photonic crystal coupled cavities with increased beaming and free space coupling efficiency. <i>Applied Physics Letters</i> , 2013, 102, 011107.	3.3	14
263	Compensation of the residual linear anisotropy of phase in a vertical-external-cavity-surface-emitting laser for spin injection. <i>Optics Letters</i> , 2017, 42, 651.	3.3	14
264	Transport and near-infrared optical properties of ErSi ₂ thin films. <i>Journal of Applied Physics</i> , 1992, 72, 4295-4299.	2.5	13
265	Wavelength tunable InP-based EP-VECSEL operating at room temperature and in CW at 1.55 μ m. <i>Electronics Letters</i> , 2004, 40, 1490.	1.0	13
266	Effect of cap-layer growth rate on morphology and luminescence of InAs \cdot InP(001) quantum dots grown by metal-organic vapor phase epitaxy. <i>Journal of Applied Physics</i> , 2006, 100, 033508.	2.5	13
267	Transverse spatial structure of a high Fresnel number Vertical External Cavity Surface Emitting Laser. <i>Optics Express</i> , 2008, 16, 9519.	3.4	13
268	Time-resolved spectroscopy of InAsP/InP(001) quantum dots emitting near 2 μ m. <i>Applied Physics Letters</i> , 2010, 97, 131907.	3.3	13
269	Identification of the stimulated-emission threshold in high- Γ^2 nanoscale lasers through phase-space reconstruction. <i>Physical Review A</i> , 2011, 83, .	2.5	13
270	Low temperature near-field scanning optical microscopy on infrared and terahertz photonic-crystal quantum cascade lasers. <i>Applied Physics Letters</i> , 2011, 98, .	3.3	13

#	ARTICLE	IF	CITATIONS
271	Electrical modulation of the complex refractive index in mid-infrared quantum cascade lasers. Optics Express, 2012, 20, 1172.	3.4	13
272	Coupling light into a slow-light photonic-crystal waveguide from a free-space normally-incident beam. Optics Express, 2013, 21, 15144.	3.4	13
273	Evaluation of the surface bonding energy of an InP membrane bonded oxide-free to Si using instrumented nanoindentation. Applied Physics Letters, 2013, 103, 081901.	3.3	13
274	Noise properties of NIR and MIR VECSELs. Proceedings of SPIE, 2013, , .	0.8	13
275	Stochastic precession of the polarization in a polariton laser. Physical Review B, 2016, 93, .	3.2	13
276	Asymmetric noise sensitivity of pulse trains in an excitable microlaser with delayed optical feedback. Physical Review A, 2017, 96, .	2.5	13
277	CMOS-Compatible Contacts to n-InP. IEEE Transactions on Electron Devices, 2017, 64, 4408-4414.	3.0	13
278	Multi-orbital tight binding model for cavity-polariton lattices. Journal of Physics Condensed Matter, 2020, 32, 315402.	1.8	13
279	Measuring Topological Invariants in a Polaritonic Analog of Graphene. Physical Review Letters, 2021, 126, 127403.	7.8	13
280	Few-photon all-optical phase rotation in a quantum-well micropillar cavity. Nature Photonics, 2022, 16, 566-569.	31.4	13
281	Intersubband relaxation time in the valence band of Si/Si α xGex quantum wells. Applied Physics Letters, 1996, 69, 3069-3071.	3.3	12
282	+55Â°C pulse lasing at 1.56 [micro sign]m of all-monolithic InGaAlAs/InP vertical cavity lasers. Electronics Letters, 1999, 35, 811.	1.0	12
283	Nanoepitaxy of InAs α InP quantum dots by metalorganic vapor phase epitaxy for 1.55Î¼m emitters. Applied Physics Letters, 2006, 88, 041113.	3.3	12
284	Design of a low-threshold VECSEL emitting at 852Ânm for Cesium atomic clocks. Optical and Quantum Electronics, 2008, 40, 167-173.	3.3	12
285	Surface-plasmon distributed-feedback mid-infrared quantum cascade lasers based on hybrid plasmon/air-guided modes. Electronics Letters, 2008, 44, 807.	1.0	12
286	One-dimensional microcavity-based optical parametric oscillator: Generation of balanced twin beams in strong and weak coupling regime. Physical Review B, 2011, 83, .	3.2	12
287	Bunching visibility of optical parametric emission in a semiconductor microcavity. Physical Review B, 2012, 86, .	3.2	12
288	Photonic crystal-based flat lens integrated on a Bragg mirror for high-Q external cavity low noise laser. Optics Express, 2014, 22, 5962.	3.4	12

#	ARTICLE	IF	CITATIONS
289	Phase formation in the Ni/n ⁺ InP contacts for heterogeneous III/V-silicon photonic integration. Microelectronic Engineering, 2016, 156, 86-90.	2.4	12
290	Tomography of the optical polarization rotation induced by a single quantum dot in a cavity. Optica, 2017, 4, 1326.	9.3	12
291	Fiber-integrated microcavities for efficient generation of coherent acoustic phonons. Applied Physics Letters, 2020, 117, 183102.	3.3	12
292	Fast All-Optical 10 Gb/s NRZ Wavelength Conversion and Power Limiting Function using Hybrid InP on SOI Nanocavity. , 2012, , .		12
293	Tunable infrared photoemission sensor on Si using epitaxial ErSi ₂ /Si heterostructures. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 1993, 21, 312-316.	3.5	11
294	Investigation of two-dimensional hole gases in Si/SiGe heterostructures. Physical Review B, 1993, 48, 12312-12315.	3.2	11
295	(InGa)(NAs)/GaAs structures emitting in 1.6 μ m wavelength range. Optical Materials, 2001, 17, 185-188.	3.6	11
296	Cavity-enhanced absorption spectroscopy with a mode-locked diode-pumped vertical external-cavity surface-emitting laser. Chemical Physics Letters, 2004, 390, 290-295.	2.6	11
297	Fabrication and characterization of 1.55 μ m single transverse mode large diameter electrically pumped VECSEL. Optical and Quantum Electronics, 2007, 38, 1269-1278.	3.3	11
298	Transient thermoreflectance imaging of active photonic crystals. Applied Physics Letters, 2010, 96, 091103.	3.3	11
299	Towards the experimental demonstration of quantum radiation pressure noise. Comptes Rendus Physique, 2011, 12, 826-836.	0.9	11
300	Hybrid electronic-photonic subwavelength cavities operating at terahertz frequencies. Physical Review B, 2013, 87, .	3.2	11
301	Highly coherent modeless broadband semiconductor laser. Optics Letters, 2015, 40, 4301.	3.3	11
302	Nanostructured diode for infrared photodetection through nondegenerate two-photon absorption. Applied Physics Letters, 2017, 111, 041102.	3.3	11
303	Delayed formation of coherence in the emission dynamics of high-Q nanolasers. Optica, 2018, 5, 395.	9.3	11
304	Equalization of pulse timings in an excitable microlaser system with delay. Physical Review Research, 2020, 2, .	3.6	11
305	High-speed THz spectroscopic imaging at ten kilohertz pixel rate with amplitude and phase contrast. Optics Express, 2019, 27, 10866.	3.4	11
306	Cavity-based photoconductive sources for real-time terahertz imaging. Photonics Research, 2020, 8, 858.	7.0	11

#	ARTICLE	IF	CITATIONS
307	Near room-temperature continuous-wave operation of electrically pumped 1.55 [micro sign]m vertical cavity lasers with InGaAsP/InP bottom mirror. Electronics Letters, 1999, 35, 49.	1.0	10
308	Long wavelength room temperature laser operation of a strained InGaAs/GaAs quantum well structure monolithically grown by metalorganic chemical vapour deposition on a low energy-plasma enhanced chemical vapour deposition graded misoriented Ge/Si virtual substrate. Optical Materials, 2005, 27, 846-850.	3.6	10
309	Evidence of ultra low microwave additive phase noise for an optical RF link based on a class-A semiconductor laser. Optics Express, 2008, 16, 10091.	3.4	10
310	Surface-plasmon distributed-feedback quantum cascade lasers operating pulsed, room temperature. Applied Physics Letters, 2009, 95, 091105.	3.3	10
311	Electronic structure of cleaved InAsP/InP(001) quantum dots measured by scanning tunneling spectroscopy. Applied Physics Letters, 2010, 97, .	3.3	10
312	Two-photon injection of polaritons in semiconductor microstructures. Optics Letters, 2014, 39, 307.	3.3	10
313	Cooperative Lamb shift and superradiance in an optoelectronic device. New Journal of Physics, 2017, 19, 043006.	2.9	10
314	Fullyâ€“correlated multiâ€“mode pumping for lowâ€“noise dualâ€“frequency VECSELs. Optics Express, 2018, 26, 26217.	3.4	10
315	Optical pattern formation in passive semiconductor microresonators. Journal of Optics B: Quantum and Semiclassical Optics, 2000, 2, 443-446.	1.4	9
316	Ge/Si self-assembled islands integrated in 2D photonic crystals microcavities for realisation of silicon-based light-emitting devices. , 2004, 5450, 369.		9
317	Tunable and wavelength selective pin photodiode. Electronics Letters, 2004, 40, 388.	1.0	9
318	Fabrication of ultrathin and highly flexible InP-based membranes for microoptoelectromechanical systems at 1.55 /spl mu/m. IEEE Photonics Technology Letters, 2005, 17, 804-806.	2.5	9
319	One-step nano-selective area growth (nano-SAG) of localized InAs/InP quantum dots: First step towards single-photon source applications. Journal of Crystal Growth, 2008, 310, 3413-3415.	1.5	9
320	Light emission and enhanced nonlinearity in nanophotonic waveguide circuits by IIIâ€“V/silicon-on-insulator heterogeneous integration. Journal of Applied Physics, 2008, 104, 033117.	2.5	9
321	Thermal emission of midinfrared GaAs photonic crystals. Physical Review B, 2008, 78, .	3.2	9
322	Enhanced efficiency of the second harmonic inhomogeneous component in an opaque cavity. Optics Letters, 2011, 36, 1809.	3.3	9
323	Electrical excitation of superradiant intersubband plasmons. Applied Physics Letters, 2015, 107, .	3.3	9
324	Chiral emission induced by optical Zeeman effect in polariton micropillars. Physical Review Research, 2021, 3, .	3.6	9

#	ARTICLE	IF	CITATIONS
325	Absorption and resonant dispersion associated with normal incidence intersubband transitions in Si/SiGe quantum wells. Applied Physics Letters, 1995, 67, 3462-3464.	3.3	8
326	Polysilicon-germanium gate patterning studies in a high density plasma helicon source. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 1997, 15, 1874-1880.	2.1	8
327	Ultra-fast nonlinear response around 1.5 μ m in 2D AlGaAs/AlOx photonic crystal. Applied Physics B: Lasers and Optics, 2005, 81, 333-336.	2.2	8
328	Photonic-crystal surface-emitting laser near 1.55 μ m on gold-coated silicon wafer. Electronics Letters, 2007, 43, 343.	1.0	8
329	High contrast reflection modulation near 1.55 μ m in InP 2D photonic crystals on silicon wafer. Optics Express, 2007, 15, 1254.	3.4	8
330	All-Optical, All-Fibered Ultrafast Switching in 2-D InP-Based Photonic Crystal Nanocavity. IEEE Photonics Journal, 2010, 2, 642-651.	2.0	8
331	Sub-wavelength energy concentration with electrically generated mid-infrared surface plasmons. Optics Express, 2012, 20, 13738.	3.4	8
332	Void-free direct bonding of InP to Si: Advantages of low H-content and ozone activation. Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics, 2014, 32, 021201.	1.2	8
333	Schottky electroluminescent diodes with n-doped germanium. Applied Physics Letters, 2014, 104, .	3.3	8
334	Phase formation sequence in the Ti/InP system during thin film solid-state reactions. Journal of Applied Physics, 2017, 121, .	2.5	8
335	Performance comparison of strained InGaAs/GaAs and InGaAs/GaAs QW laser diodes grown by MOVPE. Electronics Letters, 2000, 36, 436.	1.0	7
336	Electromodulation of the interband and intraband absorption of Ge/Si self-assembled islands. Physica E: Low-Dimensional Systems and Nanostructures, 2003, 16, 450-454.	2.7	7
337	Resonant coupling of quantum dot intersublevel transitions with midinfrared photonic crystal modes. Applied Physics Letters, 2009, 95, 041108.	3.3	7
338	Design and properties of high-power highly coherent single-frequency VECSEL emitting in the near- to mid-IR for photonic applications. Proceedings of SPIE, 2011, , .	0.8	7
339	Broadband enhancement and inhibition of single quantum dot emission in plasmonic nano-cavities operating at telecommunications wavelengths. Applied Physics Letters, 2013, 103, 061113.	3.3	7
340	Nonlinear Polariton Localization in Strongly Coupled Driven-Dissipative Microcavities. ACS Photonics, 2018, 5, 95-99.	6.6	7
341	Accurate measurement of a 96% input coupling into a cavity using polarization tomography. Applied Physics Letters, 2018, 112, .	3.3	7
342	Slow propagation of 2 μ m GHz acoustical waves in a suspended GaAs phononic waveguide on insulator. Applied Physics Letters, 2020, 117, .	3.3	7

#	ARTICLE	IF	CITATIONS
343	Deterministic assembly of a charged-quantum-dot“micropillar cavity device. Physical Review B, 2020, 102, .	3.2	7
344	Orbital angular momentum bistability in a microlaser. Optics Letters, 2019, 44, 4531.	3.3	7
345	Normal-incidence (001) second-harmonic generation in ordered Ga _{0.5} In _{0.5} P. Journal of the Optical Society of America B: Optical Physics, 2001, 18, 81.	2.1	6
346	Chirp and linewidth enhancement factor of tunable, optically-pumped long wavelength VCSEL. Electronics Letters, 2004, 40, 242.	1.0	6
347	Buried dislocation networks designed to organize the growth of III-V semiconductor nanostructures. Physical Review B, 2004, 70, .	3.2	6
348	First results on the apollon project multi-approach for high efficiency integrated and intelligent concentrating PV modules (systems). , 2009, , .		6
349	Destruction and recurrence of excitons by acoustic shock waves on picosecond time scales. Physical Review B, 2012, 86, .	3.2	6
350	Superharmonic resonances in a two-dimensional non-linear photonic-crystal nano-electro-mechanical oscillator. Applied Physics Letters, 2016, 108, 163102.	3.3	6
351	Sub-nanometrically resolved chemical mappings of quantum-cascade laser active regions. Semiconductor Science and Technology, 2016, 31, 055017.	2.0	6
352	Solving thermal issues in tensile-strained Ge microdisks. Optics Express, 2018, 26, 28376.	3.4	6
353	Lasing in optically induced gap states in photonic graphene. , 2018, 5, .		6
354	Tunable Infrared Detection Using Epitaxial Silicide/Silicon Heterostructures. Materials Research Society Symposia Proceedings, 1993, 320, 65.	0.1	5
355	Photoinduced infrared spectroscopy of bound-to-bound and bound-to-continuum transitions in SiGe/Si quantum wells. Superlattices and Microstructures, 1996, 19, 33-38.	3.1	5
356	Conduction band discontinuity and electron mobility in a strained Si/SiGe heterostructure. Applied Surface Science, 1996, 102, 202-207.	6.1	5
357	High-quality InAs/GaAs quantum dots grown by low-pressure metalorganic vapor-phase epitaxy. Journal of Crystal Growth, 1998, 195, 524-529.	1.5	5
358	Recombination of carriers in SiGe/Si heterostructures measured by photomodulated intersubband absorption. Physica E: Low-Dimensional Systems and Nanostructures, 1998, 2, 777-780.	2.7	5
359	Influence of the thermal treatment on the optical and structural properties of 1.3 μ m emitting LP-MOVPE grown InAs/GaAs quantum dots. Optical Materials, 2001, 17, 263-266.	3.6	5
360	Intersubband quantum cascades in the Si/SiGe material system. Physica E: Low-Dimensional Systems and Nanostructures, 2002, 13, 829-834.	2.7	5

#	ARTICLE	IF	CITATIONS
361	Continuous-Wave Operation of Monolithically Grown 1.5- μ m Optically Pumped Vertical-External-Cavity Surface-Emitting Lasers. Applied Optics, 2003, 42, 6678.	2.1	5
362	Anticrossing between heavy-hole states in Si _{0.2} Ge _{0.8} /Si-coupled quantum wells grown on Si _{0.5} Ge _{0.5} pseudosubstrate. Applied Physics Letters, 2004, 84, 2497-2499.	3.3	5
363	Longitudinal mode selection in constricted photonic crystal guides and electrically injected lasers. Journal of Lightwave Technology, 2005, 23, 1363-1368.	4.6	5
364	Carrier dynamics in Ga _{0.53} In _{0.47} As [*] /InP near-surface quantum wells. Applied Physics Letters, 2005, 87, 012107.	3.3	5
365	Time resolved nonlinear spectroscopy at the band edge of 1D photonic crystals. Journal Physics D: Applied Physics, 2008, 41, 224005.	2.8	5
366	Atomic-plane-thick reconstruction across the interface during heteroepitaxial bonding of InP-clad quantum wells to Si. , 2012, , .		5
367	Oxide-Free Bonding of III-V-Based Material on Silicon and Nano-Structuration of the Hybrid Waveguide for Advanced Optical Functions. Photonics, 2015, 2, 1054-1064.	2.0	5
368	Scaling rules in optomechanical semiconductor micropillars. Physical Review A, 2018, 98, .	2.5	5
369	Optical cavity mode dynamics and coherent phonon generation in high- <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:mi>Q</mml:mi></mml:math> micropillar resonators. Physical Review A, 2018, 98, .	2.5	5
370	High-power tunable low-noise coherent source at 106 μ m based on a surface-emitting semiconductor laser. Applied Optics, 2018, 57, 5224.	1.8	5
371	Optimal architecture for diamond-based wide-field thermal imaging. AIP Advances, 2020, 10, .	1.3	5
372	Single-frequency tunable VECSEL around the cesium D 2 line. , 2008, , .		5
373	Semiconductor disk laser in bi-frequency operation by laser ablation micromachining of a laser mirror. Optics Express, 2019, 27, 22316.	3.4	5
374	Optimization of laser dynamics for active stabilization of DF-VECSELs dedicated to cesium CPT clocks. Journal of the Optical Society of America B: Optical Physics, 2020, 37, 1196.	2.1	5
375	Room Temperature Electron Mobility Enhancement in a Strained Si Channel. Materials Research Society Symposia Proceedings, 1995, 379, 321.	0.1	4
376	Photo-induced intersubband absorption in Si/Si _{1-x} Ge _x quantum wells. Applied Surface Science, 1996, 102, 342-345.	6.1	4
377	1.3 μ m electroluminescence of LP-MOVPE grown InAs/GaAs quantum dots, and influence of the re-growth temperature on the spectral response. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2000, 78, 145-147.	3.5	4
378	Deepin situdry-etch monitoring of III-V multilayer structures using laser reflectometry and reflectivity modeling. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 2002, 20, 748-753.	2.1	4

#	ARTICLE	IF	CITATIONS
379	AM and RIN of a Tunable Optically Pumped $1.6\text{-}\mu\text{m}$ VCSEL. IEEE Photonics Technology Letters, 2004, 16, 723-725.	2.5	4
380	Dislocation networks adapted to order the growth of III-V semiconductor nanostructures. Physica Status Solidi C: Current Topics in Solid State Physics, 2005, 2, 1933-1937.	0.8	4
381	Experimental study of the delayed threshold phenomenon in a class-A VECSEL. EPJ Applied Physics, 2012, 58, 10501.	0.7	4
382	Enhancement of a nano cavity lifetime by induced slow light and nonlinear dispersions. Optics Express, 2012, 20, 27403.	3.4	4
383	Heteroepitaxial bonding of Si for hybrid photonic devices. Materials Research Society Symposia Proceedings, 2013, 1510, 1.	0.1	4
384	(Invited) Strain Engineering for Optical Gain in Germanium. ECS Transactions, 2013, 50, 363-370.	0.5	4
385	Strain engineering in germanium microdisks. , 2014, , .		4
386	Metallurgical studies of integrable Ni-based contacts for their use in III-V/Si heterogeneous photonics devices. , 2016, , .		4
387	Towards contact integration for III-V/Silicon heterogeneous photonics devices. , 2016, , .		4
388	Surface emitting thermally assisted polaritonic light-emitting device. Applied Physics Letters, 2017, 110, .	3.3	4
389	Multi-Terahertz Sideband Generation on an Optical Telecom Carrier with a Quantum Cascade Laser. ACS Photonics, 2018, 5, 890-896.	6.6	4
390	III-V/Silicon Hybrid Non-linear Nanophotonics in the Context of On-Chip Optical Signal Processing and Analog Computing. Frontiers in Physics, 2019, 7, .	2.1	4
391	Manipulation of temporal localized structures in a vertical external-cavity surface-emitting laser with optical feedback. Optics Letters, 2021, 46, 1109.	3.3	4
392	Gallium phosphide on insulator photonics enabled by micro-transfer printing. , 2020, , .		4
393	Charge transfer in p+-Si / Si _{1-x} G _x modulation doped heterostructures grown by RTCVD. Microelectronic Engineering, 1994, 25, 171-176.	2.4	3
394	The Ir/Si/ErSi ₂ tunable infrared photoemission sensor. Journal of Electronic Materials, 1994, 23, 497-501.	2.2	3
395	Electron mobility enhancement in a strained Si channel. Journal of Crystal Growth, 1995, 157, 367-372.	1.5	3
396	Tunable infrared photoemission sensor on silicon using epitaxial heterostructures. Journal of Crystal Growth, 1995, 157, 195-200.	1.5	3

#	ARTICLE	IF	CITATIONS
397	Infrared absorption in p-type quantum wells: Intersubband transition and free carrier contributions. Solid-State Electronics, 1996, 40, 123-126.	1.4	3
398	Room temperature continuous wave operation under optical pumping of a 1.48 μ m vertical cavity laser based on AlGaAsSb mirror. Journal of Crystal Growth, 1999, 201-202, 837-840.	1.5	3
399	InP-based wavelength tunable vertical cavity surface emitting laser structures. Comptes Rendus Physique, 2003, 4, 675-685.	0.9	3
400	A new kind of fast quantum-well semiconductor saturable-absorber mirror with low losses for ps pulse generation. , 0, , .		3
401	Long-range ordering of III-V semiconductor nanostructures by shallowly buried dislocation networks. Journal of Physics Condensed Matter, 2004, 16, 7941-7946.	1.8	3
402	Photoluminescence probing of non-radiative channels in hydrogenated In(Ga)As/GaAs quantum dots. Journal of Crystal Growth, 2004, 264, 334-338.	1.5	3
403	Stress-driven self-ordering of III-V nanostructures. Journal of Crystal Growth, 2005, 275, e2245-e2249.	1.5	3
404	3D photonic crystals based on epitaxial III-V semiconductor structures for nonlinear optical interactions. , 2006, , .		3
405	Thermodynamic analysis of the shape, anisotropy and formation process of InAs/InP(001) quantum dots and quantum sticks grown by metalorganic vapor phase epitaxy. Surface Science, 2007, 601, 2765-2768.	1.9	3
406	De-relaxation of plastically relaxed InAs/GaAs quantum dots during the growth of a GaAs encapsulation layer. Journal of Crystal Growth, 2008, 310, 536-540.	1.5	3
407	Spectral Behavior and Dispersionless Propagation in Indium Phosphide Suspended Photonic Wires. IEEE Photonics Technology Letters, 2009, 21, 775-777.	2.5	3
408	Localized states and excitability in a monolithic VCSEL with saturable absorber. , 2011, , .		3
409	Structural analysis of site-controlled InAs/InP quantum dots. Journal of Crystal Growth, 2011, 334, 37-39.	1.5	3
410	Optical parametric oscillation in 1D semiconductor microcavities. Physica Status Solidi (B): Basic Research, 2012, 249, 896-899.	1.5	3
411	Generation of new spatial and temporal coherent states using VECSEL technology: VORTEX, high order Laguerre-Gauss mode, continuum source. , 2014, , .		3
412	Pulse-to-pulse jitter measurement by photon correlation in high- β lasers. Applied Physics Letters, 2015, 106, .	3.3	3
413	Locally measuring the adhesion of InP directly bonded on sub-100 nm patterned Si. Nanotechnology, 2016, 27, 115707.	2.6	3
414	Overcomplete quantum tomography of a path-entangled two-photon state. Physical Review A, 2019, 99, .	2.5	3

#	ARTICLE	IF	CITATIONS
415	Excitonic Polaritons in Semiconductor Micropillars. Acta Physica Polonica A, 2008, 114, 933-943.	0.5	3
416	Nonlinear response of a gallium phosphide nanopatterned photonic waveguide in the CW regime. Optics Letters, 2019, 44, 2823.	3.3	3
417	280 GHz Radiation Source Driven by a 1064nm Continuous-Wave Dual-Frequency Vertical External Cavity Semiconductor Laser. , 2021, , .		3
418	Metamaterial engineering for optimized photon absorption in unipolar quantum devices. Optics Express, 2022, 30, 20515.	3.4	3
419	Hall Mobility in Strained SiGe p-Mosfets. Materials Research Society Symposia Proceedings, 1995, 379, 333.	0.1	2
420	Photo-induced intersubband absorption in quantum wells. Journal of Crystal Growth, 1995, 157, 227-230.	1.5	2
421	Infrared spectroscopy in p-type SiGe/Si quantum wells. Applied Surface Science, 1996, 102, 331-335.	6.1	2
422	Spectroscopy of intersubband transitions in Si α Si β xGe quantum wells. Thin Solid Films, 1997, 294, 173-178.	1.8	2
423	Lasing operation under pulsed optical pumping of 1.55 μ m external-cavity VCSELs using an InP/AlGaInAs bottom Bragg reflector. , 0, , .		2
424	<title>Monolithic tunable InP-based vertical-cavity surface-emitting laser</title>. , 2002, , .		2
425	A fast quantum-well semiconductor saturable-absorber mirror with low losses for sub-ps passively mode-locked laser. , 0, , .		2
426	Enhanced kinetics of Al _{0.97} Ga _{0.03} As wet oxidation through the use of hydrogenation. Applied Physics Letters, 2006, 89, 111105.	3.3	2
427	Single-frequency high-power continuous-wave oscillation at 1003 nm of an optically pumped semiconductor laser. , 2006, 6184, 575.		2
428	Continuous-wave operation of photonic band-edge laser at 1.55 μ m on silicon wafer. , 2007, , .		2
429	Energy scaling of femtosecond and picosecond fiber oscillators beyond the microjoule level. , 2009, , .		2
430	Ultrasharp edge filtering in nanotethered photonic wires. Applied Physics Letters, 2010, 97, 191115.	3.3	2
431	Stimulated emission in single tensile-strained Ge photonic wire. , 2011, , .		2
432	Observation of noise phase locking in a single-frequency VECSEL. Optics Express, 2011, 19, 17250.	3.4	2

#	ARTICLE	IF	CITATIONS
433	Dual-frequency operation of a vertical external cavity semiconductor laser for coherent population trapping cesium atomic clocks. , 2011, , .		2
434	Evaluation of the single-frequency operation of a short vertical external-cavity semiconductor laser at 852 nm. , 2012, , .		2
435	Industrial integration of high coherence tunable VECSEL in the NIR and MIR. Proceedings of SPIE, 2014, , .	0.8	2
436	All-optical switching in a vertical microcavity-integrated monolayer graphene device. , 2014, , .		2
437	Instrumented nanoindentation and scanning electron transmission microscopy applied to the study of the adhesion of InP membranes heteroepitaxially bonded to Si. EPJ Applied Physics, 2014, 65, 20702.	0.7	2
438	Theoretical and experimental investigation of optically spin-injected VECSEL. , 2016, , .		2
439	Dissipative Soliton Fiber Laser Mode-Locked With a Resonant InGaAs-Based Saturable Absorber Mirror. IEEE Photonics Technology Letters, 2017, 29, 1772-1775.	2.5	2
440	Progress on a Highly Compact Cesium CPT Clock Based on a Dual-Frequency VECSEL. , 2021, , .		2
441	Si/SiGe valence band offset determination using photoluminescence and DLTS in SiGe quantum-well MOS capacitors. Microelectronic Engineering, 1998, 43-44, 669-676.	2.4	1
442	Self-organized optical structures in semiconductor microresonators: toward the observation of cavity solitons. , 2001, , .		1
443	Micro-electro-mechanically tunable two-chip VCSELS for long wavelengths. , 0, , .		1
444	Stress-engineered orderings of self-assembled III-V semiconductor nanostructures. Physica Status Solidi C: Current Topics in Solid State Physics, 2005, 2, 1245-1250.	0.8	1
445	Electroabsorption spectroscopy of Ge ⁺ Si self-assembled islands. Journal of Applied Physics, 2005, 97, 083525.	2.5	1
446	Widely tunable and highly selective monolithic Fabry-Perot filter for dense WDM systems. , 2005, , .		1
447	Compact photonic devices based on 1D and 2D photonic crystal broadband reflectors. , 2006, , .		1
448	Novel architectures of very low RIN semiconductor lasers in extended cavities for high performance microwave links. , 2006, , .		1
449	Indium incorporation in In-richIn _x Ga _{1-x} As ⁺ GaAslayers grown by low-pressure metalorganic vapor-phase epitaxy and its influence on the growth of self-assembled quantum dots. Physical Review B, 2006, 73, .	3.2	1
450	Parametric polariton scattering in single micropillar microcavities. AIP Conference Proceedings, 2007, , .	0.4	1

#	ARTICLE	IF	CITATIONS
451	Spontaneous emission enhancement in quantum cascade structures in the TeraHertz domain. Physica Status Solidi C: Current Topics in Solid State Physics, 2007, 4, 524-527.	0.8	1
452	Ultra low microwave additive phase noise for an optical RF link based on a Class-A semiconductor laser. , 2008, , .		1
453	Surface-plasmon distributed-feedback mid-infrared quantum cascade lasers based on hybrid plasmon/air-guided modes. , 2008, , .		1
454	Single frequency free-running low noise compact external-cavity VCSELs at high power level (50mW). , 2008, , .		1
455	III–V photonic crystal lasers heterogeneously bonded to Silicon-On-Insulator waveguides. , 2009, , .		1
456	A semiconductor ridge micro cavity to generate counterpropagating twin photons. Proceedings of SPIE, 2009, , .	0.8	1
457	Single photon sources using InAs/InP quantum dots. Proceedings of SPIE, 2009, , .	0.8	1
458	Microwave technology applied to terahertz quantum cascade lasers. , 2010, , .		1
459	Cavity polaritons for new photonic devices. , 2010, , .		1
460	Thermal improvement of InP wire photonic crystal laser on silicon by addition of Diamond Nanoparticles in polymer bonding layer. , 2010, , .		1
461	Stabilization of a dual-frequency VECSEL free of relaxation oscillations for microwave photonics applications. , 2012, , .		1
462	Phase noise of the radio frequency beatnote generated by a dual frequency VECSEL. , 2013, , .		1
463	Self-pulsing and fast excitable response in micropillar and nano-lasers with saturable absorber. , 2013, , .		1
464	Noise properties of NIR and MIR VECSELs. , 2013, , .		1
465	High Q-factor InP Photonic Crystal nanobeam cavities for laser emission. , 2014, , .		1
466	Experimental and theoretical study of noise in a dual-frequency VECSEL. , 2014, , .		1
467	Elaboration of Ni/InP contacts: Solid state reactions and associated mechanisms. , 2015, , .		1
468	Neuromimetic dynamics in a micropillar laser with saturable absorber. , 2015, , .		1

#	ARTICLE	IF	CITATIONS
469	(Invited) Direct Band Gap Germanium. ECS Transactions, 2016, 75, 177-184.	0.5	1
470	Generation of new spatial and temporal coherent light states using III-V semiconductor laser technology: VORTEX, continuum, dual frequency for THz. , 2016, , .		1
471	Industrial integration of high coherence tunable VECSEL in the NIR and MIR. , 2016, , .		1
472	Sub-wavelength THz resonators for ultra-fast THz detection. , 2017, , .		1
473	Industrial integration of high coherence tunable single frequency semiconductor lasers based on VECSEL technology for scientific instrumentation in NIR and MIR. , 2017, , .		1
474	Noise measurement and modeling of a dual-frequency VECSEL at cesium clock wavelength. , 2017, , .		1
475	Observation of Photonic Landau Levels in Strained Honeycomb Lattices. , 2019, , .		1
476	Relaxation mechanism of GaP grown on 001 Si substrates: influence of defects on the growth of AlGaP layers on GaP/Si templates. Philosophical Magazine, 2021, 101, 2189-2199.	1.6	1
477	Tunable infrared photoemission sensor on silicon using SiGe/Si and silicide/Si epitaxial layers. European Physical Journal Special Topics, 1994, 04, C6-139-C6-144.	0.2	1
478	Demonstration of efficient spin injection in a CW VECSEL at RT and dynamic control of its polarization state. , 2016, , .		1
479	Generating multi-photon entangled states from a single deterministic single-photon source. , 2019, , .		1
480	Single-frequency Diode-Pumped Vertical-External Cavity Laser at the Caesium D2 line. , 2009, , .		1
481	Thermal dissipation dynamics in an optically pumped Photonic Crystal nano-cavity. , 2009, , .		1
482	Generation of new spatial and temporal coherent states using VECSEL technology: VORTEX, high order Laguerre-Gauss mode, continuum source. , 2017, , .		1
483	Photonic crystal nanobeam cavities with optical resonances around 800â€‰nm. Journal of the Optical Society of America B: Optical Physics, 2019, 36, 1823.	2.1	1
484	Semiconductor quantum plasmons for high frequency thermal emission. Nanophotonics, 2020, 10, 607-615.	6.0	1
485	Magnetotransport and microwave photoresistivity of two-dimensional hole gases in Si-Si ^{1-x} Ge _x heterostructures. Solid-State Electronics, 1994, 37, 953-956.	1.4	0
486	Collective excitations of electron disks in laterally patterned Si/SiGe modulation-doped heterojunctions. Thin Solid Films, 1997, 294, 315-317.	1.8	0

#	ARTICLE	IF	CITATIONS
487	Evidence of InterDiffusion Effect In Stacked Polycrystalline SiGe/Si Layers For Cmos Gate Application. Materials Research Society Symposia Proceedings, 1998, 533, 93.	0.1	0
488	Long wavelength InGa(N)As/GaAs QW laser structures grown by MOVPE. , 0, , .		0
489	Laser performance comparison of long-wavelength strained InGaAs and InGaAs QW laser diodes grown by AP-MOVPE. , 0, , .		0
490	Sub-500-fs soliton-like pulse in a passively mode-locked broadband surface-emitting laser with 100-mW average power. , 0, , .		0
491	Second order nonlinear AlO/sub x//AlGaAs 1D photonic crystals. , 0, , .		0
492	A two-chip concept of micro-electro-mechanically tunable long wavelength VCSELs. , 0, , .		0
493	Strain-compensated Si/Si _{0.2} Ge _{0.8} quantum cascade structures grown on Si _{0.5} Ge _{0.5} pseudo-substrates. Physica E: Low-Dimensional Systems and Nanostructures, 2003, 17, 613-617.	2.7	0
494	Strain Compensated Si/SiGe Quantum Cascade Emitters Grown On SiGe Pseudosubstrates. , 2003, , 325-330.		0
495	Material and optical properties of GaAs grown on (001) Ge/Si pseudo-substrate. Materials Research Society Symposia Proceedings, 2004, 809, B2.4.1.	0.1	0
496	1.55 μ m VCSELs with InP/air-gap distributed bragg reflectors. , 0, , .		0
497	Tunable and wavelength-selective PIN diodes. , 2004, 5277, 129.		0
498	Properties of micromechanically tunable VCSELs. , 2004, , .		0
499	Progress in InP-based MOEMS. , 2005, 5650, 114.		0
500	Efficient optical pumping of large-area vertical-cavity surface-emitting devices. , 2005, , .		0
501	Dynamics of carrier -capture processes in Ga/sub 0.47/In/sub 0.53/As/InP near-surface quantum wells. , 0, , .		0
502	Indistinguishable single photons from a single quantum dot. , 0, , .		0
503	Cavity solitons and patterns in a large diameter optically pumped semiconductor amplifier with coherent injection. , 0, , .		0
504	Cavity soliton switching and pattern formation in an optically-pumped vertical-cavity semiconductor amplifier. , 2005, , .		0

#	ARTICLE	IF	CITATIONS
505	InGaAs/GaAs sources monolithically grown by MOVPE on Ge/Si substrates. , 0, , .		0
506	Single-transverse-mode emission of RT-CW operating large diameter (50 μm) 1.55 μm InP-based electrically-pumped VECSEL. , 2005, , .		0
507	InAs/InP(001) quantum dots and quantum sticks grown by MOVPE: shape, anisotropy and formation process. Physica Status Solidi C: Current Topics in Solid State Physics, 2006, 3, 3928-3931.	0.8	0
508	Indistinguishable single photons from a single InAs quantum dot in a photonic crystal slab cavity. Physica E: Low-Dimensional Systems and Nanostructures, 2006, 32, 480-483.	2.7	0
509	Microphotoluminescence around 1.5 μm from a single InAs/InP(001) quantum dot grown by MOVPE.. , 2006, , .		0
510	Comparison of buried and implanted tunnel junction as current confinement schemes for the realisation of single-transverse-mode large diameter (50 μm) 1.55 μm InP-based electrically-pumped VECSELs. , 2006, , .		0
511	Incoherent switching of Cavity Solitons in a vertical-cavity semiconductor optical amplifier : experimental observations and physical mechanisms. , 2007, , .		0
512	Compact diode-pumped single-frequency VECSEL for cesium atomic clocks. , 2007, , .		0
513	Transverse emission pattern of a Vertical External Cavity Surface Emitting Laser with high Fresnel number : towards a cavity soliton laser ?. , 2007, , .		0
514	Second Harmonic Generation in AlGaAs/AlOx Random Structures. , 2007, , .		0
515	A simple model for the intensity noise of single mode class-A lasers. , 2007, , .		0
516	Photonic crystal waveguides on InP membranes for slow light implementation. , 2007, , .		0
517	Photonic crystal slab reflectors for compact passive and active optical devices. , 2007, , .		0
518	1.55 μm InP-based electrically-pumped VECSELs: comparison of buried and implanted tunnel junctions as current confinement schemes for the realization of large diameter devices. , 2007, , .		0
519	Tunable semiconductor narrowband reflection filters for single frequency sources. , 2007, , .		0
520	N2-Based ICP-RIE Etching for InP-Based Photonic Crystal Membranes. Indium Phosphide and Related Materials Conference (IPRM), IEEE International Conference on, 2007, , .	0.0	0
521	Nine-fold photoluminescence enhancement using photonic crystals with graphite lattice. Indium Phosphide and Related Materials Conference (IPRM), IEEE International Conference on, 2007, , .	0.0	0
522	InAs/InP(001) Quantum Dots And Quantum Sticks Grown By MOVPE: Shape, Anisotropy And Formation Process. AIP Conference Proceedings, 2007, , .	0.4	0

#	ARTICLE	IF	CITATIONS
523	Photonic crystal nanolasers with controlled spontaneous emission. Proceedings of SPIE, 2008, , .	0.8	0
524	Tuning InAs/InP(001) quantum dot emission from 1.55 to 2 μm by varying cap-layer growth rate in metalorganic vapor phase epitaxy. , 2008, , .		0
525	One step Nano Selective Area Growth of localized InAs/InP quantum dots for single photon source applications. , 2008, , .		0
526	InAsP/InP(001) quantum dots emitting at 1.55 μm grown by metalorganic vapor phase epitaxy. , 2008, , .		0
527	Enhanced nonlinearity in SOI microcavities by III-V/SOI heterogeneous integration. , 2008, , .		0
528	Metal-dielectric cavities for subwavelength light confinement in the THz region. , 2008, , .		0
529	High power single-frequency continuously tunable compact extended-cavity semiconductor laser. , 2009, , .		0
530	Towards a new platform for integrated optics: III-V photonic crystals bonded to silicon on insulator wire waveguides. , 2009, , .		0
531	Ultrafast dynamics of band-edge two- dimensional III-V semiconductor photonic crystal lasers. , 2009, , .		0
532	Microjoule-level picosecond and femtosecond mode-locked fiber oscillators. , 2009, , .		0
533	InP-based 2D photonic crystal lasers heterogeneously integrated and coupled to SOI wires. , 2009, , .		0
534	Polariton laser and OPO in micropillar cavities. , 2009, , .		0
535	Slow-light tailoring in photonic crystal waveguides through additional longitudinal periodicity. , 2009, , .		0
536	Threshold and dynamic characteristics of photonic crystal nanolasers with controlled spontaneous emission. , 2009, , .		0
537	Towards a Monolithic Cavity Soliton Laser. , 2009, , .		0
538	One Step Nano-Selective Area Growth of Localized InAs/InP Quantum Dots For Single Photon Source Applications. Materials Research Society Symposia Proceedings, 2009, 1228, 120701.	0.1	0
539	Two-dimensional photonic crystals for mid-infrared quantum dot intersublevel emission. Physica Status Solidi (B): Basic Research, 2009, 246, 816-819.	1.5	0
540	Dynamics of 2D photonic crystal lasers. , 2009, , .		0

#	ARTICLE	IF	CITATIONS
541	Modal Behavior of Photonic Crystal Tapers for Improved Coupling Toward Cleaved-Facet Single-Mode Fiber. Journal of Lightwave Technology, 2009, 27, 5168-5172.	4.6	0
542	Monolithic cavity soliton laser. , 2009, , .		0
543	Tensile-strain and n-type doping of germanium-on-insulator : Towards a Ge laser. , 2009, , .		0
544	Mid/far-infrared semiconductor devices exploiting plasmonic effects. Proceedings of SPIE, 2009, , .	0.8	0
545	Room-temperature edge and surface-emitting distributed-feedback quantum cascade lasers without top cladding layers. , 2010, , .		0
546	Optimization of simultaneous oscillation of a two-frequency VECSEL by coupling constant measurement. , 2010, , .		0
547	Engineering of InAsP/InP quantum dot emission for long-distance quantum communications. , 2010, , .		0
548	Hybrid active photonic crystal structures: III-V based slow light waveguides or nanocavities coupled to SOI wires. , 2010, , .		0
549	Direct measurement of soliton-effect pulse compression in photonic crystal waveguides. , 2010, , .		0
550	Class-A semiconductor lasers for the transport and generation of optically carried RF analog signals for radar applications. , 2010, , .		0
551	Mechanical tensile strain engineering of Ge for gain achievement. , 2010, , .		0
552	Class-A semiconductor lasers for the transport and generation of optically carried RF analog signals. , 2010, , .		0
553	Injection-locking of terahertz quantum cascade lasers up to 35GHz via RF amplitude modulation. , 2010, , .		0
554	A solid state ultrabright source of entangled photon pairs. Proceedings of SPIE, 2011, , .	0.8	0
555	High finesse external cavity VCSELs: from very low noise lasers to dual frequency lasers. Proceedings of SPIE, 2011, , .	0.8	0
556	Efficient generation of the second harmonic inhomogeneous component in opaque cavities. , 2011, , .		0
557	Optomechanical coupling in a twodimensional photonic crystal defect cavity. , 2011, , .		0
558	A semiconductor deterministic bright source of entangled photon pairs. , 2011, , .		0

#	ARTICLE	IF	CITATIONS
559	Evanescent wave coupling in hybrid III–V/SOI nanolaser. , 2011, , .		0
560	Near-field microscopy study of propagation and focusing of designer's surface plasmons polaritons at mid-infrared wavelength. , 2011, , .		0
561	Excitability in a nonlinear photonic crystal nanocavity. , 2011, , .		0
562	Control of evanescent wave coupling in hybrid III–V/SOI nanolaser. , 2011, , .		0
563	Bistability and excitability in 2D Photonic Crystal nanocavities. , 2011, , .		0
564	Single-frequency optically pumped semiconductor vertical external cavity laser at 852nm for Cs atomic clock. , 2011, , .		0
565	Efficient single photon source at telecommunication wavelength. , 2011, , .		0
566	Photonic crystal nanolasers, modulation and coherence characteristics. , 2011, , .		0
567	Photonic wire held by resonant nanotethers for improved filtering. , 2011, , .		0
568	Hybrid III–V/silicon on insulator nonlinear nanophotonics. , 2011, , .		0
569	Intensity and frequency noise in high power highly coherent VeCSELs. , 2011, , .		0
570	Selective growth of site-controlled Quantum Dots. , 2011, , .		0
571	Localized states, self-pulsing and excitability in VCSELs and microlasers with saturable absorber. , 2012, , .		0
572	Efficient free space coupling in 2D semi-conductor photonic crystal nanocavities. , 2012, , .		0
573	Photonic crystal lasers on silicon. , 2012, , .		0
574	Mid-infrared field concentration of electrically generated surface plasmons polaritons. , 2012, , .		0
575	Bistable switching and gain recovery dynamics in hybrid III–V/SOI nanolasers. , 2012, , .		0
576	Noise Correlations in Dual Frequency VECSEL. , 2012, , .		0

#	ARTICLE	IF	CITATIONS
577	Novel physics in photonic crystal nanolasers: Dynamics and coherence. , 2013, , .		0
578	Photonic crystal nanocavity lifetime enhancement by slow light propagation and carrier induced nonlinearities. , 2013, , .		0
579	Tensile-strained germanium microdisks using Si ₃ N ₄ stressors. , 2013, , .		0
580	Optomechanics with photonic crystals slab mirrors and cavities. , 2013, , .		0
581	Extremely uniform lasing wavelengths of InP microdisk lasers heterogeneously integrated on SOI. , 2013, , .		0
582	Generation of single frequency highly coherent high-order Laguerre Gaussian modes with Vertical-External-Cavity-Surface-Emitting-Laser. , 2013, , .		0
583	Optical nonlinearity with few-photon pulses using a quantum dot-pillar cavity device. , 2013, , .		0
584	Photonic-crystal based concave mirror for highly coherent stable external-cavity semiconductor laser. , 2013, , .		0
585	Modeless highly coherent frequency-shifted-feedback vertical external cavity surface emitting laser. , 2013, , .		0
586	Self-pulsing and nonlinear dynamics in micro and nanolasers. , 2013, , .		0
587	Novel physics in photonic crystal nanolasers : Dynamics and Coherence. , 2013, , .		0
588	Tunable high-purity microwave signal generation from a dual-frequency VECSEL at 852 nm. Proceedings of SPIE, 2013, , .	0.8	0
589	High-purity microwave signal from a dual-frequency semiconductor laser for CPT atomic clocks. , 2014, , .		0
590	Vertical-external-cavity surface-emitting laser for THz generation. , 2014, , .		0
591	Electroluminescent diodes in n-doped germanium with Schottky contacts. , 2014, , .		0
592	Cavity optomechanics with a nonlinear photonic-crystal nanomembrane. , 2014, , .		0
593	Toward a quantum network based on semiconductor quantum dots. , 2014, , .		0
594	Wafer bonding of Si for hybrid photonic devices. Materials Research Society Symposia Proceedings, 2014, 1748, 1.	0.1	0

#	ARTICLE	IF	CITATIONS
595	Highly-Doped, Highly-Strained Germanium and Schottky Electroluminescent Diodes. ECS Transactions, 2014, 64, 359-364.	0.5	0
596	Plasticity and Fracture of InP/Si Substructures. Materials Science Forum, 0, 783-786, 1628-1633.	0.3	0
597	Absolute and relative refractory periods in a micropillar laser with saturable absorber. Proceedings of SPIE, 2014, , .	0.8	0
598	Electrical transport across the heterointerface of InP membranes bonded oxide-free on Si. , 2014, , .		0
599	Ion implanted In _{0.53} Ga _{0.47} As for ultrafast saturable absorber device at 1.55 μm . , 2014, , .		0
600	High tensile strain transfer into germanium microdisks using all-around strained SiN. , 2014, , .		0
601	Generation of high-purity microwave signals from a dual-frequency OP-VECSEL. Proceedings of SPIE, 2014, , .	0.8	0
602	Bright phonon-tuned single-photon source. , 2015, , .		0
603	Spontaneous mirror-symmetry breaking in two coupled nanolasers. , 2015, , .		0
604	Spontaneous mirror-symmetry breaking in a photonic molecule. , 2015, , .		0
605	Evaluation of the noise properties of a dual-frequency VECSEL for compact Cs atomic clocks. Proceedings of SPIE, 2015, , .	0.8	0
606	External Control of Dissipative Coupling in a Heterogeneously Integrated Photonic Crystalâ€”SOI Waveguide Optomechanical System. Photonics, 2016, 3, 52.	2.0	0
607	Coherent THz generation based on a novel dual-frequency III-V semiconductor laser. , 2016, , .		0
608	Direct band gap germanium in high Q-factor cavities. , 2016, , .		0
609	Echo-less photoconductive antenna sources for high-resolution terahertz time-domain spectroscopy. , 2016, , .		0
610	Local probing of the interfacial strength in InP/Si substructures. MRS Advances, 2016, 1, 779-784.	0.9	0
611	Highly coherent modeless broadband VECSEL. Proceedings of SPIE, 2017, , .	0.8	0
612	Quantum-dot-based quantum devices (Conference Presentation). , 2017, , .		0

#	ARTICLE	IF	CITATIONS
613	Low-noise III-V metasurface based semiconductor vortex laser and rotational Doppler velocimetry. , 2017, , .		0
614	Monolithic echo-less photoconductive switches for high-resolution terahertz time-domain spectroscopy. , 2017, , .		0
615	Generation of new coherent light states using III-V semiconductor laser technology: VORTEX, continuum, dual frequency for THz and integration. , 2017, , .		0
616	Polariton lasing in the edge states of an orbital SSH chain. , 2017, , .		0
617	Strategies for noise reduction of a dual-frequency VECSEL dedicated to cesium CPT clocks. , 2018, , .		0
618	THz Emission Driven by a Dual-Transverse-Modes Laser. , 2018, , .		0
619	Towards wireless THz communications: Photonic-driven source and transistor-based detector. , 2018, , .		0
620	Third Order Dispersion in Optical Time Delayed Systems: The Case of Mode-Locked Vertical External-Cavity Surface-Emitting Lasers. , 2019, , .		0
621	Optically Controlling the Emission Chirality of Microlasers. , 2019, , .		0
622	Ultra-Low Threshold CW Lasing in Tensile Strained GeSn Microdisk Cavities. , 2019, , .		0
623	Cavity based THz photoconductive switch: towards high average power. , 2019, , .		0
624	Temporal Localized Structures in Mode-Locked Vertical External-Cavity Surface-Emitting Lasers. , 2019, , .		0
625	Topological Interface States in a Polariton SSH Lattice: Linear and Nonlinear Regimes. , 2019, , .		0
626	Semi-Dirac transport and localization in polaritonic graphene. , 2021, , .		0
627	Effet laser à température ambiante sous pompage optique continu d'un VCSEL en cavité externe à 1,55 µm. European Physical Journal Special Topics, 2004, 119, 279-280.	0.2	0
628	Cavity solitons and patterns in an optically pumped semiconductor amplifier with coherent injection. , 2005, , .		0
629	Quality Factor of Micropillar Cavity. , 2006, , .		0
630	Influence of class-B to class-A transition on relative intensity noise in semiconductor lasers. , 2008, , .		0

#	ARTICLE	IF	CITATIONS
631	Surface emitting photonic crystal mid-infrared quantum cascade lasers. , 2009, , .		0
632	Cavity Solitons in a Vertical Cavity Semiconductor Optical Amplifier: From Single to Cluster States. , 2009, , .		0
633	All-Optical Fiber-Coupled Ultrafast Switching in 2D InP-Based Photonic Crystal Nanocavity. , 2010, , .		0
634	A semiconductor device for surface-plasmon generation. , 2010, , .		0
635	Optimally coupled hybrid III-V Photonic Crystal Wire Cavity CW Lasers on passive SOI waveguides. , 2011, , .		0
636	Direct Observation of Slow Light in the Noise Spectrum of a Laser. , 2011, , .		0
637	All-optical processing in III-V Photonic Crystals. , 2011, , .		0
638	Coherent and Dynamic Nonlinear Interactions in 2D Photonic Crystal nanocavities. , 2012, , .		0
639	Enhanced thermal dissipation in silica encapsulated Hybrid III-V/SOI nanolaser. , 2012, , .		0
640	Macroscopic Self-trapping and Non-linear Oscillations in Coupled Polariton Condensates. , 2012, , .		0
641	RF Phase Noise of a Dual-Frequency VECSEL. , 2013, , .		0
642	Cavity quantum electrodynamics with semiconductor quantum dots. , 2013, , .		0
643	Frequency cavity pulling induced by a single semiconducting artificial atom. , 2013, , .		0
644	Two-cross-polarized-frequency VECSEL at 852nm for CPT-based Cs clocks. , 2013, , .		0
645	Novel physics in photonic crystal nanolasers : Dynamics and Coherence. , 2014, , .		0
646	Dual-frequency VECSELs for Microwave Photonics Applications. , 2014, , .		0
647	Optomechanics with photonic crystals slab mirrors and cavities. , 2014, , .		0
648	Tunable infrared photoemission sensor on Si using epitaxial ErSi ₂ /Si heterostructures. European Materials Research Society Symposia Proceedings, 1993, 40, 312-316.	0.0	0

#	ARTICLE	IF	CITATIONS
649	Photo-induced intersubband absorption in Si/SiGe quantum wells. , 1996, , 227-230.		0
650	Quantum dot based quantum optics. , 2015, , .		0
651	Giant Polarization Rotation Induced by a Single Spin: a Cavity-Based Spin-Photon Interface. , 2015, , .		0
652	Echo-less Photoconductive Antenna sources for High-resolution Terahertz Time-domain Spectroscopy. , 2016, , .		0
653	Towards strong light-matter coupling at the single-resonator level with sub-wavelength mid-infrared antennas. , 2016, , .		0
654	Light-matter interfacing with quantum dots: a polarization tomography approach. , 2017, , .		0
655	Hybrid III-V on SOI nanolaser diodes. , 2017, , .		0
656	Single photon Fock state filtering with an artificial atom. , 2017, , .		0
657	Overcoming phonon-induced decoherence in single-photon sources with cavity quantum electrodynamics. , 2017, , .		0
658	Single frequency free-running low noise compact extended-cavity semiconductor laser at high power level. , 2017, , .		0
659	Design and properties of high-power highly-coherent single-frequency VECSEL emitting in the near- to mid-IR for photonic applications. , 2017, , .		0
660	Reducing phonon-induced decoherence of solid-state artificial atoms with cavity quantum electrodynamics. , 2018, , .		0
661	Creation of Semi-Dirac Photons Through Topological Phase Transitions in Photonic Honeycomb Lattices. , 2018, , .		0
662	Tunable dual-frequency laser source for coherent population trapping cesium atomic clocks. , 2018, , .		0
663	A solid-state single photon filter. , 2018, , .		0
664	Interfacing solid-state single-photon sources and integrated photonics circuits: high rate three-photon coalescence. , 2019, , .		0
665	Generation of quantum light in a photon-number superposition. , 2019, , .		0
666	A Compact and scalable source for entangled photonic linear cluster states. , 2019, , .		0

#	ARTICLE	IF	CITATIONS
667	Upscaling the output power of a photo-mixing THz source driven by a dual-frequency laser operating on two transverse modes. , 2019, , .		0
668	Industrial Low noise tunable integrated semiconductor laser: Dynamic instability and route to single frequency operation. , 2019, , .		0
669	Improvement of the Stabilization Loops Performances of a DF-VECSEL Dedicated to Cesium CPT Clocks Application by Fully-Correlated Multi-Mode Pumping. , 2019, , .		0
670	Towards transverse multiplexing of THz photo-driven emitters driven by a dual-transverse-mode dual-frequency laser. , 2019, , .		0
671	Sequential Generation of Linear Cluster States from a Single Photon Emitter. , 2020, , .		0
672	Quantum Engineering of Plasmon Modes. , 2020, , .		0
673	Two-Photon Interference with Bright Remote Quantum Dot Sources. , 2021, , .		0