Sarah Lewis

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/147564/publications.pdf

Version: 2024-02-01

257450 243625 83 2,226 24 44 h-index citations g-index papers 85 85 85 3254 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Comparison of saliva cotinine and exhaled carbon monoxide concentrations when smoking and after being offered dual nicotine replacement therapy in pregnancy. Addiction, 2022, 117, 751-759.	3.3	7
2	Evaluating stroke early supported discharge using cost-consequence analysis. Disability and Rehabilitation, 2022, 44, 7127-7133.	1.8	3
3	Ethnicity and suicide risk: A population-based study from England. Journal of Affective Disorders, 2022, 298, 555-557.	4.1	2
4	Characteristics of Yoga Providers and Their Sessions and Attendees in the UK: A Cross-Sectional Survey. International Journal of Environmental Research and Public Health, 2022, 19, 2212.	2.6	3
5	Risk of mortality from suicide in patients with Huntington's disease is increased compared to the general population in England. Journal of Neurology, 2022, 269, 4436-4439.	3.6	6
6	The development and acceptability testing of an app-based smart survey system to record smoking behaviour, use of nicotine replacement therapy (NRT) and e-cigarettes. BMC Research Notes, 2022, 15, 100.	1.4	5
7	Are E-cigarettes associated with postpartum return to smoking? Secondary analyses of a UK pregnancy longitudinal cohort. BMJ Open, 2022, 12, e061028.	1.9	0
8	Content, Structure, and Delivery Characteristics of Yoga Interventions for Managing Hypertension: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. Frontiers in Public Health, 2022, 10, 846231.	2.7	10
9	Content, Structure and Delivery Characteristics of Yoga Interventions for the Management of Osteoarthritis: A Systematic Review Protocol. International Journal of Environmental Research and Public Health, 2022, 19, 5806.	2.6	0
10	Electronic cigarettes versus nicotine patches for smoking cessation in pregnancy: a randomized controlled trial. Nature Medicine, 2022, 28, 958-964.	30.7	19
11	Content, Structure and Delivery Characteristics of Yoga Interventions for Managing Rheumatoid Arthritis: A Systematic Review Protocol. International Journal of Environmental Research and Public Health, 2022, 19, 6102.	2.6	0
12	Developing logic models to inform public health policy outcome evaluation: an example from tobacco control. Journal of Public Health, 2021, 43, 639-646.	1.8	3
13	How quality improvement collaboratives work to improve healthcare in care homes: a realist evaluation. Age and Ageing, 2021, 50, 1371-1381.	1.6	20
14	Smoking and vaping patterns during pregnancy and the postpartum: A longitudinal UK cohort survey. Addictive Behaviors, 2021, 123, 107050.	3.0	3
15	Health Risks of Kretek Cigarettes: A Systematic Review. Nicotine and Tobacco Research, 2021, 23, 1274-1282.	2.6	6
16	Effect of stroke early supported discharge on length of hospital stay: analysis from a national stroke registry. BMJ Open, 2021, 11, e043480.	1.9	9
17	Barriers and Facilitators to Staying Smoke-Free after Having a Baby, a Qualitative Study: Women's Views on Support Needed to Prevent Returning to Smoking Postpartum. International Journal of Environmental Research and Public Health, 2021, 18, 11358.	2.6	2
18	Large-scale implementation of stroke early supported discharge: the WISE realist mixed-methods study. Health Services and Delivery Research, 2021, 9, 1-150.	1.4	10

#	Article	IF	CITATIONS
19	Effectiveness of Stroke Early Supported Discharge. Circulation: Cardiovascular Quality and Outcomes, 2020, 13, e006395.	2.2	11
20	Exposure to tobacco imagery in popular films and the risk of ever smoking among children in southern India. Tobacco Control, 2020, 30, tobaccocontrol-2019-055353.	3.2	5
21	Yorkshire Enhanced Stop Smoking (YESS) study: a protocol for a randomised controlled trial to evaluate the effect of adding a personalised smoking cessation intervention to a lung cancer screening programme. BMJ Open, 2020, 10, e037086.	1.9	31
22	Antenatally detected abdominal cyst: Does cyst size and nature determine postnatal symptoms and outcome?. Early Human Development, 2020, 147, 105102.	1.8	6
23	Hospital doctors' attitudes to brief educational messages that aim to modify diagnostic test requests: a qualitative study. BMC Medical Informatics and Decision Making, 2020, 20, 80.	3.0	2
24	The potential to quantify polypharmacy in older adult hospital inpatients using electronic prescribing software: a feasibility study. Health and Technology, 2020, 10, 823-826.	3.6	2
25	Nicotine replacement treatment, e-cigarettes and an online behavioural intervention to reduce relapse in recent ex-smokers: a multinational four-arm RCT. Health Technology Assessment, 2020, 24, 1-82.	2.8	2
26	Content, structure, and delivery characteristics of yoga interventions for managing hypertension: A systematic review protocol. International Journal of Yoga, 2020, 13, 111.	1.0	3
27	Measuring health-related quality of life of care home residents: comparison of self-report with staff proxy responses. Age and Ageing, 2019, 48, 407-413.	1.6	26
28	What is the impact of large-scale implementation of stroke Early Supported Discharge? A mixed methods realist evaluation study protocol. Implementation Science, 2019, 14, 61.	6.9	14
29	Is the apparently protective effect of maternal nicotine replacement therapy (NRT) used in pregnancy on infant development explained by smoking cessation?: secondary analyses of a randomised controlled trial. BMJ Open, 2019, 9, e024923.	1.9	5
30	Evaluation of the impact of a brief educational message on clinicians' awareness of risks of ionising-radiation exposure in imaging investigations: a pilot pre-post intervention study. BMC Health Services Research, 2019, 19, 841.	2.2	3
31	Attitudes to E-Cigarettes and Cessation Support for Pregnant Women from English Stop Smoking Services: A Mixed Methods Study. International Journal of Environmental Research and Public Health, 2019, 16, 110.	2.6	18
32	A dynamic, modifiable model for estimating costâ€effectiveness of smoking cessation interventions in pregnancy: application to an RCT of selfâ€help delivered by text message. Addiction, 2019, 114, 353-365.	3.3	15
33	Comparison of nicotine exposure during pregnancy when smoking and abstinent with nicotine replacement therapy: systematic review and metaâ€analysis. Addiction, 2019, 114, 406-424.	3.3	21
34	Safety of Electronic Cigarette Use During Breastfeeding: Qualitative Study Using Online Forum Discussions. Journal of Medical Internet Research, 2019, 21, e11506.	4.3	5
35	Mass media to communicate public health messages in six health topic areas: a systematic review and other reviews of the evidence. Public Health Research, 2019, 7, 1-206.	1.3	92
36	Effectiveness of Mass Media Campaigns to Reduce Alcohol Consumption and Harm: A Systematic Review. Alcohol and Alcoholism, 2018, 53, 302-316.	1.6	88

#	Article	IF	Citations
37	Accurate identification of hospital admissions from care homes; development and validation of an automated algorithm. Age and Ageing, 2018, 47, 387-391.	1.6	16
38	A randomised controlled trial of a complex intervention to reduce children's exposure to secondhand smoke in the home. Tobacco Control, 2018, 27, 155-162.	3.2	31
39	Predictors of smoking cessation during pregnancy: a systematic review and metaâ€analysis. Addiction, 2018, 113, 610-622.	3.3	107
40	Scaling the Peaks Research Protocol: understanding the barriers and drivers to providing and using dementia-friendly community services in rural areasâ€"a mixed methods study. BMJ Open, 2018, 8, e020374.	1.9	7
41	Quality improvement collaborative aiming for Proactive HEAlthcare of Older People in Care Homes (PEACH): a realist evaluation protocol. BMJ Open, 2018, 8, e023287.	1.9	16
42	Cost-effectiveness of a complex intervention to reduce children's exposure to second-hand smoke in the home. BMC Public Health, 2018, 18, 1252.	2.9	9
43	Mediators of the effect of nicotine preâ€ŧreatment on quitting smoking. Addiction, 2018, 113, 2280-2289.	3.3	5
44	Views on and experiences of electronic cigarettes: a qualitative study of women who are pregnant or have recently given birth. BMC Pregnancy and Childbirth, 2018, 18, 233.	2.4	51
45	Vape shops: who uses them and what do they do?. BMC Public Health, 2018, 18, 541.	2.9	16
46	Physical activity for antenatal and postnatal depression in women attempting to quit smoking: randomised controlled trial. BMC Pregnancy and Childbirth, 2018, 18, 156.	2.4	13
47	Measuring health-related quality of life of care home residents, comparison of self-report with staff proxy responses for EQ-5D-5L and HowRu: protocol for assessing proxy reliability in care home outcome testing. BMJ Open, 2018, 8, e022127.	1.9	10
48	Nicotine preloading for smoking cessation: the Preloading RCT. Health Technology Assessment, 2018, 22, 1-84.	2.8	8
49	Rapidly Increasing Trend of Recorded Alcohol Consumption Since the End of the Armed Conflict in Sri Lanka. Alcohol and Alcoholism, 2017, 52, 550-556.	1.6	5
50	Frequency of stepping down antibiotics and nebuliser treatment is lower at weekends compared to weekdays: an observational study. Clinical Medicine, 2017, 17, 504-507.	1.9	1
51	A qualitative evaluation of a novel intervention using insight into tobacco industry tactics to prevent the uptake of smoking in school-aged children. BMC Public Health, 2016, 16, 539.	2.9	6
52	Which measures of cigarette dependence are predictors of smoking cessation during pregnancy? Analysis of data from a randomized controlled trial. Addiction, 2016, 111, 1656-1665.	3.3	30
53	Protecting children from secondhand smoke: a mixed-methods feasibility study of a novel smoke-free home intervention. Pilot and Feasibility Studies, 2016, 2, 53.	1.2	10
54	Understanding Pregnant Smokers' Adherence to Nicotine Replacement Therapy During a Quit Attempt: A Qualitative Study. Nicotine and Tobacco Research, 2016, 18, 906-912.	2.6	38

#	Article	IF	Citations
55	Measuring Alcohol Consumption in Population Surveys: A Review of International Guidelines and Comparison with Surveys in England. Alcohol and Alcoholism, 2016, 51, 84-92.	1.6	28
56	Re-starting smoking in the postpartum period after receiving a smoking cessation intervention: a systematic review. Addiction, 2016, 111, 981-990.	3.3	73
57	Accuracy of methods for detecting an irregular pulse and suspected atrial fibrillation: A systematic review and meta-analysis. European Journal of Preventive Cardiology, 2016, 23, 1330-1338.	1.8	94
58	Screening for Atrial Fibrillation – A Cross-Sectional Survey of Healthcare Professionals in Primary Care. PLoS ONE, 2016, 11, e0152086.	2.5	19
59	"l Was a Full Time Proper Smoker― A Qualitative Exploration of Smoking in the Home after Childbirth among Women Who Relapse Postpartum. PLoS ONE, 2016, 11, e0157525.	2.5	11
60	Development and evaluation of an intervention providing insight into the tobacco industry to prevent smoking uptake: a mixed-methods study. Public Health Research, 2016, 4, 1-180.	1.3	1
61	Smoking in the home after childbirth: prevalence and determinants in an English cohort. BMJ Open, 2015, 5, e008856.	1.9	4
62	Systematic critical review of previous economic evaluations of smoking cessation during pregnancy. BMJ Open, 2015, 5, e008998-e008998.	1.9	16
63	Changes in the rate of nicotine metabolism across pregnancy: a longitudinal study. Addiction, 2015, 110, 1827-1832.	3.3	69
64	Authors' reply to Braillon and Bewley. BMJ, The, 2015, 350, h3555-h3555.	6.0	1
65	Maternal smoking and the risk of still birth: systematic review and meta-analysis. BMC Public Health, 2015, 15, 239.	2.9	154
66	Do cravings predict smoking cessation in smokers calling a national quit line: secondary analyses from a randomised trial for the utility of â€~urges to smoke' measures. Substance Abuse Treatment, Prevention, and Policy, 2015, 10, 15.	2.2	30
67	Economic evaluations of tobacco control mass media campaigns: a systematic review. Tobacco Control, 2015, 24, 320-327.	3.2	35
68	Physical activity for smoking cessation in pregnancy: randomised controlled trial. BMJ, The, 2015, 350, h2145-h2145.	6.0	43
69	The London Exercise And Pregnant smokers (LEAP) trial: a randomised controlled trial of physical activity for smoking cessation in pregnancy with an economic evaluation. Health Technology Assassment, 2015, 19, 1-136. Medical Crises in Older People: cohort study of older people attending acute medical units,	2.8	30
70	developmental work and randomised controlled trial of a specialist geriatric medical intervention for high-risk older people; cohort study of older people with mental health problems admitted to hospital, developmental work and randomised controlled trial of a specialist medical and mental health unit for general hospital patients with delirium and dementia; and cohort study of residents	1.0	7
71	of care homes and interview s. Programme Grants for Applied Research, 2015, 3, 1-410. Predictors of Children's Secondhand Smoke Exposure at Home: A Systematic Review and Narrative Synthesis of the Evidence. PLoS ONE, 2014, 9, e112690.	2.5	115
72	How does the emotive content of televised anti-smoking mass media campaigns influence monthly calls to the NHS Stop Smoking helpline in England?. Preventive Medicine, 2014, 69, 43-48.	3.4	32

#	Article	IF	CITATIONS
73	Does use of â€~non-trial' cessation support help explain the lack of effect from offering NRT to quitline callers in a RCT?: TableÂ1. Tobacco Control, 2014, 23, 524-525.	3.2	O
74	Effect of nicotine patches in pregnancy on infant and maternal outcomes at 2 years: follow-up from the randomised, double-blind, placebo-controlled SNAP trial. Lancet Respiratory Medicine, the, 2014, 2, 728-737.	10.7	61
75	Effectiveness of tobacco control television advertising in changing tobacco use in England: a population-based cross-sectional study. Addiction, 2014, 109, 986-994.	3.3	41
76	Nicotine patch preloading for smoking cessation (the preloading trial): study protocol for a randomized controlled trial. Trials, 2014, 15, 296.	1.6	14
77	The impact of televised tobacco control advertising content on campaign recall: Evidence from the International Tobacco Control (ITC) United Kingdom Survey. BMC Public Health, 2014, 14, 432.	2.9	13
78	The SNAP trial: a randomised placebo-controlled trial of nicotine replacement therapy in pregnancy – clinical effectiveness and safety until 2 years after delivery, with economic evaluation. Health Technology Assessment, 2014, 18, 1-128.	2.8	90
79	A Randomized Trial of Nicotine-Replacement Therapy Patches in Pregnancy. New England Journal of Medicine, 2012, 366, 808-818.	27.0	177
80	The impact of media campaigns on smoking cessation activity: a structural vector autoregression analysis. Addiction, 2012, 107, 2043-2050.	3.3	33
81	RESPONSE TO KOTZ <i>ETâ\in fAL</i> . (2011): ESTIMATING THE RATE OF USAGE OF VARENICLINE AND OTHER MEDICATION FOR SMOKING CESSATION. Addiction, 2011, 106, 1869-1869.	3.3	0
82	Trends in passive smoking in cystic fibrosis, 1993-1998. Pediatric Pulmonology, 2001, 31, 133-137.	2.0	10
83	Investigation into the increase in hay fever and eczema at age 16 observed between the 1958 and 1970 British birth cohorts. BMJ: British Medical Journal, 1997, 315, 717-721.	2.3	189