

Weiying Lin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1475835/publications.pdf>

Version: 2024-02-01

356
papers

20,864
citations

9756

73
h-index

13727

129
g-index

361
all docs

361
docs citations

361
times ranked

11698
citing authors

#	ARTICLE	IF	CITATIONS
1	Distinguishing normal and inflammatory models by viscosity changes with sensitively mitochondrial-trackable fluorescent probe. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2022, 264, 120271.	2.0	5
2	Single fluorescent probes enabling simultaneous visualization of duple organelles: Design principles, mechanisms, and applications. <i>Coordination Chemistry Reviews</i> , 2022, 451, 214266.	9.5	43
3	Constructing a NIR fluorescent probe for ratiometric imaging viscosity in mice and detecting blood viscosity in folliculitis mice and peritonitis mice. <i>Sensors and Actuators B: Chemical</i> , 2022, 352, 131042.	4.0	24
4	Development of an esterase fluorescent probe based on naphthalimide-benzothiazole conjugation and its applications for qualitative detection of esterase in orlistat-treated biosamples. <i>Analytica Chimica Acta</i> , 2022, 1190, 339248.	2.6	6
5	Ratiometric probe with optimized permeability for visualizing lysosomal acidification during autophagy. <i>Dyes and Pigments</i> , 2022, 197, 109951.	2.0	6
6	A novel red-emitting two-photon fluorescent probe for imaging nitroreductases in cancer cells and tumor tissues with hypoxia conditions. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2022, 424, 113657.	2.0	5
7	BF ₂ group chelated AIE fluorescent probe for polarity mapping of lipid droplets in cells and in vivo. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2022, 268, 120637.	2.0	15
8	Near-Infrared Mitochondria-Targetable Single-Molecule probe for Dual-Response of viscosity and sulfur dioxide in vivo. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2022, 270, 120796.	2.0	13
9	A Fluorescent Probe Targeting Mitochondria and Lipid Droplets for Visualization of Cell Death. <i>Chemistry - an Asian Journal</i> , 2022, 17, e202101304.	1.7	9
10	A deep-red emission fluorescent probe for visualization of fluoride anion accumulation in a murine model of acute fluoride toxicity and the roots of <i>Arabidopsis thaliana</i> . <i>Sensors and Actuators B: Chemical</i> , 2022, 358, 131508.	4.0	14
11	Imaging and Detection of Hepatocellular Carcinoma with a Hepatocyte-Specific Fluorescent Probe. <i>Analytical Chemistry</i> , 2022, 94, 3386-3393.	3.2	24
12	A novel mitochondrion-targeted fluorescent probe for detecting viscosity in living cells and zebrafishes. <i>New Journal of Chemistry</i> , 2022, 46, 8171-8176.	1.4	3
13	A molecular recognition platform for the simultaneous sensing of diverse chemical weapons. <i>Chemical Science</i> , 2022, 13, 4523-4532.	3.7	55
14	Permeability-Controlled Probe for Directly Visualizing the Opening of Mitochondrial Permeability Transition Pore in Native Status. <i>Analytical Chemistry</i> , 2022, 94, 5255-5264.	3.2	4
15	A novel cysteine fluorescent probe with large stokes shift for imaging in living cells, zebrafish and living mice. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2022, 276, 121230.	2.0	6
16	Exploring of blood viscosity in injured liver tissues of hyperlipidemic mice. <i>Dyes and Pigments</i> , 2022, 202, 110272.	2.0	3
17	Revealing the Effects of Endoplasmic Reticulum Stress on Ferroptosis by Two-Channel Real-Time Imaging of pH and Viscosity. <i>Analytical Chemistry</i> , 2022, 94, 6557-6565.	3.2	31
18	A novel fluorescent probe with large Stokes shift for the detection of viscosity changes and its imaging in living cells. <i>Luminescence</i> , 2022, 37, 1120-1125.	1.5	2

#	ARTICLE	IF	CITATIONS
19	Synthesis and Study of Performance for An Enhanced Formaldehyde Fluorescent Probe. Chinese Journal of Organic Chemistry, 2022, 42, 1163.	0.6	2
20	Design of a ratiometric near-infrared fluorescent probe with double excitation for hydrazine detection in vitro and in vivo. Science of the Total Environment, 2022, 837, 155462.	3.9	29
21	Development of an activatable hydrogen sulfide-specific two-photon fluorescent probe for bioimaging in an air pouch inflammation model. Journal of Materials Chemistry B, 2022, 10, 4568-4574.	2.9	5
22	Activatable Fluorescent-Photoacoustic Integrated Probes with Deep Tissue Penetration for Pathological Diagnosis and Therapeutic Evaluation of Acute Inflammation in Mice. Analytical Chemistry, 2022, 94, 7996-8004.	3.2	11
23	Visualization of endogenous formaldehyde in the nucleus via a robust activatable fluorescent probe. Sensors and Actuators B: Chemical, 2022, 368, 132136.	4.0	4
24	A new NIR emission mitochondrial targetable fluorescent probe and its application in detecting viscosity changes in mouse liver and kidney injury. Talanta, 2022, 249, 123647.	2.9	14
25	Probing the viscosity changes of acute kidney injury by fluorescence imaging. Journal of Molecular Liquids, 2022, 360, 119458.	2.3	3
26	An activatable photoacoustic probe for imaging upregulation of hydrogen sulfide in inflammation. Sensors and Actuators B: Chemical, 2022, 367, 132097.	4.0	6
27	Detecting inflammation in the diabetic mice with a fluorescence lifetime-based probe. Analytica Chimica Acta, 2022, 1221, 340104.	2.6	6
28	Development of a multi-task formaldehyde specific fluorescent probe for bioimaging in living systems and decoration materials analysis. Chemical Engineering Journal, 2022, 448, 137634.	6.6	4
29	A High Photostability Mitochondrial Targeted Near-Infrared Dye with Large Stokes Shift and Cell Imaging Application. Chinese Journal of Organic Chemistry, 2022, 42, 1687.	0.6	1
30	Quantification of lipid droplets polarity for evaluating non-alcoholic fatty liver disease via fluorescence lifetime imaging. Sensors and Actuators B: Chemical, 2022, 369, 132267.	4.0	20
31	Organic fluorescent probes for monitoring autophagy in living cells. Chemical Society Reviews, 2021, 50, 102-119.	18.7	104
32	An endoplasmic reticulum targetable turn-on fluorescence probe for imaging application of carbon monoxide in living cells. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2021, 247, 119150.	2.0	16
33	Fluorescence response of a fluorescein derivative for hypochlorite ion and its application for biological imaging in wounded zebrafish and living mice. Sensors and Actuators B: Chemical, 2021, 327, 128848.	4.0	21
34	Observation of endogenous HClO in living mice with inflammation, tissue injury and bacterial infection by a near-infrared fluorescent probe. Sensors and Actuators B: Chemical, 2021, 327, 128884.	4.0	35
35	Thiethylated naphthalimide functional silica nanomaterials: A fluorescent nanosensor for detection of HClO in living cells. Dyes and Pigments, 2021, 185, 108936.	2.0	8
36	A single small molecule fluorescent probe for imaging RNA distribution and detecting endogenous SO ₂ through distinct fluorescence channels. New Journal of Chemistry, 2021, 45, 19812-19817.	1.4	7

#	ARTICLE	IF	CITATIONS
37	A POSS-assisted fluorescent probe for the rapid detection of HClO in mitochondria with a large emission wavelength in dual channels. <i>Journal of Materials Chemistry B</i> , 2021, 9, 6836-6843.	2.9	6
38	Synthesis, molecular docking calculation, fluorescence and bioimaging of mitochondria-targeted ratiometric fluorescent probes for sensing hypochlorite <i>in vivo</i> . <i>Journal of Materials Chemistry B</i> , 2021, 9, 2666-2673.	2.9	8
39	A fluorogenic probe for dynamic tracking of lipid droplets' polarity during the evolution of cancer. <i>New Journal of Chemistry</i> , 2021, 45, 4347-4353.	1.4	15
40	A coumarin-based TICT fluorescent probe for real-time fluorescence lifetime imaging of mitochondrial viscosity and systemic inflammation <i>in vivo</i> . <i>Journal of Materials Chemistry B</i> , 2021, 9, 8067-8073.	2.9	19
41	A coumarin-based "off-on" fluorescent probe for highly selective detection of hydrogen sulfide and imaging in living cells. <i>Analytical Methods</i> , 2021, 13, 1511-1516.	1.3	9
42	The development of an endoplasmic reticulum-targeting fluorescent probe for the imaging of 1,4-dithiothreitol (DTT) in living cells. <i>Analytical Methods</i> , 2021, 13, 2204-2208.	1.3	14
43	A novel fluorescent probe with high photostability for imaging distribution of RNA in living cells and tissues. <i>New Journal of Chemistry</i> , 2021, 45, 2614-2619.	1.4	3
44	The development of a highly selective fluorescent probe for the rapid detection of HClO in living cells and zebrafish. <i>New Journal of Chemistry</i> , 2021, 45, 12569-12575.	1.4	1
45	Ratiometric and amplified fluorescence nanosensor based on a DNA tetrahedron for miRNA imaging in living cells. <i>Journal of Materials Chemistry B</i> , 2021, 9, 8341-8347.	2.9	5
46	A non-peptide probe for detecting chymotrypsin activity based on protection-deprotection strategy in living systems. <i>Journal of Materials Chemistry B</i> , 2021, 9, 8417-8423.	2.9	5
47	A dual-channel fluorescent probe for monitoring pH changes in lysosomes during autophagy. <i>New Journal of Chemistry</i> , 2021, 45, 18538-18543.	1.4	5
48	Noninvasive Cancer Diagnosis <i>In Vivo</i> Based on a Viscosity-Activated Near-Infrared Fluorescent Probe. <i>Analytical Chemistry</i> , 2021, 93, 2072-2081.	3.2	64
49	A near-infrared fluorescent probe for monitoring viscosity in living cells, zebrafish and mice. <i>New Journal of Chemistry</i> , 2021, 45, 3778-3782.	1.4	5
50	A novel fluorescent probe for rapid detection of sulfur dioxide in living cells. <i>Luminescence</i> , 2021, 36, 1006-1012.	1.5	2
51	Dual-Emissive Probe for Reversible Visualization of Ca^{2+} Revealing Voltage Heterogeneity in a Single Mitochondrion. <i>Analytical Chemistry</i> , 2021, 93, 3493-3501.	3.2	10
52	Intramolecular Spirocyclization Enables Design of a Single Fluorescent Probe for Monitoring the Interplay between Mitochondria and Lipid Droplets. <i>Analytical Chemistry</i> , 2021, 93, 3602-3610.	3.2	33
53	Four-armed functional siloxane enables ratiometric unconventional fluorescence for the detection of ONOO ⁻ . <i>Sensors and Actuators B: Chemical</i> , 2021, 331, 129462.	4.0	20
54	Charge-Dependent Strategy Enables a Single Fluorescent Probe to Study the Interaction Relationship between Mitochondria and Lipid Droplets. <i>ACS Sensors</i> , 2021, 6, 1595-1603.	4.0	44

#	ARTICLE	IF	CITATIONS
55	NIR fluorescence imaging of lipid drops viscosity in liver organs of diabetic mice. <i>Dyes and Pigments</i> , 2021, 187, 109120.	2.0	13
56	Utilizing a Solvatochromic Optical Agent to Monitor the Polarity Changes in Dynamic Liver Injury Progression. <i>ACS Applied Bio Materials</i> , 2021, 4, 3630-3638.	2.3	17
57	A fluorescent probe for specific detection of β -galactosidase in living cells and tissues based on ESIPT mechanism. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2021, 251, 119446.	2.0	10
58	Pyrene-based polymer fluorescent materials for the detection of 2,4,6-trinitrophenol and cell imaging. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2021, 410, 113183.	2.0	8
59	Real-time monitoring viscosity variation in carcinogenesis evolution models by a red-emitting rotor. <i>Dyes and Pigments</i> , 2021, 188, 109170.	2.0	5
60	Two-photon Fluorescent Sensors for Visual Detection of Abnormal Superoxide Anion in Diabetes Mice. <i>Sensors and Actuators B: Chemical</i> , 2021, 332, 129537.	4.0	9
61	The development of a biotin-guided and mitochondria-targeting fluorescent probe for detecting SO ₂ precisely in cancer cells. <i>Talanta</i> , 2021, 225, 121992.	2.9	19
62	Detecting lipid droplets polarity: Silicone-based unique fluorescent probe for cancer diagnosis in living cells. <i>Talanta</i> , 2021, 225, 122059.	2.9	27
63	Dual channel mitochondria-targeted fluorescent probe for detection of nitric oxide in living cells and zebrafish. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2021, 412, 113256.	2.0	5
64	Tracking cell apoptosis based on mitochondria and cell membrane imaging. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2021, 412, 113245.	2.0	3
65	Ratiometric and reversible detection of endogenous SO ₂ and HCHO in living cells and mice by a near-infrared and dual-emission fluorescent probe. <i>Sensors and Actuators B: Chemical</i> , 2021, 335, 129649.	4.0	33
66	Development of a novel NIR viscosity fluorescent probe for visualizing the kidneys in diabetic mice. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2021, 254, 119627.	2.0	10
67	Activatable Photoacoustic Probe for In Situ Imaging of Endogenous Carbon Monoxide in the Murine Inflammation Model. <i>Analytical Chemistry</i> , 2021, 93, 8978-8985.	3.2	20
68	Triphenylamine-based silsesquioxane derivatives for multiple anion recognition via anion effect and solvent effect. <i>Sensors and Actuators B: Chemical</i> , 2021, 338, 129837.	4.0	10
69	Silicon-assisted unconventional fluorescence from organosilicon materials. <i>Coordination Chemistry Reviews</i> , 2021, 438, 213887.	9.5	41
70	A red-emissive and positively charged RNA ligand enables visualization of mitochondrial depolarization and cell damage. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2021, 255, 119686.	2.0	1
71	Monitoring cysteine level changes under LPS or H ₂ O ₂ induced oxidative stress using a polymer-based ratiometric fluorescent probe. <i>Analytica Chimica Acta</i> , 2021, 1174, 338738.	2.6	13
72	Evaluation of Cell Viability with a Single Fluorescent Probe Based on Two Kinds of Fluorescence Signal Modes. <i>Analytical Chemistry</i> , 2021, 93, 12487-12493.	3.2	20

#	ARTICLE	IF	CITATIONS
73	Development of a one-step synthesized red emission fluorescent probe for sensitive detection of viscosity in vitro and in vivo. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2021, 258, 119808.	2.0	14
74	A fluorogenic probe for detecting CO with the potential integration of diagnosis and therapy (IDT) for cancer. <i>Sensors and Actuators B: Chemical</i> , 2021, 344, 130245.	4.0	10
75	Reversible polysiloxane-based near-infrared fluorescent probe for monitoring the redox cycles between HClO/SO ₂ in mitochondria and in vivo. <i>Sensors and Actuators B: Chemical</i> , 2021, 344, 130217.	4.0	21
76	Construction of a fluorescent probe with large stokes shift and deep red emission for sensing of the viscosity in hyperglycemic mice. <i>Dyes and Pigments</i> , 2021, 195, 109674.	2.0	16
77	Understanding the significant role of Si O Si bonds: Organosilicon materials as powerful platforms for bioimaging. <i>Coordination Chemistry Reviews</i> , 2021, 447, 214166.	9.5	33
78	An activatable water-soluble photoacoustic probe for real-time imaging of endogenous cysteine in the mouse tumor model. <i>Sensors and Actuators B: Chemical</i> , 2021, 347, 130616.	4.0	13
79	A unique fluorescent probe for visualization of cell death via its subcellular immigration from lysosomes to nucleus. <i>Sensors and Actuators B: Chemical</i> , 2021, 347, 130656.	4.0	6
80	Tracking the polarity changes of asthmatic mice by fluorescence imaging. <i>Sensors and Actuators B: Chemical</i> , 2021, 346, 130448.	4.0	12
81	Visualization of the pH-fluctuations in gastric ulcer living mice by the in situ near-infrared imaging. <i>Sensors and Actuators B: Chemical</i> , 2021, 349, 130747.	4.0	11
82	Lipid droplet polarity decreases during the pathology of muscle injury as revealed by a polarity sensitive sensor. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2021, 262, 120149.	2.0	13
83	Real-time detection of attenuated blood polarity in mouse models of circulating tumor based on a fluorescent probe. <i>Sensors and Actuators B: Chemical</i> , 2021, 348, 130664.	4.0	10
84	A novel ER-targeted two-photon fluorescent probe for monitoring abnormal concentrations of HClO in diabetic mice. <i>Journal of Materials Chemistry B</i> , 2021, 9, 7381-7385.	2.9	15
85	Fabrication of a fluorescent probe for reversibly monitoring mitochondrial membrane potential in living cells. <i>Analytical Methods</i> , 2021, 13, 1715-1719.	1.3	1
86	Small molecule based fluorescent chemosensors for imaging the microenvironment within specific cellular regions. <i>Chemical Society Reviews</i> , 2021, 50, 12098-12150.	18.7	236
87	Revealing the Viscosity Changes in Lipid Droplets during Ferroptosis by the Real-Time and <i>In Situ</i> Near-Infrared Imaging. <i>ACS Sensors</i> , 2021, 6, 22-26.	4.0	94
88	Aging Diagnostic Probe for Research on Aging and Evaluation of Anti-aging Drug Efficacy. <i>Analytical Chemistry</i> , 2021, 93, 13800-13806.	3.2	25
89	Ratiometric Fluorescence Imaging for the Distribution of Nucleic Acid Content in Living Cells and Human Tissue Sections. <i>Analytical Chemistry</i> , 2021, 93, 1612-1619.	3.2	19
90	Development of a two-photon fluorescent probe to monitor the changes of viscosity in living cells, zebra fish and mice. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2020, 224, 117310.	2.0	30

#	ARTICLE	IF	CITATIONS
91	A unique amphipathic polyethylene glycol-based fluorescent probe for the visualization of lipid droplets and discrimination of living and dead cells in biological systems. <i>Sensors and Actuators B: Chemical</i> , 2020, 302, 127207.	4.0	21
92	A novel polythioether-based rhodamine B fluorescent probe via successive click reaction and its application in iron ion detection and cell imaging. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2020, 228, 117679.	2.0	20
93	Discriminating Cys from GSH/H ₂ S in vitro and in vivo with a NIR fluorescent probe. <i>Sensors and Actuators B: Chemical</i> , 2020, 305, 127202.	4.0	38
94	Development of a red-emissive two-photon fluorescent probe for sensitive detection of beta-galactosidase in vitro and in vivo. <i>Sensors and Actuators B: Chemical</i> , 2020, 307, 127643.	4.0	30
95	A dual-site controlled fluorescent sensor for the facile and fast detection of H ₂ O in D ₂ O by two turn-on emission signals. <i>Chemical Communications</i> , 2020, 56, 1191-1194.	2.2	27
96	A unique polarity-sensitive photothermal sensitizer revealing down-regulated mitochondrial polarity during photo-induced cell death. <i>Journal of Materials Chemistry B</i> , 2020, 8, 752-757.	2.9	17
97	Step-wise functionalization of polysiloxane towards a versatile dual-response fluorescent probe and elastomer for the detection of H ₂ S in two-photon and NO in near-infrared modes. <i>Chemical Communications</i> , 2020, 56, 1121-1124.	2.2	31
98	Simultaneous sensing of nucleic acid and associated cellular components with organic fluorescent chemosensors. <i>Coordination Chemistry Reviews</i> , 2020, 406, 213144.	9.5	16
99	Monitoring mitochondrial membrane potential by FRET: Development of fluorescent probes enabling Ca^{2+} -dependent subcellular migration. <i>Analytica Chimica Acta</i> , 2020, 1097, 196-203.	2.6	16
100	A ratiometric fluorescent probe for reversible monitoring of endogenous SO ₂ /formaldehyde in cytoplasm and nucleoli regions and its applications in living mice. <i>Analyst</i> , 2020, 145, 1865-1870.	1.7	20
101	Live cell-specific fluorescent probe for the detection of labile Fe(II) and the evaluation of esterase activity in live animals. <i>Sensors and Actuators B: Chemical</i> , 2020, 305, 127470.	4.0	18
102	Rational design of a far-red fluorescent probe for endogenous biothiol imbalance induced by hydrogen peroxide in living cells and mice. <i>Bioorganic Chemistry</i> , 2020, 103, 104173.	2.0	12
103	Design of a FRET-based fluorescent probe for the reversible detection of SO ₂ and formaldehyde in living cells and mice. <i>New Journal of Chemistry</i> , 2020, 44, 13654-13658.	1.4	13
104	Engineering a double-rotor-based fluorescent molecule to sensitively track mitochondrial viscosity in living cells and zebrafish with high signal-to-background ratio (S/B). <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2020, 401, 112789.	2.0	7
105	Construction of a novel QCD based ratiometric fluorescent composite probe for viscosity detection. <i>Chemical Communications</i> , 2020, 56, 14649-14652.	2.2	9
106	Preparation of robust fluorescent probes for tracking endogenous formaldehyde in living cells and mouse tissue slices. <i>Nature Protocols</i> , 2020, 15, 3499-3526.	5.5	24
107	Observation of the Elevation of Cholinesterase Activity in Brain Glioma by a Near-Infrared Emission Chemosensor. <i>Analytical Chemistry</i> , 2020, 92, 13405-13410.	3.2	35
108	A sensitive and selective fluorescent probe for the detection of endogenous peroxynitrite (ONOO ⁻) in living cells. <i>Analytical Methods</i> , 2020, 12, 2841-2845.	1.3	12

#	ARTICLE	IF	CITATIONS
109	A fluorescent probe for specific detection of cysteine in lysosomes via dual-color mode imaging. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2020, 240, 118555.	2.0	8
110	An ESIPT-based ratiometric fluorescent probe for the discrimination of live and dead cells. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2020, 240, 118588.	2.0	9
111	The development of a hemicyanine-based ratiometric CO fluorescent probe with a long emission wavelength and its applications for imaging CO <i>in vitro</i> and <i>in vivo</i> . <i>New Journal of Chemistry</i> , 2020, 44, 12107-12112.	1.4	10
112	Organic fluorescent probes for detecting mitochondrial membrane potential. <i>Coordination Chemistry Reviews</i> , 2020, 420, 213419.	9.5	60
113	A strategy to construct fluorescent non-aromatic small-molecules: hydrogen bonds contributing to the unexpected fluorescence. <i>Chemical Communications</i> , 2020, 56, 4424-4427.	2.2	15
114	Robust Organoalkoxysilanes as Red Unconventional Fluorescent Platform. <i>Advanced Functional Materials</i> , 2020, 30, 1910536.	7.8	12
115	A versatile small-molecule fluorescence scaffold: Carbazole derivatives for bioimaging. <i>Coordination Chemistry Reviews</i> , 2020, 412, 213257.	9.5	70
116	A near-infrared ratiometric fluorescent probe based on the C=N double bond for monitoring SO ₂ and its application in biological imaging. <i>Analyst</i> , 2020, 145, 1910-1914.	1.7	23
117	An ICT-based fluorescent probe with bridging Si-O-Si bonds for visualizing hydrogen sulfide in lipid droplets and its application. <i>Analytical Methods</i> , 2020, 12, 1064-1069.	1.3	16
118	Aurone Derivative Revealing the Metabolism of Lipid Droplets and Monitoring Oxidative Stress in Living Cells. <i>Analytical Chemistry</i> , 2020, 92, 6631-6636.	3.2	64
119	A mitochondria-targeting ratiometric fluorescent probe for the detection of sulfur dioxide in living cells. <i>New Journal of Chemistry</i> , 2020, 44, 11988-11992.	1.4	7
120	Discrimination of live and dead cells with two different sets of signals and unique application in vivo imaging. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2020, 231, 118115.	2.0	2
121	Development of a unique reversible fluorescent probe for tracking endogenous sulfur dioxide and formaldehyde fluctuation <i>in vivo</i> . <i>Chemical Communications</i> , 2019, 55, 11263-11266.	2.2	48
122	A dual-site controlled ratiometric probe revealing the simultaneous down-regulation of pH in lysosomes and cytoplasm during autophagy. <i>Chemical Communications</i> , 2019, 55, 10440-10443.	2.2	46
123	Förster Resonance Energy Transfer-Based Fluorescent Probe for the Selective Imaging of Hydroxylamine in Living Cells. <i>Analytical Chemistry</i> , 2019, 91, 11397-11402.	3.2	12
124	An ultrasensitive ratiometric fluorescent probe based on the ICT-PET-FRET mechanism for the quantitative measurement of pH values in the endoplasmic reticulum (ER). <i>Chemical Communications</i> , 2019, 55, 10776-10779.	2.2	38
125	Development of an endoplasmic reticulum-targeting fluorescent probe for the two-photon imaging of hypochlorous acid (HClO) in living cells. <i>Analytical Methods</i> , 2019, 11, 4450-4455.	1.3	20
126	Coumarin-Based Small-Molecule Fluorescent Chemosensors. <i>Chemical Reviews</i> , 2019, 119, 10403-10519.	23.0	814

#	ARTICLE	IF	CITATIONS
127	A mitochondria-targeted and deep-red emission ratiometric fluorescent probe for real-time visualization of SO ₂ in living cells, zebrafish and living mice. <i>Analyst, The</i> , 2019, 144, 4972-4977.	1.7	12
128	Development of a mitochondria-targeted fluorescent probe for the ratiometric visualization of sulfur dioxide in living cells and zebrafish. <i>Analytical Methods</i> , 2019, 11, 3931-3935.	1.3	13
129	Unique pH-Sensitive RNA Binder for Ratiometric Visualization of Cell Apoptosis. <i>Analytical Chemistry</i> , 2019, 91, 10056-10063.	3.2	33
130	Rational Design of a Reversible Fluorescent Probe for Sensing Sulfur Dioxide/Formaldehyde in Living Cells, Zebrafish, and Living Mice. <i>Analytical Chemistry</i> , 2019, 91, 10723-10730.	3.2	70
131	Fluorescent Probes for the Visualization of Cell Viability. <i>Accounts of Chemical Research</i> , 2019, 52, 2147-2157.	7.6	165
132	A novel highly selective fluorescent probe for imaging of cysteine both in living cells and zebrafish. <i>Analytical Methods</i> , 2019, 11, 4323-4327.	1.3	9
133	An endoplasmic reticulum-targeting fluorescent probe for the imaging of hypochlorous acid in living cells and zebrafishes. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2019, 384, 111980.	2.0	21
134	Triphenylamine Schiff base as a lipid droplet-targeted fluorescent probe using Si-O-Si as a bridge for the detection of Cr ⁶⁺ applied in bio-imaging. <i>Analyst, The</i> , 2019, 144, 5373-5377.	1.7	10
135	Visualizing the cell ferroptosis via a novel polysiloxane-based fluorescent schiff base. <i>Sensors and Actuators B: Chemical</i> , 2019, 298, 126843.	4.0	11
136	Tracking lysosomal polarity variation in inflamed, obese, and cancer mice guided by a fluorescence sensing strategy. <i>Chemical Communications</i> , 2019, 55, 11063-11066.	2.2	34
137	Synthesis of Silane-Based Poly(thioether) via Successive Click Reaction and Their Applications in Ion Detection and Cell Imaging. <i>Polymers</i> , 2019, 11, 1235.	2.0	6
138	Pyrenyl-Functionalized Polysiloxane Based on Synergistic Effect for Highly Selective and Highly Sensitive Detection of 4-Nitrotoluene. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 30218-30227.	4.0	27
139	Novel fluorescent probe with a bridged Si-O-Si bond for the reversible detection of hypochlorous acid and biothiol amino acids in live cells and zebrafish. <i>Analyst, The</i> , 2019, 144, 5075-5080.	1.7	20
140	Development of an endoplasmic reticulum-targeting fluorescent probe for the imaging of polarity in living cells and tissues. <i>New Journal of Chemistry</i> , 2019, 43, 12103-12108.	1.4	28
141	A Unique Approach to Development of a Multiratiometric Fluorescent Composite Probe for Multichannel Bioimaging. <i>Analytical Chemistry</i> , 2019, 91, 14586-14590.	3.2	16
142	AIE-active polysiloxane-based fluorescent probe for identifying cancer cells by locating lipid drops. <i>Analytica Chimica Acta</i> , 2019, 1091, 88-94.	2.6	34
143	Rational Design of a Rigid Fluorophore-Molecular Rotor-Based Probe for High Signal-to-Background Ratio Detection of Sulfur Dioxide in Viscous System. <i>Analytical Chemistry</i> , 2019, 91, 15220-15228.	3.2	43
144	An Ultrasensitivity Fluorescent Probe Based on the ICT-FRET Dual Mechanisms for Imaging β -Galactosidase in Vitro and ex Vivo. <i>Analytical Chemistry</i> , 2019, 91, 15591-15598.	3.2	45

#	ARTICLE	IF	CITATIONS
145	Single-/Dual-Responsive pH Fluorescent Probes Based on the Hybridization of Unconventional Fluorescence and Fluorophore for Imaging Lysosomal pH Changes in HeLa Cells. <i>Analytical Chemistry</i> , 2019, 91, 15213-15219.	3.2	46
146	A targetable fluorescent probe for imaging of mitochondrial viscosity in living cells. <i>Analytical Methods</i> , 2019, 11, 4561-4565.	1.3	9
147	Discriminating normal and inflammatory models by viscosity changes with a mitochondria-targetable fluorescent probe. <i>Analyst, The</i> , 2019, 144, 6247-6253.	1.7	28
148	A PET-based turn-on fluorescent probe for sensitive detection of thiols and H ₂ S and its bioimaging application in living cells, tissues and zebrafish. <i>New Journal of Chemistry</i> , 2019, 43, 2865-2869.	1.4	23
149	Development of a FRET-based ratiometric fluorescent probe to monitor the changes in palladium(II) in aqueous solution and living cells. <i>New Journal of Chemistry</i> , 2019, 43, 552-555.	1.4	19
150	Visualizing cellular sodium hydrosulfite (Na ₂ S ₂ O ₄) using azo-based fluorescent probes with a high signal-to-noise ratio. <i>Journal of Materials Chemistry B</i> , 2019, 7, 730-733.	2.9	7
151	A novel mitochondria-targeted near-infrared (NIR) probe for detection of viscosity changes in living cell, zebra fishes and living mice. <i>Talanta</i> , 2019, 204, 868-874.	2.9	25
152	Novel fluorene-based fluorescent probe with excellent stability for selective detection of SCN ⁻ and its applications in paper-based sensing and bioimaging. <i>Journal of Materials Chemistry B</i> , 2019, 7, 4649-4654.	2.9	18
153	A novel two-photon fluorescent probe for detecting FA based on a coumarin derivative and its applications in living cells, zebrafish and tissues. <i>New Journal of Chemistry</i> , 2019, 43, 11844-11850.	1.4	15
154	Visualization of Mitochondrial Viscosity in Inflammation, Fatty Liver, and Cancer Living Mice by a Robust Fluorescent Probe. <i>Analytical Chemistry</i> , 2019, 91, 8415-8421.	3.2	125
155	Developing a novel ratiometric fluorescent probe based on ESIPT for the detection of pH changes in living cells. <i>Tetrahedron Letters</i> , 2019, 60, 1696-1701.	0.7	18
156	A near-infrared and two-photon dual-mode fluorescent probe for the colorimetric monitoring of SO ₂ <i>in vitro</i> and <i>in vivo</i> . <i>Analyst, The</i> , 2019, 144, 4371-4379.	1.7	23
157	A PET and ESIPT based fluorescent probe for the imaging of hydrogen sulfide (H ₂ S) in live cells and zebrafish. <i>Analytical Methods</i> , 2019, 11, 3301-3306.	1.3	15
158	Strategies for designing organic fluorescent probes for biological imaging of reactive carbonyl species. <i>Chemical Society Reviews</i> , 2019, 48, 4036-4048.	18.7	146
159	A ratiometric fluorescent chemosensor for the convenient monitoring of hydrogen sulfide concentration by the dual fluorescence fluctuation mode of two distinct emission bands in living cells and zebrafish. <i>New Journal of Chemistry</i> , 2019, 43, 10926-10931.	1.4	15
160	A novel mitochondria-targetable probe for imaging endogenous deoxyribonucleic acid in biological systems. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2019, 378, 57-65.	2.0	5
161	Ratiometric Imaging of Cysteine Level Changes in Endoplasmic Reticulum during H ₂ O ₂ -Induced Redox Imbalance. <i>Analytical Chemistry</i> , 2019, 91, 5513-5516.	3.2	79
162	Simultaneously imaging of SO ₂ in lysosomes and mitochondria based on a dual organelle-targeted fluorescent probe. <i>Sensors and Actuators B: Chemical</i> , 2019, 292, 80-87.	4.0	37

#	ARTICLE	IF	CITATIONS
163	Development of a two-photon fluorescent probe for the selective detection of β -galactosidase in living cells and tissues. <i>Journal of Materials Chemistry B</i> , 2019, 7, 3431-3437.	2.9	16
164	Construction of mitochondria-nucleolus shuttling fluorescent probe for the reversible detection of mitochondrial membrane potential. <i>Sensors and Actuators B: Chemical</i> , 2019, 292, 16-23.	4.0	36
165	A deep-red emission fluorescent probe for detection of viscosity in living cells and mice. <i>Analytical Methods</i> , 2019, 11, 2626-2629.	1.3	18
166	Novel two-photon fluorescent probe with high fluorescence quantum yields for tracking lipid droplets in biological systems. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2019, 216, 35-44.	2.0	13
167	Novel polysiloxane-based rhodamine B fluorescent probe for selectively detection of Al^{3+} and its application in living-cell and zebrafish imaging. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2019, 216, 207-213.	2.0	20
168	A near-infrared and two-photon ratiometric fluorescent probe with a large Stokes shift for sulfur dioxide derivatives detection and its applications in vitro and in vivo. <i>Sensors and Actuators B: Chemical</i> , 2019, 288, 519-526.	4.0	45
169	Facile construction of imidazole functionalized polysiloxanes by thiol-ene "Click" reaction for the consecutive detection of Fe^{3+} and amino acids. <i>Sensors and Actuators B: Chemical</i> , 2019, 291, 235-242.	4.0	21
170	A ratiometric two-photon fluorescent probe for the rapid detection of HClO in living systems. <i>Analytical Methods</i> , 2019, 11, 1580-1584.	1.3	6
171	Two-photon fluorescence imaging of lipid drops polarity toward cancer diagnosis in living cells and tissue. <i>Sensors and Actuators B: Chemical</i> , 2019, 288, 251-258.	4.0	57
172	A two-photon excited red-emissive probe for imaging mitochondria with high fidelity and its application in monitoring mitochondrial depolarization via FRET. <i>Analyst</i> , 2019, 144, 2387-2392.	1.7	13
173	Tracking mitochondrial viscosity in living systems based on a two-photon and near red probe. <i>New Journal of Chemistry</i> , 2019, 43, 16945-16949.	1.4	15
174	A PET-based lysosome-targeted turn-on fluorescent probe for the detection of H_2S and its bioimaging application in living cells and zebrafish. <i>New Journal of Chemistry</i> , 2019, 43, 16796-16800.	1.4	28
175	Endogenous formaldehyde is a memory-related molecule in mice and humans. <i>Communications Biology</i> , 2019, 2, 446.	2.0	29
176	Fluorescence Imaging of Mitochondria with Three Different Sets of Signals Based on Fluorene Cation Fluorescent Probe. <i>Journal of Fluorescence</i> , 2019, 29, 1457-1465.	1.3	3
177	Development of a Highly Selective Two-Photon Probe for Methylglyoxal and its Applications in Living Cells, Tissues, and Zebrafish. <i>Journal of Fluorescence</i> , 2019, 29, 155-163.	1.3	8
178	Single Fluorescent Probe Separately and Continuously Visualize H_2S and HClO in Lysosomes with Different Fluorescence Signals. <i>Analytical Chemistry</i> , 2019, 91, 2932-2938.	3.2	104
179	Tracking of Mitochondrial Endogenous Ribonucleic Acid in the Cancer Cells and Macrophages Using a Novel Small-Molecular Fluorescent Probe. <i>Analytical Chemistry</i> , 2019, 91, 1715-1718.	3.2	17
180	Polysiloxane-based hyperbranched fluorescent materials prepared by thiol-ene "click" chemistry as potential cellular imaging polymers. <i>European Polymer Journal</i> , 2019, 112, 515-523.	2.6	13

#	ARTICLE	IF	CITATIONS
181	Binding Reaction Sites to Polysiloxanes: Unique Fluorescent Probe for Reversible Detection of CLO ^{<sup>−</sup>/GSH Pair and the in Situ Imaging in Live Cells and Zebrafish. <i>Analytical Chemistry</i>, 2019, 91, 1719-1723.}	3.2	46
182	Development of a mitochondrial-targeted ratiometric probe for the detection of SO ₂ in living cells and zebrafishes. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2019, 209, 196-201.	2.0	11
183	A rapid and sensitive fluorescence method for detecting urine formaldehyde in patients with Alzheimer's disease. <i>Annals of Clinical Biochemistry</i> , 2019, 56, 210-218.	0.8	14
184	A ratiometric fluorescent probe for hydrazine detection with large fluorescence change ratio and its application for fluorescence imaging in living cells. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2019, 212, 42-47.	2.0	31
185	Thermally Responsive Materials for Bioimaging. <i>Chemistry - an Asian Journal</i> , 2019, 14, 67-75.	1.7	11
186	An ICT-Based Hydrogen Sulfide Sensor with Good Water Solubility for Fluorescence Imaging in Living Cells. <i>Journal of Fluorescence</i> , 2018, 28, 5-11.	1.3	16
187	An AIE + ESIPT ratiometric fluorescent probe for monitoring sulfur dioxide with distinct ratiometric fluorescence signals in mammalian cells, mouse embryonic fibroblast and zebrafish. <i>Journal of Materials Chemistry B</i> , 2018, 6, 1973-1983.	2.9	73
188	Preparation of a Nile Red-Pd-based fluorescent CO probe and its imaging applications in vitro and in vivo. <i>Nature Protocols</i> , 2018, 13, 1020-1033.	5.5	50
189	A lysosome-targeted two-photon fluorescence probe for imaging of sulfur dioxide derivatives in living cells and zebrafish. <i>Sensors and Actuators B: Chemical</i> , 2018, 268, 157-163.	4.0	48
190	Development of a mitochondrial-targeted two-photon fluorescence turn-on probe for formaldehyde and its bio-imaging applications in living cells and tissues. <i>New Journal of Chemistry</i> , 2018, 42, 8325-8329.	1.4	39
191	A novel mitochondria-targeted rhodamine analogue for the detection of viscosity changes in living cells, zebra fish and living mice. <i>Journal of Materials Chemistry B</i> , 2018, 6, 2894-2900.	2.9	67
192	Two-photon fluorescent polysiloxane-based films with thermally responsive self switching properties achieved by a unique reversible spirocyclization mechanism. <i>Chemical Science</i> , 2018, 9, 2774-2781.	3.7	21
193	Mitochondria and lysosome-targetable fluorescent probes for HOCl: recent advances and perspectives. <i>Journal of Materials Chemistry B</i> , 2018, 6, 1716-1733.	2.9	122
194	Construction of a ratiometric two-photon fluorescent probe to monitor the changes of mitochondrial viscosity. <i>Sensors and Actuators B: Chemical</i> , 2018, 262, 452-459.	4.0	74
195	Simultaneous Imaging of Ribonucleic Acid and Hydrogen Sulfide in Living Systems with Distinct Fluorescence Signals Using a Single Fluorescent Probe. <i>Advanced Science</i> , 2018, 5, 1700966.	5.6	25
196	Development of a Xanthene-Based Red-Emissive Fluorescent Probe for Visualizing H ₂ O ₂ in Living Cells, Tissues and Animals. <i>Journal of Fluorescence</i> , 2018, 28, 681-687.	1.3	5
197	A novel mitochondria-targeted fluorescent probe for imaging hydrazine in living cells, tissues and animals. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2018, 356, 321-328.	2.0	26
198	Construction of a ratiometric fluorescent probe with an extremely large emission shift for imaging hypochlorite in living cells. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2018, 188, 394-399.	2.0	34

#	ARTICLE	IF	CITATIONS
199	A new aggregation-induced emission fluorescent probe for rapid detection of nitroreductase and its application in living cells. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2018, 188, 197-201.	2.0	31
200	A novel red light emissive two-photon fluorescent probe for hydrogen sulfide (H ₂ S) in nucleolus region and its application for H ₂ S detection in zebrafish and live mice. <i>Sensors and Actuators B: Chemical</i> , 2018, 256, 342-350.	4.0	60
201	Development of an enhanced turn-on fluorescent HOCl probe with a large Stokes shift and its use for imaging HOCl in cells and zebrafish. <i>Sensors and Actuators B: Chemical</i> , 2018, 255, 963-969.	4.0	62
202	Reaction-Based Fluorescent Probes for the Imaging of Nitroxyl (HNO) in Biological Systems. <i>ACS Chemical Biology</i> , 2018, 13, 1714-1720.	1.6	38
203	Unique D- and D type fluorescent probes for the two-photon imaging of intracellular viscosity. <i>Journal of Materials Chemistry B</i> , 2018, 6, 381-385.	2.9	50
204	Discriminating Live and Dead Cells in Dual-Color Mode with a Two-Photon Fluorescent Probe Based on ESIPT Mechanism. <i>Analytical Chemistry</i> , 2018, 90, 998-1005.	3.2	74
205	A two-photon fluorescent probe for detecting lipid droplet viscosity in living cells and zebra fish. <i>New Journal of Chemistry</i> , 2018, 42, 18521-18525.	1.4	32
206	A two-photon endoplasmic reticulum-targeting fluorescent probe for the imaging of pH in living cells and zebrafish. <i>Analytical Methods</i> , 2018, 10, 5702-5706.	1.3	16
207	Silica Nanoparticles with Up-conversion Fluorescence Based on Triplet-Triplet Annihilation Mechanism for Specific Recognition of Apoptosis Cells. <i>Analytical Chemistry</i> , 2018, 90, 14602-14609.	3.2	10
208	Dynamically Monitoring Cell Viability in a Dual-Color Mode: Construction of an Aggregation/Monomer-Based Probe Capable of Reversible Mitochondria-Nucleus Migration. <i>Angewandte Chemie</i> , 2018, 130, 16744-16748.	1.6	9
209	Rational design of a lipid-droplet-polarity based fluorescent probe for potential cancer diagnosis. <i>Chemical Communications</i> , 2018, 54, 12093-12096.	2.2	115
210	Dynamically Monitoring Cell Viability in a Dual-Color Mode: Construction of an Aggregation/Monomer-Based Probe Capable of Reversible Mitochondria-Nucleus Migration. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 16506-16510.	7.2	108
211	Dual site-controlled two-photon fluorescent probe for the imaging of lysosomal pH in living cells. <i>Luminescence</i> , 2018, 33, 1275-1280.	1.5	17
212	A single fluorescent probe for imaging ribonucleic acid and sulfur dioxide in living systems and its unique application in tumor and normal cells. <i>Journal of Materials Chemistry B</i> , 2018, 6, 6607-6614.	2.9	19
213	A near-infrared emission fluorescent probe with multi-rotatable moieties for highly sensitive detection of mitochondrial viscosity in an inflammatory cell model. <i>Journal of Materials Chemistry B</i> , 2018, 6, 6212-6216.	2.9	51
214	A turn-on fluorescent formaldehyde probe regulated by combinational PET and ICT mechanisms for bioimaging applications. <i>Analytical Methods</i> , 2018, 10, 2963-2967.	1.3	24
215	A novel NIR probe for detection of viscosity in cellular lipid droplets, zebra fishes and living mice. <i>Sensors and Actuators B: Chemical</i> , 2018, 271, 321-328.	4.0	78
216	Endoplasmic reticulum-targeted two-photon turn-on fluorescent probe for nitroreductase in tumor cells and tissues. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2018, 204, 770-776.	2.0	35

#	ARTICLE	IF	CITATIONS
217	A ratiometric fluorescent hydrogen peroxide chemosensor manipulated by an ICT-activated FRET mechanism and its bioimaging application in living cells and zebrafish. <i>Analyst</i> , The, 2018, 143, 3555-3559.	1.7	34
218	The development of an ICT-based formaldehyde-responsive fluorescence turn-on probe with a high signal-to-noise ratio. <i>New Journal of Chemistry</i> , 2018, 42, 12361-12364.	1.4	33
219	A new xanthene-based two-photon fluorescent probe for the imaging of 1,4-dithiothreitol (DTT) in living cells. <i>Luminescence</i> , 2018, 33, 1048-1053.	1.5	5
220	An ethyl cyanoacetate based turn-on fluorescent probe for hydrazine and its bio-imaging and environmental applications. <i>Analytical Methods</i> , 2018, 10, 4016-4019.	1.3	24
221	Development of a Two-photon Ratiometric Fluorescent Probe for Glutathione and Its Applications in Living Cells. <i>Chemical Research in Chinese Universities</i> , 2018, 34, 523-527.	1.3	5
222	Development of a two-photon turn-on fluorescent probe for cysteine and its bio-imaging applications in living cells, tissues, and zebrafish. <i>New Journal of Chemistry</i> , 2018, 42, 14075-14078.	1.4	14
223	A targetable fluorescent probe for real-time monitoring of fluoride ions in mitochondria. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2018, 204, 777-782.	2.0	19
224	A photocaged fluorescent probe for imaging hypochlorous acid in lysosomes. <i>Chemical Communications</i> , 2018, 54, 9238-9241.	2.2	52
225	Polysiloxane-based two-photon fluorescent elastomers with superior mechanical and self-healing properties and their application in bioimaging. <i>New Journal of Chemistry</i> , 2018, 42, 14281-14289.	1.4	17
226	Dual turn-on fluorescence signal-based controlled release system for real-time monitoring of drug release dynamics in living cells and tumor tissues. <i>Theranostics</i> , 2018, 8, 800-811.	4.6	25
227	Preparation of a two-photon fluorescent probe with a large turn-on signal for imaging hypochlorous acid in living tissues. <i>Analytical Methods</i> , 2018, 10, 2546-2550.	1.3	9
228	Siloxane-Based Nanoporous Polymers with Narrow Pore-size Distribution for Cell Imaging and Explosive Detection. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 28979-28991.	4.0	39
229	Two-photon imaging of 1,4-dithiothreitol (DTT) by a red-emissive fluorescent probe in living cells, tissues and animals. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2018, 205, 528-533.	2.0	6
230	A ratiometric fluorescent composite nanomaterial for RNA detection based on graphene quantum dots and molecular probes. <i>Journal of Materials Chemistry B</i> , 2018, 6, 4380-4384.	2.9	11
231	A multi-signal fluorescent probe for the discrimination of cysteine/homocysteine and glutathione and application in living cells and zebrafish. <i>New Journal of Chemistry</i> , 2018, 42, 12615-12620.	1.4	28
232	A cancer cell-specific two-photon fluorescent probe for imaging hydrogen sulfide in living cells. <i>RSC Advances</i> , 2017, 7, 15817-15822.	1.7	16
233	A sensitive and selective red fluorescent probe for imaging of cysteine in living cells and animals. <i>Analytical Methods</i> , 2017, 9, 1891-1896.	1.3	18
234	Development of a unique family of two-photon full-color-tunable fluorescent materials for imaging in live subcellular organelles, cells, and tissues. <i>Journal of Materials Chemistry B</i> , 2017, 5, 2436-2444.	2.9	32

#	ARTICLE	IF	CITATIONS
235	A targetable fluorescent probe for imaging exogenous and intracellularly formed nitroxyl in mitochondria in living cells. <i>Journal of Materials Chemistry B</i> , 2017, 5, 1954-1961.	2.9	34
236	Development of a two-photon fluorescent turn-on probe with far-red emission for thiophenols and its bioimaging application in living tissues. <i>Biosensors and Bioelectronics</i> , 2017, 95, 81-86.	5.3	56
237	A Ratiometric and near-Infrared Fluorescent Probe for Imaging Cu ²⁺ in Living Cells and Animals. <i>Journal of Fluorescence</i> , 2017, 27, 1655-1660.	1.3	2
238	A turn-on fluorescent probe for endogenous formaldehyde in the endoplasmic reticulum of living cells. <i>Methods and Applications in Fluorescence</i> , 2017, 5, 024005.	1.1	34
239	A novel near-infrared fluorescent probe with a large Stokes shift for biothiol detection and application in <i>in vitro</i> and <i>in vivo</i> fluorescence imaging. <i>Journal of Materials Chemistry B</i> , 2017, 5, 3836-3841.	2.9	47
240	Two-photon fluorescent probe for detecting cell membranal liquid-ordered phase by an aggregate fluorescence method. <i>Journal of Materials Chemistry B</i> , 2017, 5, 4725-4731.	2.9	7
241	A Unique "Integration" Strategy for the Rational Design of Optically Tunable Near-Infrared Fluorophores. <i>Accounts of Chemical Research</i> , 2017, 50, 1410-1422.	7.6	263
242	Preparation of a Two-Photon Fluorescent Probe for Imaging H ₂ O ₂ in Lysosomes in Living Cells and Tissues. <i>Methods in Molecular Biology</i> , 2017, 1594, 129-139.	0.4	3
243	A fluorescent probe for ratiometric imaging of exogenous and intracellular formed hypochlorous acid in lysosomes. <i>New Journal of Chemistry</i> , 2017, 41, 5259-5262.	1.4	29
244	2-benzothiazoleacetonitrile based two-photon fluorescent probe for hydrazine and its bio-imaging and environmental applications. <i>Scientific Reports</i> , 2017, 7, 1530.	1.6	27
245	Two-photon red-emissive fluorescent probe for imaging nitroxyl (HNO) in living cells and tissues. <i>Journal of Materials Chemistry B</i> , 2017, 5, 5218-5224.	2.9	33
246	A fluorescent dyad with large emission shift for discrimination of cysteine/homocysteine from glutathione and hydrogen sulfide and the application of bioimaging. <i>Analytica Chimica Acta</i> , 2017, 981, 86-93.	2.6	37
247	A fast-responsive two-photon fluorescent turn-on probe for nitroreductase and its bioimaging application in living tissues. <i>Sensors and Actuators B: Chemical</i> , 2017, 252, 927-933.	4.0	22
248	A unique red-emitting two-photon fluorescent probe with tumor-specificity for imaging in living cells and tissues. <i>Talanta</i> , 2017, 174, 357-364.	2.9	21
249	A mitochondrial-targeted two-photon fluorescent probe for imaging hydrogen sulfide in the living cells and mouse liver tissues. <i>Sensors and Actuators B: Chemical</i> , 2017, 248, 50-56.	4.0	53
250	A cancer cell-specific fluorescent probe for imaging Cu ²⁺ in living cancer cells. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2017, 182, 32-36.	2.0	14
251	Novel alkyl chain-based fluorescent probes with large Stokes shifts used for imaging the cell membrane and mitochondria in different living cell lines. <i>RSC Advances</i> , 2017, 7, 16087-16091.	1.7	13
252	A mitochondria-targeted fluorescent probe for imaging endogenous malondialdehyde in HeLa cells and onion tissues. <i>Chemical Communications</i> , 2017, 53, 4080-4083.	2.2	34

#	ARTICLE	IF	CITATIONS
253	A mitochondria-targetable fluorescent probe with a large Stokes shift for detecting hydrogen peroxide in aqueous solution and living cells. <i>New Journal of Chemistry</i> , 2017, 41, 3320-3325.	1.4	21
254	A tumor-targeting and lysosome-specific two-photon fluorescent probe for imaging pH changes in living cells. <i>Journal of Materials Chemistry B</i> , 2017, 5, 988-995.	2.9	61
255	Single Fluorescent Probe for Dual-Imaging Viscosity and H_2O_2 in Mitochondria with Different Fluorescence Signals in Living Cells. <i>Analytical Chemistry</i> , 2017, 89, 552-555.	3.2	204
256	A turn-on endoplasmic reticulum-targeted two-photon fluorescent probe for hydrogen sulfide and bio-imaging applications in living cells, tissues, and zebrafish. <i>Scientific Reports</i> , 2017, 7, 12944.	1.6	49
257	Rational Design of a Robust Fluorescent Probe for the Detection of Endogenous Carbon Monoxide in Living Zebrafish Embryos and Mouse Tissue. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 13489-13492.	7.2	134
258	Rational Design of a Robust Fluorescent Probe for the Detection of Endogenous Carbon Monoxide in Living Zebrafish Embryos and Mouse Tissue. <i>Angewandte Chemie</i> , 2017, 129, 13674-13677.	1.6	23
259	Unique phenanthrenequinone imidazole-based fluorescent materials with aggregation-induced or two-photon emission. <i>Journal of Materials Chemistry B</i> , 2017, 5, 7801-7808.	2.9	16
260	Development of a viscosity sensitive fluorescent probe for real-time monitoring of mitochondria viscosity. <i>New Journal of Chemistry</i> , 2017, 41, 11507-11511.	1.4	54
261	A Carbazole-Fused-Rhodamine Probe for Detection of HOCl in Living Cells. <i>Journal of Fluorescence</i> , 2017, 27, 1969-1974.	1.3	5
262	Improved Aromatic Substitution- α -Rearrangement-Based Ratiometric Fluorescent Cysteine-Specific Probe and Its Application of Real-Time Imaging under Oxidative Stress in Living Zebrafish. <i>Analytical Chemistry</i> , 2017, 89, 9567-9573.	3.2	109
263	Two-Photon and Deep-Red Emission Ratiometric Fluorescent Probe with a Large Emission Shift and Signal Ratios for Sulfur Dioxide: Ultrafast Response and Applications in Living Cells, Brain Tissues, and Zebrafishes. <i>Analytical Chemistry</i> , 2017, 89, 9388-9393.	3.2	91
264	A new pyrene-based fluorescent probe with large Stokes shift for detecting hydrogen peroxide in aqueous solution and living cells. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2017, 348, 1-7.	2.0	21
265	Ratiometric fluorescent probe with AIE property for monitoring endogenous hydrogen peroxide in macrophages and cancer cells. <i>Scientific Reports</i> , 2017, 7, 7293.	1.6	23
266	A multifunctional logic gate by means of a triple-chromophore fluorescent biothiol probe with diverse fluorescence signal patterns. <i>Chemical Communications</i> , 2017, 53, 13168-13171.	2.2	39
267	A novel fluorescent probe with a large Stokes shift for real-time imaging mitochondria in different living cell lines. <i>Tetrahedron Letters</i> , 2017, 58, 3287-3293.	0.7	16
268	A multi-signal fluorescent probe for simultaneously distinguishing and sequentially sensing cysteine/homocysteine, glutathione, and hydrogen sulfide in living cells. <i>Chemical Science</i> , 2017, 8, 6257-6265.	3.7	227
269	Construction of a novel ratiometric near-infrared fluorescent probe for SO_2 derivatives and its application for biological imaging. <i>Analytical Methods</i> , 2017, 9, 3790-3794.	1.3	12
270	A new fluorescent probe with a large turn-on signal for imaging nitroreductase in tumor cells and tissues by two-photon microscopy. <i>Biosensors and Bioelectronics</i> , 2017, 89, 853-858.	5.3	67

#	ARTICLE	IF	CITATIONS
271	Development of a Two-Photon Fluorescent Probe for Imaging of Endogenous Formaldehyde in Living Tissues. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 3356-3359.	7.2	279
272	A TICT-based fluorescent probe for rapid and specific detection of hydrogen sulfide and its bio-imaging applications. <i>Chemical Communications</i> , 2016, 52, 6415-6418.	2.2	76
273	A Fluorescence Turn-On Probe for Thiols with a Tunable Dynamic Range. <i>Journal of Fluorescence</i> , 2016, 26, 1077-1081.	1.3	6
274	A dual-site two-photon fluorescent probe for visualizing lysosomes and tracking lysosomal hydrogen sulfide with two different sets of fluorescence signals in the living cells and mouse liver tissues. <i>Chemical Communications</i> , 2016, 52, 7016-7019.	2.2	70
275	A fast-responsive turn on fluorescent probe for detecting endogenous hydroxyl radicals based on a hybrid carbazole-cyanine platform. <i>Sensors and Actuators B: Chemical</i> , 2016, 236, 60-66.	4.0	20
276	Fluorescent chemosensors manipulated by dual/triple interplaying sensing mechanisms. <i>Chemical Society Reviews</i> , 2016, 45, 6449-6461.	18.7	363
277	Development of a Unique Class of Spiro-Type Two-Photon Functional Fluorescent Dyes and Their Applications for Sensing and Bioimaging. <i>Advanced Functional Materials</i> , 2016, 26, 8128-8136.	7.8	50
278	Simultaneous Near-Infrared and Two-Photon In Vivo Imaging of H_2O_2 Using a Ratiometric Fluorescent Probe based on the Unique Oxidative Rearrangement of Oxonium. <i>Advanced Materials</i> , 2016, 28, 8755-8759.	11.1	193
279	A biotin-guided formaldehyde sensor selectively detecting endogenous concentrations in cancerous cells and tissues. <i>Chemical Communications</i> , 2016, 52, 11247-11250.	2.2	96
280	Lysosome-Targeted Turn-On Fluorescent Probe for Endogenous Formaldehyde in Living Cells. <i>Analytical Chemistry</i> , 2016, 88, 9359-9363.	3.2	142
281	Colorimetric and ratiometric fluorescent probe for hydrogen sulfide using a coumarin-pyrone FRET dyad with a large emission shift. <i>Analytical Methods</i> , 2016, 8, 8022-8027.	1.3	32
282	Development of a Two-Photon Fluorescent Probe for Imaging of Endogenous Formaldehyde in Living Tissues. <i>Angewandte Chemie</i> , 2016, 128, 3417-3420.	1.6	25
283	A novel near-infrared fluorescent probe for H_2O_2 in alkaline environment and the application for H_2O_2 imaging in vitro and in vivo. <i>Biomaterials</i> , 2016, 100, 162-171.	5.7	71
284	A dual-site two-photon fluorescent probe for visualizing mitochondrial aminothiols in living cells and mouse liver tissues. <i>New Journal of Chemistry</i> , 2016, 40, 7399-7406.	1.4	19
285	An ESIPT based fluorescent probe for imaging hydrogen sulfide with a large turn-on fluorescence signal. <i>RSC Advances</i> , 2016, 6, 62406-62410.	1.7	19
286	Hydrogen Sulfide Triggered Charge-Reversal Micelles for Cancer-Targeted Drug Delivery and Imaging. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 16227-16239.	4.0	60
287	A lysosome-targeted and ratiometric fluorescent probe for imaging exogenous and endogenous hypochlorous acid in living cells. <i>Journal of Materials Chemistry B</i> , 2016, 4, 4739-4745.	2.9	86
288	Fluorescence behavior of a unique two-photon fluorescent probe in aggregate and solution states and highly sensitive detection of RNA in water solution and living systems. <i>Chemical Communications</i> , 2016, 52, 8838-8841.	2.2	33

#	ARTICLE	IF	CITATIONS
289	An ultra-fast illuminating fluorescent probe for monitoring formaldehyde in living cells, shiitake mushrooms, and indoors. <i>Chemical Communications</i> , 2016, 52, 9582-9585.	2.2	98
290	Recent progress in the fluorescent probes for the specific imaging of small molecular weight thiols in living cells. <i>TrAC - Trends in Analytical Chemistry</i> , 2016, 76, 166-181.	5.8	119
291	A fast-responsive two-photon fluorescent probe for detecting palladium(0) with a large turn-on fluorescence signal. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2016, 317, 108-114.	2.0	19
292	Single fluorescent probe for reversibly detecting copper ions and cysteine in a pure water system. <i>RSC Advances</i> , 2016, 6, 30951-30955.	1.7	27
293	A photostable fluorescent probe for rapid monitoring and tracking of a trans-membrane process and mitochondrial fission and fusion dynamics. <i>New Journal of Chemistry</i> , 2016, 40, 3726-3731.	1.4	4
294	A ratiometric fluorescent formaldehyde probe for bioimaging applications. <i>Chemical Communications</i> , 2016, 52, 4029-4032.	2.2	107
295	Dual Site-Controlled and Lysosome-Targeted Intramolecular Charge Transfer-Photoinduced Electron Transfer-Fluorescence Resonance Energy Transfer Fluorescent Probe for Monitoring pH Changes in Living Cells. <i>Analytical Chemistry</i> , 2016, 88, 4085-4091.	3.2	220
296	Construction of a two-photon fluorescent turn-on probe for hydrogen persulfide and polysulfide and its bioimaging application in living mice. <i>Sensors and Actuators B: Chemical</i> , 2016, 230, 773-778.	4.0	59
297	A fast responsive two-photon fluorescent probe for imaging H ₂ O ₂ in lysosomes with a large turn-on fluorescence signal. <i>Biosensors and Bioelectronics</i> , 2016, 79, 237-243.	5.3	123
298	Development of green to near-infrared turn-on fluorescent probes for the multicolour imaging of nitroxyl in living systems. <i>Journal of Materials Chemistry B</i> , 2016, 4, 1263-1269.	2.9	43
299	Single near-infrared fluorescent probe with high- and low-sensitivity sites for sensing different concentration ranges of biological thiols with distinct modes of fluorescence signals. <i>Chemical Science</i> , 2016, 7, 1896-1903.	3.7	130
300	A novel near-infrared fluorescent platform with good photostability and the application for a reaction-based Cu ²⁺ probe in living cells. <i>Talanta</i> , 2016, 147, 193-198.	2.9	34
301	Construction of a Near-Infrared Fluorescent Turn-On Probe for Selenol and Its Bioimaging Application in Living Animals. <i>Chemistry - A European Journal</i> , 2015, 21, 11696-11700.	1.7	94
302	Broadband Light-Harvesting Molecular Triads with High FRET Efficiency Based on the Coumarin-Rhodamine-BODIPY Platform. <i>Chemistry - A European Journal</i> , 2015, 21, 12181-12187.	1.7	24
303	Coumarin-Based Turn-On Fluorescence Probe for Specific Detection of Glutathione over Cysteine and Homocysteine. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 12809-12813.	4.0	135
304	A two-photon fluorescent turn-on probe for palladium imaging in living tissues. <i>Sensors and Actuators B: Chemical</i> , 2015, 219, 232-237.	4.0	29
305	Development of Unique Xanthene-Cyanine Fused Near-Infrared Fluorescent Fluorophores with Superior Chemical Stability for Biological Fluorescence Imaging. <i>Chemistry - A European Journal</i> , 2015, 21, 733-745.	1.7	53
306	A two-photon fluorescent turn-on probe for nitroxyl (HNO) and its bioimaging application in living tissues. <i>Chemical Communications</i> , 2015, 51, 5754-5757.	2.2	58

#	ARTICLE	IF	CITATIONS
307	Locked-flavylium fluorescent dyes with tunable emission wavelengths based on intramolecular charge transfer for multi-color ratiometric fluorescence imaging. <i>Chemical Communications</i> , 2015, 51, 6968-6971.	2.2	39
308	A dual-emission fluorescence-enhanced probe for imaging copper(Cu^{2+}) ions in lysosomes. <i>Journal of Materials Chemistry B</i> , 2015, 3, 6746-6752.	2.9	63
309	A long-wavelength fluorescent turn-on probe for video detection of biological thiols in living cells. <i>Analytical Methods</i> , 2015, 7, 4168-4172.	1.3	9
310	A simple and effective "capping" approach to readily tune the fluorescence of near-infrared cyanines. <i>Chemical Science</i> , 2015, 6, 4530-4536.	3.7	34
311	Development of fluorescent probes based on protection/deprotection of the key functional groups for biological imaging. <i>Chemical Society Reviews</i> , 2015, 44, 5003-5015.	18.7	356
312	A new strategy to construct a FRET platform for ratiometric sensing of hydrogen sulfide. <i>Chemical Communications</i> , 2015, 51, 1510-1513.	2.2	105
313	A two-photon fluorescent probe with a large turn-on signal for imaging hydrogen sulfide in living tissues. <i>Analytica Chimica Acta</i> , 2015, 853, 548-554.	2.6	38
314	Facile synthesis of a class of aminochromene-anilinium ion conjugated far-red to near-infrared fluorescent dyes for bioimaging. <i>Journal of Materials Chemistry B</i> , 2015, 3, 871-877.	2.9	22
315	A coumarin-quinolinium-based fluorescent probe for ratiometric sensing of sulfite in living cells. <i>Organic and Biomolecular Chemistry</i> , 2014, 12, 4637.	1.5	110
316	A unique carbazole-coumarin fused two-photon platform: development of a robust two-photon fluorescent probe for imaging carbon monoxide in living tissues. <i>Chemical Science</i> , 2014, 5, 3439.	3.7	151
317	Development of a new rhodamine-based FRET platform and its application as a Cu^{2+} probe. <i>Organic and Biomolecular Chemistry</i> , 2014, 12, 3944.	1.5	77
318	A Unique Family of Rigid Analogues of the GFP Chromophore with Tunable Two-Photon Action Cross-Sections for Biological Imaging. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 10018-10022.	7.2	92
319	Development of a near-infrared fluorescent probe for monitoring hydrazine in serum and living cells. <i>Analytical Methods</i> , 2013, 5, 3450.	1.3	119
320	Three-channel fluorescent sensing via organic white light-emitting dyes for detection of hydrogen sulfide in living cells. <i>Biomaterials</i> , 2013, 34, 7429-7436.	5.7	87
321	Analogues of Changsha near-infrared dyes with large Stokes Shifts for bioimaging. <i>Biomaterials</i> , 2013, 34, 9566-9571.	5.7	103
322	Construction of a near-infrared fluorescence turn-on and ratiometric probe for imaging palladium in living cells. <i>Organic and Biomolecular Chemistry</i> , 2013, 11, 1938.	1.5	89
323	FRET-Based Small-Molecule Fluorescent Probes: Rational Design and Bioimaging Applications. <i>Accounts of Chemical Research</i> , 2013, 46, 1462-1473.	7.6	834
324	Far-red to near infrared analyte-responsive fluorescent probes based on organic fluorophore platforms for fluorescence imaging. <i>Chemical Society Reviews</i> , 2013, 42, 622-661.	18.7	1,634

#	ARTICLE	IF	CITATIONS
325	Lighting up Carbon Monoxide: Fluorescent Probes for Monitoring CO in Living Cells. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 1628-1630.	7.2	97
326	Development of a ratiometric fluorescent pH probe for cell imaging based on a coumarinâ€“quinoline platform. <i>Dyes and Pigments</i> , 2013, 99, 465-471.	2.0	92
327	A phenanthroimidazole-based fluorescent chemosensor for imaging hydrogen sulfide in living cells. <i>Organic and Biomolecular Chemistry</i> , 2012, 10, 9683.	1.5	75
328	A Unique Approach to Development of Near-Infrared Fluorescent Sensors for in Vivo Imaging. <i>Journal of the American Chemical Society</i> , 2012, 134, 13510-13523.	6.6	563
329	A near-infrared fluorescent turn-on probe for fluorescence imaging of hydrogen sulfide in living cells based on thiolysis of dinitrophenyl ether. <i>Chemical Communications</i> , 2012, 48, 10529.	2.2	277
330	Single Fluorescent Probe Responds to H ₂ O ₂ , NO, and H ₂ O ₂ /NO with Three Different Sets of Fluorescence Signals. <i>Journal of the American Chemical Society</i> , 2012, 134, 1305-1315.	6.6	356
331	Development of a near-infrared fluorescent probe for imaging of endogenous Cu ⁺ in live cells. <i>Chemical Communications</i> , 2012, 48, 6247.	2.2	84
332	A Unique Class of Near-Infrared Functional Fluorescent Dyes with Carboxylic-Acid-Modulated Fluorescence ON/OFF Switching: Rational Design, Synthesis, Optical Properties, Theoretical Calculations, and Applications for Fluorescence Imaging in Living Animals. <i>Journal of the American Chemical Society</i> , 2012, 134, 1200-1211.	6.6	472
333	Development of FRETâ€“Based Dualâ€“Excitation Ratiometric Fluorescent pH Probes and Their Photocaged Derivatives. <i>Chemistry - A European Journal</i> , 2012, 18, 1247-1255.	1.7	82
334	Fluorescent Detection of Hypochlorous Acid from Turnâ€“On to FRETâ€“Based Ratiometry by a HOClâ€“Mediated Cyclization Reaction. <i>Chemistry - A European Journal</i> , 2012, 18, 2700-2706.	1.7	167
335	Development of a ratiometric fluorescent sensor for ratiometric imaging of endogenously produced nitric oxide in macrophage cells. <i>Chemical Communications</i> , 2011, 47, 9372.	2.2	74
336	Development of an ICT-based ratiometric fluorescent hypochlorite probe suitable for living cell imaging. <i>Chemical Communications</i> , 2011, 47, 12691.	2.2	213
337	A fast-responsive fluorescent probe for detection of gold ions in water and synthetic products. <i>Chemical Communications</i> , 2011, 47, 4703.	2.2	81
338	A rational approach to tuning the pKa values of rhodamines for living cell fluorescence imaging. <i>Organic and Biomolecular Chemistry</i> , 2011, 9, 1723.	1.5	90
339	Coumarinâ€“Caged Rosamine Probes Based on a Unique Intramolecular Carbonâ€“Carbon Spirocyclization. <i>Chemistry - A European Journal</i> , 2010, 16, 3914-3917.	1.7	23
340	Double Functional Group Transformations for Fluorescent Probe Construction: A Fluorescence Turnâ€“On Probe for Thioureas. <i>Chemistry - A European Journal</i> , 2010, 16, 6454-6457.	1.7	10
341	Throughâ€“Bond Energy Transfer Cassettes with Minimal Spectral Overlap between the Donor Emission and Acceptor Absorption: Coumarinâ€“Rhodamine Dyads with Large Pseudoâ€“Stokes Shifts and Emission Shifts. <i>Angewandte Chemie - International Edition</i> , 2010, 49, 375-379.	7.2	176
342	A reversible fluorescent Hg ²⁺ chemosensor based on a receptor composed of a thiol atom and an alkene moiety for living cell fluorescence imaging. <i>Organic and Biomolecular Chemistry</i> , 2010, 8, 3618.	1.5	80

#	ARTICLE	IF	CITATIONS
343	A highly selective and sensitive fluorescent probe for Hg ²⁺ imaging in live cells based on a rhodamine- <i>thioamide</i> -alkyne scaffold. <i>Chemical Communications</i> , 2010, 46, 3529.	2.2	168
344	A highly sensitive fluorescent probe for detection of benzenethiols in environmental samples and living cells. <i>Chemical Communications</i> , 2010, 46, 1503-1505.	2.2	171
345	Fluorescence turn-on detection of Cu ²⁺ in water samples and living cells based on the unprecedented copper-mediated dihydrosamine oxidation reaction. <i>Chemical Communications</i> , 2010, 46, 1311.	2.2	103
346	Construction of Fluorescent Probes Via Protection/Deprotection of Functional Groups: A Ratiometric Fluorescent Probe for Cu ²⁺ . <i>Chemistry - A European Journal</i> , 2009, 15, 1030-1035.	1.7	148
347	A Ratiometric Fluorescent Probe for Hypochlorite Based on a Deoxygenation Reaction. <i>Chemistry - A European Journal</i> , 2009, 15, 2305-2309.	1.7	240
348	A Sensitive and Selective Fluorescent Thiol Probe in Water Based on the Conjugate Addition of Thiols to α,β -Unsaturated Ketones. <i>Chemistry - A European Journal</i> , 2009, 15, 5096-5103.	1.7	364
349	A novel ratiometric fluorescent Fe ³⁺ sensor based on a phenanthroimidazole chromophore. <i>Analytica Chimica Acta</i> , 2009, 634, 262-266.	2.6	140
350	A Model for Light-Triggered Porphyrin Anticancer Prodrugs Based on an <i>o</i> -Nitrobenzyl Photolabile Group. <i>European Journal of Organic Chemistry</i> , 2008, 2008, 793-796.	1.2	38
351	A Fluorescence-Enhanced Chemodosimeter for Fe ³⁺ Based on Hydrolysis of Bis(coumarinyl) Schiff Base. <i>European Journal of Organic Chemistry</i> , 2008, 2008, 2689-2692.	1.2	76
352	A Dual-Channel Fluorescence-Enhanced Sensor for Aluminum Ions Based on Photoinduced Electron Transfer and Excimer Formation. <i>European Journal of Organic Chemistry</i> , 2008, 2008, 3821-3825.	1.2	59
353	A Coumarin-Based Chromogenic Sensor for Transition-Metal Ions Showing Ion-Dependent Bathochromic Shift. <i>European Journal of Organic Chemistry</i> , 2008, 2008, 4981-4987.	1.2	48
354	A Fluorescent Cobalt Probe with a Large Ratiometric Fluorescence Response via Modulation of Energy Acceptor Molar Absorptivity on Metal Ion Binding. <i>Advanced Functional Materials</i> , 2008, 18, 2366-2372.	7.8	93
355	A Ratiometric Fluorescent Probe for Cysteine and Homocysteine Displaying a Large Emission Shift. <i>Organic Letters</i> , 2008, 10, 5577-5580.	2.4	299
356	Synthesis of <i>meso</i> -Coumarin-Conjugated Porphyrins and Investigation of Their Luminescence Properties. <i>European Journal of Organic Chemistry</i> , 2007, 2007, 4301-4304.	1.2	40