

ÅaÄlar ÅekÄ°Ä

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1476366/publications.pdf>

Version: 2024-02-01

19
papers

2,149
citations

687363

13
h-index

888059

17
g-index

19
all docs

19
docs citations

19
times ranked

4169
citing authors

#	ARTICLE	IF	CITATIONS
1	Purinergic regulation of the immune system. <i>Nature Reviews Immunology</i> , 2016, 16, 177-192.	22.7	607
2	Patrolling monocytes control tumor metastasis to the lung. <i>Science</i> , 2015, 350, 985-990.	12.6	370
3	Myeloid Expression of Adenosine A2A Receptor Suppresses T and NK Cell Responses in the Solid Tumor Microenvironment. <i>Cancer Research</i> , 2014, 74, 7250-7259.	0.9	238
4	Adenosine A2B Receptor Blockade Slows Growth of Bladder and Breast Tumors. <i>Journal of Immunology</i> , 2012, 188, 198-205.	0.8	170
5	The cholesterol transporter ABCG1 links cholesterol homeostasis and tumour immunity. <i>Nature Communications</i> , 2015, 6, 6354.	12.8	146
6	Regulation of Lymphocyte Function by Adenosine. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2012, 32, 2097-2103.	2.4	137
7	Adenosine A2A Receptors Intrinsically Regulate CD8+ T Cells in the Tumor Microenvironment. <i>Cancer Research</i> , 2014, 74, 7239-7249.	0.9	137
8	Extracellular adenosine regulates naive T cell development and peripheral maintenance. <i>Journal of Experimental Medicine</i> , 2013, 210, 2693-2706.	8.5	86
9	Selective Activation of the p38 MAPK Pathway by Synthetic Monophosphoryl Lipid A. <i>Journal of Biological Chemistry</i> , 2009, 284, 31982-31991.	3.4	77
10	The Expression of Adenosine A2B Receptor on Antigen-Presenting Cells Suppresses CD8+ T-cell Responses and Promotes Tumor Growth. <i>Cancer Immunology Research</i> , 2020, 8, 1064-1074.	3.4	44
11	Reactivation of cAMP Pathway by PDE4D Inhibition Represents a Novel Druggable Axis for Overcoming Tamoxifen Resistance in ER-positive Breast Cancer. <i>Clinical Cancer Research</i> , 2018, 24, 1987-2001.	7.0	37
12	MyD88-Dependent SHIP1 Regulates Proinflammatory Signaling Pathways in Dendritic Cells after Monophosphoryl Lipid A Stimulation of TLR4. <i>Journal of Immunology</i> , 2011, 186, 3858-3865.	0.8	35
13	Adenosine Receptor Signaling Targets Both PKA and Epac Pathways to Polarize Dendritic Cells to a Suppressive Phenotype. <i>Journal of Immunology</i> , 2019, 203, 3247-3255.	0.8	24
14	Targeting Adenosine with Adenosine Deaminase 2 to Inhibit Growth of Solid Tumors. <i>Cancer Research</i> , 2021, 81, 3319-3332.	0.9	18
15	Interleukin-7 protects CD8 ⁺ T cells from adenosine-mediated immunosuppression. <i>Science Signaling</i> , 2021, 14, .	3.6	14
16	Ecto-5â€²-Nucleotidase (CD73) Regulates the Survival of CD8+ T Cells. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 647058.	3.7	5
17	Modulation of myeloid cells by adenosine signaling. <i>Current Opinion in Pharmacology</i> , 2020, 53, 134-145.	3.5	4
18	Adenosine A 2B receptor blockade slows growth of bladder and breast tumors. <i>FASEB Journal</i> , 2012, 26, 1038.2.	0.5	0

#	ARTICLE	IF	CITATIONS
19	Cellâ€™intrinsic adenosine A 2A receptor signaling is required for T cell homeostasis and tumor surveillance. FASEB Journal, 2012, 26, 1119.1.	0.5	0