Aynur Aptula

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/14765/publications.pdf

Version: 2024-02-01

26 papers

3,833 citations

279798 23 h-index 27 g-index

27 all docs

 $\begin{array}{c} 27 \\ \text{docs citations} \end{array}$

27 times ranked

1528 citing authors

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | In silico toxicology protocols. Regulatory Toxicology and Pharmacology, 2018, 96, 1-17. | 2.7 | 159 |
| 2 | Structure–Potency Relationships for Epoxides in Allergic Contact Dermatitis. Chemical Research in Toxicology, 2017, 30, 524-531. | 3.3 | 16 |
| 3 | A practical guidance for Cramer class determination. Regulatory Toxicology and Pharmacology, 2015, 73, 971-984. | 2.7 | 21 |
| 4 | Electrophilic Reactivity and Skin Sensitization Potency of S _N Ar Electrophiles. Chemical Research in Toxicology, 2014, 27, 240-246. | 3.3 | 34 |
| 5 | Guiding principles for the implementation of non-animal safety assessment approaches for cosmetics: Skin sensitisation. Regulatory Toxicology and Pharmacology, 2012, 63, 40-52. | 2.7 | 45 |
| 6 | Chemistry-Based Risk Assessment for Skin Sensitization: Quantitative Mechanistic Modeling for the SNAr Domain. Chemical Research in Toxicology, 2011, 24, 1003-1011. | 3.3 | 34 |
| 7 | Refinement of the Dermal Sensitisation Threshold (DST) approach using a larger dataset and incorporating mechanistic chemistry domains. Regulatory Toxicology and Pharmacology, 2011, 60, 218-224. | 2.7 | 371 |
| 8 | Alternative (non-animal) methods for cosmetics testing: current status and future prospects—2010. Archives of Toxicology, 2011, 85, 367-485. | 4.2 | 488 |
| 9 | Local Lymph Node Data for the Evaluation of Skin Sensitization Alternatives: A Second Compilation. Dermatitis, 2010, 21, 8-32. | 1.6 | 168 |
| 10 | Reactivity-based toxicity modelling of five-membered heterocyclic compounds: Application to <i>Tetrahymena pyriformis</i> . SAR and QSAR in Environmental Research, 2010, 21, 681-691. | 2.2 | 15 |
| 11 | Reactivity Profiling: Covalent Modification of Single Nucleophile Peptides for Skin Sensitization Risk Assessment. Toxicological Sciences, 2009, 108, 401-411. | 3.1 | 98 |
| 12 | A Minireview of Available Skin Sensitization (Q)SARs/Expert Systems. QSAR and Combinatorial Science, 2008, 27, 60-76. | 1.4 | 44 |
| 13 | Assuring Consumer Safety without Animal Testing: A Feasibility Case Study for Skin Sensitisation. ATLA Alternatives To Laboratory Animals, 2008, 36, 557-568. | 1.0 | 21 |
| 14 | Structure–activity relationships for abiotic thiol reactivity and aquatic toxicity of halo-substituted carbonyl compounds. SAR and QSAR in Environmental Research, 2007, 18, 21-29. | 2.2 | 33 |
| 15 | An evaluation of selected global (Q)SARs/expert systems for the prediction of skin sensitisation potential. SAR and QSAR in Environmental Research, 2007, 18, 515-541. | 2.2 | 77 |
| 16 | Global (Q)SARs for skin sensitisation–assessment against OECD principles‖. SAR and QSAR in Environmental Research, 2007, 18, 343-365. | 2.2 | 39 |
| 17 | Electrophilic Chemistry Related to Skin Sensitization. Reaction Mechanistic Applicability Domain Classification for a Published Data Set of 106 Chemicals Tested in the Mouse Local Lymph Node Assay. Chemical Research in Toxicology, 2007, 20, 44-60. | 3.3 | 142 |
| 18 | Identifying the Structural Requirements for Chromosomal Aberration by Incorporating Molecular Flexibility and Metabolic Activation of Chemicals. Chemical Research in Toxicology, 2007, 20, 1927-1941. | 3.3 | 31 |

AYNUR APTULA

| # | Article | IF | CITATION |
|----|--|-----|----------|
| 19 | TIMES-SSâ€"A promising tool for the assessment of skin sensitization hazard. A characterization with respect to the OECD validation principles for (Q)SARs and an external evaluation for predictivity. Regulatory Toxicology and Pharmacology, 2007, 48, 225-239. | 2.7 | 91 |
| 20 | TIMES-SSâ€"A Mechanistic Evaluation of an External Validation Study Using Reaction Chemistry Principles. Chemical Research in Toxicology, 2007, 20, 1321-1330. | 3.3 | 56 |
| 21 | Mechanistic Applicability Domain Classification of a Local Lymph Node Assay Dataset for Skin Sensitization. Chemical Research in Toxicology, 2007, 20, 1019-1030. | 3.3 | 1,334 |
| 22 | Mechanistic Applicability Domains for Non-Animal Based Prediction of Toxicological Endpoints. QSAR Analysis of the Schiff Base Applicability Domain for Skin Sensitization. Chemical Research in Toxicology, 2006, 19, 1228-1233. | 3.3 | 141 |
| 23 | Non-enzymatic glutathione reactivity and in vitro toxicity: A non-animal approach to skin sensitization. Toxicology in Vitro, 2006, 20, 239-247. | 2.4 | 91 |
| 24 | Skin Sensitization:  Reaction Mechanistic Applicability Domains for Structureâ^'Activity Relationships. Chemical Research in Toxicology, 2005, 18, 1420-1426. | 3.3 | 165 |
| 25 | Prediction of hERG K+ blocking potency: Application of structural knowledge. SAR and QSAR in Environmental Research, 2004, 15, 399-411. | 2.2 | 52 |
| 26 | Partial Least Squares Modelling of the Acute Toxicity of Aliphatic Compounds to Tetrahymena pyriformis. SAR and QSAR in Environmental Research, 2003, 14, 265-283. | 2.2 | 28 |