

Stephan Reichenbach

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1484562/publications.pdf>

Version: 2024-02-01

68
papers

10,131
citations

81839

39
h-index

98753

67
g-index

75
all docs

75
docs citations

75
times ranked

10860
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of transcutaneous electrical nerve stimulation (TENS) on knee pain and physical function in patients with symptomatic knee osteoarthritis: the ETRELKA randomized clinical trial. <i>Osteoarthritis and Cartilage</i> , 2022, 30, 426-435.	0.6	11
2	Is Internal Rotation Measurement of the Hip Useful for Ruling in Cam or Pincer Morphology in Asymptomatic Males? A Diagnostic Accuracy Study. <i>Clinical Orthopaedics and Related Research</i> , 2022, Publish Ahead of Print, .	0.7	1
3	Trunk, pelvis and lower limb walking biomechanics are similarly altered in those with femoroacetabular impingement syndrome regardless of cam morphology size. <i>Gait and Posture</i> , 2021, 83, 26-34.	0.6	23
4	A Cam Morphology Develops in the Early Phase of the Final Growth Spurt in Adolescent Ice Hockey Players: Results of a Prospective MRI-based Study. <i>Clinical Orthopaedics and Related Research</i> , 2021, 479, 906-918.	0.7	9
5	Altered central pain processing in fibromyalgia—A multimodal neuroimaging case-control study using arterial spin labelling. <i>PLoS ONE</i> , 2021, 16, e0235879.	1.1	4
6	Vision loss in patients with giant cell arteritis treated with tocilizumab. <i>Arthritis Research and Therapy</i> , 2021, 23, 92.	1.6	14
7	Quantitative ultrasound to monitor the vascular response to tocilizumab in giant cell arteritis. <i>Rheumatology</i> , 2021, 60, 5052-5059.	0.9	25
8	Multi-centre randomised controlled trial comparing arthroscopic hip surgery to physiotherapist-led care for femoroacetabular impingement (FAI) syndrome on hip cartilage metabolism: the Australian FASHIoN trial. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 697.	0.8	30
9	Tocilizumab monotherapy after ultra-short glucocorticoid administration in giant cell arteritis: a single-arm, open-label, proof-of-concept study. <i>Lancet Rheumatology</i> , The, 2021, 3, e619-e626.	2.2	25
10	Biomechanical Footwear for Osteoarthritic Knee Pain—Reply. <i>JAMA - Journal of the American Medical Association</i> , 2020, 324, 1351.	3.8	0
11	Effect of Biomechanical Footwear on Knee Pain in People With Knee Osteoarthritis. <i>JAMA - Journal of the American Medical Association</i> , 2020, 323, 1802.	3.8	27
12	Diagnostic accuracy of clinical tests for cam or pincer morphology in individuals with suspected FAI syndrome: a systematic review. <i>BMJ Open Sport and Exercise Medicine</i> , 2020, 6, e000772.	1.4	14
13	A Single Infusion of Zoledronate in Postmenopausal Women Following Denosumab Discontinuation Results in Partial Conservation of Bone Mass Gains. <i>Journal of Bone and Mineral Research</i> , 2020, 35, 1207-1215.	3.1	64
14	Risk of Osteonecrosis of the Jaw Under Denosumab Compared to Bisphosphonates in Patients With Osteoporosis. <i>Journal of Bone and Mineral Research</i> , 2020, 37, 340-348.	3.1	48
15	Risk of relapse after discontinuation of tocilizumab therapy in giant cell arteritis. <i>Rheumatology</i> , 2019, 58, 1639-1643.	0.9	68
16	Increased subchondral bone thickness in hips with cam-type femoroacetabular impingement. <i>HIP International</i> , 2019, 29, 430-437.	0.9	3
17	Magnetic resonance angiography in giant cell arteritis: results of a randomized controlled trial of tocilizumab in giant cell arteritis. <i>Rheumatology</i> , 2018, 57, 982-986.	0.9	84
18	Rheumatoid arthritis patients treated in trial and real world settings: comparison of randomized trials with registries. <i>Rheumatology</i> , 2018, 57, 354-369.	0.9	44

#	ARTICLE	IF	CITATIONS
19	Safety of Intra-Articular Gold Microimplants in Horses—A Randomized, Blinded, Controlled Experimental Study. <i>Journal of Equine Veterinary Science</i> , 2018, 60, 59-66.e2.	0.4	6
20	Immuno-monitoring reveals an extended subclinical disease activity in tocilizumab-treated giant cell arteritis. <i>Rheumatology</i> , 2018, 57, 1795-1801.	0.9	33
21	Prediction of Real-World Drug Effectiveness Prelaunch: Case Study in Rheumatoid Arthritis. <i>Medical Decision Making</i> , 2018, 38, 719-729.	1.2	8
22	Planning a future randomized clinical trial based on a network of relevant past trials. <i>Trials</i> , 2018, 19, 365.	0.7	31
23	Effectiveness of non-steroidal anti-inflammatory drugs for the treatment of pain in knee and hip osteoarthritis: a network meta-analysis. <i>Lancet, The</i> , 2017, 390, e21-e33.	6.3	354
24	Symptomatic treatment of uncomplicated lower urinary tract infections in the ambulatory setting: randomised, double blind trial. <i>BMJ: British Medical Journal</i> , 2017, 359, j4784.	2.4	107
25	Protocol for a multi-centre randomised controlled trial comparing arthroscopic hip surgery to physiotherapy-led care for femoroacetabular impingement (FAI): the Australian FASHIoN trial. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 406.	0.8	23
26	Effectiveness of the Bern Ambulatory Interprofessional Rehabilitation (BAI-Reha) programme for patients with chronic musculoskeletal pain: a cohort study. <i>Swiss Medical Weekly</i> , 2017, 147, w14433.	0.8	3
27	Surgical versus conservative treatment for lumbar disc herniation: a prospective cohort study. <i>BMJ Open</i> , 2016, 6, e012938.	0.8	116
28	Tocilizumab for induction and maintenance of remission in giant cell arteritis: a phase 2, randomised, double-blind, placebo-controlled trial. <i>Lancet, The</i> , 2016, 387, 1921-1927.	6.3	446
29	Metamizole-Associated Adverse Events: A Systematic Review and Meta-Analysis. <i>PLoS ONE</i> , 2015, 10, e0122918.	1.1	114
30	Intra-articular corticosteroid for knee osteoarthritis. <i>The Cochrane Library</i> , 2015, 2015, CD005328.	1.5	231
31	Association of radiographic osteoarthritis, pain on passive movement and knee range of motion: A cross-sectional study. <i>Manual Therapy</i> , 2015, 20, 361-365.	1.6	9
32	Exercise for osteoarthritis of the hip. <i>The Cochrane Library</i> , 2014, 2014, CD007912.	1.5	219
33	Combining follow-up and change data is valid in meta-analyses of continuous outcomes: a meta-epidemiological study. <i>Journal of Clinical Epidemiology</i> , 2013, 66, 847-855.	2.4	107
34	Viscosupplementation for Osteoarthritis of the Knee. <i>Annals of Internal Medicine</i> , 2013, 158, 75.	2.0	5
35	Methods to convert continuous outcomes into odds ratios of treatment response and numbers needed to treat: meta-epidemiological study. <i>International Journal of Epidemiology</i> , 2012, 41, 1445-1459.	0.9	116
36	Medical Food and Food Supplements: Not Always as Safe as Generally Assumed. <i>Annals of Internal Medicine</i> , 2012, 156, 894.	2.0	8

#	ARTICLE	IF	CITATIONS
37	Doxycycline for osteoarthritis of the knee or hip. The Cochrane Library, 2012, 11, CD007323.	1.5	52
38	Viscosupplementation for Osteoarthritis of the Knee. Annals of Internal Medicine, 2012, 157, 180.	2.0	503
39	All cause and disease specific mortality in patients with knee or hip osteoarthritis: population based cohort study. BMJ: British Medical Journal, 2011, 342, d1165-d1165.	2.4	553
40	Association between cam-type deformities and magnetic resonance imaging-detected structural hip damage: A cross-sectional study in young men. Arthritis and Rheumatism, 2011, 63, 4023-4030.	6.7	92
41	Association of bone attrition with knee pain, stiffness and disability: a cross-sectional study. Annals of the Rheumatic Diseases, 2011, 70, 293-298.	0.5	13
42	Cardiovascular safety of non-steroidal anti-inflammatory drugs: network meta-analysis. BMJ: British Medical Journal, 2011, 342, c7086-c7086.	2.4	916
43	Rapid induction of remission in large vessel vasculitis by IL-6 blockade. Swiss Medical Weekly, 2011, 141, w13156.	0.8	154
44	Joint lavage for osteoarthritis of the knee. The Cochrane Library, 2010, , CD007320.	1.5	76
45	Prevalence of cam-type deformity on hip magnetic resonance imaging in young males: A cross-sectional study. Arthritis Care and Research, 2010, 62, 1319-1327.	1.5	169
46	Small study effects in meta-analyses of osteoarthritis trials: meta-epidemiological study. BMJ: British Medical Journal, 2010, 341, c3515-c3515.	2.4	464
47	Effects of glucosamine, chondroitin, or placebo in patients with osteoarthritis of hip or knee: network meta-analysis. BMJ: British Medical Journal, 2010, 341, c4675-c4675.	2.4	461
48	Sonographic Follow-Up of Patients With Carpal Tunnel Syndrome Undergoing Surgical or Nonsurgical Treatment: Prospective Cohort Study. Journal of Hand Surgery, 2010, 35, 1401-1409.	0.7	62
49	Hepatoprotective effect of tumour necrosis factor β blockade in psoriatic arthritis: a cross-sectional study. Annals of the Rheumatic Diseases, 2010, 69, 1148-1150.	0.5	34
50	Doxycycline for osteoarthritis of the knee or hip. , 2009, , CD007323.		14
51	The importance of allocation concealment and patient blinding in osteoarthritis trials: A meta-epidemiologic study. Arthritis and Rheumatism, 2009, 61, 1633-1641.	6.7	127
52	S-Adenosylmethionine for osteoarthritis of the knee or hip. The Cochrane Library, 2009, , CD007321.	1.5	52
53	Transcutaneous electrostimulation for osteoarthritis of the knee. The Cochrane Library, 2009, , CD002823.	1.5	173
54	The effects of excluding patients from the analysis in randomised controlled trials: meta-epidemiological study. BMJ: British Medical Journal, 2009, 339, b3244-b3244.	2.4	203

#	ARTICLE	IF	CITATIONS
55	Radiographic analysis of femoroacetabular impingement with Hip²normâ€™ reliable and validated. Journal of Orthopaedic Research, 2008, 26, 1199-1205.	1.2	136
56	Commentary: When East meets West--comments on 'back pain as a communicable disease'. International Journal of Epidemiology, 2008, 37, 74-76.	0.9	1
57	Outcomes associated with drug-eluting and bare-metal stents: a collaborative network meta-analysis. Lancet, The, 2007, 370, 937-948.	6.3	1,329
58	Meta-analysis: Chondroitin for Osteoarthritis of the Knee or Hip. Annals of Internal Medicine, 2007, 146, 580.	2.0	281
59	Hylan versus hyaluronic acid for osteoarthritis of the knee: A systematic review and metaâ€™analysis. Arthritis and Rheumatism, 2007, 57, 1410-1418.	6.7	159
60	Osteoarthritis: rational approach to treating the individual. Best Practice and Research in Clinical Rheumatology, 2006, 20, 721-740.	1.4	182
61	Diagnostic value of sonography in patients with suspected carpal tunnel syndrome: A prospective study. Arthritis and Rheumatism, 2005, 52, 304-311.	6.7	197
62	Assessing bone loss on radiographs of the knee in osteoarthritis: A cross-sectional study. Arthritis and Rheumatism, 2005, 52, 3536-3541.	6.7	36
63	Consequences of different diagnostic â€™gold standardsâ€™™ in test accuracy research: Carpal Tunnel Syndrome as an example. International Journal of Epidemiology, 2005, 34, 953-955.	0.9	39
64	COX 2 inhibitors, traditional NSAIDs, and the heart. BMJ: British Medical Journal, 2005, 330, 1342-1343.	2.4	44
65	Discontinuation of Vioxx. Lancet, The, 2005, 365, 26-27.	6.3	4
66	Risk of cardiovascular events and rofecoxib: cumulative meta-analysis. Lancet, The, 2004, 364, 2021-2029.	6.3	808
67	Inhibition of the TNF-pathway: use of infliximab and etanercept as remission-inducing agents in cases of therapy-resistant chronic inflammatory disorders. Swiss Medical Weekly, 2002, 132, 414-22.	0.8	68
68	Influence of different racing positions on metabolic cost in elite cyclists. Medicine and Science in Sports and Exercise, 1997, 29, 818-823.	0.2	52