Luz MartÃ-n-Carbonero

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1486397/publications.pdf

Version: 2024-02-01

86 papers

4,204 citations

36 h-index 110387 64 g-index

91 all docs 91 docs citations

91 times ranked 3916 citing authors

#	Article	IF	CITATIONS
1	Acute hepatitis B among HIV positive persons: A two-decade review of cases from a Spanish cohort. Enfermedades Infecciosas Y MicrobiologÃa ClÃnica, 2022, 40, 121-124.	0.5	2
2	Dynamics of HIV Reservoir and HIV-1 Viral Splicing in HCV-Exposed Individuals after Elimination with DAAs or Spontaneous Clearance. Journal of Clinical Medicine, 2022, 11, 3579.	2.4	2
3	Long-term efficacy of dolutegravir plus lamivudine for maintenance of HIV viral suppression in adults with and without historical resistance to lamivudine: Week 96 results of ART-PRO pilot study. Journal of Antimicrobial Chemotherapy, 2021, 76, 738-742.	3.0	22
4	Treatment with tocilizumab or corticosteroids for COVID-19 patients with hyperinflammatory state: a multicentre cohort study (SAM-COVID-19). Clinical Microbiology and Infection, 2021, 27, 244-252.	6.0	95
5	Different HCV Exposure Drives Specific miRNA Profile in PBMCs of HIV Patients. Biomedicines, 2021, 9, 1627.	3.2	2
6	Factors associated with the number of drugs in darunavir/cobicistat regimens. Journal of Antimicrobial Chemotherapy, 2020, 75, 208-214.	3.0	4
7	Dolutegravir plus lamivudine for maintenance of HIV viral suppression in adults with and without historical resistance to lamivudine: 48-week results of a non-randomized, pilot clinical trial (ART-PRO). EBioMedicine, 2020, 55, 102779.	6.1	28
8	Comparison of methods and characterization of small RNAs from plasma extracellular vesicles of HIV/HCV coinfected patients. Scientific Reports, 2020, 10, 11140.	3.3	22
9	Patients with hepatitis C lost to follow-up: ethical-legal aspects and search results. Revista Espanola De Enfermedades Digestivas, 2020, 112, 532-537.	0.3	9
10	HCV-coinfection is related to an increased HIV-1 reservoir size in cART-treated HIV patients: a cross-sectional study. Scientific Reports, 2019, 9, 5606.	3.3	22
11	Drug-related and psychopathological symptoms in HIV-positive men who have sex with men who inject drugs during sex (slamsex): Data from the U-SEX GESIDA 9416 Study. PLoS ONE, 2019, 14, e0220272.	2.5	31
12	Effect of mono/dual antiretroviral therapy on suppression of HCV and HIV during treatment of HCV infection in HIV/HCV-coinfected patients. Enfermedades Infecciosas Y MicrobiologÃa ClÃnica, 2019, 37, 367-372.	0.5	0
13	Abacavir/lamivudina + atazanavir no potenciado en la práctica clÃnica diaria: doce años de experiencia. Enfermedades Infecciosas Y MicrobiologÃa ClÃnica, 2018, 36, 29-33.	0.5	O
14	Expression profiling of chromatin-modifying enzymes and global DNA methylation in CD4+ T cells from patients with chronic HIV infection at different HIV control and progression states. Clinical Epigenetics, 2018, 10, 20.	4.1	23
15	Impact of Nucleos(t)ide Reverse Transcriptase Inhibitors on Blood Telomere Length Changes in a Prospective Cohort of Aviremic HIV–Infected Adults. Journal of Infectious Diseases, 2018, 218, 1531-1540.	4.0	22
16	Impact of Antiretroviral Treatment Containing Tenofovir Difumarate on the Telomere Length of Aviremic HIV-Infected Patients. Journal of Acquired Immune Deficiency Syndromes (1999), 2017, 76, 102-109.	2.1	19
17	Similar effectiveness of direct-acting antiviral against hepatitis C virus in patients with and without HIV infection. Aids, 2017, 31, 1253-1260.	2.2	30
18	Both Hepatitis C Virus-Specific T Cell Responses and <i>IL28B < /i>rs12979860 Single-Nucleotide Polymorphism Genotype Influence Antihepatitis C Virus Treatment Outcome in Patients with Chronic Hepatitis C. Journal of Interferon and Cytokine Research, 2017, 37, 278-286.</i>	1.2	1

#	Article	IF	Citations
19	Short Communication: p21/CDKN1A Expression Shows Broad Interindividual Diversity in a Subset of HIV-1 Elite Controllers. AIDS Research and Human Retroviruses, 2016, 32, 232-236.	1.1	8
20	Chronic Hepatitis E in HIV Patients: Rapid Progression to Cirrhosis and Response to Oral Ribavirin. Clinical Infectious Diseases, 2013, 57, 465-468.	5.8	96
21	Hepatitis B Virus and HIV Infection. Seminars in Liver Disease, 2012, 32, 114-119.	3.6	19
22	Short Communication: Does Interleukin-28B Single Nucleotide Polymorphisms Influence the Natural History of Hepatitis B?. AIDS Research and Human Retroviruses, 2012, 28, 1262-1264.	1.1	13
23	Prevalence and risk factors associated with pulmonary hypertension in HIV-infected patients on regular follow-up. Aids, 2012, 26, 1387-1392.	2.2	64
24	Long-Term Use of Atazanavir in the Treament of HIV-Infected patients. Clinical Medicine Insights Therapeutics, 2012, 4, CMT.S5764.	0.4	2
25	Predicted effect of direct acting antivirals in the current HIV–HCV-coinfected population in Spain. Antiviral Therapy, 2011, 17, 571-575.	1.0	13
26	HCV and HIV Coinfection. Current Hepatitis Reports, 2011, 10, 52-61.	0.3	1
27	Influence of Interleukin-28B Single-Nucleotide Polymorphisms on Progression to Liver Cirrhosis in Human Immunodeficiency Virus–Hepatitis C Virus–Coinfected Patients Receiving Antiretroviral Therapy. Journal of Infectious Diseases, 2011, 203, 1629-1636.	4.0	55
28	Directly acting antivirals against hepatitis C virus. Journal of Antimicrobial Chemotherapy, 2011, 66, 1673-1686.	3.0	81
29	Clinical and virological outcomes in HIV-infected patients with chronic hepatitis B on long-term nucleos(t)ide analogues. Aids, 2011, 25, 73-79.	2.2	74
30	Impact of Baseline HIV-1 Tropism on Viral Response and CD4 Cell Count Gains in HIV-Infected Patients Receiving First-line Antiretroviral Therapy. Journal of Infectious Diseases, 2011, 204, 139-144.	4.0	32
31	Incidence of liver cirrhosis in HIV-infected patients with chronic hepatitis B or C in the era of highly active antiretroviral therapy. Antiviral Therapy, 2010, 15, 881-886.	1.0	35
32	New paradigms for treating hepatitis B in HIV/hepatitis B virus co-infected patients. Journal of Antimicrobial Chemotherapy, 2010, 65, 379-382.	3.0	10
33	Survival of HIV-infected patients with compensated liver cirrhosis. Aids, 2010, 24, 745-753.	2.2	32
34	Rate and Predictors of Success in the Retreatment of Chronic Hepatitis C Virus in HIV/Hepatitis C Virus Coinfected Patients With Prior Nonresponse or Relapse. Journal of Acquired Immune Deficiency Syndromes (1999), 2010, 53, 364-368.	2.1	27
35	Liver Complications Have Reached a Plateau as Cause of Hospital Admission and Death in HIV Patients in Madrid. AIDS Research and Human Retroviruses, 2009, 25, 383-385.	1.1	9
36	Rate and Timing of Hepatitis C Virus Relapse after a Successful Course of Pegylated Interferon plus Ribavirin in HIVâ€Infected and HIVâ€Ininfected Patients. Clinical Infectious Diseases, 2009, 49, 1397-1401.	5.8	35

#	Article	IF	Citations
37	Kidney tubular abnormalities in the absence of impaired glomerular function in HIV patients treated with tenofovir. Aids, 2009, 23, 689-696.	2.2	250
38	Emerging drugs for hepatitis C. Expert Opinion on Emerging Drugs, 2008, 13, 1-19.	2.4	41
39	Episodes of low-level viral rebound in HIV-infected patients on antiretroviral therapy: frequency, predictors and outcome. Journal of Antimicrobial Chemotherapy, 2008, 61, 699-704.	3.0	87
40	Undetectable hepatitis C virus RNA at week 4 as predictor of sustained virological response in HIV patients with chronic hepatitis C. Aids, 2008, 22, 15-21.	2.2	57
41	Efficacy and safety of replacing lopinavir with atazanavir in HIV-infected patients with undetectable plasma viraemia: final results of the SLOAT trial. Journal of Antimicrobial Chemotherapy, 2007, 61, 200-205.	3.0	70
42	Influence of Liver Fibrosis Stage on Plasma Levels of Antiretroviral Drugs in HIVâ€Infected Patients with Chronic Hepatitis C. Journal of Infectious Diseases, 2007, 195, 973-979.	4.0	79
43	Mitochondrial DNA depletion in HIV-infected patients with chronic hepatitis C and effect of pegylated interferon plus ribavirin therapy. Aids, 2007, 21, 583-588.	2.2	24
44	Hepatitis B Virus Genotypes and Lamivudine Resistance Mutations in HIV/Hepatitis B Virus-Coinfected Patients. Journal of Acquired Immune Deficiency Syndromes (1999), 2007, 44, 557-561.	2.1	53
45	Genetic factors influencing atazanavir plasma concentrations and the risk of severe hyperbilirubinemia. Aids, 2007, 21, 41-46.	2.2	127
46	Treatment of Chronic Hepatitis B or C in HIVâ€Infected Patients with Dual Viral Hepatitis. Journal of Infectious Diseases, 2007, 195, 1181-1183.	4.0	42
47	Hepatotoxicity of Antiretroviral Drugs Is Reduced after Successful Treatment of Chronic Hepatitis C in HIVâ€Infected Patients. Journal of Infectious Diseases, 2007, 196, 670-676.	4.0	157
48	Prevalence of darunavir resistance mutations in HIV-1-infected patients failing other protease inhibitors. Journal of Antimicrobial Chemotherapy, 2007, 60, 885-888.	3.0	54
49	Impact of antiretroviral therapy on viral tropism in HIV-infected patients followed longitudinally for over 5 years. Journal of Antimicrobial Chemotherapy, 2007, 61, 405-410.	3.0	24
50	Management and therapy of chronic hepatitis C in HIV. Current Opinion in HIV and AIDS, 2007, 2, 482-488.	3.8	1
51	Baseline Serum Hepatitis C Virus (HCV) RNA Level and Response at Week 4 Are the Best Predictors of Relapse After Treatment With Pegylated Interferon Plus Ribavirin in HIV/HCV-Coinfected Patients. Journal of Acquired Immune Deficiency Syndromes (1999), 2007, 45, 439-444.	2.1	43
52	Performance of Six Different Ritonavir-Boosted Protease Inhibitor–Based Regimens in Heavily Antiretroviral-Experienced HIV-Infected Patients. HIV Clinical Trials, 2006, 7, 163-171.	2.0	26
53	Severe Liver Disease Associated With Prolonged Exposure to Antiretroviral Drugs. Journal of Acquired Immune Deficiency Syndromes (1999), 2006, 42, 177-182.	2.1	148
54	Liver Fibrosis in HIV-Infected Patients with Chronic Hepatitis B Extensively Exposed to Antiretroviral Therapy with Anti-HBV Activity. HIV Clinical Trials, 2006, 7, 246-250.	2.0	26

#	Article	IF	CITATIONS
55	Virological Outcome of Chronic Hepatitis B Virus Infection in HIV-Coinfected Patients Receiving Anti-HBV Active Antiretroviral Therapy. AIDS Research and Human Retroviruses, 2006, 22, 842-848.	1.1	55
56	Rate of Virologic Failure and Selection of Drug Resistance Mutations Using Different Triple Nucleos(t)ide Analogue Combinations in HIV-Infected Patients. AIDS Research and Human Retroviruses, 2006, 22, 1231-1235.	1.1	10
57	Impact of Antiretroviral Treatment-Related Toxicities on Hospital Admissions in HIV-Infected Patients. AIDS Research and Human Retroviruses, 2006, 22, 825-829.	1.1	29
58	Predictors of Liver Fibrosis in HIV-Infected Patients with Chronic Hepatitis C Virus (HCV) Infection: Assessment Using Transient Elastometry and the Role of HCV Genotype 3. Clinical Infectious Diseases, 2006, 42, 1032-1039.	5.8	51
59	Early Monitoring of Ribavirin Plasma Concentrations May Predict Anemia and Early Virologic Response in HIV/Hepatitis C Virus-Coinfected Patients. Journal of Acquired Immune Deficiency Syndromes (1999), 2005, 39, 401-405.	2.1	79
60	New paradigms in the management of HIV and hepatitis C virus coinfection. Current Opinion in Infectious Diseases, 2005, 18, 550-560.	3.1	15
61	Paradoxical CD4+ T-cell decline in HIV-infected patients with complete virus suppression taking tenofovir and didanosine. Aids, 2005, 19, 569-575.	2.2	75
62	Relationship between drug resistance mutations, plasma viremia, and CD4+T-cell counts in patients with chronic HIV infection. Journal of Medical Virology, 2005, 76, 1-6.	5.0	8
63	Interplay between hepatitis C, liver steatosis and antiretroviral therapy in HIV-infected patients. Aids, 2005, 19, 621-623.	2.2	8
64	Complications in treating chronic hepatitis B in patients with HIV. Expert Opinion on Pharmacotherapy, 2005, 6, 2831-2842.	1.8	2
65	Impact of Drug Levels and Baseline Genotype and Phenotype on the Virologic Response to Amprenavir/Ritonavir-Based Salvage Regimens. AIDS Patient Care and STDs, 2004, 18, 1-6.	2.5	14
66	Incidence and Predictors of Severe Liver Fibrosis in Human Immunodeficiency Virus–Infected Patients with Chronic Hepatitis C: A European Collaborative Study. Clinical Infectious Diseases, 2004, 38, 128-133.	5.8	291
67	Correlation between rules-based interpretation and virtual phenotype interpretation of HIV-1 genotypes for predicting drug resistance in HIV-infected individuals. Journal of Virological Methods, 2004, 121, 115-118.	2.1	25
68	Pegylated liposomal doxorubicin plus highly active antiretroviral therapy versus highly active antiretroviral therapy alone in HIV patients with Kaposi's sarcoma. Aids, 2004, 18, 1737-1740.	2.2	94
69	Predictors of selection of K65R. Aids, 2004, 18, 2094-2096.	2.2	36
70	Predictors of Virological Response to Atazanavir in Protease Inhibitor-Experienced Patients. HIV Clinical Trials, 2004, 5, 201-205.	2.0	66
71	Impact of Hepatitis C Virus (HCV) on Morbidity and Mortality Rates among HIV-Infected Patients. Clinical Infectious Diseases, 2003, 37, 460-461.	5.8	3
72	Gynecomastia in HIV-Infected Patients Receiving Antiretroviral Therapy. AIDS Research and Human Retroviruses, 2003, 19, 739-741.	1.1	12

#	Article	IF	CITATIONS
73	Role of Baseline Human Immunodeficiency Virus Genotype as a Predictor of Viral Response to Tenofovir in Heavily Pretreated Patients. Journal of Clinical Microbiology, 2003, 41, 4421-4423.	3.9	11
74	Pegylated IFN-α2b plus ribavirin as therapy for chronic hepatitis C in HIV-infected patients. Aids, 2003, 17, 1023-1028.	2.2	183
75	Treatment of chronic hepatitis C virus infection. Aids, 2003, 17, 751-753.	2.2	29
76	Incidence of Liver Injury After Beginning Antiretroviral Therapy with Efavirenz or Nevirapine. HIV Clinical Trials, 2003, 4, 115-120.	2.0	106
77	Role of Hepatitis C Virus Genotype in the Development of Severe Transaminase Elevation After the Introduction of Antiretroviral Therapy. Journal of Acquired Immune Deficiency Syndromes (1999), 2002, 30, 65-68.	2.1	56
78	Salvage Treatment with Lopinavir/Ritonavir (Kaletra) in HIV-Infected Patients Failing All Current Antiretroviral Drug Families. HIV Clinical Trials, 2002, 3, 304-309.	2.0	40
79	SENC (Spanish efavirenz vs. nevirapine comparison) trial: A randomized, open-label study in HIV-infected naive individuals. HIV Clinical Trials, 2002, 3, 186-194.	2.0	58
80	Comparison of the efficacy, safety and predictive value of HIV genotyping using distinct ritonavir-boosted protease inhibitors. International Journal of Antimicrobial Agents, 2002, 20, 438-443.	2.5	41
81	Motivo de ingreso hospitalario en pacientes con infección por el virus de la inmunodeficiencia humana en la era del tratamiento antirretroviral de gran actividad. Medicina ClÃnica, 2002, 119, 293-295.	0.6	3
82	Normalization of liver enzymes in an HIV–hepatitis C virus-co-infected patient after potent antiretroviral therapy. Aids, 2002, 16, 1193.	2.2	7
83	Liver injury after beginning antiretroviral therapy in HIV/hepatitis C virus co-infected patients is not related to immune reconstitution. Aids, 2002, 16, 1423-1425.	2.2	31
84	Evolution of the gp41 env region in HIV-infected patients receiving T-20, a fusion inhibitor. Aids, 2002, 16, 1959-1961.	2.2	51
85	Risk Factors for Severe Hepatic Injury After Introduction of Highly Active Antiretroviral Therapy. Journal of Acquired Immune Deficiency Syndromes (1999), 2001, 27, 426-431.	2.1	240
86	Increasing Impact of Chronic Viral Hepatitis on Hospital Admissions and Mortality among HIV-Infected Patients. AIDS Research and Human Retroviruses, 2001, 17, 1467-1471.	1.1	197