
## Andrew B Sholl

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1487389/publications.pdf Version: 2024-02-01



ΔΝΟΦΕΨ Β SHOLL

#	Article	IF	CITATIONS
1	High-Resolution Rapid Diagnostic Imaging of Whole Prostate Biopsies Using Video-Rate Fluorescence Structured Illumination Microscopy. Cancer Research, 2015, 75, 4032-4041.	0.9	66
2	DRAQ5 and Eosin (â€~D&E') as an Analog to Hematoxylin and Eosin for Rapid Fluorescence Histology of Fresh Tissues. PLoS ONE, 2016, 11, e0165530.	2.5	65
3	Persistent Homology for the Quantitative Evaluation of Architectural Features in Prostate Cancer Histology. Scientific Reports, 2019, 9, 1139.	3.3	47
4	Gigapixel surface imaging of radical prostatectomy specimens for comprehensive detection of cancer-positive surgical margins using structured illumination microscopy. Scientific Reports, 2016, 6, 27419.	3.3	44
5	Association of Malignancy Prevalence With Test Properties and Performance of the Gene Expression Classifier in Indeterminate Thyroid Nodules. JAMA Otolaryngology - Head and Neck Surgery, 2017, 143, 403.	2.2	42
6	Immunohistochemistry as an accurate tool for evaluating BRAF-V600E mutation in 130 samples of papillary thyroid cancer. Surgery, 2017, 161, 1122-1128.	1.9	26
7	Simultaneous suppression of the MAP kinase and NF-ήB pathways provides a robust therapeutic potential for thyroid cancer. Cancer Letters, 2015, 368, 46-53.	7.2	25
8	Dysregulated gene expression predicts tumor aggressiveness in African-American prostate cancer patients. Scientific Reports, 2018, 8, 16335.	3.3	23
9	Nanotechnology combined therapy: tyrosine kinaseâ€bound gold nanorod and laser thermal ablation produce a synergistic higher treatment response of renal cell carcinoma in a murine model. BJU International, 2017, 119, 342-348.	2.5	17
10	Prognostic Role of BRAFV600E Cellular Localization in Melanoma. Journal of the American College of Surgeons, 2018, 226, 526-537.	0.5	17
11	Prospective randomized comparison of a 22G core needle using standard versus capillary suction for EUS-guided sampling of solid pancreatic masses. Endoscopy International Open, 2017, 05, E505-E512.	1.8	14
12	Nondestructive Diagnosis of Kidney Cancer on 18-gauge Core Needle Renal Biopsy Using Dual-color Fluorescence Structured Illumination Microscopy. Urology, 2016, 98, 195-199.	1.0	11
13	Optimal timing for a repeat fine-needle aspiration biopsy of thyroid nodule following an initial nondiagnostic fine-needle aspiration. American Journal of Surgery, 2017, 213, 433-437.	1.8	11
14	Partial nephrectomy margin imaging using structured illumination microscopy. Journal of Biophotonics, 2018, 11, e201600328.	2.3	6
15	Novel TP53 gene mutation and correlation with p53 immunohistochemistry in a mixed epithelial carcinoma of the endometrium. Gynecologic Oncology Case Reports, 2013, 3, 11-13.	0.9	4
16	Metadherin Expression is Associated with Extrathyroidal Extension in Papillary Thyroid Cancer Patients. Annals of Surgical Oncology, 2016, 23, 2883-2888.	1.5	4
17	Racial Disparities in Histology and Short-Term Renal Functional Outcomes Following Robotic Nephron-Sparing Surgery. Clinical Genitourinary Cancer, 2017, 15, 203-206.	1.9	4
18	Synchronous Urothelial Bladder and Renal Malignancies. Case Report and Review of Urologic Cancers in Patients With Familial Rb Mutations. Urology, 2019, 131, 89-92.	1.0	3

ANDREW B SHOLL

#	Article	IF	CITATIONS
19	Racial variation in prostate needle biopsy templates directed anterior to the peripheral zone. Urologic Oncology: Seminars and Original Investigations, 2016, 34, 336.e1-336.e6.	1.6	2
20	Exclusion of Eligible Indeterminate Thyroid Nodules in Estimates of Negative Predictive Value for the Gene Expression Classifier—Reply. JAMA Otolaryngology - Head and Neck Surgery, 2017, 143, 738.	2.2	2
21	Does sedation offer better outcomes than local anaesthesia for thyroid <scp>FNA</scp> in adult patients?. Cytopathology, 2018, 29, 201-204.	0.7	0
22	Racial variations in upgraded gleason scores of active surveillance candidates Journal of Clinical Oncology, 2017, 35, e548-e548.	1.6	0