

Hans-Jörg Himmel

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1490601/publications.pdf>

Version: 2024-02-01

199
papers

5,187
citations

87888

38
h-index

161849

54
g-index

219
all docs

219
docs citations

219
times ranked

2609
citing authors

#	ARTICLE	IF	CITATIONS
1	Derivatization of an especially electron-rich diborane. <i>Chemical Communications</i> , 2022, 58, 693-696.	4.1	5
2	Directed Synthesis and Chemistry of Unsymmetric Dicationic Diboranes and Their Use in Frustrated Lewis Pair-Like Chemistry. <i>Chemistry - A European Journal</i> , 2022, , e202104016.	3.3	2
3	Redox-Active Dendrimer-Like Oligoguanidines and Their Use in a Proton-Coupled Electron Transfer Reaction. <i>European Journal of Organic Chemistry</i> , 2022, 2022, .	2.4	1
4	Connecting Organic Redox-Active Building Blocks through Mild Noncatalytic C-H Activation. <i>European Journal of Organic Chemistry</i> , 2022, 2022, .	2.4	2
5	Solvent-Induced Redox Isomerism of Cobalt Complexes with Redox-Active Bisguanidine Ligands. <i>Inorganic Chemistry</i> , 2022, 61, 8440-8454.	4.0	5
6	High-Resolution Electronic Excitation and Emission Spectra of Pentacene and 6,13-Diazapentacene Monomers and Weakly Bound Dimers by Matrix Isolation Spectroscopy. <i>Chemistry - A European Journal</i> , 2021, 27, 2072-2081.	3.3	10
7	Use of Crown Ether Functions as Secondary Coordination Spheres for the Manipulation of Ligand-Metal Intramolecular Electron Transfer in Copper-Guanidine Complexes. <i>Chemistry - A European Journal</i> , 2021, 27, 829-829.	3.3	0
8	Use of Crown Ether Functions as Secondary Coordination Spheres for the Manipulation of Ligand-Metal Intramolecular Electron Transfer in Copper-Guanidine Complexes. <i>Chemistry - A European Journal</i> , 2021, 27, 959-970.	3.3	16
9	On the metal-ligand bonding in dinuclear complexes with redox-active guanidine ligands. <i>Dalton Transactions</i> , 2021, 50, 9467-9482.	3.3	7
10	Stimulierung eines redoxinduzierten Elektronentransfers durch Interligand-Wasserstoffbrücken in einem Cobaltkomplex mit redoxaktivem Guanidin-Liganden. <i>Angewandte Chemie</i> , 2021, 133, 10506-10514.	2.0	6
11	Stimulation of Redox-Induced Electron Transfer by Interligand Hydrogen Bonding in a Cobalt Complex with Redox-Active Guanidine Ligand. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 10415-10422.	13.8	20
12	The Dioxygen Complexes of VO ²⁺ . <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2021, 647, 1764-1777.	1.2	1
13	Proton-Coupled Electron Transfer (PCET) with 1,4-Bisguanidino-Benzene Derivatives: Comparative Study and Use in Acid-Initiated C-H Activation. <i>Chemistry - A European Journal</i> , 2021, 27, 11943-11956.	3.3	5
14	Switching from Metal-to Ligand-Based Oxidation in Cobalt Complexes with Redox-Active Bisguanidine Ligands. <i>Chemistry - A European Journal</i> , 2021, 27, 11852-11867.	3.3	7
15	Polycationic Redox-Active Cyclophanes with Integrated Electron-Rich Diboron Units. <i>Chemistry - A European Journal</i> , 2021, 27, 15737-15750.	3.3	8
16	A Copper(I) Complex with Two Unpaired Electrons, Synthesised by Oxidation of a Copper(II) Complex with Two Redox-Active Ligands. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 23451-23462.	13.8	9
17	Synthese eines Kupfer(I)-Komplexes mit zwei ungepaarten Elektronen durch Oxidation eines Kupfer(II)-Komplexes mit zwei redoxaktiven Liganden. <i>Angewandte Chemie</i> , 2021, 133, 23641.	2.0	1
18	Improving electron injection and transport in polymer field-effect transistors with guanidino-functionalized aromatic n-dopants. <i>Journal of Materials Chemistry C</i> , 2021, 9, 7485-7493.	5.5	2

#	ARTICLE	IF	CITATIONS
19	Molecular n-Doping of Large- and Small-Diameter Carbon Nanotube Field-Effect Transistors with Tetrakis(tetramethylguanidino)benzene. <i>ACS Applied Electronic Materials</i> , 2021, 3, 804-812.	4.3	11
20	Oxidative Addition of Dihydrogen to Divanadium in Solid Ne: Multiple σ -Bonded Triplet HVVH and Singlet V 2 ($\frac{1}{4}\text{H}$). <i>Angewandte Chemie</i> , 2020, 132, 12304-12310.	2.0	0
21	Charge and Thermoelectric Transport in Polymer-Sorted Semiconducting Single-Walled Carbon Nanotube Networks. <i>ACS Nano</i> , 2020, 14, 15552-15565.	14.6	28
22	Evaluation of the Synthetic Scope and the Reaction Pathways of Proton-Coupled Electron Transfer with Redox-Active Guanidines in C-H Activation Processes. <i>Chemistry - A European Journal</i> , 2020, 26, 16504-16513.	3.3	10
23	1,2,4,5-Tetrakis(tetramethylguanidino)-3,6-diethynylbenzenes: Fluorescent Probes, Redox-Active Ligands and Strong Organic Electron Donors. <i>Chemistry - A European Journal</i> , 2020, 26, 10336-10347.	3.3	2
24	Desymmetrization of Dicationic Diboranes by Isomerization Catalyzed by a Nucleophile. <i>Angewandte Chemie</i> , 2020, 132, 9212-9218.	2.0	4
25	Desymmetrization of Dicationic Diboranes by Isomerization Catalyzed by a Nucleophile. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 9127-9133.	13.8	10
26	Hetero Diels-Alder Reactions with a Dicationic Urea Azine Derived Azo Dienophile and Their Use for the Synthesis of an Electron-Rich Pentacene. <i>Chemistry - A European Journal</i> , 2020, 26, 12328-12332.	3.3	2
27	Chemistry of Dicationic Diboranes. <i>European Journal of Inorganic Chemistry</i> , 2020, 2020, 3017-3029.	2.0	14
28	Electron-Rich, Lewis Acidic Diborane Meets N-Heterocyclic Aromatics: Formation and Electron Transfer in Cyclophane Boranes. <i>Chemistry - A European Journal</i> , 2020, 26, 3435-3440.	3.3	15
29	Oxidative Addition of Dihydrogen to Divanadium in Solid Ne: Multiple σ -Bonded Triplet HVVH and Singlet V 2 ($\frac{1}{4}\text{H}$). <i>Angewandte Chemie - International Edition</i> , 2020, 59, 12206-12212.	13.8	5
30	1,2,5,6-Tetrakis(guanidino)naphthalenes: Electron Donors, Fluorescent Probes and Redox-Active Ligands. <i>Chemistry - A European Journal</i> , 2020, 26, 5834-5845.	3.3	6
31	Tunable Redox Chemistry and Electrochromism of Persistent Symmetric and Asymmetric Azine Radical Cations. <i>Chemistry - A European Journal</i> , 2019, 25, 12981-12990.	3.3	7
32	Low-Energy Electronic Excitations of N-Substituted Heteroacene Molecules: Matrix Isolation Spectroscopy in Concert with Quantum-Chemical Calculations. <i>Chemistry - A European Journal</i> , 2019, 25, 15147-15154.	3.3	10
33	Redox-Active Guanidines with One or Two Guanidino Groups and Their Integration in Low-Dimensional Perovskite Structures. <i>European Journal of Inorganic Chemistry</i> , 2019, 2019, 4147-4160.	2.0	5
34	Redox-Active Guanidines in Proton-Coupled Electron Transfer Reactions: Real Alternatives to Benzoquinones?. <i>Chemistry - A European Journal</i> , 2019, 25, 15988-15992.	3.3	12
35	Electron transfer in complexes of B ^{II} cations with organic π -acceptors: a combined experimental and quantum-chemical study. <i>Dalton Transactions</i> , 2019, 48, 14354-14366.	3.3	4
36	Probing the Proton-Coupled Electron Transfer (PCET) Reactivity of a Cross-Conjugated Cruciform Chromophore by Redox-State-Dependent Fluorescence. <i>Chemistry - A European Journal</i> , 2019, 25, 3781-3785.	3.3	6

#	ARTICLE	IF	CITATIONS
37	Vier Boratome, vier positive Ladungen und vier Ger ^{1/4} stelektronen: ein fluoreszierendes If ^{1/4} aromatisches Tetraboran(4). <i>Angewandte Chemie</i> , 2019, 131, 5957-5961.	2.0	11
38	On the Metal Cooperativity in a Dinuclear Copper ^{1/4} Guanidine Complex for Aliphatic C ^{1/4} H Bond Cleavage by Dioxygen. <i>Chemistry - A European Journal</i> , 2019, 25, 11257-11268.	3.3	4
39	Elektronen ^{1/4} defizit ^{1/4} re Triboran ^{1/4} und Tetraboran ^{1/4} Ringverbindungen: Synthese, Struktur und Bindung. <i>Angewandte Chemie</i> , 2019, 131, 11724-11742.	2.0	16
40	Catalytic Aerobic Phenol Homo ^{1/4} and Cross ^{1/4} Coupling Reactions with Copper Complexes Bearing Redox ^{1/4} Active Guanidine Ligands. <i>Chemistry - A European Journal</i> , 2019, 25, 8279-8288.	3.3	21
41	Innen ^{1/4} cktitelbild: Vier Boratome, vier positive Ladungen und vier Ger ^{1/4} stelektronen: ein fluoreszierendes If ^{1/4} aromatisches Tetraboran(4) (<i>Angew. Chem.</i> 18/2019). <i>Angewandte Chemie</i> , 2019, 131, 6165-6165.	2.0	0
42	Boron ^{1/4} Boron Dehydrocoupling of Boranes Initiated by Reaction with Iodine. <i>Chemistry - A European Journal</i> , 2019, 25, 6553-6561.	3.3	6
43	Electron ^{1/4} Deficient Triborane and Tetraborane Ring Compounds: Synthesis, Structure, and Bonding. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 11600-11617.	13.8	25
44	Four Boron Atoms, Four Positive Charges, and Four Skeletal Electrons: A Fluorescent If ^{1/4} Aromatic Tetraborane(4). <i>Angewandte Chemie - International Edition</i> , 2019, 58, 5897-5901.	13.8	17
45	Nucleophilic Neutral Diborane(4) Compounds with sp ³ ^{1/4} sp ³ ^{1/4} Hybridized Boron Atoms. <i>European Journal of Inorganic Chemistry</i> , 2018, 2018, 2139-2154.	2.0	20
46	Metal Cluster Models for Heterogeneous Catalysis: A Matrix ^{1/4} Isolation Perspective. <i>Chemistry - A European Journal</i> , 2018, 24, 8941-8961.	3.3	24
47	Tuning the nucleophilicity of electron-rich diborane(4) compounds with bridging guanidinate substituents by substitution. <i>Dalton Transactions</i> , 2018, 47, 2009-2017.	3.3	27
48	On the Dual Reactivity of a Nucleophilic Dihyrido ^{1/4} Diborane: Reaction at the B ^{1/4} B Bond and/or the B ^{1/4} H Bond. <i>Chemistry - A European Journal</i> , 2018, 24, 1209-1216.	3.3	25
49	Valence tautomerism in copper coordination chemistry. <i>Inorganica Chimica Acta</i> , 2018, 481, 56-68.	2.4	46
50	Twofold Oxidized and Twofold Protonated Redox ^{1/4} Active Guanidine: An Ultimate Intermediate in Proton ^{1/4} Coupled Electron ^{1/4} Transfer Reactions. <i>European Journal of Organic Chemistry</i> , 2018, 2018, 5910-5915.	2.4	16
51	Catalyst ^{1/4} Free Hydroboration of CO ₂ With a Nucleophilic Diborane(4). <i>Chemistry - A European Journal</i> , 2018, 24, 16983-16986.	3.3	15
52	Efficient n-Doping and Hole Blocking in Single-Walled Carbon Nanotube Transistors with 1,2,4,5-Tetrakis(tetramethylguanidino)ben-zene. <i>ACS Nano</i> , 2018, 12, 5895-5902.	14.6	40
53	Solvent Control of Ligand ^{1/4} Metal Electron Transfer in Mononuclear Copper Complexes with Redox ^{1/4} Active Bisguanidine Ligands. <i>European Journal of Inorganic Chemistry</i> , 2018, 2018, 3660-3667.	2.0	16
54	Boron(II) Cations: Interplay between Lewis ^{1/4} Pair ^{1/4} Acceptor and Electron ^{1/4} Donor Properties. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 11456-11459.	13.8	18

#	ARTICLE	IF	CITATIONS
55	Intramolecular metal–ligand electron transfer triggered by co-ligand substitution. Dalton Transactions, 2018, 47, 9430-9441.	3.3	18
56	Frontispiece: Metal Cluster Models for Heterogeneous Catalysis: A Matrix-Isolation Perspective. Chemistry - A European Journal, 2018, 24, .	3.3	0
57	Bor(II)-Kationen: Ein Zusammenspiel zwischen Lewis-Paar-Akzeptor- und Elektronendonoreigenschaften. Angewandte Chemie, 2018, 130, 11627-11630.	2.0	15
58	Di- and tetranuclear transition metal complexes of a tetrakisguanidino-substituted phenazine dye by stepwise coordination. Dalton Transactions, 2018, 47, 11016-11029.	3.3	5
59	Guanidines as Reagents in Proton-Coupled Electron-Transfer Reactions and Redox Catalysts. Synlett, 2018, 29, 1957-1977.	1.8	33
60	Hydrogen-Atom Transfer (HAT) Initiated by Intramolecular Ligand–Metal Electron Transfer. Chemistry - A European Journal, 2017, 23, 5520-5528.	3.3	12
61	A Stable Hexakis(guanidino)benzene: Realization of the Strongest Neutral Organic Four-Electron Donor. Angewandte Chemie - International Edition, 2017, 56, 3360-3363.	13.8	37
62	<i>rmsd</i> : A Comprehensive Tool for Structural Analysis. Journal of Chemical Information and Modeling, 2017, 57, 428-438.	5.4	15
63	Ein stabiles Hexakis(guanidino)benzol: Synthese des stärksten neutralen organischen Vier-Elektronen-Donors. Angewandte Chemie, 2017, 129, 3408-3412.	2.0	21
64	Oxidation von organischen Substraten mit einem redoxaktiven Guanidinkatalysator. Angewandte Chemie, 2017, 129, 16630-16633.	2.0	17
65	Oxidation of Organic Molecules with a Redox-Active Guanidine Catalyst. Angewandte Chemie - International Edition, 2017, 56, 16410-16413.	13.8	32
66	Incorporation of a Redox-Active Bis(guanidine) in Low-Dimensional Tin and Lead Iodide Structures. European Journal of Inorganic Chemistry, 2017, 2017, 5539-5544.	2.0	6
67	Metal-Free Nitrile Diboration through Activation by an Electron-Rich Diborane. Angewandte Chemie - International Edition, 2017, 56, 11645-11648.	13.8	11
68	Metallfreie Diborierung von Nitrilen durch Aktivierung eines elektronenreichen Diborans. Angewandte Chemie, 2017, 129, 11804-11807.	2.0	9
69	Multiple Metal–Metal Bond or No Bond? The Electronic Structure of V_2O_2 . Angewandte Chemie - International Edition, 2017, 56, 12340-12343.	13.8	7
70	Inter- and Intramolecular Electron Transfer in Copper Complexes: Electronic Entatic State with Redox-Active Guanidine Ligands. Chemistry - A European Journal, 2017, 23, 13607-13611.	3.3	28
71	Incorporation of a Redox-Active Bis(guanidine) in Low-Dimensional Tin and Lead Iodide Structures. European Journal of Inorganic Chemistry, 2017, 2017, 5537-5537.	2.0	0
72	Homo- and Heterobinuclear Cu and Pd Complexes with a Bridging Redox-Active Bisguanidino-Substituted Dioxolene Ligand: Electronic Structure and Metal–Ligand Electron Transfer. Chemistry - A European Journal, 2017, 23, 11636-11648.	3.3	19

#	ARTICLE	IF	CITATIONS
73	Front Cover: Incorporation of a Redox-Active Bis(guanidine) in Low-Dimensional Tin and Lead Iodide Structures (Eur. J. Inorg. Chem. 47/2017). European Journal of Inorganic Chemistry, 2017, 2017, 5536-5536.	2.0	1
74	Metall-Metall-Mehrfachbindung oder keine Bindung? Die elektronische Struktur von V_2O_2 . Angewandte Chemie, 2017, 129, 12510-12514.	2.0	3
75	The Vibrations of V_2O_4 : Matrix Isolation and Quantum Chemical Calculations. Journal of Physical Chemistry A, 2017, 121, 9385-9391.	2.5	2
76	A Valence Tautomeric Dinuclear Copper Tetrakisguanidine Complex. Chemistry - A European Journal, 2016, 22, 10438-10445.	3.3	39
77	Ein radikaltrikationisches Tetraboran(4) mit rhombischer Struktur und Vier-Zentren-Elektronen-Bindung. Angewandte Chemie, 2016, 128, 4417-4420.	2.0	23
78	A Radical Tricationic Rhomboid Tetraborane(4) with Four-Center, Five-Electron Bonding. Angewandte Chemie - International Edition, 2016, 55, 4345-4347.	13.8	34
79	Low-energy excited states of divanadium: a matrix isolation and MRCI study. Physical Chemistry Chemical Physics, 2016, 18, 14667-14677.	2.8	7
80	Photochemical Reductive C-C Coupling with a Guanidine Electron Donor. European Journal of Organic Chemistry, 2016, 2016, 5045-5054.	2.4	12
81	Copper Complexes of New Redox-Active 4,5-Bisguanidino-Substituted Benzodioxole Ligands: Control of the Electronic Structure by Counter-Ligands, Solvent, and Temperature. Chemistry - A European Journal, 2016, 22, 16187-16199.	3.3	38
82	Construction of copper chains with new fluorescent guanidino-functionalized naphthyridine ligands. Dalton Transactions, 2016, 45, 16966-16983.	3.3	19
83	Dehydrogenative Coupling Reactions with Oxidized Guanidino-Functionalized Aromatic Compounds: Novel Options for C-H Bond Activation. Chemistry - A European Journal, 2016, 22, 11971-11976.	3.3	20
84	Formation of a Radical Tricationic Tetraborane(4) by Hydride Abstraction from sp^3-sp^3 -Hybridized Diboranes. European Journal of Inorganic Chemistry, 2016, 2016, 4090-4098.	2.0	13
85	The control of the electronic structure of dinuclear copper complexes of redox-active tetrakisguanidine ligands by the environment. Dalton Transactions, 2016, 45, 15828-15839.	3.3	31
86	Bent and twisted: the electronic structure of 2-azapropenyl cations obtained by guanidine oxidation. RSC Advances, 2016, 6, 39323-39329.	3.6	17
87	Radical Monocationic Guanidino-Functionalized Aromatic Compounds (GFAs) as Bridging Ligands in Dinuclear Metal Acetate Complexes: Synthesis, Electronic Structure, and Magnetic Coupling. Inorganic Chemistry, 2016, 55, 1683-1696.	4.0	25
88	Redox-Active Guanidines and Guanidinate-Substituted Diboranes. Topics in Heterocyclic Chemistry, 2015, , 165-203.	0.2	3
89	Diboranyl Phosphonium Cations: Synthesis and Chemical Properties. European Journal of Inorganic Chemistry, 2015, 2015, 5188-5195.	2.0	15
90	Thermochromism of Cu^I Tetrakisguanidine Complexes: Reversible Activation of Metal-Ligand Charge-Transfer Bands. Chemistry - A European Journal, 2015, 21, 16494-16503.	3.3	22

#	ARTICLE	IF	CITATIONS
91	Combined Oxidation, Deprotonation, and Metal Coordination of a Redox-Active Guanidine Ligand. <i>European Journal of Inorganic Chemistry</i> , 2015, 2015, 4848-4860.	2.0	11
92	Tetraguanidino-functionalized phenazine and fluorene dyes: synthesis, optical properties and metal coordination. <i>Dalton Transactions</i> , 2015, 44, 3467-3485.	3.3	35
93	What Makes a Strong Organic Electron Donor (or Acceptor)?. <i>Chemistry - A European Journal</i> , 2015, 21, 8578-8590.	3.3	75
94	Urea Azines (Bisguanidines): Electronic Structure, Redox Properties, and Coordination Chemistry. <i>European Journal of Inorganic Chemistry</i> , 2015, 2015, 2345-2361.	2.0	22
95	Counter-ligand control of the electronic structure in dinuclear copper-tetrakisguanidine complexes. <i>Dalton Transactions</i> , 2015, 44, 19111-19125.	3.3	27
96	The electronic structure of VO in its ground and electronically excited states: A combined matrix isolation and quantum chemical (MRCI) study. <i>Journal of Chemical Physics</i> , 2015, 143, 024309.	3.0	17
97	Stabilization of Complexes of Redox-Active Guanidino-Functionalized Aromatic Compounds (GFAs) by Hydrogen-Bonding. <i>Australian Journal of Chemistry</i> , 2014, 67, 1044.	0.9	8
98	Chemistry of Guanidinate-Stabilised Diboranes: Transition-Metal-Catalysed Dehydrocoupling and Hydride Abstraction. <i>Chemistry - A European Journal</i> , 2014, 20, 12514-12527.	3.3	45
99	On the Electronic Structure and Photochemistry of Coordinatively Unsaturated Complexes: The Case of Nickel Bis-imidinitrogen, Ni(N ₂) ₂ . <i>Chemistry - A European Journal</i> , 2014, 20, 17025-17038.	3.3	9
100	Tetracyanoquinodimethane Reduction by Complexed Guanidinyll-Functionalized Aromatic Compounds. <i>ChemPhysChem</i> , 2014, 15, 351-365.	2.1	13
101	Redox-Controlled Hydrogen Bonding: Turning a Superbase into a Strong Hydrogen-Bond Donor. <i>Chemistry - A European Journal</i> , 2014, 20, 5914-5925.	3.3	23
102	Metal-Free C-C Coupling Reactions with Tetraguanidino-Functionalized Pyridines and Light. <i>Chemistry - A European Journal</i> , 2014, 20, 5288-5297.	3.3	22
103	One-versus Two-Electron Oxidation of Complexed Guanidino-Functionalized Aromatic Compounds. <i>European Journal of Inorganic Chemistry</i> , 2014, 2014, 6039-6050.	2.0	26
104	Trinuclear Complexes and Coordination Polymers of Redox-Active Guanidino-Functionalized Aromatic (GFA) Compounds with a Triphenylene Core. <i>Inorganic Chemistry</i> , 2014, 53, 9876-9896.	4.0	23
105	A boron-boron coupling reaction between two ethyl cation analogues. <i>Nature Chemistry</i> , 2013, 5, 1029-1034.	13.6	62
106	Metal-reinforced bonding. <i>Nature Chemistry</i> , 2013, 5, 88-89.	13.6	7
107	4,4',5,5'-Tetrakis(guanidinyl)binaphthyl - Synthesis and Properties of Two Redox-Active Ligands and Oxidative C-C Coupling to Perylene Derivatives. <i>European Journal of Inorganic Chemistry</i> , 2013, 2013, 163-171.	2.0	16
108	Bisguanidines with Biphenyl, Binaphthyl, and Bipyridyl Cores: Proton-Sponge Properties and Coordination Chemistry. <i>Chemistry - A European Journal</i> , 2013, 19, 8958-8977.	3.3	23

#	ARTICLE	IF	CITATIONS
109	Isomers and Electronic States of Ni ₂ O ₂ H ₂ and Evaluation of the Effect of Charge on the Electronic Properties and Reactivity of Ni ₂ O ₂ . Journal of Physical Chemistry A, 2013, 117, 12635-12641.	2.5	4
110	Redox Reactions Between Guanidine Electron Donors and Silver Dicyanamide: Synthesis of C,N Material Precursors and Coordination Polymers. European Journal of Inorganic Chemistry, 2013, 2013, 3671-3679.	2.0	16
111	Guanidinyllá€Functionalized Aromatic Compounds (GFAs) â€“ Charge and Spin Density Studies as Starting Points for the Development of a New Class of Redoxâ€Active Ligands. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2013, 639, 1940-1952.	1.2	60
112	Bonding in Diboraneâ€Metal Complexes: A Quantumâ€Chemical and Experimental Study of Complexes Featuring Early and Late Transition Metals. Chemistry - A European Journal, 2013, 19, 7395-7409.	3.3	35
113	Diborane(4)â€metal bonding: between hydrogen bridges and frustrated oxidative addition. Chemical Communications, 2012, 48, 5277.	4.1	42
114	Cyclic and Linear NiO ₂ : A Multireference Configuration Interaction Study. Journal of Physical Chemistry A, 2012, 116, 9181-9188.	2.5	21
115	Wrapping an Organic Reducing Reagent in a Cationic Boron Complex and Its Use in the Synthesis of Polyhalide Monoanionic Networks. Chemistry - A European Journal, 2012, 18, 14108-14116.	3.3	38
116	Redoxâ€Active Guanidine Ligands with Pyridine and <i>p</i> -Benzoquinone Backbones. European Journal of Inorganic Chemistry, 2012, 2012, 4833-4845.	2.0	36
117	Highly Oxidized Semiconducting Coordination Polymers â€“ Coupled Oxidation and Coordination of Guanidine Electron Donors. European Journal of Inorganic Chemistry, 2012, 2012, 3156-3167.	2.0	19
118	Tuning the Properties of Redoxâ€Active Guanidinoâ€Functionalized Aromatic Ligands by Substitution: Experiment and Theory. European Journal of Inorganic Chemistry, 2012, 2012, 1620-1631.	2.0	29
119	Cryptate Complexes with the Potential for CO ₂ Activation: Quantum Chemical Predictions and Synthetic Efforts. European Journal of Inorganic Chemistry, 2012, 2012, 4020-4028.	2.0	5
120	Synthesis of Molecular Gallium Hydrides by Means of Low-Temperature Catalytic Dehydrogenation. European Journal of Inorganic Chemistry, 2012, 2012, 2368-2372.	2.0	13
121	OPN and SPN: Small Molecules with Great Potential. Angewandte Chemie - International Edition, 2012, 51, 5541-5542.	13.8	4
122	Guanidine Electron Donors and Silver Halides: Interplay and Competition between Redox, Coordination and Polymerization Reactions. European Journal of Inorganic Chemistry, 2012, 2012, 695-704.	2.0	12
123	Synthesis of Oligomeric Zinc Complexes with Bicyclic and Acyclic Guanidinate Ligands. European Journal of Inorganic Chemistry, 2012, 2012, 1250-1260.	2.0	10
124	Combining NMR of Dynamic and Paramagnetic Molecules: Fluxional High-Spin Nickel(II) Complexes Bearing Bisguanidine Ligandsâ€. Inorganic Chemistry, 2011, 50, 1942-1955.	4.0	48
125	MRCI investigation of different isomers of Ni ₂ O ₂ H ₂ ⁺⁺ . Physical Chemistry Chemical Physics, 2011, 13, 2963-2971.	2.8	6
126	A Fluorescent Blue Phosphazene Dye: Synthesis, Structure and Optical Properties of 1,6â€Bis(Dimethylamino)â€2,5,7,10â€Tetrazaoâ€1,6â€Diphosphapyrene. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2011, 637, 547-555.	1.2	7

#	ARTICLE	IF	CITATIONS
127	The Flexible Coordination Modes of Guanidine Ligands in Zn Alkyl and Halide Complexes: Chances for Catalysis. <i>European Journal of Inorganic Chemistry</i> , 2011, 2011, 83-90.	2.0	54
128	Synthesis and Characterization of Novel Guanidine Ligands Featuring Biphenyl or Binaphthyl Backbones. <i>European Journal of Inorganic Chemistry</i> , 2011, 2011, 1302-1314.	2.0	31
129	Synthesis of Heterobimetallic Zn/Co Carbamates: Single-Source Precursors of Nanosized Magnetic Oxides Under Mild Conditions. <i>European Journal of Inorganic Chemistry</i> , 2011, 2011, 860-867.	2.0	16
130	Donor-Acceptor Couples and Late Transition Metal Complexes of Oxidation-Labile 1,4,5,8-tetrakis(guanidino)naphthalene Superbases. <i>European Journal of Inorganic Chemistry</i> , 2011, 2011, 1593-1604.	2.0	25
131	Synthesis and Reactivity of a New Oxidation-Labile Heterobimetallic Mn ₆ Zn ₂ Carbamate Cluster and Precursor to Nanosized Magnetic Oxide Particles. <i>European Journal of Inorganic Chemistry</i> , 2011, 2011, 1387-1394.	2.0	10
132	Guanidino-Functionalised Aromatic Electron Donors at Work: Competing Hydrogen- and Electron-Transfer Reactions in the Course of the Synthesis of Gold Acetylide Complexes. <i>European Journal of Inorganic Chemistry</i> , 2011, 2011, 2975-2983.	2.0	13
133	Zinc Halide and Alkylzinc Complexes of a Neutral Doubly Base-Stabilized Diborane(4). <i>European Journal of Inorganic Chemistry</i> , 2011, 2011, 2657-2661.	2.0	25
134	Redox Chemistry and Group 10 Metal Complexes of Aromatic Compounds with Bulky Bicyclic Guanidino Groups. <i>European Journal of Inorganic Chemistry</i> , 2011, 2011, 4220-4233.	2.0	13
135	Synthesis and Characterization of a Doubly Base-Stabilized B ₃ H ₆ ⁺ Analogue. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 10444-10447.	13.8	35
136	Syntheses of the First Coordination Compounds of the New Strong Molecular Electron Donor and Double Proton Sponge 1,4,5,8-tetrakis(tetramethylguanidino)naphthalene. <i>European Journal of Inorganic Chemistry</i> , 2010, 2010, 115-126.	2.0	64
137	Successive Ligand and Metal Oxidation: Redox Reactions Involving Binuclear Cu ^I Complexes of Chelating Guanidine Ligands. <i>European Journal of Inorganic Chemistry</i> , 2010, 2010, 1839-1846.	2.0	42
138	Trapped in a Complex: the 1,2,4,5-tetrakis(tetramethylguanidino)benzene Radical Cation (ttmgb ⁺) with a Bisallylic Structure. <i>European Journal of Inorganic Chemistry</i> , 2010, 2010, 3102-3108.	2.0	38
139	Mono- and Dinuclear Ni ^{II} and Co ^{II} Complexes that Feature Chelating Guanidine Ligands: Structural Characteristics and Molecular Magnetism. <i>European Journal of Inorganic Chemistry</i> , 2010, 2010, 4770-4782.	2.0	36
140	Novel Bi- and Trinuclear Gallium Halides and Hydrides with Acyclic and Bicyclic Guanidinate Substituents: Synthesis and Reactivity. <i>European Journal of Inorganic Chemistry</i> , 2010, 2010, 4952-4961.	2.0	20
141	The Doubly Base-Stabilized Diborane(4) [HB(1/4hpp)] ₂ (hpp =) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 192 Td and Reactions with S ₈ and Disulfides. <i>European Journal of Inorganic Chemistry</i> , 2010, 2010, 5201-5210.	2.0	59
142	The First Cyanomethyl Complex of Gold, Synthesized by Reaction of a Au ^I Complex with Acetonitrile in the Presence of a New Guanidine N-Superbase. <i>European Journal of Inorganic Chemistry</i> , 2010, 2010, 4783-4789.	2.0	47
143	On the Electronic Structure of Ni ^{II} Complexes That Feature Chelating Bisguanidine Ligands. <i>Chemistry - A European Journal</i> , 2010, 16, 1336-1350.	3.3	67
144	Reactions between Boron and Magnesium Halides and the Bicyclic Guanidine hppH (1,3,4,6,7,8-hexahydro-2 <i>H</i> -pyrimido[1,2- <i>a</i>]pyrimidine): Guanidines with New Structural Motifs. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2010, 636, 543-550.	1.2	36

#	ARTICLE	IF	CITATIONS
145	Dinitrogen Activation by the Ti ₂ N ₂ Molecule: A Matrix Isolation Study. <i>European Journal of Inorganic Chemistry</i> , 2009, 2009, 595-598.	2.0	9
146	Synthesis of Trinuclear, Dinuclear and Mononuclear Carbamate-Zinc Complexes from Tetranuclear Precursors: A Top-Down Synthetic Approach to New Carbamates. <i>European Journal of Inorganic Chemistry</i> , 2009, 2009, 2170-0178.	2.0	22
147	On the Chemistry of the Strong Organic Electron Donor 1,2,4,5-tetrakis(tetramethylguanidino)benzene: Electron Transfer in Donor-Acceptor Couples and Binuclear Late Transition Metal Complexes. <i>European Journal of Inorganic Chemistry</i> , 2009, 2009, 3791-3800.	2.0	57
148	Stabilization and Activation: New Alkyl Complexes of Zinc, Magnesium and Cationic Aluminium Featuring Chelating Bisguanidine Ligands. <i>European Journal of Inorganic Chemistry</i> , 2009, 2009, 4795-4808.	2.0	49
149	The Borane Complexes Htbo-BH ₃ and Htbn-BH ₃ (Htbo = 1,4,6-Triazabicyclo[3.3.0]oct-4-ene, Htbn =) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 22</i> <i>European Journal of Inorganic Chemistry</i> , 2009, 2009, 4809-4819.	2.0	32
150	Synthesis of a Stable B ₂ H ₅ ⁺ Analogue by Protonation of a Double Base-Stabilized Diborane(4). <i>Angewandte Chemie - International Edition</i> , 2009, 48, 5538-5541.	13.8	71
151	MRCI investigation of Ni ₂ O ₂ and Ni ₂ O ₂ ⁺ . <i>Physical Chemistry Chemical Physics</i> , 2009, 11, 2241.	2.8	13
152	Mono- and Diprotonation of the Superbasic Bisguanidine 1,2-bis(N,N-dimethyl, N-ethyl, N-ethyl-tetramethylguanidino)benzene (btmgb) and Pt ^{II} and Pt ^{IV} Complexes of Chelating Bisguanidines and Guanidinate. <i>Chemistry - A European Journal</i> , 2008, 14, 7813-7821.	3.3	49
153	The 1,1,3-tetramethylguanidine-Borane Adduct: Theoretical Comparison of the Bonding Properties in Amine- and Guanidine-Borane Adducts. <i>European Journal of Inorganic Chemistry</i> , 2008, 2008, 322-329.	2.0	10
154	Synthesis and Structural Characterisation of cis- and trans-[(hppH) ₂ PtCl ₂], [(hppH) ₃ PtCl]+Cl ⁻ and Some New Salts of the [hppH ₂] ⁺ Cation (hppH = 1,3,4,6,7,8-Hexahydro-2H-pyrimido[1,2-a]pyrimidine): The Importance of Hydrogen Bonding. <i>European Journal of Inorganic Chemistry</i> , 2008, 2008, 1248-1257.	2.0	30
155	Synthesis and Characterization of the New Tetrameric Magnesium Imide Compound [(thf)MgNSiPh ₃] ₄ . <i>European Journal of Inorganic Chemistry</i> , 2008, 2008, 41-43.	2.0	9
156	Synthesis and Characterisation of Some New Zinc Carbamate Complexes Formed by CO ₂ Fixation and Their Use as Precursors for ZnO Particles under Mild Conditions. <i>European Journal of Inorganic Chemistry</i> , 2008, 2008, 3177-3185.	2.0	22
157	Synthesis and Structural Characterization of a Tetrameric Ammonium Chloride Cluster. <i>European Journal of Inorganic Chemistry</i> , 2008, 2008, 2165-2169.	2.0	3
158	Thermal and Catalytic Dehydrogenation of the Guanidine-Borane Adducts H ₃ B-hppH (hppH =) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 22</i> Quantum Chemical Study. <i>European Journal of Inorganic Chemistry</i> , 2008, 2008, 5482-5493.	2.0	33
159	The First Metal Complexes of the Proton Sponge 1,8-Bis(N,N-dimethyl, N-ethyl-tetramethylguanidino)naphthalene: Syntheses and Properties. <i>European Journal of Inorganic Chemistry</i> , 2008, 2008, 4440-4447.	2.0	41
160	1,2,4,5-tetrakis(tetramethylguanidino)benzene: Synthesis and Properties of a New Molecular Electron Donor. <i>European Journal of Organic Chemistry</i> , 2008, 2008, 5907-5914.	2.4	91
161	Gal as Ligand in Transition-Metal Complexes-An Alternative to CO or N ₂ ?. <i>Angewandte Chemie - International Edition</i> , 2008, 47, 6326-6328.	13.8	20
162	First Dinuclear B(II) Monocations with Bridging Guanidinate Ligands: Synthesis and Properties. <i>Inorganic Chemistry</i> , 2008, 47, 4774-4778.	4.0	36

#	ARTICLE	IF	CITATIONS
163	Relativistic Effects on the Topology of the Electron Density. <i>Journal of Chemical Theory and Computation</i> , 2007, 3, 2182-2197.	5.3	65
164	A New Class of Binuclear Gallium Hydrides: Synthesis and Properties of $[\{GaCl(hpp)H\}_2]$ ($hpp=1,3,4,6,7,8$ -Hexahydro-2H-pyrimido[1,2-a]pyrimidate). <i>Chemistry - A European Journal</i> , 2007, 13, 2648-2654.	3.3	22
165	The Electronic Structure of the Tris(ethylene) Complexes $[M(C_2H_4)_3]$ (M=Ni, Pd, and Pt): A Combined Experimental and Theoretical Study. <i>Chemistry - A European Journal</i> , 2007, 13, 10078-10087.	3.3	57
166	Synthesis and Structural Characterization of a Stable Dimeric Boron(II) Dication. <i>Angewandte Chemie - International Edition</i> , 2007, 46, 9110-9113.	13.8	61
167	CO ₂ Fixation by Alkylzinc Amides: A Quantum Chemical Study Motivated by Recent Experimental Results. <i>European Journal of Inorganic Chemistry</i> , 2007, 2007, 675-683.	2.0	13
168	Repeated Dihydrogen Elimination from Boranes and Gallanes Stabilized by Guanidine-Type Bases: A Quantum Chemical Study Motivated by Recent Experimental Results. <i>European Journal of Inorganic Chemistry</i> , 2007, 2007, 3565-3572.	2.0	18
169	Synthesis and Characterization of a New Guanidine-Borane Complex and a Dinuclear Boron(II) Hydride with Bridging Guanidinate Ligands. <i>European Journal of Inorganic Chemistry</i> , 2007, 2007, 4530-4534.	2.0	69
170	On the Mechanism of CO ₂ Insertion into the Mg-N Bond of Molecular Mono- and Dinuclear Magnesium Compounds: A Quantum Chemical Study. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2007, 633, 2191-2198.	1.2	10
171	Dinitrogen fixation and activation by Ti and Zr atoms, clusters and complexes. <i>New Journal of Chemistry</i> , 2006, 30, 1253.	2.8	36
172	Reactivity of titanium dimer and molecular nitrogen in rare gas matrices. Vibrational and electronic spectra and structure of Ti ₂ N ₂ . <i>Physical Chemistry Chemical Physics</i> , 2006, 8, 2000-2011.	2.8	26
173	Intrinsic Dinitrogen Activation at Bare Metal Atoms. <i>Angewandte Chemie - International Edition</i> , 2006, 45, 6264-6288.	13.8	117
174	Cleavage of the N ₂ Triple Bond by the Ti Dimer: A Route to Molecular Materials for Dinitrogen Activation?. <i>Angewandte Chemie - International Edition</i> , 2006, 45, 2799-2802.	13.8	64
175	Ni(N ₂) ₄ revisited: an analysis of the Ni-N ₂ bonding properties of this benchmark system on the basis of UV/Vis, IR and Raman spectroscopy. <i>Dalton Transactions</i> , 2005, , 2615.	3.3	14
176	Subvalent Compounds Featuring Direct Metal-Metal Bonds: The Zn-Zn Bond in $[Cp^*Zn_2]$. <i>Angewandte Chemie - International Edition</i> , 2005, 44, 3006-3008.	13.8	53
177	Spectroscopic Evidence for a Dinitrogen Complex of Gallium and Estimation of the Ga-N ₂ Bond Strength. <i>Chemistry - A European Journal</i> , 2005, 11, 4096-4102.	3.3	26
178	On the Oxidation of Gallium and Indium: Characterization of the Cyclic and Linear GaO ₂ and InO ₂ Molecules Generated by the Spontaneous and Photoinduced Reaction of Ga and In Atoms with O ₂ and Determination of the Reaction Mechanism. <i>Chemistry - A European Journal</i> , 2005, 11, 5575-5588.	3.3	15
179	1,1,3,3-Tetramethylguanidine-gallane, (Me ₂ N) ₂ CN(H)-GaH ₃ : an unusually strongly bound gallane adduct. <i>Dalton Transactions</i> , 2005, , 1591-1597.	3.3	25
180	Synthesis and structural characterisation of primary amine adducts of gallane, RH ₂ N-GaH ₃ , and of their decomposition products, $[RHNGaH_2]_n$ (R = Me, n = 3; R = tBu, n = 2). <i>Dalton Transactions</i> , 2005, , 3281.	3.3	18

#	ARTICLE	IF	CITATIONS
181	Ti2: Accurate Determination of the Dissociation Energy from Matrix Resonance Raman Spectra and Chemical Interaction With Noble Gases. <i>Chemistry - A European Journal</i> , 2004, 10, 627-633.	3.3	18
182	Characterization of Isolated Ga2 Molecules by Resonance Raman Spectroscopy and Variations of Ga?Ga Bonding. <i>Chemistry - A European Journal</i> , 2004, 10, 5936-5941.	3.3	44
183	Calculated Enthalpies for Dimerisation of Binary, Unsaturated, Main-Group Element Hydrides as a Means to Analyse Their Potential for Multiple Bonding. <i>European Journal of Inorganic Chemistry</i> , 2003, 2003, 2153-2163.	2.0	25
184	Why Does a Ga2 Dimer React Spontaneously with H2, but a Ga Atom Does Not? A Detailed Quantum Chemical Investigation of the Differences in Reactivity Between Ga Atoms and Ga2 Dimers, in Combination with Experimental Results. <i>Chemistry - A European Journal</i> , 2003, 9, 3909-3919.	3.3	49
185	An Alternative Way of Characterising the Bonding in Compounds Featuring Main-Group Elements and with the Potential for Multiple Bonding: On the Dissociation of Binary Main-Group Hydrides. <i>Chemistry - A European Journal</i> , 2003, 9, 748-755.	3.3	30
186	Photolytically Induced Reaction of Monomeric AlCl with Dihydrogen in a Solid Ar Matrix at 12 K: Generation and Characterization of the Previously Unknown Monomeric Aluminium Hydride ClAlH2. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2003, 629, 1477-1483.	1.2	12
187	Structural motifs and reactivity of small molecules containing subvalent Group 13 elements: matrix isolation and quantum chemical studies. <i>Dalton Transactions</i> , 2003, , 3639.	3.3	63
188	Formation and Characterization of the Gallium and Indium Subhydride Molecules Ga2H2 and In2H2: A Matrix Isolation Study. <i>Journal of the American Chemical Society</i> , 2002, 124, 4448-4457.	13.7	96
189	Reactions of Ground State and Electronically Excited Atoms of Main Group Elements: A Matrix Perspective. <i>Chemical Reviews</i> , 2002, 102, 4191-4242.	47.7	141
190	On the reactivity of subvalent compounds of the Group 13 elements: exploration of the mechanism for the reactions of MCl (M = Ga or In) with dihydrogen to give H2MCl. Dedicated to Professor D. Fenske on the occasion of his 60th birthday.. <i>Dalton Transactions RSC</i> , 2002, , 2678-2682.	2.3	22
191	Heats of Hydrogenation of Compounds Featuring Main Group Elements and with the Potential for Multiply Bonding. <i>Chemistry - A European Journal</i> , 2002, 8, 2397.	3.3	54
192	Characterization and Photochemistry of the Gallium and Indium Subhydrides Ga2H2 and In2H2 This work was supported by the Deutsche Forschungsgemeinschaft (Habilitation grant to H.-J. H.), the CNRS (L. M.), and the EPSRC (A. J. D.). <i>Angewandte Chemie - International Edition</i> , 2002, 41, 796.	13.8	52
193	Low valent and would-be multiply bonded derivatives of the Group 13 metals Al, Ga and In revealed through matrix isolation. <i>Polyhedron</i> , 2002, 21, 473-488.	2.2	42
194	Reactions of Aluminum, Gallium, and Indium (M) Atoms with Phosphine: A Matrix Perspective. Generation and Characterization of the Species M-Å-Å-PH3, HMPH2, and H2MPH. <i>Inorganic Chemistry</i> , 2001, 40, 396-407.	4.0	40
195	Compounds featuring a bond between a Group 13 (M) and a Group 15 element (N or P) and with the formulae HmMNHn and HmMPHn: structural aspects and bonding. <i>Dalton Transactions RSC</i> , 2001, , 535-545.	2.3	34
196	Amidoalane, amidogallane and amidoindane, H2MNH2 (M = Al, Ga or In): a matrix study of three prototypal molecules with the potential for M-Å-N multiple bonding. <i>Chemical Communications</i> , 2000, , 871-872.	4.1	24
197	Formation and Characterization of the Indium Hydride Molecules H2InCl and HInCl2: A Matrix Isolation and Quantum Chemical Studies. <i>Journal of the American Chemical Society</i> , 2000, 122, 922-930.	13.7	38
198	Thermal and Photochemical Reactions of Aluminum, Gallium, and Indium Atoms (M) in the Presence of Ammonia: A Matrix Perspective. Generation and Characterization of the Species M-Å-NH3, HMNH2, MNH2, and H2MNH2. <i>Journal of the American Chemical Society</i> , 2000, 122, 9793-9807.	13.7	72

#	ARTICLE	IF	CITATIONS
199	Thermal and Photolytic Reactions of Gallium and Indium Atoms (M) and Their Dimers M ₂ with Carbon Monoxide in Low-Temperature Matrices: Formation of Terminal, Bridged, and Ionic Carbonyl Derivatives. <i>Journal of Physical Chemistry A</i> , 2000, 104, 3642-3654.	2.5	46