

Naohiro Oda

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1491405/publications.pdf>

Version: 2024-02-01

24
papers

121
citations

1307594

7
h-index

1372567

10
g-index

24
all docs

24
docs citations

24
times ranked

182
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | A phase II trial of EGFR-TKI readministration with afatinib in advanced non-small-cell lung cancer harboring a sensitive non-T790M EGFR mutation: Okayama Lung Cancer Study Group trial 1403. <i>Cancer Chemotherapy and Pharmacology</i> , 2018, 82, 1031-1038. | 2.3 | 18 |
| 2 | Development of a skin rash within the first week and the therapeutic effect in afatinib monotherapy for EGFR-mutant non-small cell lung cancer (NSCLC): Okayama Lung Cancer Study Group experience. <i>Cancer Chemotherapy and Pharmacology</i> , 2016, 77, 1005-1009. | 2.3 | 14 |
| 3 | Essential role of IL-23 in the development of acute exacerbation of pulmonary fibrosis. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2021, 321, L925-L940. | 2.9 | 14 |
| 4 | Long-term effects of beta-blocker use on lung function in Japanese patients with chronic obstructive pulmonary disease. <i>International Journal of COPD</i> , 2017, Volume 12, 1119-1124. | 2.3 | 13 |
| 5 | Protocol Design for the Bench to Bed Trial in Alectinib-Refractory Non-Small-Cell Lung Cancer Patients Harboring the EML4-ALK Fusion Gene (ALRIGHT/OLCSG1405). <i>Clinical Lung Cancer</i> , 2016, 17, 602-605. | 2.6 | 10 |
| 6 | Phase II Study of the EGFR-TKI Rechallenge With Afatinib in Patients With Advanced NSCLC Harboring Sensitive EGFR Mutation Without T790M: Okayama Lung Cancer Study Group Trial OLCSG 1403. <i>Clinical Lung Cancer</i> , 2017, 18, 241-244. | 2.6 | 9 |
| 7 | Pneumocystis Pneumonia Concomitant with Ectopic ACTH Syndrome Caused by a Large Cell Neuroendocrine Carcinoma of the Thymus. <i>Internal Medicine</i> , 2017, 56, 551-555. | 0.7 | 8 |
| 8 | Potential influence of being overweight on the development of hepatic dysfunction in Japanese patients with EGFR-mutated non-small cell lung cancer undergoing gefitinib monotherapy: the Okayama Lung Cancer Study Group experience. <i>Cancer Chemotherapy and Pharmacology</i> , 2016, 78, 941-947. | 2.3 | 6 |
| 9 | Deterioration of high-resolution computed tomography findings predicts disease progression after initial decline in forced vital capacity in idiopathic pulmonary fibrosis patients treated with pirfenidone. <i>Respiratory Investigation</i> , 2020, 58, 185-189. | 1.8 | 5 |
| 10 | Successful Long-term Management of Two Cases of Moderate Hemoptysis Due to Chronic Cavitary Pulmonary Aspergillosis with Bronchial Occlusion Using Silicone Spigots. <i>Internal Medicine</i> , 2018, 57, 2389-2393. | 0.7 | 4 |
| 11 | Pulmonary epithelioid haemangi endothelioma mimicking lung cancer. <i>BMJ Case Reports</i> , 2021, 14, e240152. | 0.5 | 4 |
| 12 | Legionella longbeachae pneumonia: A case report and literature review in Japan. <i>Journal of Infection and Chemotherapy</i> , 2021, 27, 751-754. | 1.7 | 3 |
| 13 | Exacerbation of pulmonary cryptococcosis associated with enhancement of Th2 response in the postpartum period. <i>Journal of Infection and Chemotherapy</i> , 2021, 27, 1248-1250. | 1.7 | 3 |
| 14 | Interstitial lung disease after receiving the mRNA-based COVID-19 vaccine tozinameran. <i>Respiratory Medicine Case Reports</i> , 2022, 36, 101618. | 0.4 | 3 |
| 15 | Endobronchial ultrasound-guided transbronchial needle aspiration of hilar and mediastinal lymph nodes detected on ¹⁸ F-fluorodeoxyglucose positron emission tomography/computed tomography. <i>Japanese Journal of Clinical Oncology</i> , 2016, 46, 529-533. | 1.3 | 2 |
| 16 | Successful treatment of critical coronavirus disease 2019 in a patient with lung cancer concomitant with pembrolizumab-induced arthritis by methylprednisolone, baricitinib, and remdesivir. <i>Clinical Case Reports (discontinued)</i> , 2021, 9, e04459. | 0.5 | 2 |
| 17 | Dramatic Response to Carboplatin Plus Paclitaxel in Pancreatic Mucinous Cystadenocarcinoma with Liver Metastasis. <i>Internal Medicine</i> , 2021, 60, 2967-2971. | 0.7 | 2 |
| 18 | Development of skin rash within the 1st week is a potential surrogate marker of therapeutic effect in afatinib monotherapy in patients with EGFR-mt non-small-cell lung cancer (NSCLC): Okayama Lung Cancer Study Group Experience. <i>Journal of Clinical Oncology</i> , 2015, 33, e19051-e19051. | 1.6 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Aspergillus Nodule with Hilar and Mediastinal Lymphadenopathy Mimicking Lung Cancer. American Journal of Medicine, 2021, 134, 339-340. | 1.5 | 0 |
| 20 | Nasopharyngeal tuberculosis detected on imaging. BMJ Case Reports, 2021, 14, e245736. | 0.5 | 0 |
| 21 | Akatsuki disease in a patient using an epidermal growth factor receptor-tyrosine kinase inhibitor. BMJ Case Reports, 2022, 15, e246713. | 0.5 | 0 |
| 22 | Occult lung metastases of papillary thyroid cancer detected in a resected pulmonary arteriovenous malformation specimen. Respiratory Medicine Case Reports, 2022, 35, 101574. | 0.4 | 0 |
| 23 | Spontaneous isolated coeliac artery dissection. BMJ Case Reports, 2022, 15, e249281. | 0.5 | 0 |
| 24 | Nonepisodic angioedema with eosinophilia during sublingual immunotherapy with house dust mite extract. Allergology International, 2022, 71, 254-255. | 3.3 | 0 |