

Naohiro Oda

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1491405/publications.pdf>

Version: 2024-02-01

24
papers

121
citations

1307594

7
h-index

1372567

10
g-index

24
all docs

24
docs citations

24
times ranked

182
citing authors

#	ARTICLE	IF	CITATIONS
1	Akatsuki disease in a patient using an epidermal growth factor receptor-tyrosine kinase inhibitor. <i>BMJ Case Reports</i> , 2022, 15, e246713.	0.5	0
2	Occult lung metastases of papillary thyroid cancer detected in a resected pulmonary arteriovenous malformation specimen. <i>Respiratory Medicine Case Reports</i> , 2022, 35, 101574.	0.4	0
3	Interstitial lung disease after receiving the mRNA-based COVID-19 vaccine tozinameran. <i>Respiratory Medicine Case Reports</i> , 2022, 36, 101618.	0.4	3
4	Spontaneous isolated coeliac artery dissection. <i>BMJ Case Reports</i> , 2022, 15, e249281.	0.5	0
5	Nonepisodic angioedema with eosinophilia during sublingual immunotherapy with house dust mite extract. <i>Allergy International</i> , 2022, 71, 254-255.	3.3	0
6	<i>Aspergillus</i> Nodule with Hilar and Mediastinal Lymphadenopathy Mimicking Lung Cancer. <i>American Journal of Medicine</i> , 2021, 134, 339-340.	1.5	0
7	Pulmonary epithelioid haemangioendothelioma mimicking lung cancer. <i>BMJ Case Reports</i> , 2021, 14, e240152.	0.5	4
8	<i>Legionella longbeachae</i> pneumonia: A case report and literature review in Japan. <i>Journal of Infection and Chemotherapy</i> , 2021, 27, 751-754.	1.7	3
9	Successful treatment of critical coronavirus disease 2019 in a patient with lung cancer concomitant with pembrolizumab-induced arthritis by methylprednisolone, baricitinib, and remdesivir. <i>Clinical Case Reports (discontinued)</i> , 2021, 9, e04459.	0.5	2
10	Nasopharyngeal tuberculosis detected on imaging. <i>BMJ Case Reports</i> , 2021, 14, e245736.	0.5	0
11	Exacerbation of pulmonary cryptococcosis associated with enhancement of Th2 response in the postpartum period. <i>Journal of Infection and Chemotherapy</i> , 2021, 27, 1248-1250.	1.7	3
12	Dramatic Response to Carboplatin Plus Paclitaxel in Pancreatic Mucinous Cystadenocarcinoma with Liver Metastasis. <i>Internal Medicine</i> , 2021, 60, 2967-2971.	0.7	2
13	Essential role of IL-23 in the development of acute exacerbation of pulmonary fibrosis. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2021, 321, L925-L940.	2.9	14
14	Deterioration of high-resolution computed tomography findings predicts disease progression after initial decline in forced vital capacity in idiopathic pulmonary fibrosis patients treated with pirfenidone. <i>Respiratory Investigation</i> , 2020, 58, 185-189.	1.8	5
15	Successful Long-term Management of Two Cases of Moderate Hemoptysis Due to Chronic Cavitary Pulmonary Aspergillosis with Bronchial Occlusion Using Silicone Spigots. <i>Internal Medicine</i> , 2018, 57, 2389-2393.	0.7	4
16	A phase II trial of EGFR-TKI readministration with afatinib in advanced non-small-cell lung cancer harboring a sensitive non-T790M EGFR mutation: Okayama Lung Cancer Study Group trial 1403. <i>Cancer Chemotherapy and Pharmacology</i> , 2018, 82, 1031-1038.	2.3	18
17	Phase II Study of the EGFR-TKI Rechallenge With Afatinib in Patients With Advanced NSCLC Harboring Sensitive EGFR Mutation Without T790M: Okayama Lung Cancer Study Group Trial OLCSG 1403. <i>Clinical Lung Cancer</i> , 2017, 18, 241-244.	2.6	9
18	<i>Pneumocystis</i> Pneumonia Concomitant with Ectopic ACTH Syndrome Caused by a Large Cell Neuroendocrine Carcinoma of the Thymus. <i>Internal Medicine</i> , 2017, 56, 551-555.	0.7	8

#	ARTICLE	IF	CITATIONS
19	Long-term effects of beta-blocker use on lung function in Japanese patients with chronic obstructive pulmonary disease. <i>International Journal of COPD</i> , 2017, Volume 12, 1119-1124.	2.3	13
20	Potential influence of being overweight on the development of hepatic dysfunction in Japanese patients with EGFR-mutated non-small cell lung cancer undergoing gefitinib monotherapy: the Okayama Lung Cancer Study Group experience. <i>Cancer Chemotherapy and Pharmacology</i> , 2016, 78, 941-947.	2.3	6
21	Protocol Design for the Bench to Bed Trial in Alectinib-Refractory Non-Small-Cell Lung Cancer Patients Harboring the EML4-ALK Fusion Gene (ALRIGHT/OLCSG1405). <i>Clinical Lung Cancer</i> , 2016, 17, 602-605.	2.6	10
22	Development of a skin rash within the first week and the therapeutic effect in afatinib monotherapy for EGFR-mutant non-small cell lung cancer (NSCLC): Okayama Lung Cancer Study Group experience. <i>Cancer Chemotherapy and Pharmacology</i> , 2016, 77, 1005-1009.	2.3	14
23	Endobronchial ultrasound-guided transbronchial needle aspiration of hilar and mediastinal lymph nodes detected on ¹⁸ F-fluorodeoxyglucose positron emission tomography/computed tomography. <i>Japanese Journal of Clinical Oncology</i> , 2016, 46, 529-533.	1.3	2
24	Development of skin rash within the 1st week is a potential surrogate marker of therapeutic effect in afatinib monotherapy in patients with EGFR-mt non-small-cell lung cancer (NSCLC): Okayama Lung Cancer Study Group Experience. <i>Journal of Clinical Oncology</i> , 2015, 33, e19051-e19051.	1.6	1