

Rachel Jayne Standish

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1493983/publications.pdf>

Version: 2024-02-01

83
papers

4,467
citations

159585

30
h-index

114465

63
g-index

91
all docs

91
docs citations

91
times ranked

6421
citing authors

#	ARTICLE	IF	CITATIONS
1	Global meta-analysis reveals incomplete recovery of soil conditions and invertebrate assemblages after ecological restoration in agricultural landscapes. <i>Journal of Applied Ecology</i> , 2022, 59, 358-372.	4.0	20
2	Agricultural land use favours Mucoromycotinian, but not Glomeromycotinian, arbuscular mycorrhizal fungi across ten biomes. <i>New Phytologist</i> , 2022, 233, 1369-1382.	7.3	19
3	Old field restoration improves habitat for ants in a semi-arid landscape. <i>Restoration Ecology</i> , 2022, 30, e13605.	2.9	2
4	Phosphorus supply affects seedling growth of mycorrhizal but not cluster-root forming jarrah-forest species. <i>Plant and Soil</i> , 2022, 472, 577-594.	3.7	6
5	P is for persistence: Soil phosphorus remains elevated for more than a decade after old field restoration. <i>Ecological Applications</i> , 2022, 32, e2547.	3.8	7
6	Plant size and neighbourhood characteristics influence survival and growth in a restored ex-agricultural ecosystem. <i>Ecological Solutions and Evidence</i> , 2022, 3, .	2.0	3
7	Transformation archetypes in global food systems. <i>Sustainability Science</i> , 2022, 17, 1827-1840.	4.9	8
8	Ecological interactions among microbial functional guilds in the plant-soil system and implications for ecosystem function. <i>Plant and Soil</i> , 2022, 476, 301-313.	3.7	14
9	Nitrogen but not phosphorus addition affects symbiotic N ₂ fixation by legumes in natural and semi-natural grasslands located on four continents. <i>Plant and Soil</i> , 2022, 478, 689-707.	3.7	11
10	Abiotic and biotic responses to woody debris additions in restored old fields in a multi-site Before-After-Control-Impact experiment. <i>Ecology and Evolution</i> , 2022, 12, .	1.9	0
11	Best served deep: The seedbank from salvaged topsoil underscores the role of the dispersal filter in restoration practice. <i>Applied Vegetation Science</i> , 2021, 24, .	1.9	5
12	Evidence for Niche Differentiation in the Environmental Responses of Co-occurring Mucoromycotinian Fine Root Endophytes and Glomeromycotinian Arbuscular Mycorrhizal Fungi. <i>Microbial Ecology</i> , 2021, 81, 864-873.	2.8	17
13	Mine completion criteria defined by best-practice: A global meta-analysis and Western Australian case studies. <i>Journal of Environmental Management</i> , 2021, 282, 111912.	7.8	13
14	A framework for measuring the effects of disturbance in restoration projects. <i>Restoration Ecology</i> , 2021, 29, e13379.	2.9	8
15	Genetic and mating system assessment of translocation success of the long-lived perennial shrub <i>Lambertia orbifolia</i> (Proteaceae). <i>Restoration Ecology</i> , 2021, 29, e13369.	2.9	9
16	Global change shifts trade-offs among ecosystem functions in woodlands restored for multifunctionality. <i>Journal of Applied Ecology</i> , 2021, 58, 1705-1717.	4.0	5
17	Nutrient enrichment diminishes plant diversity and density, and alters long-term ecological trajectories, in a biodiverse forest restoration. <i>Ecological Engineering</i> , 2021, 165, 106222.	3.6	12
18	Beyond species richness and community composition: Using plant functional diversity to measure restoration success in jarrah forest. <i>Applied Vegetation Science</i> , 2021, 24, e12607.	1.9	4

#	ARTICLE	IF	CITATIONS
19	Recovery of woody but not herbaceous native flora 10 years post old-field restoration. <i>Ecological Solutions and Evidence</i> , 2021, 2, e12097.	2.0	8
20	Negative effects of nitrogen override positive effects of phosphorus on grassland legumes worldwide. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	40
21	Mycorrhizal symbiosis and phosphorus supply determine interactions among plants with contrasting nutrient-acquisition strategies. <i>Journal of Ecology</i> , 2021, 109, 3892-3902.	4.0	10
22	AusTraits, a curated plant trait database for the Australian flora. <i>Scientific Data</i> , 2021, 8, 254.	5.3	73
23	Opposing community assembly patterns for dominant and nondominant plant species in herbaceous ecosystems globally. <i>Ecology and Evolution</i> , 2021, 11, 17744-17761.	1.9	8
24	Potential benefits of biodiversity to Australian vegetation projects registered with the Emissions Reduction Fund—is there a carbon-biodiversity trade-off?. <i>Ecological Management and Restoration</i> , 2020, 21, 165-172.	1.5	11
25	Towards a bridging concept for undesirable resilience in social-ecological systems. <i>Global Sustainability</i> , 2020, 3, .	3.3	33
26	A framework for developing completion criteria for mine closure and rehabilitation. <i>Journal of Environmental Management</i> , 2020, 273, 111078.	7.8	33
27	Non-native plants and nitrogen addition have little effect on pollination and seed set in 3-year-old restored woodland. <i>Austral Ecology</i> , 2020, 45, 1156-1168.	1.5	1
28	First Cryo-Scanning Electron Microscopy Images and X-Ray Microanalyses of Mucoromycotinian Fine Root Endophytes in Vascular Plants. <i>Frontiers in Microbiology</i> , 2020, 11, 2018.	3.5	16
29	Field-Deployed Extruded Seed Pellets Show Promise for Perennial Grass Establishment in Arid Zone Mine Rehabilitation. <i>Frontiers in Ecology and Evolution</i> , 2020, 8, .	2.2	13
30	Microbial processing of plant remains is co-limited by multiple nutrients in global grasslands. <i>Global Change Biology</i> , 2020, 26, 4572-4582.	9.5	27
31	Resilience trinity: safeguarding ecosystem functioning and services across three different time horizons and decision contexts. <i>Oikos</i> , 2020, 129, 445-456.	2.7	33
32	Richard J. Hobbs: how one ecologist has influenced the way we think about restoration ecology. <i>Restoration Ecology</i> , 2020, 28, 1042-1046.	2.9	0
33	Integrating diverse social and ecological motivations to achieve landscape restoration. <i>Journal of Applied Ecology</i> , 2019, 56, 246-252.	4.0	28
34	Benefits of mycorrhizal inoculation to ecological restoration depend on plant functional type, restoration context and time. <i>Fungal Ecology</i> , 2019, 40, 140-149.	1.6	103
35	Ten years of pulling: Ecosystem recovery after long-term weed management in Garry oak savanna. <i>Conservation Science and Practice</i> , 2019, 1, e92.	2.0	4
36	Rethinking soil water repellency and its management. <i>Plant Ecology</i> , 2019, 220, 977-984.	1.6	8

#	ARTICLE	IF	CITATIONS
37	Enduring effects of large legumes and phosphorus fertiliser on jarrah forest restoration 15 years after bauxite mining. <i>Forest Ecology and Management</i> , 2019, 438, 204-214.	3.2	15
38	Applied phosphorus has long-term impacts on vegetation responses in restored jarrah forest. , 2019, , .		4
39	The role of landscape connectivity in resistance, resilience, and recovery of multi-trophic microarthropod communities. <i>Ecology</i> , 2018, 99, 1164-1172.	3.2	13
40	Threats to biodiversity from cumulative human impacts in one of North America's last wildlife frontiers. <i>Conservation Biology</i> , 2018, 32, 672-684.	4.7	53
41	Novel ecosystems: Governance and conservation in the age of the Anthropocene. <i>Journal of Environmental Management</i> , 2018, 208, 36-45.	7.8	38
42	Local loss and spatial homogenization of plant diversity reduce ecosystem multifunctionality. <i>Nature Ecology and Evolution</i> , 2018, 2, 50-56.	7.8	172
43	Movers and Stayers: Novel Assemblages in Changing Environments. <i>Trends in Ecology and Evolution</i> , 2018, 33, 116-128.	8.7	52
44	Effect of plant root symbionts on performance of native woody species in competition with an invasive grass in multispecies microcosms. <i>Ecology and Evolution</i> , 2018, 8, 8652-8664.	1.9	6
45	Nestedness patterns reveal impacts of reduced rainfall on seedling establishment in restored jarrah forest. <i>Forest Ecology and Management</i> , 2018, 427, 242-249.	3.2	4
46	Fine root endophytes under scrutiny: a review of the literature on arbuscule-producing fungi recently suggested to belong to the Mucoromycotina. <i>Mycorrhiza</i> , 2017, 27, 619-638.	2.8	67
47	Correlation between soil development and native plant growth in forest restoration after surface mining. <i>Ecological Engineering</i> , 2017, 106, 209-218.	3.6	32
48	Using structured decision-making to set restoration objectives when multiple values and preferences exist. <i>Restoration Ecology</i> , 2017, 25, 858-865.	2.9	33
49	Fine endophytes (<i>Glomus tenue</i>) are related to Mucoromycotina, not Glomeromycota. <i>New Phytologist</i> , 2017, 213, 481-486.	7.3	101
50	Global resource acquisition patterns of invasive and native plant species do not hold at the regional scale in Mediterranean type ecosystems. <i>Biological Invasions</i> , 2017, 19, 1143-1151.	2.4	15
51	Isolation predicts compositional change after discrete disturbances in a global meta-study. <i>Ecography</i> , 2017, 40, 1256-1266.	4.5	18
52	Comment on "Worldwide evidence of a unimodal relationship between productivity and plant species richness". <i>Science</i> , 2016, 351, 457-457.	12.6	16
53	Plant functional traits of dominant native and invasive species in mediterranean climate ecosystems. <i>Ecology</i> , 2016, 97, 75-83.	3.2	123
54	Advances in restoration ecology: rising to the challenges of the coming decades. <i>Ecosphere</i> , 2015, 6, 1-25.	2.2	361

#	ARTICLE	IF	CITATIONS
55	Long-term data suggest jarrah forest establishment at restored mine sites is resistant to climate variability. <i>Journal of Ecology</i> , 2015, 103, 78-89.	4.0	31
56	Soil conditioning and plant-soil feedbacks in a modified forest ecosystem are soil-context dependent. <i>Plant and Soil</i> , 2015, 390, 183-194.	3.7	10
57	Soil-vegetation type, stem density and species richness influence biomass of restored woodland in south-western Australia. <i>Forest Ecology and Management</i> , 2015, 344, 53-62.	3.2	12
58	Phosphorus fertilisation and large legume species affect jarrah forest restoration after bauxite mining. <i>Forest Ecology and Management</i> , 2015, 354, 10-17.	3.2	23
59	Experimental evidence that even minor livestock trampling has severe effects on land snail communities in forest remnants. <i>Journal of Applied Ecology</i> , 2015, 52, 161-170.	4.0	10
60	Seedling emergence and summer survival after direct seeding for woodland restoration on old fields in south-western Australia. <i>Ecological Management and Restoration</i> , 2014, 15, 140-146.	1.5	31
61	Managing the whole landscape: historical, hybrid, and novel ecosystems. <i>Frontiers in Ecology and the Environment</i> , 2014, 12, 557-564.	4.0	378
62	Identifying management options for modified vegetation: Application of the novel ecosystems framework to a case study in the Galapagos Islands. <i>Biological Conservation</i> , 2014, 172, 37-48.	4.1	36
63	Co-benefits of planting species mixes in carbon projects. <i>Ecological Management and Restoration</i> , 2014, 15, 26-29.	1.5	12
64	Resilience in ecology: Abstraction, distraction, or where the action is?. <i>Biological Conservation</i> , 2014, 177, 43-51.	4.1	325
65	How will climate variability interact with long-term climate change to affect the persistence of plant species in fragmented landscapes?. <i>Environmental Conservation</i> , 2014, 41, 110-121.	1.3	16
66	Incorporating novelty and novel ecosystems into restoration planning and practice in the 21st century. <i>Ecological Processes</i> , 2013, 2, .	3.9	70
67	Primed for Change: Developing Ecological Restoration for the 21st Century. <i>Restoration Ecology</i> , 2013, 21, 297-304.	2.9	147
68	Benefits of tree mixes in carbon plantings. <i>Nature Climate Change</i> , 2013, 3, 869-874.	18.8	141
69	Improving city life: options for ecological restoration in urban landscapes and how these might influence interactions between people and nature. <i>Landscape Ecology</i> , 2013, 28, 1213-1221.	4.2	129
70	Nitrogen and phosphorus fertilizer regime affect jarrah forest restoration after bauxite mining in western Australia. <i>Applied Vegetation Science</i> , 2013, 16, 610-618.	1.9	30
71	Habitat restoration will help some functional plant types persist under climate change in fragmented landscapes. <i>Global Change Biology</i> , 2012, 18, 2057-2070.	9.5	37
72	The Ridgefield Multiple Ecosystem Services Experiment: Can restoration of former agricultural land achieve multiple outcomes?. <i>Agriculture, Ecosystems and Environment</i> , 2012, 163, 14-27.	5.3	52

#	ARTICLE	IF	CITATIONS
73	Facilitating adaptation of biodiversity to climate change: a conceptual framework applied to the world's largest Mediterranean-climate woodland. <i>Climatic Change</i> , 2012, 110, 227-248.	3.6	89
74	Seed mass and summer drought survival in a Mediterranean-climate ecosystem. <i>Plant Ecology</i> , 2011, 212, 1479-1489.	1.6	44
75	After the fence: vegetation and topsoil condition in grazed, fenced and benchmark eucalypt woodlands of fragmented agricultural landscapes. <i>Australian Journal of Botany</i> , 2011, 59, 369.	0.6	27
76	Restoration of OCBILs in south-western Australia: Response to Hopper. <i>Plant and Soil</i> , 2010, 330, 15-18.	3.7	14
77	Land-use legacy and the persistence of invasive <i>Avena barbata</i> on abandoned farmland. <i>Journal of Applied Ecology</i> , 2008, 45, 1576-1583.	4.0	56
78	What's new about old fields? Land abandonment and ecosystem assembly. <i>Trends in Ecology and Evolution</i> , 2008, 23, 104-112.	8.7	668
79	Restoring Jarrah Forest after Bauxite Mining in Western Australia – The Effect of Fertilizer on Floristic Diversity and Composition. , 2008, , .		4
80	Invasion by a Perennial Herb Increases Decomposition Rate and Alters Nutrient Availability in Warm Temperate Lowland Forest Remnants. <i>Biological Invasions</i> , 2004, 6, 71-81.	2.4	62
81	Impact of an invasive clonal herb on epigeic invertebrates in forest remnants in New Zealand. <i>Biological Conservation</i> , 2004, 116, 49-58.	4.1	49
82	The impact of an invasive weed <i>Tradescantia fluminensis</i> on native forest regeneration. <i>Journal of Applied Ecology</i> , 2001, 38, 1253-1263.	4.0	127
83	Capacity for change: three core attributes of adaptive capacity that bolster restoration efficacy. <i>Restoration Ecology</i> , 0, , .	2.9	6