

# Xing Dai

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1501603/publications.pdf>

Version: 2024-02-01

56  
papers

2,766  
citations

186265

28  
h-index

189892

50  
g-index

59  
all docs

59  
docs citations

59  
times ranked

3876  
citing authors

#	ARTICLE	IF	CITATIONS
1	Epidermis-Intrinsic Transcription Factor <i>Ovol1</i> Coordinately Regulates Barrier Maintenance and Neutrophil Accumulation in Psoriasis-Like Inflammation. <i>Journal of Investigative Dermatology</i> , 2022, 142, 583-593.e5.	0.7	10
2	Coordinate control of basal epithelial cell fate and stem cell maintenance by core EMT transcription factor <i>Zeb1</i> . <i>Cell Reports</i> , 2022, 38, 110240.	6.4	24
3	Defining mammary basal cell transcriptional states using single-cell RNA-sequencing. <i>Scientific Reports</i> , 2022, 12, 4893.	3.3	7
4	Dormant <i>Nfatc1</i> reporter-marked basal stem/progenitor cells contribute to mammary lobuloalveoli formation. <i>IScience</i> , 2022, 25, 103982.	4.1	2
5	IL-17A Promotes Psoriasis-Associated Keratinocyte Proliferation through ACT1-Dependent Activation of YAP/AREG Axis. <i>Journal of Investigative Dermatology</i> , 2022, 142, 2343-2352.	0.7	15
6	OVOL1 Regulates Psoriasis-Like Skin Inflammation and Epidermal Hyperplasia. <i>Journal of Investigative Dermatology</i> , 2021, 141, 1542-1552.	0.7	13
7	Altered Epithelial-mesenchymal Plasticity as a Result of <i>Ovol2</i> Deletion Minimally Impacts the Self-renewal of Adult Mammary Basal Epithelial Cells. <i>Journal of Mammary Gland Biology and Neoplasia</i> , 2021, 26, 377-386.	2.7	1
8	<i>Nfatc1</i> 's Role in Mammary Epithelial Morphogenesis and Basal Stem/progenitor Cell Self-renewal. <i>Journal of Mammary Gland Biology and Neoplasia</i> , 2021, 26, 357-365.	2.7	1
9	Integrated Single-Cell Transcriptomics and Chromatin Accessibility Analysis Reveals Regulators of Mammary Epithelial Cell Identity. <i>Cell Reports</i> , 2020, 33, 108273.	6.4	36
10	Defining Epidermal Basal Cell States during Skin Homeostasis and Wound Healing Using Single-Cell Transcriptomics. <i>Cell Reports</i> , 2020, 30, 3932-3947.e6.	6.4	139
11	<i>Lgr4</i> Deletion Delays the Hair Cycle and Inhibits the Activation of Hair Follicle Stem Cells. <i>Journal of Investigative Dermatology</i> , 2020, 140, 1706-1712.e4.	0.7	14
12	The <i>Msi1</i> -mTOR pathway drives the pathogenesis of mammary and extramammary Paget's disease. <i>Cell Research</i> , 2020, 30, 854-872.	12.0	17
13	Intermediate cell states in epithelial-to-mesenchymal transition. <i>Physical Biology</i> , 2019, 16, 021001.	1.8	78
14	An <i>Ovol2</i> - <i>Zeb1</i> transcriptional circuit regulates epithelial directional migration and proliferation. <i>EMBO Reports</i> , 2019, 20, .	4.5	32
15	Ex Vivo Imaging and Genetic Manipulation of Mouse Hair Follicle Bulge Stem Cells. <i>Methods in Molecular Biology</i> , 2018, 1879, 15-29.	0.9	2
16	Epithelial-to-mesenchymal transition in cutaneous wound healing: Where we are and where we are heading. <i>Developmental Dynamics</i> , 2018, 247, 473-480.	1.8	153
17	Multiscale modeling of layer formation in epidermis. <i>PLoS Computational Biology</i> , 2018, 14, e1006006.	3.2	21
18	Overexpression of Transcription Factor <i>Ovol2</i> in Epidermal Progenitor Cells Results in Skin Blistering. <i>Journal of Investigative Dermatology</i> , 2017, 137, 1805-1808.	0.7	7

#	ARTICLE	IF	CITATIONS
19	Memory beyond immunity. <i>Nature</i> , 2017, 550, 460-461.	27.8	15
20	MiR-31 promotes mammary stem cell expansion and breast tumorigenesis by suppressing Wnt signaling antagonists. <i>Nature Communications</i> , 2017, 8, 1036.	12.8	143
21	Lgr4 is crucial for skin carcinogenesis by regulating MEK/ERK and Wnt/ $\beta$ -catenin signaling pathways. <i>Cancer Letters</i> , 2016, 383, 161-170.	7.2	25
22	Immunogenicity difference between two hepatitis E vaccines derived from genotype 1 and 4. <i>Antiviral Research</i> , 2016, 128, 36-42.	4.1	27
23	Akt Phosphorylates Wnt Coactivator and Chromatin Effector Pygo2 at Serine 48 to Antagonize Its Ubiquitin/Proteasome-mediated Degradation. <i>Journal of Biological Chemistry</i> , 2015, 290, 21553-21567.	3.4	10
24	An Ovol2-Zeb1 Mutual Inhibitory Circuit Governs Bidirectional and Multi-step Transition between Epithelial and Mesenchymal States. <i>PLoS Computational Biology</i> , 2015, 11, e1004569.	3.2	245
25	Integrative ChIP-seq/Microarray Analysis Identifies a CTNNB1 Target Signature Enriched in Intestinal Stem Cells and Colon Cancer. <i>PLoS ONE</i> , 2014, 9, e92317.	2.5	41
26	The Co-factor of LIM Domains (CLIM/LDB/NLI) Maintains Basal Mammary Epithelial Stem Cells and Promotes Breast Tumorigenesis. <i>PLoS Genetics</i> , 2014, 10, e1004520.	3.5	13
27	Computational modelling of epidermal stratification highlights the importance of asymmetric cell division for predictable and robust layer formation. <i>Journal of the Royal Society Interface</i> , 2014, 11, 20140631.	3.4	25
28	Mammary Morphogenesis and Regeneration Require the Inhibition of EMT at Terminal End Buds by Ovol2 Transcriptional Repressor. <i>Developmental Cell</i> , 2014, 29, 59-74.	7.0	175
29	Pygo2 regulates $\beta$ -catenin-induced activation of hair follicle stem/progenitor cells and skin hyperplasia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 10215-10220.	7.1	21
30	Identification of specific antigenic epitope at N-terminal segment of enterovirus 71 (EV-71) VP1 protein and characterization of its use in recombinant form for early diagnosis of EV-71 infection. <i>Virus Research</i> , 2014, 189, 248-253.	2.2	8
31	Transcriptional Mechanisms Link Epithelial Plasticity to Adhesion and Differentiation of Epidermal Progenitor Cells. <i>Developmental Cell</i> , 2014, 29, 47-58.	7.0	110
32	Transcriptional Control of Epidermal Stem Cells. <i>Advances in Experimental Medicine and Biology</i> , 2013, 786, 157-173.	1.6	4
33	Chromatin Effector Pygo2 Mediates Wnt-Notch Crosstalk to Suppress Luminal/Alveolar Potential of Mammary Stem and Basal Cells. <i>Cell Stem Cell</i> , 2013, 13, 48-61.	11.1	75
34	Pygo2 regulates histone gene expression and H3 K56 acetylation in human mammary epithelial cells. <i>Cell Cycle</i> , 2012, 11, 79-87.	2.6	25
35	A WNTer Revisit: New Faces of $\beta$ -Catenin and TCFs in Pluripotency. <i>Science Signaling</i> , 2011, 4, pe41.	3.6	20
36	Cytokeratin expression during mouse embryonic and early postnatal mammary gland development. <i>Histochemistry and Cell Biology</i> , 2010, 133, 213-221.	1.7	77

#	ARTICLE	IF	CITATIONS
37	Integrative multicellular biological modeling: a case study of 3D epidermal development using GPU algorithms. <i>BMC Systems Biology</i> , 2010, 4, 107.	3.0	58
38	Epithelial stem cells: An epigenetic and wntâ€centric perspective. <i>Journal of Cellular Biochemistry</i> , 2010, 110, 1279-1287.	2.6	27
39	Pygo2 Associates with MLL2 Histone Methyltransferase and GCN5 Histone Acetyltransferase Complexes To Augment Wnt Target Gene Expression and Breast Cancer Stem-Like Cell Expansion. <i>Molecular and Cellular Biology</i> , 2010, 30, 5621-5635.	2.3	73
40	Pygo2 expands mammary progenitor cells by facilitating histone H3 K4 methylation. <i>Journal of Cell Biology</i> , 2009, 185, 811-826.	5.2	113
41	Ovol2 Suppresses Cell Cycling and Terminal Differentiation of Keratinocytes by Directly Repressing c-Myc and Notch1. <i>Journal of Biological Chemistry</i> , 2009, 284, 29125-29135.	3.4	53
42	Pygopus and the Wnt signaling pathway: A diverse set of connections. <i>BioEssays</i> , 2008, 30, 448-456.	2.5	53
43	Analysis of mPygo2 mutant mice suggests a requirement for mesenchymal Wnt signaling in pancreatic growth and differentiation. <i>Developmental Biology</i> , 2008, 318, 224-235.	2.0	24
44	Nuclear regulator Pygo2 controls spermiogenesis and histone H3 acetylation. <i>Developmental Biology</i> , 2008, 320, 446-455.	2.0	72
45	Ovol1 represses its own transcription by competing with transcription activator c-Myb and by recruiting histone deacetylase activity. <i>Nucleic Acids Research</i> , 2007, 35, 1687-1697.	14.5	37
46	Strain-dependent perinatal lethality of Ovol1-deficient mice and identification of Ovol2 as a downstream target of Ovol1 in skin epidermis. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2007, 1772, 89-95.	3.8	57
47	Synthetic and Isolation Studies Related to the Marine Natural Products (+)-Elisabethadione and (+)-Elisabethamine. <i>Journal of Organic Chemistry</i> , 2007, 72, 1895-1900.	3.2	35
48	Developmental phenotypes and reduced Wnt signaling in mice deficient for pygopus 2. <i>Genesis</i> , 2007, 45, 318-325.	1.6	54
49	The mouse Ovol2 gene is required for cranial neural tube development. <i>Developmental Biology</i> , 2006, 291, 38-52.	2.0	58
50	Formal Enantioselective [4+3] Cycloaddition by a Tandem Dielsâ€Alder Reaction/Ring Expansion. <i>Advanced Synthesis and Catalysis</i> , 2006, 348, 2449-2456.	4.3	29
51	Ovol1 regulates the growth arrest of embryonic epidermal progenitor cells and represses c-myc transcription. <i>Journal of Cell Biology</i> , 2006, 173, 253-264.	5.2	117
52	Ovol1 regulates meiotic pachytene progression during spermatogenesis by repressing Id2 expression. <i>Development (Cambridge)</i> , 2005, 132, 1463-1473.	2.5	60
53	Transcriptional control of epidermal specification and differentiation. <i>Current Opinion in Genetics and Development</i> , 2004, 14, 485-491.	3.3	83
54	Cloning and developmental expression of mouse pygopus 2, a putative Wnt signaling componentâ€†. <i>Genomics</i> , 2004, 84, 398-405.	2.9	26

#	ARTICLE	IF	CITATIONS
55	The LEF1/Â-catenin complex activates <i>mov1</i> , a mouse homolog of <i>Drosophila ovo</i> required for epidermal appendage differentiation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 6064-6069.	7.1	53
56	<i>Ovol2</i> , a Mammalian Homolog of <i>Drosophila ovo</i> : Gene Structure, Chromosomal Mapping, and Aberrant Expression in Blind-Sterile Mice. <i>Genomics</i> , 2002, 80, 319-325.	2.9	50