

Wen-Cai Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1503356/publications.pdf>

Version: 2024-02-01

15
papers

291
citations

933447

10
h-index

940533

16
g-index

21
all docs

21
docs citations

21
times ranked

543
citing authors

#	ARTICLE	IF	CITATIONS
1	Molecular landscape of IDH-wildtype, H3-wildtype glioblastomas of adolescents and young adults. <i>Neuropathology and Applied Neurobiology</i> , 2022, 48, .	3.2	0
2	Molecular landscape of pediatric type IDH wildtype, H3 wildtype hemispheric glioblastomas. <i>Laboratory Investigation</i> , 2022, 102, 731-740.	3.7	5
3	A retrospective study on the clinicopathological and molecular features of 22 cases of natural killer/T-cell lymphoma in children and adolescents. <i>Scientific Reports</i> , 2022, 12, 7118.	3.3	1
4	Molecular landscape of IDH-mutant primary astrocytoma Grade IV/glioblastomas. <i>Modern Pathology</i> , 2021, 34, 1245-1260.	5.5	21
5	Mismatch repair proteins PMS2 and MLH1 can further refine molecular stratification of IDH-mutant lower grade astrocytomas. <i>Clinical Neurology and Neurosurgery</i> , 2021, 208, 106882.	1.4	1
6	IDH mutant lower grade (WHO Grades II/III) astrocytomas can be stratified for risk by CDKN2A, CDK4 and PDGFRA copy number alterations. <i>Brain Pathology</i> , 2020, 30, 541-553.	4.1	73
7	MicroRNA-134 prevents the progression of esophageal squamous cell carcinoma via the PLXNA1-mediated MAPK signalling pathway. <i>EBioMedicine</i> , 2019, 46, 66-78.	6.1	21
8	Blocking OLFM4/HIF-1 α axis alleviates hypoxia-induced invasion, epithelial-mesenchymal transition, and chemotherapy resistance in non-small cell lung cancer. <i>Journal of Cellular Physiology</i> , 2019, 234, 15035-15043.	4.1	23
9	Downregulation of circDYNC1H1 exhibits inhibitor effect on cell proliferation and migration in hepatocellular carcinoma through miR-140-5p. <i>Journal of Cellular Physiology</i> , 2019, 234, 17775-17785.	4.1	20
10	Clinicopathological analysis of the hydroa vacciniforme-like lymphoproliferative disorder with natural killer cell phenotype compared with cutaneous natural killer T cell lymphoma. <i>Experimental and Therapeutic Medicine</i> , 2018, 16, 4772-4778.	1.8	1
11	Pediatric low-grade gliomas can be molecularly stratified for risk. <i>Acta Neuropathologica</i> , 2018, 136, 641-655.	7.7	36
12	Value of percutaneous transhepatic cholangiobiopsy for pathologic diagnosis of obstructive jaundice: analysis of 826 cases. <i>Acta Radiologica</i> , 2017, 58, 3-9.	1.1	16
13	Prognostic significance of CD30 expression in nasal natural killer/T-cell lymphoma. <i>Oncology Letters</i> , 2017, 13, 1211-1215.	1.8	12
14	Inhibitor of DNA binding 4 functions as a tumor suppressor and is targetable by 5-aza-2-deoxycytosine with potential therapeutic significance in Burkitt's lymphoma. <i>Molecular Medicine Reports</i> , 2016, 13, 1269-1274.	2.4	5
15	Primary natural killer/T cell lymphoma of the cervix: Case report and clinicopathological analysis. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2015, 54, 71-74.	1.3	5