

Andreas J Meyer

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1506510/publications.pdf>

Version: 2024-02-01

113
papers

8,777
citations

43973

48
h-index

46693

89
g-index

130
all docs

130
docs citations

130
times ranked

8622
citing authors

#	ARTICLE	IF	CITATIONS
1	Essential trace metals in plant responses to heat stress. <i>Journal of Experimental Botany</i> , 2022, 73, 1775-1788.	2.4	6
2	Reductive stress triggers ANAC017-mediated retrograde signaling to safeguard the endoplasmic reticulum by boosting mitochondrial respiratory capacity. <i>Plant Cell</i> , 2022, 34, 1375-1395.	3.1	25
3	Glutathione contributes to plant defence against parasitic cyst nematodes. <i>Molecular Plant Pathology</i> , 2022, 23, 1048-1059.	2.0	8
4	2â€Hydroxyâ€phytanoylâ€CoA lyase (AtHPCL) is involved in phytol metabolism in Arabidopsis. <i>Plant Journal</i> , 2022, 109, 1290-1304.	2.8	2
5	Live Monitoring of ROS-Induced Cytosolic Redox Changes with roGFP2-Based Sensors in Plants. <i>Methods in Molecular Biology</i> , 2022, , 65-85.	0.4	7
6	Endoplasmic reticulum oxidoreductin provides resilience against reductive stress and hypoxic conditions by mediating luminal redox dynamics. <i>Plant Cell</i> , 2022, 34, 4007-4027.	3.1	22
7	Chloroplast-derived photo-oxidative stress causes changes in H ₂ O ₂ and <i>E</i>GSH in other subcellular compartments. <i>Plant Physiology</i> , 2021, 186, 125-141.	2.3	65
8	Live monitoring of plant redox and energy physiology with genetically encoded biosensors. <i>Plant Physiology</i> , 2021, 186, 93-109.	2.3	33
9	Resolving diurnal dynamics of the chloroplastic glutathione redox state in <i>Arabidopsis</i> reveals its photosynthetically derived oxidation. <i>Plant Cell</i> , 2021, 33, 1828-1844.	3.1	23
10	The function of glutaredoxin GRXS15 is required for lipoyl-dependent dehydrogenases in mitochondria. <i>Plant Physiology</i> , 2021, 186, 1507-1525.	2.3	12
11	Plasticity in plastid redox networks: evolution of glutathione-dependent redox cascades and glutathionylation sites. <i>BMC Plant Biology</i> , 2021, 21, 322.	1.6	17
12	The latest HyPe(r) in plant H ₂ O ₂ biosensing. <i>Plant Physiology</i> , 2021, 187, 480-484.	2.3	22
13	A dual role for glutathione transferase U7 in plant growth and protection from methyl viologen-induced oxidative stress. <i>Plant Physiology</i> , 2021, 187, 2451-2468.	2.3	18
14	Shifting paradigms and novel players in Cys-based redox regulation and ROS signaling in plants - and where to go next. <i>Biological Chemistry</i> , 2021, 402, 399-423.	1.2	41
15	Benchmark Test and Guidelines for DEER/PELDOR Experiments on Nitroxide-Labeled Biomolecules. <i>Journal of the American Chemical Society</i> , 2021, 143, 17875-17890.	6.6	124
16	Resolution of chemical shift anisotropy in 19F ENDOR spectroscopy at 263ÂGHz/9.4ÂT. <i>Journal of Magnetic Resonance</i> , 2021, 333, 107091.	1.2	14
17	Exotic nuclear spin behavior in dendritic macromolecules. <i>Physical Chemistry Chemical Physics</i> , 2021, 23, 26349-26355.	1.3	1
18	Measurement of Angstrom to Nanometer Molecular Distances with 19 F Nuclear Spins by EPR/ENDOR Spectroscopy. <i>Angewandte Chemie</i> , 2020, 132, 381-387.	1.6	1

#	ARTICLE	IF	CITATIONS
19	Redox-mediated kick-start of mitochondrial energy metabolism drives resource-efficient seed germination. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 741-751.	3.3	96
20	Measurement of Angstrom to Nanometer Molecular Distances with ¹⁹ F Nuclear Spins by EPR/ENDOR Spectroscopy. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 373-379.	7.2	32
21	Molecular basis for the distinct functions of redox-active and FeS-transferring glutaredoxins. <i>Nature Communications</i> , 2020, 11, 3445.	5.8	47
22	In Vivo NADH/NAD ⁺ Biosensing Reveals the Dynamics of Cytosolic Redox Metabolism in Plants. <i>Plant Cell</i> , 2020, 32, 3324-3345.	3.1	40
23	Chloroplasts require glutathione reductase to balance reactive oxygen species and maintain efficient photosynthesis. <i>Plant Journal</i> , 2020, 103, 1140-1154.	2.8	47
24	Multiparametric real-time sensing of cytosolic physiology links hypoxia responses to mitochondrial electron transport. <i>New Phytologist</i> , 2019, 224, 1668-1684.	3.5	69
25	Arabidopsis glutathione reductase 2 is indispensable in plastids, while mitochondrial glutathione is safeguarded by additional reduction and transport systems. <i>New Phytologist</i> , 2019, 224, 1569-1584.	3.5	57
26	Soluble and membrane-bound protein carrier mediate direct copper transport to the ethylene receptor family. <i>Scientific Reports</i> , 2019, 9, 10715.	1.6	14
27	Low-glutathione mutants are impaired in growth but do not show an increased sensitivity to moderate water deficit. <i>PLoS ONE</i> , 2019, 14, e0220589.	1.1	14
28	Surface wax esters contribute to drought tolerance in Arabidopsis. <i>Plant Journal</i> , 2019, 98, 727-744.	2.8	88
29	Deficiency in the Phosphorylated Pathway of Serine Biosynthesis Perturbs Sulfur Assimilation. <i>Plant Physiology</i> , 2019, 180, 153-170.	2.3	19
30	Interference between arsenic-induced toxicity and hypoxia. <i>Plant, Cell and Environment</i> , 2019, 42, 574-590.	2.8	34
31	The thioredoxin-mediated recycling of Arabidopsis thaliana GRXS16 relies on a conserved C-terminal cysteine. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2019, 1863, 426-436.	1.1	17
32	The fluorescent protein sensor roGFP2-Orp1 monitors <i>in vivo</i> H ₂ O ₂ and thiol redox integration and elucidates intracellular H ₂ O ₂ dynamics during elicitor-induced oxidative burst in Arabidopsis. <i>New Phytologist</i> , 2019, 221, 1649-1664.	3.5	132
33	Arabidopsis Î³-glutamylcyclotransferase affects glutathione content and root system architecture during sulfur starvation. <i>New Phytologist</i> , 2019, 221, 1387-1397.	3.5	42
34	Oxidative protein folding: state-of-the-art and current avenues of research in plants. <i>New Phytologist</i> , 2019, 221, 1230-1246.	3.5	29
35	Hydrogen Sulfide Increases Production of NADPH Oxidase-Dependent Hydrogen Peroxide and Phospholipase D-Derived Phosphatidic Acid in Guard Cell Signaling. <i>Plant Physiology</i> , 2018, 176, 2532-2542.	2.3	115
36	Quantitation of ER Structure and Function. <i>Methods in Molecular Biology</i> , 2018, 1691, 43-66.	0.4	2

#	ARTICLE	IF	CITATIONS
37	Verdazyls as Possible Building Blocks for Multifunctional Molecular Materials: A Case Study on 1,5-Diphenyl-3-(p-iodophenyl)-verdazyl Focusing on Magnetism, Electron Transfer and the Applicability of the Sonogashira-Hagihara Reaction. <i>Molecules</i> , 2018, 23, 1758.	1.7	13
38	Online in vivo monitoring of cytosolic NAD redox dynamics in <i>Ustilago maydis</i> . <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2018, 1859, 1015-1024.	0.5	13
39	Neutrophil-generated HOCl leads to non-specific thiol oxidation in phagocytized bacteria. <i>ELife</i> , 2018, 7, .	2.8	47
40	Synthesis of Nanometer Sized Bis- and Tris-trityl Model Compounds with Different Extent of Spinâ€“Spin Coupling. <i>Molecules</i> , 2018, 23, 682.	1.7	19
41	Sulfur Partitioning between Glutathione and Protein Synthesis Determines Plant Growth. <i>Plant Physiology</i> , 2018, 177, 927-937.	2.3	66
42	Di-copper(Cu^{II}) DNA G-quadruplexes as EPR distance rulers. <i>Chemical Communications</i> , 2018, 54, 7455-7458.	2.2	36
43	Syntheses, spectroscopy, and crystal structures of 3-(4-bromophenyl)-1,5-diphenylformazan and the 3-(4-bromophenyl)-1,5-diphenylverdazyl radical and the crystal structure of the by-product 5-anilino-3-(4-bromophenyl)-1-phenyl-1,2,4-triazole. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2018, 74, 292-297.	0.2	5
44	Glutathione peroxidase-like enzymes cover five distinct cell compartments and membrane surfaces in <i>Arabidopsis thaliana</i> . <i>Plant, Cell and Environment</i> , 2017, 40, 1281-1295.	2.8	69
45	Determination of glutathione redox potential and pH value in subcellular compartments of malaria parasites. <i>Free Radical Biology and Medicine</i> , 2017, 104, 104-117.	1.3	32
46	Glutaredoxin catalysis requires two distinct glutathione interaction sites. <i>Nature Communications</i> , 2017, 8, 14835.	5.8	87
47	ATP sensing in living plant cells reveals tissue gradients and stress dynamics of energy physiology. <i>ELife</i> , 2017, 6, .	2.8	125
48	Organelle redox autonomy during environmental stress. <i>Plant, Cell and Environment</i> , 2016, 39, 1909-1919.	2.8	43
49	The Si^{II} radical supported by two N-heterocyclic carbenes. <i>Chemical Science</i> , 2016, 7, 4973-4979.	3.7	19
50	PELDOR and RIDME Measurements on a High-Spin Manganese(II) Bisnitroxide Model Complex. <i>Journal of Physical Chemistry A</i> , 2016, 120, 3463-3472.	1.1	38
51	The EXS Domain of PHO1 Participates in the Response of Shoots to Phosphate Deficiency via a Root-to-Shoot Signal. <i>Plant Physiology</i> , 2016, 170, 385-400.	2.3	116
52	Nuclear thiol redox systems in plants. <i>Plant Science</i> , 2016, 243, 84-95.	1.7	52
53	Transit of H_2O_2 across the endoplasmic reticulum membrane is not sluggish. <i>Free Radical Biology and Medicine</i> , 2016, 94, 157-160.	1.3	48
54	Immobilized Subpopulations of Leaf Epidermal Mitochondria Mediate PENETRATION-Dependent Pathogen Entry Control in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2016, 28, 130-145.	3.1	120

#	ARTICLE	IF	CITATIONS
55	Dissecting Redox Biology Using Fluorescent Protein Sensors. <i>Antioxidants and Redox Signaling</i> , 2016, 24, 680-712.	2.5	247
56	Crystal structure of 4-[[4-(2,2,6,6-tetrapyridyl-4-yl)phenyl]ethynyl]biphenyl-4-yl (2,2,5,5-tetramethyl-1-oxyl-3-pyrrolin-3-yl)formate benzene 2.5-solvate. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2015, 71, 1245-1249.	0.2	5
57	Comparison of PELDOR and RIDME for Distance Measurements between Nitroxides and Low-Spin Fe(III) Ions. <i>Journal of Physical Chemistry B</i> , 2015, 119, 13534-13542.	1.2	62
58	The EF-Hand Ca ²⁺ Binding Protein MICU Choreographs Mitochondrial Ca ²⁺ Dynamics in Arabidopsis. <i>Plant Cell</i> , 2015, 27, 3190-3212.	3.1	103
59	The mitochondrial monothiol glutaredoxin S15 is essential for iron-sulfur protein maturation in <i>Arabidopsis thaliana</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 13735-13740.	3.3	84
60	(Bis(terpyridine))copper(II) Tetrphenylborate: A Complex Example for the Jahn-Teller Effect. <i>Inorganic Chemistry</i> , 2015, 54, 8456-8464.	1.9	28
61	Analysis of Plant Mitochondrial Function Using Fluorescent Protein Sensors. <i>Methods in Molecular Biology</i> , 2015, 1305, 241-252.	0.4	23
62	The crystal structure of 4-[[4-(2,2,5,5-tetramethyl-N-oxyl-3-pyrrolin-3-yl)ethynyl]phenyl]-2,2,6,6-tetrapyridine. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2015, 71, 870-874.	0.2	1
63	Thiol-based redox homeostasis and signaling. <i>Frontiers in Plant Science</i> , 2014, 5, 266.	1.7	29
64	Robust antioxidant defences in the rice blast fungus <i>Magnaporthe oryzae</i> confer tolerance to the host oxidative burst. <i>New Phytologist</i> , 2014, 201, 556-573.	3.5	69
65	The "mitoflash" probe cpYFP does not respond to superoxide. <i>Nature</i> , 2014, 514, E12-E14.	13.7	109
66	A Conserved Mitochondrial ATP-binding Cassette Transporter Exports Glutathione Polysulfide for Cytosolic Metal Cofactor Assembly. <i>Journal of Biological Chemistry</i> , 2014, 289, 23264-23274.	1.6	141
67	Redesign of Genetically Encoded Biosensors for Monitoring Mitochondrial Redox Status in a Broad Range of Model Eukaryotes. <i>Journal of Biomolecular Screening</i> , 2014, 19, 379-386.	2.6	73
68	Zinc deficiency differentially affects redox homeostasis of rice genotypes contrasting in ascorbate level. <i>Journal of Plant Physiology</i> , 2014, 171, 1748-1756.	1.6	43
69	FRIENDLY Regulates Mitochondrial Distribution, Fusion, and Quality Control in Arabidopsis. <i>Plant Physiology</i> , 2014, 166, 808-828.	2.3	93
70	The oxidative protein folding machinery in plant cells. <i>Protoplasma</i> , 2013, 250, 799-816.	1.0	27
71	Endoplasmic reticulum: Reduced and oxidized glutathione revisited. <i>Journal of Cell Science</i> , 2013, 126, 1604-17.	1.2	131
72	Development of roGFP2-derived redox probes for measurement of the glutathione redox potential in the cytosol of severely glutathione-deficient <i>rml1</i> seedlings. <i>Frontiers in Plant Science</i> , 2013, 4, 506.	1.7	92

#	ARTICLE	IF	CITATIONS
73	Real-Time Imaging of the Intracellular Glutathione Redox Potential in the Malaria Parasite <i>Plasmodium falciparum</i> . <i>PLoS Pathogens</i> , 2013, 9, e1003782.	2.1	47
74	Distinct Redox Regulation in Sub-Cellular Compartments in Response to Various Stress Conditions in <i>Saccharomyces cerevisiae</i> . <i>PLoS ONE</i> , 2013, 8, e65240.	1.1	38
75	Mitochondrial Cysteine Synthase Complex Regulates O-Acetylserine Biosynthesis in Plants. <i>Journal of Biological Chemistry</i> , 2012, 287, 27941-27947.	1.6	64
76	Pulsing of Membrane Potential in Individual Mitochondria: A Stress-Induced Mechanism to Regulate Respiratory Bioenergetics in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2012, 24, 1188-1201.	3.1	107
77	Mitochondrial "flashes": a radical concept rePhined. <i>Trends in Cell Biology</i> , 2012, 22, 503-508.	3.6	74
78	A Genome-Wide Screen in Yeast Identifies Specific Oxidative Stress Genes Required for the Maintenance of Sub-Cellular Redox Homeostasis. <i>PLoS ONE</i> , 2012, 7, e44278.	1.1	40
79	Redox-sensitive GFP2: use of the genetically encoded biosensor of the redox status in the filamentous fungus <i>Botrytis cinerea</i> . <i>Molecular Plant Pathology</i> , 2012, 13, 935-947.	2.0	32
80	A perturbation in glutathione biosynthesis disrupts endoplasmic reticulum morphology and secretory membrane traffic in <i>Arabidopsis thaliana</i> . <i>Plant Journal</i> , 2012, 71, 881-894.	2.8	16
81	KMS1 and KMS2, two plant endoplasmic reticulum proteins involved in the early secretory pathway. <i>Plant Journal</i> , 2011, 66, 613-628.	2.8	45
82	Glutathione Deficiency of the <i>Arabidopsis</i> Mutant <i>pad2-1</i> Affects Oxidative Stress-Related Events, Defense Gene Expression, and the Hypersensitive Response. <i>Plant Physiology</i> , 2011, 157, 2000-2012.	2.3	90
83	Degradation of Glutathione S-Conjugates in <i>Physcomitrella patens</i> is Initiated by Cleavage of Glycine. <i>Plant and Cell Physiology</i> , 2011, 52, 1153-1161.	1.5	10
84	Organelles Contribute Differentially to Reactive Oxygen Species-Related Events during Extended Darkness. <i>Plant Physiology</i> , 2011, 156, 185-201.	2.3	102
85	Plant homologs of the <i>Plasmodium falciparum</i> chloroquine-resistance transporter, <i>PfCRT</i> , are required for glutathione homeostasis and stress responses. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 2331-2336.	3.3	164
86	The critical role of glutathione in maintenance of the mitochondrial genome. <i>Free Radical Biology and Medicine</i> , 2010, 49, 1956-1968.	1.3	48
87	A fluorometer-based method for monitoring oxidation of redox-sensitive GFP (roGFP) during development and extended dark stress. <i>Physiologia Plantarum</i> , 2010, 138, 493-502.	2.6	71
88	Sulfite Reductase Defines a Newly Discovered Bottleneck for Assimilatory Sulfate Reduction and Is Essential for Growth and Development in <i>Arabidopsis thaliana</i> . <i>Plant Cell</i> , 2010, 22, 1216-1231.	3.1	163
89	Fluorescent Protein-Based Redox Probes. <i>Antioxidants and Redox Signaling</i> , 2010, 13, 621-650.	2.5	462
90	Expression Profiling of Tobacco Leaf Trichomes Identifies Genes for Biotic and Abiotic Stresses. <i>Plant and Cell Physiology</i> , 2010, 51, 1627-1637.	1.5	130

#	ARTICLE	IF	CITATIONS
91	Proximity-based Protein Thiol Oxidation by H ₂ O ₂ -scavenging Peroxidases. <i>Journal of Biological Chemistry</i> , 2009, 284, 31532-31540.	1.6	376
92	Non-invasive topology analysis of membrane proteins in the secretory pathway. <i>Plant Journal</i> , 2009, 57, 534-541.	2.8	57
93	The NADPH-dependent thioredoxin system constitutes a functional backup for cytosolic glutathione reductase in <i>Arabidopsis</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 9109-9114.	3.3	259
94	Dynamic Redox Measurements with Redox-Sensitive GFP in Plants by Confocal Laser Scanning Microscopy. <i>Methods in Molecular Biology</i> , 2009, 479, 93-107.	0.4	14
95	Restricting glutathione biosynthesis to the cytosol is sufficient for normal plant development. <i>Plant Journal</i> , 2008, 53, 999-1012.	2.8	158
96	Real-time imaging of the intracellular glutathione redox potential. <i>Nature Methods</i> , 2008, 5, 553-559.	9.0	762
97	The integration of glutathione homeostasis and redox signaling. <i>Journal of Plant Physiology</i> , 2008, 165, 1390-1403.	1.6	238
98	Biosynthesis, Compartmentation and Cellular Functions of Glutathione in Plant Cells. <i>Advances in Photosynthesis and Respiration</i> , 2008, , 161-184.	1.0	6
99	Imaging Thiol-Based Redox Processes in Live Cells. <i>Advances in Photosynthesis and Respiration</i> , 2008, , 483-501.	1.0	3
100	¹³ C-Glutamyl transpeptidase GGT4 initiates vacuolar degradation of glutathioneS-conjugates in <i>Arabidopsis</i> . <i>FEBS Letters</i> , 2007, 581, 3131-3138.	1.3	102
101	Redox-sensitive GFP in <i>Arabidopsis thaliana</i> is a quantitative biosensor for the redox potential of the cellular glutathione redox buffer. <i>Plant Journal</i> , 2007, 52, 973-986.	2.8	420
102	Maturation of <i>Arabidopsis</i> Seeds Is Dependent on Glutathione Biosynthesis within the Embryo. <i>Plant Physiology</i> , 2006, 141, 446-455.	2.3	240
103	Vacuolar sequestration of glutathioneS-conjugates outcompetes a possible degradation of the glutathione moiety by phytochelatin synthase. <i>FEBS Letters</i> , 2006, 580, 6384-6390.	1.3	61
104	Glutathione homeostasis and redox-regulation by sulfhydryl groups. <i>Photosynthesis Research</i> , 2005, 86, 435-457.	1.6	209
105	Functional Knockout of the Adenosine 5'-Phosphosulfate Reductase Gene in <i>Physcomitrella patens</i> Revives an Old Route of Sulfate Assimilation. <i>Journal of Biological Chemistry</i> , 2002, 277, 32195-32201.	1.6	73
106	Control of Demand-Driven Biosynthesis of Glutathione in Green <i>Arabidopsis</i> Suspension Culture Cells. <i>Plant Physiology</i> , 2002, 130, 1927-1937.	2.3	93
107	Quantitative in vivo measurement of glutathione in <i>Arabidopsis</i> cells. <i>Plant Journal</i> , 2001, 27, 67-78.	2.8	114
108	Free Ca ²⁺ in tissue 22+-selective electrodes. <i>Journal of Experimental Botany</i> , 1997, 48, 337-344.	2.4	13

#	ARTICLE	IF	CITATIONS
109	Growth, membrane potential and endogenous ion currents of willow (<i>Salix viminalis</i>) roots are all affected by abscisic acid and spermine. <i>Physiologia Plantarum</i> , 1997, 99, 529-537.	2.6	31
110	Bioelectricity, gravity and plants. <i>Planta</i> , 1997, 203, S98-S106.	1.6	41
111	Growth, membrane potential and endogenous ion currents of willow (<i>Salix viminalis</i>) roots are all affected by abscisic acid and spermine. <i>Physiologia Plantarum</i> , 1997, 99, 529-537.	2.6	5
112	Sample preservation for determination of organic compounds: microwave versus freeze-drying. <i>Journal of Experimental Botany</i> , 1996, 47, 1469-1473.	2.4	125
113	Discriminative Long-Distance Transport of Selenate and Selenite Triggers Glutathione Oxidation in Specific Subcellular Compartments of Root and Shoot Cells in <i>Arabidopsis</i> . <i>Frontiers in Plant Science</i> , 0, 13, .	1.7	1