

JosÃ© Paulo Sampaio

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1507026/publications.pdf>

Version: 2024-02-01

138
papers

7,732
citations

94433
37
h-index

58581
82
g-index

141
all docs

141
docs citations

141
times ranked

6162
citing authors

#	ARTICLE	IF	CITATIONS
1	A higher-level phylogenetic classification of the Fungi. <i>Mycological Research</i> , 2007, 111, 509-547.	2.5	1,994
2	Microbe domestication and the identification of the wild genetic stock of lager-brewing yeast. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 14539-14544.	7.1	568
3	Natural Populations of <i>< i>Saccharomyces kudriavzevii</i></i> in Portugal Are Associated with Oak Bark and Are Sympatric with <i>< i>S. cerevisiae</i></i> and <i>< i>S. paradoxus</i></i> . <i>Applied and Environmental Microbiology</i> , 2008, 74, 2144-2152.	3.1	287
4	A Gondwanan imprint on global diversity and domestication of wine and cider yeast <i>Saccharomyces uvarum</i> . <i>Nature Communications</i> , 2014, 5, 4044.	12.8	214
5	Adaptation of <i>S. cerevisiae</i> to Fermented Food Environments Reveals Remarkable Genome Plasticity and the Footprints of Domestication. <i>Molecular Biology and Evolution</i> , 2018, 35, 1712-1727.	8.9	214
6	Distinct Domestication Trajectories in Top-Fermenting Beer Yeasts and Wine Yeasts. <i>Current Biology</i> , 2016, 26, 2750-2761.	3.9	207
7	A population genomics insight into the Mediterranean origins of wine yeast domestication. <i>Molecular Ecology</i> , 2015, 24, 5412-5427.	3.9	186
8	The simple-septate basidiomycetes: a synopsis. <i>Mycological Progress</i> , 2006, 5, 41-66.	1.4	152
9	Remarkably ancient balanced polymorphisms in a multi-locus gene network. <i>Nature</i> , 2010, 464, 54-58.	27.8	147
10	An overview of the higher level classification of Pucciniomycotina based on combined analyses of nuclear large and small subunit rDNA sequences. <i>Mycologia</i> , 2006, 98, 896-905.	1.9	143
11	Molecular characterization of carotenogenic yeasts from aquatic environments in Patagonia, Argentina. <i>Antonie Van Leeuwenhoek</i> , 2003, 84, 313-322.	1.7	135
12	Population structure and reticulate evolution of <i>< i>S</i>< i>accharomyces eubayanus</i></i> and its lager- <i>brewing</i> hybrids. <i>Molecular Ecology</i> , 2014, 23, 2031-2045.	3.9	128
13	New yeastsâ€”new brews: modern approaches to brewing yeast design and development. <i>FEMS Yeast Research</i> , 2017, 17, .	2.3	118
14	Occurrence and Diversity of Yeasts in the Mid-Atlantic Ridge Hydrothermal Fields Near the Azores Archipelago. <i>Microbial Ecology</i> , 2005, 50, 408-417.	2.8	117
15	Genomics and the making of yeast biodiversity. <i>Current Opinion in Genetics and Development</i> , 2015, 35, 100-109.	3.3	105
16	Assessment of yeast diversity in a marine environment in the south of Portugal by microsatellite-primed PCR. <i>Antonie Van Leeuwenhoek</i> , 2003, 84, 217-227.	1.7	99
17	Utilization of low molecular weight aromatic compounds by heterobasidiomycetous yeasts: taxonomic implications. <i>Canadian Journal of Microbiology</i> , 1999, 45, 491-512.	1.7	96
18	Rhodotorula psychrophila sp. nov., Rhodotorula psychrophenolica sp. nov. and Rhodotorula glacialis sp. nov., novel psychrophilic basidiomycetous yeast species isolated from alpine environments. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 2179-2184.	1.7	90

#	ARTICLE	IF	CITATIONS
19	Diversity and phylogeny of basidiomycetous yeasts from plant leaves and soil: Proposal of two new orders, three new families, eight new genera and one hundred and seven new species. <i>Studies in Mycology</i> , 2020, 96, 17-140.	7.2	88
20	An overview of the higher level classification of Pucciniomycotina based on combined analyses of nuclear large and small subunit rDNA sequences. <i>Mycologia</i> , 2006, 98, 896-905.	1.9	80
21	Yeast from high-altitude lakes: influence of UV radiation. <i>FEMS Microbiology Ecology</i> , 2009, 69, 353-362.	2.7	79
22	Evidence of Natural Hybridization in Brazilian Wild Lineages of <i>Saccharomyces cerevisiae</i> . <i>Genome Biology and Evolution</i> , 2016, 8, 317-329.	2.5	79
23	Hybridization and adaptive evolution of diverse <i>Saccharomyces</i> species for cellulosic biofuel production. <i>Biotechnology for Biofuels</i> , 2017, 10, 78.	6.2	78
24	Evidence for Divergent Evolution of Growth Temperature Preference in Sympatric <i>Saccharomyces</i> Species. <i>PLoS ONE</i> , 2011, 6, e20739.	2.5	76
25	Fermentation innovation through complex hybridization of wild and domesticated yeasts. <i>Nature Ecology and Evolution</i> , 2019, 3, 1576-1586.	7.8	76
26	Yeast Diversity in the Extreme Acidic Environments of the Iberian Pyrite Belt. <i>Microbial Ecology</i> , 2006, 52, 552-563.	2.8	73
27	Polyphasic taxonomy of the basidiomycetous yeast genus <i>Rhodotorula</i> : <i>Rh. glutinissens</i> stricto and <i>Rh. dairenensis</i> comb. nov.. <i>FEMS Yeast Research</i> , 2002, 2, 47-58.	2.3	70
28	Local climatic adaptation in a widespread microorganism. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2014, 281, 20132472.	2.6	69
29	Taxonomic studies in the Microbotryomycetidae: <i>Leucosporidium golubevii</i> sp. nov., <i>Leucosporidiella</i> gen. nov. and the new orders Leucosporidiales and Sporidiobolales. <i>Mycological Progress</i> , 2003, 2, 53-68.	1.4	60
30	Discussion of Teleomorphic and Anamorphic Basidiomycetous Yeasts. , 2011, , 1339-1372.		56
31	A Deviation from the Bipolar-Tetrapolar Mating Paradigm in an Early Diverged Basidiomycete. <i>PLoS Genetics</i> , 2010, 6, e1001052.	3.5	55
32	Yeast diversity in the acidic Rio AgrioÃ¢Â€Â“Lake Caviahue volcanic environment (Patagonia, Argentina). <i>FEMS Microbiology Ecology</i> , 2008, 65, 415-424.	2.7	53
33	The diversity and extracellular enzymatic activities of yeasts isolated from water tanks of <i>Vriesea minarum</i> , an endangered bromeliad species in Brazil, and the description of <i>Occultifur brasiliensis</i> f.a., sp. nov.. <i>Antonie Van Leeuwenhoek</i> , 2015, 107, 597-611.	1.7	52
34	Biogeography, Host Specificity, and Molecular Phylogeny of the Basidiomycetous Yeast <i>Phaffia rhodozyma</i> and Its Sexual Form, <i>Xanthophyllomyces dendrorhous</i> . <i>Applied and Environmental Microbiology</i> , 2007, 73, 1120-1125.	3.1	50
35	Multiple Rounds of Artificial Selection Promote Microbe Secondary Domesticationâ€”The Case of CachaÃ§a Yeasts. <i>Genome Biology and Evolution</i> , 2018, 10, 1939-1955.	2.5	50
36	Extensive Intra-Kingdom Horizontal Gene Transfer Converging on a Fungal Fructose Transporter Gene. <i>PLoS Genetics</i> , 2013, 9, e1003587.	3.5	47

#	ARTICLE	IF	CITATIONS
37	Adaptive divergence in wine yeasts and their wild relatives suggests a prominent role for introgressions and rapid evolution at noncoding sites. <i>Molecular Ecology</i> , 2017, 26, 2167-2182.	3.9	44
38	Dynamics of yeast populations recovered from decaying leaves in a nonpolluted stream: a 2-year study on the effects of leaf litter type and decomposition time. <i>FEMS Yeast Research</i> , 2007, 7, 595-603.	2.3	42
39	Local climatic conditions constrain soil yeast diversity patterns in Mediterranean forests, woodlands and scrub biome. <i>FEMS Yeast Research</i> , 2016, 16, fov103.	2.3	39
40	Classification of heterobasidiomycetous yeasts: characteristics and affiliation of genera to higher taxa of Heterobasidiomycetes. <i>Canadian Journal of Microbiology</i> , 1993, 39, 276-290.	1.7	38
41	Sporidiobolus longiusculus sp. nov. and Sporobolomyces patagonicus sp. nov., novel yeasts of the Sporidiobolales isolated from aquatic environments in Patagonia, Argentina. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 503-509.	1.7	38
42	Candida oceanii sp. nov., a novel yeast isolated from a Mid-Atlantic Ridge hydrothermal vent (\approx 2300Â°meters). <i>Antonie Van Leeuwenhoek</i> , 2011, 100, 75-82.	1.7	37
43	Rhodotorula. , 2011, , 1873-1927.		36
44	Comparative genomics provides new insights into the diversity, physiology, and sexuality of the only industrially exploited tremellomycete: Phaffia rhodozyma. <i>BMC Genomics</i> , 2016, 17, 901.	2.8	35
45	Cuniculitrema polymorpha (Tremellales, gen. nov. and sp. nov.), a heterobasidiomycete vectored by bark beetles, which is the teleomorph of Sterigmatosporidium polymorphum. <i>Antonie Van Leeuwenhoek</i> , 2001, 80, 149-161.	1.7	34
46	A Quasi-Domesticate Relic Hybrid Population of <i>Saccharomyces cerevisiae</i> - <i>S. paradoxus</i> Adapted to Olive Brine. <i>Frontiers in Genetics</i> , 2019, 10, 449.	2.3	34
47	Revisiting the Taxonomic Synonyms and Populations of <i>Saccharomyces cerevisiae</i> Phylogeny, Phenotypes, Ecology and Domestication. <i>Microorganisms</i> , 2020, 8, 903.	3.6	34
48	Taxonomic annotation of public fungal ITS sequences from the built environment - a report from an April 10-11, 2017 workshop (Aberdeen, UK). <i>MycoKeys</i> , 2018, 28, 65-82.	1.9	33
49	Yeast Diversity Associated with the Phylloplane of Corn Plants Cultivated in Thailand. <i>Microorganisms</i> , 2020, 8, 80.	3.6	33
50	Application of temperature gradient gel electrophoresis to the study of yeast diversity in the estuary of the Tagus river, Portugal. <i>FEMS Yeast Research</i> , 2004, 5, 253-261.	2.3	32
51	Cystofilobasidium lacus-mascardii sp. nov., a basidiomycetous yeast species isolated from aquatic environments of the Patagonian Andes, and Cystofilobasidium macerans sp. nov., the sexual stage of Cryptococcus macerans. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 622-630.	1.7	32
52	Evidence for maintenance of sex determinants but not of sexual stages in red yeasts, a group of early diverged basidiomycetes. <i>BMC Evolutionary Biology</i> , 2011, 11, 249.	3.2	30
53	Evolution of Mating Systems in Basidiomycetes and the Genetic Architecture Underlying Mating-Type Determination in the Yeast <i>Leucosporidium scottii</i> . <i>Genetics</i> , 2015, 201, 75-89.	2.9	29
54	12 Tremellomycetes and Related Groups. , 2014, , 331-355.		28

#	ARTICLE	IF	CITATIONS
55	Utilization of Low Molecular Weight Lignin-Related Aromatic Compounds for the Selective Isolation of Yeasts: <i>Rhodotorula vanillica</i> , a New Basidiomycetous Yeast Species. <i>Systematic and Applied Microbiology</i> , 1995, 17, 613-619.	2.8	27
56	Studies on the heterogeneity of the carotenogenic yeast <i>Rhodotorula mucilaginosa</i> from Patagonia, Argentina. <i>Journal of Basic Microbiology</i> , 2008, 48, 93-98.	3.3	27
57	<i>Cryptococcus ibericus</i> sp. nov., <i>Cryptococcus aciditolerans</i> sp. nov. and <i>Cryptococcus metallitolerans</i> sp. nov., a new ecoclade of anamorphic basidiomycetous yeast species from an extreme environment associated with acid rock drainage in Sao Domingos pyrite mine, Portugal. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 2375-2379.	1.7	27
58	The <i>Wickerhamiella/Starmerella</i> cladeâ€”A treasure trove for the study of the evolution of yeast metabolism. <i>Yeast</i> , 2020, 37, 313-320.	1.7	27
59	Genetic Dissection of Sexual Reproduction in a Primary Homothallic Basidiomycete. <i>PLoS Genetics</i> , 2016, 12, e1006110.	3.5	26
60	Microeukaryotic diversity in the extreme environments of the Iberian Pyrite Belt: a comparison between universal and fungi-specific primer sets, temperature gradient gel electrophoresis and cloning. <i>FEMS Microbiology Ecology</i> , 2006, 57, 139-148.	2.7	25
61	Global distribution, diversity hot spots and niche transitions of an astaxanthin-producing eukaryotic microbe. <i>Molecular Ecology</i> , 2014, 23, 921-932.	3.9	24
62	<i>Curvibasidium cygneicollum</i> gen. nov., sp. nov. and <i>Curvibasidium pallidicorallinum</i> sp. nov., novel taxa in the Microbotryomycetidae (Urediniomycetes), and their relationship with <i>Rhodotorula fujisanensis</i> and <i>Rhodotorula nothofagi</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 1401-1407.	1.7	23
63	Occultifur externus sp. nov., a new species of simple-pored auricularioid heterobasidiomycete from plant litter in Portugal. <i>Mycologia</i> , 1999, 91, 1094-1101.	1.9	22
64	Occultifur Externus sp. nov., a New Species of Simple-Pored Auricularioid Heterobasidiomycete from Plant Litter in Portugal. <i>Mycologia</i> , 1999, 91, 1094.	1.9	22
65	Microbial deterioration of gelatin emulsion photographs: Differences of susceptibility between black and white and colour materials. <i>International Biodeterioration and Biodegradation</i> , 2009, 63, 496-502.	3.9	22
66	The dynamics of the yeast community of the Tagus river estuary: testing the hypothesis of the multiple origins of estuarine yeasts. <i>Antonie Van Leeuwenhoek</i> , 2010, 98, 331-342.	1.7	22
67	Yeasts vectored by migratory birds collected in the Mediterranean island of Ustica and description of <i>Phaffomyces usticensis</i> f.a. sp. nov., a new species related to the cactus ecoclade. <i>FEMS Yeast Research</i> , 2014, 14, 910-921.	2.3	22
68	Reappraisal of the <i>Sporobolomyces roseus</i> species complex and description of <i>Sporidiobolus metaroseus</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 736-741.	1.7	22
69	Sex in the cold: taxonomic reorganization of psychrotolerant yeasts in the order Leucosporidiales. <i>FEMS Yeast Research</i> , 2015, 15, fov019.	2.3	21
70	<i>Auriculibuller fuscus</i> gen. nov., sp. nov. and <i>Bullera japonica</i> sp. nov., novel taxa in the Tremellales. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 987-993.	1.7	20
71	Phylogenetic distribution of fungal mycosporines within the Pucciniomycotina (Basidiomycota). <i>Yeast</i> , 2011, 28, 619-627.	1.7	18
72	<i>Rhodotorula ferulica</i> sp. nov., a Yeast that Degrades Ferulic Acid and Other Phenolic Compounds. <i>Systematic and Applied Microbiology</i> , 1991, 14, 146-149.	2.8	17

#	ARTICLE	IF	CITATIONS
73	Cystobasidiomycetes yeasts from Patagonia (Argentina): description of <i>Rhodotorula meli</i> sp. nov. from glacial meltwater. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 2251-2256.	1.7	17
74	Kurtzmanomyces insolitus sp.nov., a new Anamorphic Heterobasidiomycetous Yeast Species. Systematic and Applied Microbiology, 1999, 22, 619-625.	2.8	16
75	Wickerhamomyces sylviae f.a., sp. nov., an ascomycetous yeast species isolated from migratory birds. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 4824-4830.	1.7	16
76	Emendation of the basidiomycetous yeast genus <i>Kondoa</i> and the description of <i>Kondoa aeria</i> sp. nov. Antonie Van Leeuwenhoek, 2000, 77, 293-302.	1.7	15
77	<i>Cryptococcus nemorosus</i> sp. nov. and <i>Cryptococcus perniciosus</i> sp. nov., related to <i>Papiliotrema</i> Sampaio et al. (Tremellales). International Journal of Systematic and Evolutionary Microbiology, 2003, 53, 905-911.	1.7	15
78	Living and Thriving on the Skin: < i>Malassezia</i> Genomes Tell the Story. MBio, 2013, 4, e00117-13.	4.1	15
79	Apple tissue culture contamination by <i>Rhodotorula</i> spp.: Identification and prevention. In Vitro Cellular and Developmental Biology - Plant, 2005, 41, 520-524.	2.1	14
80	<i>Cryptococcus silvicola</i> nov. sp. from nature reserves of Russia and Portugal. Antonie Van Leeuwenhoek, 2006, 89, 45-51.	1.7	14
81	<i>Cryptococcus agrionensis</i> sp. nov., a basidiomycetous yeast of the acidic rock drainage ecoclade, isolated from an acidic aquatic environment of volcanic origin. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 996-1000.	1.7	14
82	<i>Cystobasidium alpinum</i> sp. nov. and <i>Rhodosporidiobolus oreadorum</i> sp. nov. from European Cold Environments and Arctic Region. Life, 2018, 8, 9.	2.4	13
83	Nomenclatural issues concerning cultured yeasts and other fungi: why it is important to avoid unneeded name changes. IMA Fungus, 2021, 12, 18.	3.8	13
84	<i>Yamadazyma barbieri</i> f.a. sp. nov., an ascomycetous anamorphic yeast isolated from a Mid-Atlantic Ridge hydrothermal site (\approx 2300 m) and marine coastal waters. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 3600-3606.	1.7	13
85	<i>Blastobotrys bombycis</i> sp. nov., a d-xylose-fermenting yeast isolated from the gut of the silkworm larva <i>Bombyx mori</i> . International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 2638-2643.	1.7	13
86	<i>Rhodosporidium lusitaniae</i> sp. nov., a Novel Homothallic Basidiomycetous Yeast Species from Portugal that Degrades Phenolic Compounds. Systematic and Applied Microbiology, 1992, 15, 47-51.	2.8	12
87	<i>Sporidiobolus Nyland (1949)</i> ., 2011, , 1549-1561.		12
88	<i>Occultifur mepitis</i> f.a., sp. nov. and other yeast species from hypoxic and elevated CO ₂ mofette environments. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 2285-2298.	1.7	12
89	A glimpse at an early stage of microbe domestication revealed in the variable genome of < i>Torulaspora delbrueckii</i>, an emergent industrial yeast. Molecular Ecology, 2023, 32, 2396-2412.	3.9	12
90	<i>Rhodosporidium</i> ., 2011, , 1523-1539.		11

#	ARTICLE	IF	CITATIONS
91	Cryolevonia gen. nov. and Cryolevonia schafbergensis sp. nov., a cryophilic yeast from ancient permafrost and melted sea ice. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 2334-2338.	1.7	11
92	Microbe Profile: <i>Saccharomyces eubayanus</i> , the missing link to lager beer yeasts. Microbiology (United Kingdom) 2018, 111, 0-0.		
93	<i>Cryptococcus stepposus</i> , a new filobasidiaceous yeast species found in the Prioksko-terrasny biosphere reserve in Russia. Mycological Research, 2006, 110, 957-961.	2.5	10
94	New filobasidiaceous yeasts found in the phylloplane of a fern. Journal of General and Applied Microbiology, 2009, 55, 441-446.	0.7	10
95	<i>Cystobasidium</i> (Lagerheim) Neuhoff (1924)., 2011, , 1419-1422.		10
96	Biogeography and Ecology of the Genus <i>Saccharomyces</i> . , 2017, , 131-153.		10
97	<i>Moniliella sojae</i> sp. nov., a species of black yeasts isolated from Vietnamese soy paste (tuong), and reassignment of <i>Moniliella suaveolens</i> strains to <i>Moniliella pyrgileucina</i> sp. nov., <i>Moniliella casei</i> sp. nov. and <i>Moniliella macrospora</i> emend. comb. nov.. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 1806-1814.	1.7	10
98	<i>Sporobolomyces agrorum</i> sp. nov. and <i>Sporobolomyces sucorum</i> sp. nov., two novel basidiomycetous yeast species isolated from grape and apple must in Italy. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 3385-3391.	1.7	10
99	The Untapped Australasian Diversity of Astaxanthin-Producing Yeasts with Biotechnological Potentialâ€” <i>Phaffia australis</i> sp. nov. and <i>Phaffia tasmanica</i> sp. nov.. Microorganisms, 2020, 8, 1651.	3.6	9
100	sp. nov., a new species in the clade. FEMS Yeast Research, 2002, 2, 9-16.	2.3	8
101	<i>Sporidiobolus johnsonii</i> and <i>Sporidiobolus salmonicolor</i> revisited. Mycological Progress, 2008, 7, 125-131.	1.4	8
102	<i>Cystofilobasidium</i> Oberwinkler & Bandoni (1983)., 2011, , 1423-1432.		8
103	<i>Leucosporidium</i> Fell, Statzell, I.L. Hunter & Phaff (1969)., 2011, , 1485-1494.		8
104	Global distribution of <i>IRC7</i> alleles in <i>Saccharomyces cerevisiae</i> populations: a genomic and phenotypic survey within the wine clade. Environmental Microbiology, 2021, 23, 3182-3195.	3.8	8
105	<i>Cystofilobasidium intermedium</i> sp. nov. and <i>Cystofilobasidium alribaticum</i> f.a. sp. nov., isolated from Mediterranean forest soils. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 1058-1062.	1.7	8
106	<i>Libkindia masarykiana</i> gen. et sp. nov., <i>Yurkovia mendeliana</i> gen. et sp. nov. and <i>Leucosporidium krtinense</i> f.a. sp. nov., isolated from temperate forest soils. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 902-908.	1.7	8
107	Xanthophyllomyces dendrophorus (Phaffia rhodozyma) on stromata of <i>Cytaria hariotii</i> in northwestern Patagonian Nothofagus forests. Revista Argentina De Microbiologia, 2011, 43, 226-32.	0.7	8
108	<i>Sporobolomyces odoratus</i> sp. nov., a new species in the <i>Sporidiobolus ruineniae</i> clade. FEMS Yeast Research, 2002, 2, 9-16.	2.3	7

#	ARTICLE	IF	CITATIONS
109	Mycogloea nipponica—the first known teleomorph in the heterobasidiomycetous yeast genus Kurtzmanomyces. <i>Antonie Van Leeuwenhoek</i> , 2003, 84, 109-114.	1.7	7
110	Cryptococcus festucosus sp. nov. a new hymenomycetous yeast in the Holtermannia clade. <i>Canadian Journal of Microbiology</i> , 2004, 50, 1001-1006.	1.7	7
111	Population Size, Sex and Purifying Selection: Comparative Genomics of Two Sister Taxa of the Wild Yeast <i>Saccharomyces paradoxus</i> . <i>Genome Biology and Evolution</i> , 2020, 12, 1636-1645.	2.5	7
112	Jaminaea phylloscopi sp. nov. (Microstromatales), a basidiomycetous yeast isolated from migratory birds in the Mediterranean basin. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 824-829.	1.7	7
113	Papiliotrema plantarum sp. nov., a novel tremellaceous sexual yeast species. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 1937-1941.	1.7	6
114	Starmera pilosocereana sp. nov., a yeast isolated from necrotic tissue of cacti in a sandy coastal dune ecosystem. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 4474-4478.	1.7	5
115	Occultifur. , 2011, , 1515-1518.		4
116	Naohidea Oberwinkler (1990). , 2011, , 1511-1513.		4
117	Zygotorulaspora chibaensis sp. nov. and Zygotorulaspora danielsina sp. nov., novel ascomycetous yeast species from tree bark and soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 2633-2637.	1.7	4
118	Polyphasic taxonomy of the basidiomycetous yeast genus : sensu stricto and comb. nov.. <i>FEMS Yeast Research</i> , 2002, 2, 47-58.	2.3	3
119	Colacogloea Oberwinkler & Bandoni (1990). , 2011, , 1403-1408.		3
120	Curvibasidium Sampaio & Golubev (2004). , 2011, , 1413-1418.		3
121	Cryptotrichosporon argae sp. nov., Cryptotrichosporon brontae sp. nov. and Cryptotrichosporon steropae sp. nov., isolated from forest soils. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 3610-3614.	1.7	3
122	Heterocephalacria sinensis sp. nov., Phaeotremella lacus sp. nov. and Solicoccozyma aquatica sp. nov., three novel basidiomycetous yeast species isolated from crater lakes. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 3728-3739.	1.7	3
123	Microbial deterioration of gelatine emulsion photographs: isolation of contaminant microorganisms from three collections. <i>Conserverar Patrimonio</i> , 0, 2, 13-19.	0.4	3
124	Polyphasic taxonomy of the basidiomycetous yeast genus <i>Rhodosporidium</i> : <i>R. azoricum</i> sp. nov.. <i>Canadian Journal of Microbiology</i> , 2001, 47, 213-221.	1.7	3
125	Adaptive growth at high temperatures of the lactose-fermenting yeast <i>Kluyveromyces marxianus</i> var. <i>marxianus</i> . <i>Journal of Basic Microbiology</i> , 1989, 29, 61-64.	3.3	2
126	Tausonia BabÃ‰eva (1998). , 2011, , 1999-2001.		2

#	ARTICLE	IF	CITATIONS
127	Cyrenella. , 2011, , 1743-1745.		2
128	Papiliotrema Sampaio, Weiss & Bauer (2002). , 2011, , 1519-1521.		2
129	Phaffia brasiliiana sp. nov., a yeast species isolated from soil in a Cerradoâ€“Atlantic Rain Forest ecotone site in Brazil. International Journal of Systematic and Evolutionary Microbiology, 2021, 71, .	1.7	2
130	Cryptococcus paraflavus sp. nov. (Tremellales), isolated from steppe plants in Russia. Journal of General and Applied Microbiology, 2004, 50, 65-69.	0.7	1
131	Kurtzmanomyces Y. Yamada, M. Itoh, Kawasaki, Banno & Nakase (1988). , 2011, , 1795-1800.		1
132	Leucosporidiella Sampaio (2003). , 2011, , 1801-1806.		1
133	Kriegeria. , 2011, , 1477-1479.		1
134	Sirobasidium de Lagerheim & Patouillard (1892). , 2011, , 1545-1548.		1
135	Cuniculitrema Sampaio & R. Kirschner (2001). , 2011, , 1409-1411.		0
136	Bulleribasidium Sampaio, Weiss & Bauer (2002). , 2011, , 1387-1389.		0
137	Auriculibuller Sampaio & Fonseca (2004). , 2011, , 1379-1381.		0
138	Fibulobasidium. , 2011, , 1437-1441.		0