

Hong-Yup Ahn

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1509041/publications.pdf>

Version: 2024-02-01

88
papers

2,041
citations

186265

28
h-index

276875

41
g-index

93
all docs

93
docs citations

93
times ranked

3811
citing authors

#	ARTICLE	IF	CITATIONS
1	Sarcopenia Is Independently Associated with Cardiovascular Disease in Older Korean Adults: The Korea National Health and Nutrition Examination Survey (KNHANES) from 2009. <i>PLoS ONE</i> , 2013, 8, e60119.	2.5	200
2	<i>OPRM1</i> A118G Gene Variant and Postoperative Opioid Requirement. <i>Anesthesiology</i> , 2014, 121, 825-834.	2.5	123
3	Association between adiponectin levels and coronary heart disease and mortality: a systematic review and meta-analysis. <i>International Journal of Epidemiology</i> , 2013, 42, 1029-1039.	1.9	104
4	Prevalence of Malnutrition in Hospitalized Patients: a Multicenter Cross-sectional Study. <i>Journal of Korean Medical Science</i> , 2018, 33, e10.	2.5	79
5	Lactate dehydrogenase as a prognostic factor for survival time of terminally ill cancer patients: A preliminary study. <i>European Journal of Cancer</i> , 2007, 43, 1051-1059.	2.8	73
6	Construction of a new, objective prognostic score for terminally ill cancer patients: a multicenter study. <i>Supportive Care in Cancer</i> , 2010, 18, 151-157.	2.2	72
7	Factors associated with quality of life among family caregivers of terminally ill cancer patients. <i>Psycho-Oncology</i> , 2016, 25, 217-224.	2.3	58
8	The Relationship between Normal Serum Uric Acid and Nonalcoholic Fatty Liver Disease. <i>Journal of Korean Medical Science</i> , 2011, 26, 386.	2.5	56
9	Comparison of the Usefulness of the Updated Homeostasis Model Assessment (HOMA2) with the Original HOMA1 in the Prediction of Type 2 Diabetes Mellitus in Koreans. <i>Diabetes and Metabolism Journal</i> , 2016, 40, 318.	4.7	47
10	Low level of n-3 polyunsaturated fatty acids in erythrocytes is a risk factor for both acute ischemic and hemorrhagic stroke in Koreans. <i>Nutrition Research</i> , 2009, 29, 825-830.	2.9	45
11	Effect of n-3 polyunsaturated fatty acid supplementation in patients with rheumatoid arthritis: a 16-week randomized, double-blind, placebo-controlled, parallel-design multicenter study in Korea. <i>Journal of Nutritional Biochemistry</i> , 2013, 24, 1367-1372.	4.2	45
12	Meta-analysis of the Association between HLA-DRB1 Allele and Rheumatoid Arthritis Susceptibility in Asian Populations. <i>Journal of Korean Medical Science</i> , 2007, 22, 973.	2.5	44
13	Acupuncture for Hot Flushes in Perimenopausal and Postmenopausal Women: A Randomised, Sham-Controlled Trial. <i>Acupuncture in Medicine</i> , 2011, 29, 249-256.	1.0	44
14	Association of HDL-C and apolipoprotein A-I with the risk of type 2 diabetes in subjects with impaired fasting glucose. <i>European Journal of Endocrinology</i> , 2014, 171, 137-142.	3.7	42
15	Nonalcoholic Fatty Liver Disease Associates With Increased Overall Mortality and Death From Cancer, Cardiovascular Disease, and Liver Disease in Women but Not Men. <i>Clinical Gastroenterology and Hepatology</i> , 2018, 16, 1131-1137.e5.	4.4	42
16	Interleukin-6 but not tumour necrosis factor-alpha predicts survival in patients with advanced cancer. <i>Supportive Care in Cancer</i> , 2013, 21, 3071-3077.	2.2	40
17	Clinical changes in terminally ill cancer patients and death within 48h: when should we refer patients to a separate room?. <i>Supportive Care in Cancer</i> , 2013, 21, 835-840.	2.2	39
18	<i>Cordyceps militaris</i> Enhances Cell-Mediated Immunity in Healthy Korean Men. <i>Journal of Medicinal Food</i> , 2015, 18, 1164-1172.	1.5	38

#	ARTICLE	IF	CITATIONS
19	EORTC QLQ-C15-PAL quality of life score as a prognostic indicator of survival in patients with far advanced cancer. <i>Supportive Care in Cancer</i> , 2014, 22, 1941-1948.	2.2	37
20	Bispectral Index Versus Standard Monitoring in Sedation for Endoscopic Procedures: A Systematic Review and Meta-Analysis. <i>Digestive Diseases and Sciences</i> , 2016, 61, 814-824.	2.3	37
21	Effect of Vitamin D Deficiency on the Frequency of Headaches in Migraine. <i>Journal of Clinical</i>		

#	ARTICLE	IF	CITATIONS
37	Caffeine as an Adjuvant Therapy to Opioids in Cancer Pain: A Randomized, Double-Blind, Placebo-Controlled Trial. <i>Journal of Pain and Symptom Management</i> , 2013, 46, 474-482.	1.2	17
38	A Novel User Utility Score for Diabetes Management Using Tailored Mobile Coaching: Secondary Analysis of a Randomized Controlled Trial. <i>JMIR MHealth and UHealth</i> , 2021, 9, e17573.	3.7	17
39	Quality of life discordance between terminal cancer patients and family caregivers: a multicenter study. <i>Supportive Care in Cancer</i> , 2016, 24, 2853-60.	2.2	16
40	Spiritual Well-being Among Palliative Care Patients With Different Religious Affiliations: A Multicenter Korean Study. <i>Journal of Pain and Symptom Management</i> , 2018, 56, 893-901.	1.2	16
41	Prospective Validation of the Objective Prognostic Score for Advanced Cancer Patients in Diverse Palliative Settings. <i>Journal of Pain and Symptom Management</i> , 2016, 52, 420-427.	1.2	15
42	Association Between Nonalcoholic Fatty Liver Disease and Future Deterioration of Metabolic Health: A Cohort Study. <i>Obesity</i> , 2019, 27, 1360-1366.	3.0	15
43	Need for Systematic Efforts to Modify Health-Related Behaviors After Acute Myocardial Infarction in Korea. <i>Circulation Journal</i> , 2018, 82, 2523-2529.	1.6	14
44	Increasing achievement of the target goals for glycemic, blood pressure and lipid control for adults with diagnosed diabetes in Korea. <i>Journal of Diabetes Investigation</i> , 2013, 4, 460-465.	2.4	13
45	Less Healthy Dietary Pattern is Associated with Smoking in Korean Men According to Nationally Representative Data. <i>Journal of Korean Medical Science</i> , 2013, 28, 869.	2.5	13
46	Quality of life changes and intensive care preferences in terminal cancer patients. <i>Palliative and Supportive Care</i> , 2015, 13, 1309-1316.	1.0	13
47	Association between the emotional status of family caregivers and length of stay in a palliative care unit: A retrospective study. <i>Palliative and Supportive Care</i> , 2015, 13, 1695-1700.	1.0	13
48	Association between allergic rhinitis and metabolic conditions: a nationwide survey in Korea. <i>Allergy, Asthma and Clinical Immunology</i> , 2016, 12, 5.	2.0	13
49	Association between Spiritual Well-Being and Pain, Anxiety and Depression in Terminal Cancer Patients: A Pilot Study. <i>The Korean Journal of Hospice and Palliative Care</i> , 2013, 16, 175-182.	0.7	13
50	Effects of CYP3A5, CYP2C19, and CYP2B6 on the clinical efficacy and adverse outcomes of sibutramine therapy: A crucial role for the CYP2B6*6 allele. <i>Clinica Chimica Acta</i> , 2014, 428, 77-81.	1.1	12
51	Prospective Validation of Objective Prognostic Score for Advanced Cancer Inpatients in South Korea: A Multicenter Study. <i>Journal of Palliative Medicine</i> , 2017, 20, 65-68.	1.1	12
52	Optimal Range of Triglyceride Values to Estimate Serum Low Density Lipoprotein Cholesterol Concentration in Korean Adults: the Korea National Health and Nutrition Examination Survey, 2009. <i>Journal of Korean Medical Science</i> , 2012, 27, 1530.	2.5	11
53	Serum and urine concentrations of morphine and morphine metabolites in patients with advanced cancer receiving continuous intravenous morphine: an observational study. <i>BMC Palliative Care</i> , 2015, 14, 53.	1.8	10
54	Is spirituality related to survival in advanced cancer inpatients in Korea?. <i>Palliative and Supportive Care</i> , 2018, 16, 669-676.	1.0	10

#	ARTICLE	IF	CITATIONS
55	An Equation to Estimate the Concentration of Serum Apolipoprotein B. <i>PLoS ONE</i> , 2012, 7, e51607.	2.5	10
56	Comparative Efficacy of Lobeglitazone Versus Pioglitazone on Albuminuria in Patients with Type 2 Diabetes Mellitus. <i>Diabetes Therapy</i> , 2021, 12, 171-181.	2.5	8
57	Prediction of future development of cardiovascular disease with an equation to estimate apolipoprotein B. <i>Medicine (United States)</i> , 2016, 95, e3644.	1.0	7
58	“The surprise questions” using variable time frames in hospitalized patients with advanced cancer. <i>Palliative and Supportive Care</i> , 2022, 20, 221-225.	1.0	7
59	Oxidative stress level is not associated with survival in terminally ill cancer patients: a preliminary study. <i>BMC Palliative Care</i> , 2014, 13, 14.	1.8	6
60	Random Serum Cortisol as a Predictor for Survival of Terminally Ill Patients With Cancer. <i>American Journal of Hospice and Palliative Medicine</i> , 2016, 33, 281-285.	1.4	6
61	Prevalence and severity of symptoms and signs in patients with advanced cancer in the last days of life: the East Asian collaborative cross-cultural study to elucidate the dying process (EASED). <i>Supportive Care in Cancer</i> , 2022, 30, 5499-5508.	2.2	6
62	Association between C-reactive protein and pulmonary function in postmenopausal women. <i>Maturitas</i> , 2010, 66, 83-87.	2.4	5
63	Endoscopic and oncologic outcomes according to indication criteria of endoscopic resection for early gastric cancer: a systematic review and meta-analysis. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2016, 30, 1270-1281.	2.4	5
64	Nutritional Status of Korean Hospitalized Patients: A Multi-Center Preliminary Survey. <i>Journal of Clinical Nutrition</i> , 2014, 6, 71-78.	0.2	5
65	Evaluating Triglyceride and Glucose Index as a Simple and Easy-to-Calculate Marker for All-Cause and Cardiovascular Mortality. <i>Journal of General Internal Medicine</i> , 2022, 37, 4153-4159.	2.6	5
66	Prediction of future cardiovascular disease with an equation to estimate apolipoprotein B in patients with high cardiovascular risk: an analysis from the TNT and IDEAL study. <i>Lipids in Health and Disease</i> , 2017, 16, 158.	3.0	4
67	Association between neighborhood environments and suicidal ideation among Korean adults. <i>Journal of Affective Disorders</i> , 2021, 295, 488-491.	4.1	4
68	Trends in the Prevalence of Obesity and Its Phenotypes Based on the Korea National Health and Nutrition Examination Survey from 2007 to 2017 in Korea. <i>Diabetes and Metabolism Journal</i> , 2022, 46, 808-812.	4.7	4
69	Performance of clinician prediction of survival in oncology outpatients with advanced cancer. <i>PLoS ONE</i> , 2022, 17, e0267467.	2.5	4
70	Comparison of Simultaneous and Alternate Bilateral Pneumatic Compression in Hemodynamic Effects and Thromboprophylaxis After Total Knee Arthroplasty. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2015, 21, 653-660.	1.7	3
71	Validation of a Newly Developed Equation for Estimating Serum Apolipoprotein B: Associations with Cardiovascular Disease Surrogate Markers in Koreans. <i>Yonsei Medical Journal</i> , 2017, 58, 975.	2.2	3
72	Development of a One-item Screening Question to Assess Spiritual Well-Being for Advanced Cancer Inpatients in Korea. <i>Journal of Pain and Symptom Management</i> , 2021, 62, 910-917.	1.2	3

#	ARTICLE	IF	CITATIONS
73	Factors related to spiritual well-being in the last days of life in three East Asian countries: An international multicenter prospective cohort study. <i>Palliative Medicine</i> , 2021, 35, 1564-1577.	3.1	3
74	Simple Biomarkers During the Last Month of Life of Terminal Cancer Patients: A Sequential Study. <i>Journal of Pain and Symptom Management</i> , 2017, 53, e1-e3.	1.2	2
75	Change in palliative performance scale score as prediction of survival in patients with advanced cancer.. <i>Journal of Clinical Oncology</i> , 2014, 32, 9561-9561.	1.6	2
76	Risk Factors Related to Serious Adverse Drug Reactions Reported through Electronic Submission during Hospitalization in Elderly Patients. <i>Korean Journal of Family Medicine</i> , 2022, 43, 125-131.	1.2	2
77	Diastolic forward flow in the fetal main pulmonary artery and its implication for fetal cardiac cycle evaluation. <i>Journal of Perinatal Medicine</i> , 2011, 39, 445-50.	1.4	1
78	The Relationship between Coffee Drinking and Liver Function Tests in Korean Men. <i>Journal of Caffeine Research</i> , 2014, 4, 131-137.	0.9	1
79	Medical Manuscript. <i>American Journal of Hospice and Palliative Medicine</i> , 2016, 33, 483-488.	1.4	1
80	A Prognostic Model to Facilitate Palliative Care Referral in Oncology Outpatients. <i>Cancer Research and Treatment</i> , 2021, , .	3.0	1
81	Comparison of Objective Prognostic Score and Palliative Prognostic Score performance in inpatients with advanced cancer in Japan and Korea. <i>Palliative and Supportive Care</i> , 0, , 1-9.	1.0	1
82	O159. Predictive factors of nodal metastasis in tonsil cancer. <i>Oral Oncology Supplement</i> , 2009, 3, 109.	0.0	0
83	P2.76. Living related hemi-face skin transplant using radial forearm free flap in a xeroderma pigmentosa patient: Early outcome. <i>Oral Oncology Supplement</i> , 2009, 3, 186.	0.0	0
84	Korean Physiciansâ€™ Perspectives on Prognostication in Palliative Care: A Qualitative Study. <i>American Journal of Hospice and Palliative Medicine</i> , 2019, 36, 500-506.	1.4	0
85	Factors Related to Substantial Pain in Terminally Ill Cancer Patients. <i>The Korean Journal of Hospice and Palliative Care</i> , 2011, 14, 197-203.	0.7	0
86	Factors Related to Substantial Pain in Terminally Ill Cancer Patients. <i>The Korean Journal of Hospice and Palliative Care</i> , 2011, 14, 197-203.	0.7	0
87	Percent Body Fat Cut-Off Points for Diagnosing Metabolic Syndrome in Korean Adolescents. <i>Iranian Journal of Public Health</i> , 2019, 48, 69-76.	0.5	0
88	Suicidal ideation in long-term adult cancer survivors: Findings of a nationwide cross-sectional study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2022, , .	2.5	0