

Chen Liu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1511972/publications.pdf>

Version: 2024-02-01

164
papers

4,784
citations

126907

33
h-index

133252

59
g-index

172
all docs

172
docs citations

172
times ranked

6999
citing authors

#	ARTICLE	IF	CITATIONS
1	Clinical Significance of Mean and Pulse Pressure in Patients With Heart Failure With Preserved Ejection Fraction. <i>Hypertension</i> , 2022, 79, 241-250.	2.7	14
2	Ischemic risk in patients with heart failure with preserved ejection fraction: A post hoc analysis of the TOPCAT data. <i>Atherosclerosis</i> , 2022, 344, 1-6.	0.8	3
3	Role of N6-methyladenosine Modification in Cardiac Remodeling. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, 774627.	2.4	5
4	Loss of m6A Methyltransferase METTL5 Promotes Cardiac Hypertrophy Through Epitranscriptomic Control of SUZ12 Expression. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, 852775.	2.4	10
5	TGF- β 1-induced RAP2 regulates invasion in pancreatic cancer. <i>Acta Biochimica Et Biophysica Sinica</i> , 2022, 54, 361-369.	2.0	2
6	Prognostic significance of blood urea nitrogen/creatinine ratio in chronic HFpEF. <i>European Journal of Clinical Investigation</i> , 2022, 52, e13761.	3.4	7
7	Comprehensive Metabolic Profiling of Inflammation Indicated Key Roles of Glycerophospholipid and Arginine Metabolism in Coronary Artery Disease. <i>Frontiers in Immunology</i> , 2022, 13, 829425.	4.8	21
8	Associations of BMI with mortality in HFpEF patients with concomitant diabetes with insulin versus non-insulin treatment. <i>Diabetes Research and Clinical Practice</i> , 2022, 185, 109805.	2.8	2
9	Cardiac ISL1-Interacting Protein, a Cardioprotective Factor, Inhibits the Transition From Cardiac Hypertrophy to Heart Failure. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, 857049.	2.4	0
10	Phenotypes of heart failure with preserved ejection fraction and effect of spironolactone treatment. <i>ESC Heart Failure</i> , 2022, 9, 2567-2575.	3.1	10
11	Aberrant APOBEC3C expression induces characteristic genomic instability in pancreatic ductal adenocarcinoma. <i>Oncogenesis</i> , 2022, 11, .	4.9	7
12	Identification of a long noncoding RNA Gm17501 as a novel negative regulator of cardiac hypertrophy. <i>Experimental Cell Research</i> , 2022, 418, 113262.	2.6	0
13	Salt restriction and risk of adverse outcomes in heart failure with preserved ejection fraction. <i>Heart</i> , 2022, 108, 1377-1382.	2.9	4
14	Influence of polypharmacy on patients with heart failure with preserved ejection fraction: a retrospective analysis on adverse outcomes in the TOPCAT trial. <i>British Journal of General Practice</i> , 2021, 71, e62-e70.	1.4	13
15	Association of physical activity and risk of atrial fibrillation in heart failure with preserved ejection fraction. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 247-253.	2.6	5
16	Cardiac hemodynamic response to the 6-minute walk test in patients with intestinal carcinoma undergoing bevacizumab treatment. <i>Annals of Palliative Medicine</i> , 2021, 10, 1362-1369.	1.2	1
17	High pre-operative fasting blood glucose levels predict a poor prognosis in patients with pancreatic neuroendocrine tumour. <i>Endocrine</i> , 2021, 71, 494-501.	2.3	8
18	Roles of CA19-9 in pancreatic cancer: Biomarker, predictor and promoter. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2021, 1875, 188409.	7.4	144

#	ARTICLE	IF	CITATIONS
19	Development and Validation of a New Nomogram for Predicting Clinically Relevant Postoperative Pancreatic Fistula After Pancreatoduodenectomy. <i>World Journal of Surgery</i> , 2021, 45, 261-269.	1.6	15
20	Usefulness of CHADS2, R2CHADS2, and CHA2DS2â€VAsC scores for predicting incident atrial fibrillation in heart failure with preserved ejection fraction patients. <i>ESC Heart Failure</i> , 2021, 8, 1369-1377.	3.1	9
21	Body Composition and Response and Outcome of Neoadjuvant Treatment for Pancreatic Cancer. <i>Nutrition and Cancer</i> , 2021, , 1-10.	2.0	5
22	Meta-analysis of metabolic syndrome and its individual components with risk of atrial fibrillation in different populations. <i>BMC Cardiovascular Disorders</i> , 2021, 21, 90.	1.7	19
23	Diastolic left ventricular function in relation to the retinal microvascular fractal dimension in a Flemish population. <i>Hypertension Research</i> , 2021, 44, 446-453.	2.7	0
24	Effect of Rivaroxaban or Apixaban in Atrial Fibrillation Patients with Stage 4â€5 Chronic Kidney Disease or on Dialysis. <i>Cardiovascular Drugs and Therapy</i> , 2021, 35, 273-281.	2.6	19
25	PDGFRb+ mesenchymal cells, but not NG2+ mural cells, contribute to cardiac fat. <i>Cell Reports</i> , 2021, 34, 108697.	6.4	13
26	C2HEST score predicts clinical outcomes in heart failure with preserved ejection fraction: a secondary analysis of the TOPCAT trial. <i>BMC Medicine</i> , 2021, 19, 44.	5.5	11
27	Associations of Mitochondrial Variants With Lipidomic Traits in a Chinese Cohort With Coronary Artery Disease. <i>Frontiers in Genetics</i> , 2021, 12, 630359.	2.3	2
28	Predictive Values of Preoperative Markers for Resectable Pancreatic Body and Tail Cancer Determined by MDCT to Detect Occult Metastases. <i>World Journal of Surgery</i> , 2021, 45, 2185-2190.	1.6	8
29	Comprehensive Metabolomics Identified the Prominent Role of Glycerophospholipid Metabolism in Coronary Artery Disease Progression. <i>Frontiers in Molecular Biosciences</i> , 2021, 8, 632950.	3.5	12
30	Comparative Effectiveness and Safety of Nonâ€Vitamin K Antagonist Oral Anticoagulants in Atrial Fibrillation Patients. <i>Stroke</i> , 2021, 52, 1225-1233.	2.0	26
31	Meta-analysis of type 1 diabetes mellitus and risk of cardiovascular disease. <i>Journal of Diabetes and Its Complications</i> , 2021, 35, 107833.	2.3	16
32	Visit-to-Visit Blood Pressure Variability and Clinical Outcomes in Patients With Heart Failure With Preserved Ejection Fraction. <i>Hypertension</i> , 2021, 77, 1549-1558.	2.7	16
33	Prognostic Implication of Liver Function Tests in Heart Failure With Preserved Ejection Fraction Without Chronic Hepatic Diseases: Insight From TOPCAT Trial. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 618816.	2.4	13
34	Effect of aggressive diuresis in acute heart failure with reduced and preserved ejection fraction. <i>ESC Heart Failure</i> , 2021, 8, 3248-3256.	3.1	8
35	Weight Change and Mortality Risk in Heart Failure With Preserved Ejection Fraction. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 681726.	2.4	7
36	The cardiac translational landscape reveals that micropeptides are new players involved in cardiomyocyte hypertrophy. <i>Molecular Therapy</i> , 2021, 29, 2253-2267.	8.2	24

#	ARTICLE	IF	CITATIONS
37	Generation and characterization of a Myh6-driven Cre knockin mouse line. <i>Transgenic Research</i> , 2021, 30, 821-835.	2.4	9
38	Genome-wide association study of metabolites in patients with coronary artery disease identified novel metabolite quantitative trait loci. <i>Clinical and Translational Medicine</i> , 2021, 11, e290.	4.0	10
39	Fibrinogen/Albumin Ratio as a Promising Marker for Predicting Survival in Pancreatic Neuroendocrine Neoplasms. <i>Cancer Management and Research</i> , 2021, Volume 13, 107-115.	1.9	10
40	Association of long-term SBP with clinical outcomes and quality of life in heart failure with preserved ejection fraction: an analysis of the Treatment of Preserved Cardiac Function Heart Failure with an Aldosterone Antagonist trial. <i>Journal of Hypertension</i> , 2021, 39, 1378-1385.	0.5	4
41	High GFPT1 expression predicts unfavorable outcomes in patients with resectable pancreatic ductal adenocarcinoma. <i>World Journal of Surgical Oncology</i> , 2021, 19, 35.	1.9	4
42	Major depression and clinical outcomes in patients with heart failure with preserved ejection fraction. <i>European Journal of Clinical Investigation</i> , 2021, 51, e13401.	3.4	6
43	Prognostic Value of Cysteine-Rich Protein 61 Combined with N-Terminal Pro-B-Type Natriuretic Peptide for Mortality in Acute Heart Failure Patients with and without Chronic Kidney Disease. <i>CardioRenal Medicine</i> , 2020, 10, 11-21.	1.9	3
44	Transcribed Ultraconserved Regions, Uc.323, Ameliorates Cardiac Hypertrophy by Regulating the Transcription of CPT1b (Carnitine Palmitoyl transferase 1b). <i>Hypertension</i> , 2020, 75, 79-90.	2.7	20
45	Molecular alterations and targeted therapy in pancreatic ductal adenocarcinoma. <i>Journal of Hematology and Oncology</i> , 2020, 13, 130.	17.0	166
46	Associations of Left Ventricular Structure and Function With Blood Pressure in Heart Failure With Preserved Ejection Fraction: Analysis of the TOPCAT Trial. <i>Journal of the American Heart Association</i> , 2020, 9, e016009.	3.7	8
47	<p>Absolute Counts of Peripheral Lymphocyte Subsets Correlate with the Progression-Free Survival and Metastatic Status of Pancreatic Neuroendocrine Tumour Patients</p>. <i>Cancer Management and Research</i> , 2020, Volume 12, 6727-6737.	1.9	7
48	Sex-Specific Associations of Risks and Cardiac Structure and Function With Microalbumin/Creatinine Ratio in Diastolic Heart Failure. <i>Frontiers in Cardiovascular Medicine</i> , 2020, 7, 579400.	2.4	2
49	Clinical implication of pulmonary hospitalization in heart failure with preserved ejection fraction: from the TOPCAT. <i>ESC Heart Failure</i> , 2020, 7, 3801-3809.	3.1	2
50	Hispidulin Attenuates Cardiac Hypertrophy by Improving Mitochondrial Dysfunction. <i>Frontiers in Cardiovascular Medicine</i> , 2020, 7, 582890.	2.4	7
51	Association of hyponatraemia and renal function in type 1 cardiorenal syndrome. <i>European Journal of Clinical Investigation</i> , 2020, 50, e13269.	3.4	4
52	Suppression of microRNA-155 exerts an anti-inflammatory effect on CD4 ⁺ T cell-mediated inflammatory response in the pathogenesis of atherosclerosis. <i>Acta Biochimica Et Biophysica Sinica</i> , 2020, 52, 654-664.	2.0	6
53	Association between retinal arterial narrowing and left ventricular diastolic dysfunction in masked hypertensives. <i>Journal of Clinical Hypertension</i> , 2020, 22, 1050-1058.	2.0	2
54	Prognostic Value of the C-Reactive Protein/Lymphocyte Ratio in Pancreatic Cancer. <i>Annals of Surgical Oncology</i> , 2020, 27, 4017-4025.	1.5	33

#	ARTICLE	IF	CITATIONS
55	Mean platelet volume/platelet count ratio predicts long-term mortality in patients with infective endocarditis. <i>Biomarkers in Medicine</i> , 2020, 14, 293-302.	1.4	11
56	Prior history of acute pancreatitis predicts poor survival in patients with resectable pancreatic ductal adenocarcinoma. <i>Pancreatology</i> , 2020, 20, 716-721.	1.1	3
57	CHA2DS2-VASc and ATRIA Scores and Clinical Outcomes in Patients with Heart Failure with Preserved Ejection Fraction. <i>Cardiovascular Drugs and Therapy</i> , 2020, 34, 763-772.	2.6	8
58	HNF-1a promotes pancreatic cancer growth and apoptosis resistance via its target gene PKLR. <i>Acta Biochimica Et Biophysica Sinica</i> , 2020, 52, 241-250.	2.0	5
59	Angiotensin-Like Protein 7 and Short-Term Mortality in Acute Heart Failure. <i>CardioRenal Medicine</i> , 2020, 10, 116-124.	1.9	6
60	Kras mutation correlating with circulating regulatory T cells predicts the prognosis of advanced pancreatic cancer patients. <i>Cancer Medicine</i> , 2020, 9, 2153-2159.	2.8	26
61	Resected Pancreatic Cancer With N2 Node Involvement Is Refractory to Gemcitabine-Based Adjuvant Chemotherapy. <i>Cancer Control</i> , 2020, 27, 107327482091594.	1.8	2
62	ASO Author Reflections: C-Reactive Protein/Lymphocyte Ratio as a Promising Marker for Predicting Survival in Pancreatic Cancer. <i>Annals of Surgical Oncology</i> , 2020, 27, 4026-4027.	1.5	6
63	Insights into the prognosis of lipidomic dysregulation for death risk in patients with coronary artery disease. <i>Clinical and Translational Medicine</i> , 2020, 10, e189.	4.0	14
64	Proteomics profiling of epithelium-derived exosomes from nasal polyps revealed signaling functions affecting cellular proliferation. <i>Respiratory Medicine</i> , 2020, 162, 105871.	2.9	20
65	Role of Exosomal miRNAs in Heart Failure. <i>Frontiers in Cardiovascular Medicine</i> , 2020, 7, 592412.	2.4	26
66	Clinical implication of serum CA125 for the prediction of malignancy in mucinous cystic neoplasms of the pancreas. <i>Experimental and Therapeutic Medicine</i> , 2020, 20, 158.	1.8	2
67	Lewis antigen-negative pancreatic cancer: An aggressive subgroup. <i>International Journal of Oncology</i> , 2020, 56, 900-908.	3.3	21
68	Prognosis of distal pancreatic cancers controlled by stage. <i>Experimental and Therapeutic Medicine</i> , 2020, 20, 1091-1097.	1.8	8
69	Mean platelet volume/platelet count ratio predicts long-term mortality in patients with infective endocarditis. <i>Biomarkers in Medicine</i> , 2020, 14, 823-827.	1.4	0
70	AJCC 7th edition staging classification is more applicable than AJCC 8th edition staging classification for invasive IPMN. <i>World Journal of Surgical Oncology</i> , 2019, 17, 137.	1.9	8
71	Hexokinase 2 dimerization and interaction with voltage-dependent anion channel promoted resistance to cell apoptosis induced by gemcitabine in pancreatic cancer. <i>Cancer Medicine</i> , 2019, 8, 5903-5915.	2.8	34
72	ASO Author Reflections: Resection for Metastasis to the Pancreas—Worthwhile for Selected Patients. <i>Annals of Surgical Oncology</i> , 2019, 26, 696-697.	1.5	0

#	ARTICLE	IF	CITATIONS
73	Nocturnal systolic hypertension is a risk factor for cardiac damage in the untreated masked hypertensive patients. <i>Journal of Clinical Hypertension</i> , 2019, 21, 1666-1674.	2.0	5
74	Maf1 ameliorates cardiac hypertrophy by inhibiting RNA polymerase III through ERK1/2. <i>Theranostics</i> , 2019, 9, 7268-7281.	10.0	27
75	<p>The CRP/Albumin Ratio Predicts Survival And Monitors Chemotherapeutic Effectiveness In Patients With Advanced Pancreatic Cancer</p>. <i>Cancer Management and Research</i> , 2019, Volume 11, 8781-8788.	1.9	26
76	Overdrive pacing mapping: An alternative approach used in scar associated localized atrial tachycardia. <i>Journal of Cardiovascular Electrophysiology</i> , 2019, 30, 2668-2677.	1.7	0
77	Functional improvement and maturation of human cardiomyocytes derived from human pluripotent stem cells by barbaloin preconditioning. <i>Acta Biochimica Et Biophysica Sinica</i> , 2019, 51, 1041-1048.	2.0	2
78	KrasG12D mutation contributes to regulatory T cell conversion through activation of the MEK/ERK pathway in pancreatic cancer. <i>Cancer Letters</i> , 2019, 446, 103-111.	7.2	57
79	The role of necroptosis in cancer biology and therapy. <i>Molecular Cancer</i> , 2019, 18, 100.	19.2	605
80	Diastolic Reverse Dipping Pattern Is the Predictor for the Echocardiographic Changes in the Untreated Masked Hypertensive Patients. <i>American Journal of Hypertension</i> , 2019, 32, 588-596.	2.0	6
81	Surgical Resection for Metastatic Tumors in the Pancreas: A Single-Center Experience and Systematic Review. <i>Annals of Surgical Oncology</i> , 2019, 26, 1649-1656.	1.5	17
82	Engineering human ventricular heart tissue based on macroporous iron oxide scaffolds. <i>Acta Biomaterialia</i> , 2019, 88, 540-553.	8.3	16
83	Association of household secondhand smoke exposure and mortality risk in patients with heart failure. <i>BMC Cardiovascular Disorders</i> , 2019, 19, 280.	1.7	6
84	Effect of Cellulose Powder on Human Nasal Epithelial Cell Activity and Ciliary Beat Frequency. <i>International Archives of Allergy and Immunology</i> , 2019, 178, 229-237.	2.1	3
85	Lycopene protects against pressure overload-induced cardiac hypertrophy by attenuating oxidative stress. <i>Journal of Nutritional Biochemistry</i> , 2019, 66, 70-78.	4.2	34
86	The role of angiotensin-like protein 4 in phenylephrine-induced cardiomyocyte hypertrophy. <i>Bioscience Reports</i> , 2019, 39, .	2.4	7
87	Association of Cyr61-cysteine-rich protein 61 and short-term mortality in patients with acute heart failure and coronary heart disease. <i>Biomarkers in Medicine</i> , 2019, 13, 1589-1597.	1.4	5
88	MUC16 C terminal-induced secretion of tumor-derived IL-6 contributes to tumor-associated Treg enrichment in pancreatic cancer. <i>Cancer Letters</i> , 2018, 418, 167-175.	7.2	47
89	Overweight Without Central Obesity, Cardiovascular Risk, and All-Cause Mortality. <i>Mayo Clinic Proceedings</i> , 2018, 93, 709-720.	3.0	14
90	Risk of Cardiovascular Mortality Associated With Serum Sodium and Chloride in the General Population. <i>Canadian Journal of Cardiology</i> , 2018, 34, 999-1003.	1.7	8

#	ARTICLE	IF	CITATIONS
91	A novel scoring system predicts postsurgical survival and adjuvant chemotherapeutic benefits in patients with pancreatic adenocarcinoma: Implications for AJCC-TNM staging. <i>Surgery</i> , 2018, 163, 1280-1294.	1.9	20
92	Novel recurrence risk stratification of resected pancreatic neuroendocrine tumor. <i>Cancer Letters</i> , 2018, 412, 188-193.	7.2	42
93	Simvastatin Treatment Protects Myocardium in Noncoronary Artery Cardiac Surgery by Inhibiting Apoptosis Through miR-15a-5p Targeting. <i>Journal of Cardiovascular Pharmacology</i> , 2018, 72, 176-185.	1.9	14
94	Fisetin inhibits cardiac hypertrophy by suppressing oxidative stress. <i>Journal of Nutritional Biochemistry</i> , 2018, 62, 221-229.	4.2	43
95	Anergic natural killer cells educated by tumor cells are associated with a poor prognosis in patients with advanced pancreatic ductal adenocarcinoma. <i>Cancer Immunology, Immunotherapy</i> , 2018, 67, 1815-1823.	4.2	19
96	Characteristic features of neck skin aging in Chinese women. <i>Journal of Cosmetic Dermatology</i> , 2018, 17, 935-944.	1.6	11
97	Postoperative serum CA19-9, CEA and CA125 predicts the response to adjuvant chemoradiotherapy following radical resection in pancreatic adenocarcinoma. <i>Pancreatology</i> , 2018, 18, 671-677.	1.1	17
98	AMPK blunts chronic heart failure by inhibiting autophagy. <i>Bioscience Reports</i> , 2018, 38, .	2.4	24
99	Prognostic Significance of Serum Cysteine-Rich Protein 61 in Patients with Acute Heart Failure. <i>Cellular Physiology and Biochemistry</i> , 2018, 48, 1177-1187.	1.6	16
100	Novel agents for pancreatic ductal adenocarcinoma: emerging therapeutics and future directions. <i>Journal of Hematology and Oncology</i> , 2018, 11, 14.	17.0	33
101	New observations on the utility of CA19-9 as a biomarker in Lewis negative patients with pancreatic cancer. <i>Pancreatology</i> , 2018, 18, 971-976.	1.1	47
102	Potential Biomarkers in Lewis Negative Patients With Pancreatic Cancer. <i>Annals of Surgery</i> , 2017, 265, 800-805.	4.2	127
103	Patients with normal-range CA19-9 levels represent a distinct subgroup of pancreatic cancer patients. <i>Oncology Letters</i> , 2017, 13, 881-886.	1.8	10
104	Analysis of ctDNA to predict prognosis and monitor treatment responses in metastatic pancreatic cancer patients. <i>International Journal of Cancer</i> , 2017, 140, 2344-2350.	5.1	133
105	Sestrin 1 ameliorates cardiac hypertrophy via autophagy activation. <i>Journal of Cellular and Molecular Medicine</i> , 2017, 21, 1193-1205.	3.6	40
106	A new facet of NDRG1 in pancreatic ductal adenocarcinoma: Suppression of glycolytic metabolism. <i>International Journal of Oncology</i> , 2017, 50, 1792-1800.	3.3	20
107	Clinical outcomes and prognostic factors of resected pancreatic neuroendocrine neoplasms: A single-center experience in China. <i>Oncology Letters</i> , 2017, 13, 3163-3168.	1.8	13
108	Sestrin 2 attenuates neonatal rat cardiomyocyte hypertrophy induced by phenylephrine via inhibiting ERK1/2. <i>Molecular and Cellular Biochemistry</i> , 2017, 433, 113-123.	3.1	30

#	ARTICLE	IF	CITATIONS
109	Neutrophil-lymphocyte ratio predicts survival in pancreatic neuroendocrine tumors. <i>Oncology Letters</i> , 2017, 13, 2454-2458.	1.8	32
110	Revised nodal stage for pancreatic neuroendocrine tumors. <i>Pancreatology</i> , 2017, 17, 599-604.	1.1	11
111	Carbohydrate antigen 19â€ as a prognostic biomarker in pancreatic neuroendocrine tumors. <i>Oncology Letters</i> , 2017, 14, 6795-6800.	1.8	20
112	DJ-1 activates autophagy in the repression of cardiac hypertrophy. <i>Archives of Biochemistry and Biophysics</i> , 2017, 633, 124-132.	3.0	21
113	Human profilin 1 is a negative regulator of CTL mediated cellâ€killing and migration. <i>European Journal of Immunology</i> , 2017, 47, 1562-1572.	2.9	43
114	Postoperative serum CEA and CA125 levels are supplementary to perioperative CA19-9 levels in predicting operative outcomes ofâ€pancreatic ductal adenocarcinoma. <i>Surgery</i> , 2017, 161, 373-384.	1.9	49
115	CA19-9-Low&Lewis (+) pancreatic cancer: A unique subtype. <i>Cancer Letters</i> , 2017, 385, 46-50.	7.2	15
116	Prognostic Value of the CRP/Alb Ratio, a Novel Inflammation-Based Score in Pancreatic Cancer. <i>Annals of Surgical Oncology</i> , 2017, 24, 561-568.	1.5	137
117	Modified Staging Classification for Pancreatic Neuroendocrine Tumors on the Basis of the American Joint Committee on Cancer and European Neuroendocrine Tumor Society Systems. <i>Journal of Clinical Oncology</i> , 2017, 35, 274-280.	1.6	124
118	Somatic Genetic Variation in Solid Pseudopapillary Tumor of the Pancreas by Whole Exome Sequencing. <i>International Journal of Molecular Sciences</i> , 2017, 18, 81.	4.1	28
119	Circulating regulatory T cell subsets predict overall survival of patients with unresectable pancreatic cancer. <i>International Journal of Oncology</i> , 2017, 51, 686-694.	3.3	44
120	Serum CA125 is a novel predictive marker for pancreatic cancer metastasis and correlates with the metastasis-associated burden. <i>Oncotarget</i> , 2016, 7, 5943-5956.	1.8	70
121	Optimize CA19-9 in detecting pancreatic cancer by Lewis and Secretor genotyping. <i>Pancreatology</i> , 2016, 16, 1057-1062.	1.1	36
122	The combination of systemic inflammation-based marker NLR and circulating regulatory T cells predicts the prognosis of resectable pancreatic cancer patients. <i>Pancreatology</i> , 2016, 16, 1080-1084.	1.1	56
123	Energy sources identify metabolic phenotypes in pancreatic cancer. <i>Acta Biochimica Et Biophysica Sinica</i> , 2016, 48, 969-979.	2.0	24
124	Functional engineered human cardiac patches prepared from nature's platform improve heart function after acute myocardial infarction. <i>Biomaterials</i> , 2016, 105, 52-65.	11.4	105
125	Mutant p53 determines pancreatic cancer poor prognosis to pancreatectomy through upregulation of cavin-1 in patients with preoperative serum CA19-9â€â€1,000â€U/mL. <i>Scientific Reports</i> , 2016, 6, 19222.	3.3	26
126	Critical role of oncogenic KRAS in pancreatic cancer (Review). <i>Molecular Medicine Reports</i> , 2016, 13, 4943-4949.	2.4	27

#	ARTICLE	IF	CITATIONS
127	New insights into perineural invasion of pancreatic cancer: More than pain. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2016, 1865, 111-122.	7.4	39
128	Roux-en-Y pancreaticojejunostomy reconstruction after deep enucleation of benign or borderline pancreatic lesions: a single-institution experience. <i>Hpb</i> , 2016, 18, 145-152.	0.3	7
129	FBW7 (F-box and WD Repeat Domain-Containing 7) Negatively Regulates Glucose Metabolism by Targeting the c-Myc/TXNIP (Thioredoxin-Binding Protein) Axis in Pancreatic Cancer. <i>Clinical Cancer Research</i> , 2016, 22, 3950-3960.	7.0	72
130	ALDOA functions as an oncogene in the highly metastatic pancreatic cancer. <i>Cancer Letters</i> , 2016, 374, 127-135.	7.2	104
131	Efficacy and safety of antithrombotic regimens after coronary intervention in patients on oral anticoagulation: Traditional and Bayesian meta-analysis of clinical trials. <i>International Journal of Cardiology</i> , 2016, 205, 89-96.	1.7	25
132	Modulation of the gene expression of annulus fibrosus-derived stem cells using poly(ether carbonate) Tj ETQq0 0 0 rgBT /Overlock 10 Tf	8.8	55
133	Which patients with para-aortic lymph node (LN16) metastasis will truly benefit from curative pancreaticoduodenectomy for pancreatic head cancer?. <i>Oncotarget</i> , 2016, 7, 29177-29186.	1.8	11
134	Effect of scaffold elasticity on the gene expression of annulus fibrosus-derived stem cells. <i>Data in Brief</i> , 2015, 5, 1007-1014.	1.0	2
135	Noncoding RNAs as potential biomarkers to predict the outcome in pancreatic cancer. <i>Drug Design, Development and Therapy</i> , 2015, 9, 1247.	4.3	22
136	Effects of Long-Term Statin Therapy in Coronary Artery Disease Patients with or without Chronic Kidney Disease. <i>Disease Markers</i> , 2015, 2015, 1-8.	1.3	5
137	Should a standard lymphadenectomy during pancreatoduodenectomy exclude para-aortic lymph nodes for all cases of resectable pancreatic head cancer? A consensus statement by the Chinese Study Group for Pancreatic Cancer (CSPAC). <i>International Journal of Oncology</i> , 2015, 47, 1512-1516.	3.3	9
138	Metabolic tumor burden: A new promising way to reach precise personalized therapy in PDAC. <i>Cancer Letters</i> , 2015, 359, 165-168.	7.2	14
139	Blood Neutrophil-Lymphocyte Ratio Predicts Survival in Patients with Advanced Pancreatic Cancer Treated with Chemotherapy. <i>Annals of Surgical Oncology</i> , 2015, 22, 670-676.	1.5	127
140	Papillary-like main pancreatic duct invaginated pancreaticojejunostomy versus duct-to-mucosa pancreaticojejunostomy after pancreaticoduodenectomy: A prospective randomized trial. <i>Surgery</i> , 2015, 158, 1211-1218.	1.9	21
141	Lymph node status predicts the benefit of adjuvant chemoradiotherapy for patients with resected pancreatic cancer. <i>Pancreatology</i> , 2015, 15, 253-258.	1.1	17
142	Metabolic tumor burden is associated with major oncogenomic alterations and serum tumor markers in patients with resected pancreatic cancer. <i>Cancer Letters</i> , 2015, 360, 227-233.	7.2	37
143	A comprehensive comparison of clinicopathologic and imaging features of incidental/symptomatic non-functioning pancreatic neuroendocrine tumors: A retrospective study of a single center. <i>Pancreatology</i> , 2015, 15, 519-524.	1.1	7
144	ERK kinase phosphorylates and destabilizes the tumor suppressor FBW7 in pancreatic cancer. <i>Cell Research</i> , 2015, 25, 561-573.	12.0	112

#	ARTICLE	IF	CITATIONS
145	Epithelialâ€“mesenchymal transition in pancreatic cancer: Is it a clinically significant factor?. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2015, 1855, 43-49.	7.4	29
146	Molecular Mechanism Underlying Lymphatic Metastasis in Pancreatic Cancer. <i>BioMed Research International</i> , 2014, 2014, 1-15.	1.9	22
147	Melatonin synergized with cyclosporine A improves cardiac allograft survival by suppressing inflammation and apoptosis. <i>Molecular Medicine Reports</i> , 2014, 10, 1323-1328.	2.4	12
148	LSD1 sustains pancreatic cancer growth via maintaining HIF1 α -dependent glycolytic process. <i>Cancer Letters</i> , 2014, 347, 225-232.	7.2	63
149	DCs sensitized with mPD-L1-Ig fusion protein improve the effect of heart transplantation in mice by promoting the generation of T-reg cells. <i>Cellular Immunology</i> , 2014, 290, 169-177.	3.0	6
150	Cancer statistics: Current diagnosis and treatment of pancreatic cancer in Shanghai, China. <i>Cancer Letters</i> , 2014, 346, 273-277.	7.2	107
151	REDD1 attenuates cardiac hypertrophy via enhancing autophagy. <i>Biochemical and Biophysical Research Communications</i> , 2014, 454, 215-220.	2.1	32
152	Abnormal distribution of peripheral lymphocyte subsets induced by PDAC modulates overall survival. <i>Pancreatology</i> , 2014, 14, 295-301.	1.1	38
153	The critical role of Sestrin 1 in regulating the proliferation of cardiac fibroblasts. <i>Archives of Biochemistry and Biophysics</i> , 2014, 542, 1-6.	3.0	22
154	AMPK inhibits cardiac hypertrophy by promoting autophagy via mTORC1. <i>Archives of Biochemistry and Biophysics</i> , 2014, 558, 79-86.	3.0	120
155	Network analysis reveals roles of inflammatory factors in different phenotypes of kidney transplant patients. <i>Journal of Theoretical Biology</i> , 2014, 362, 62-68.	1.7	11
156	18F-FDG PET/CT can be used to detect non-functioning pancreatic neuroendocrine tumors. <i>International Journal of Oncology</i> , 2014, 45, 1531-1536.	3.3	14
157	Interferon regulatory factor 3 is a negative regulator of pathological cardiac hypertrophy. <i>Basic Research in Cardiology</i> , 2013, 108, 326.	5.9	63
158	GW24-e2121â€“Adenosine monophosphate-activated protein kinase attenuates cardiomyocyte hypertrophy through regulation of FOXO3a/MAFbx signalling pathway. <i>Heart</i> , 2013, 99, A36.2-A36.	2.9	0
159	Pancreatic Stump-Closed Pancreaticojejunostomy can be Performed Safely in Normal Soft Pancreas Cases. <i>Journal of Surgical Research</i> , 2012, 172, e11-e17.	1.6	18
160	Adenosine monophosphate-activated protein kinase attenuates cardiomyocyte hypertrophy through regulation of FOXO3a/MAFbx signalling pathway. <i>Heart</i> , 2011, 97, A5-A5.	2.9	0
161	Alliin protects against cardiac hypertrophy and fibrosis via attenuating reactive oxygen species-dependent signaling pathways. <i>Journal of Nutritional Biochemistry</i> , 2010, 21, 1238-1250.	4.2	89
162	Activation of AMPK inhibits cardiomyocyte hypertrophy by modulating of the FOXO1/MuRF1 signaling pathway in vitro. <i>Acta Pharmacologica Sinica</i> , 2010, 31, 798-804.	6.1	42

#	ARTICLE	IF	CITATIONS
163	Proteomic analysis of differential proteins in pancreatic carcinomas: Effects of MBD1 knock-down by stable RNA interference. BMC Cancer, 2008, 8, 121.	2.6	16
164	Histomorphological characteristics of liver tissue in patients with chronic viral hepatitis. Chinese Journal of Digestive Diseases, 2002, 3, 18-22.	1.0	0