

Wooseong Huh

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1520764/publications.pdf>

Version: 2024-02-01

85
papers

857
citations

623734

14
h-index

580821

25
g-index

91
all docs

91
docs citations

91
times ranked

1588
citing authors

#	ARTICLE	IF	CITATIONS
1	Nonalcoholic fatty liver disease accelerates kidney function decline in patients with chronic kidney disease: a cohort study. <i>Scientific Reports</i> , 2018, 8, 4718.	3.3	68
2	Expression of nephrin in acquired human glomerular disease. <i>Nephrology Dialysis Transplantation</i> , 2002, 17, 478-484.	0.7	63
3	The impact of early and late acute rejection on graft survival in renal transplantation. <i>Kidney Research and Clinical Practice</i> , 2015, 34, 160-164.	2.2	56
4	Assessment of early renal allograft dysfunction with blood oxygenation level-dependent MRI and diffusion-weighted imaging. <i>European Journal of Radiology</i> , 2014, 83, 2114-2121.	2.6	44
5	Comparative Evaluation of QuantiFERON-TB Gold In-Tube and QuantiFERON-TB Gold Plus in Diagnosis of Latent Tuberculosis Infection in Immunocompromised Patients. <i>Journal of Clinical Microbiology</i> , 2018, 56, .	3.9	37
6	Effect of preemptive treatment with human umbilical cord blood-derived mesenchymal stem cells on the development of renal ischemia-reperfusion injury in mice. <i>American Journal of Physiology - Renal Physiology</i> , 2014, 307, F1149-F1161.	2.7	36
7	Clinical relevance of procalcitonin and C-reactive protein as infection markers in renal impairment: a cross-sectional study. <i>Critical Care</i> , 2014, 18, 640.	5.8	35
8	Tissue expression of tubular injury markers is associated with renal function decline in diabetic nephropathy. <i>Journal of Diabetes and Its Complications</i> , 2017, 31, 1704-1709.	2.3	35
9	Efficacy of continuous venovenous hemofiltration with chemotherapy in patients with Burkitt lymphoma and leukemia at high risk of tumor lysis syndrome. <i>Annals of Hematology</i> , 2009, 88, 639-645.	1.8	29
10	Association between diuretics and successful discontinuation of continuous renal replacement therapy in critically ill patients with acute kidney injury. <i>Critical Care</i> , 2018, 22, 255.	5.8	27
11	Serum calcium and phosphorus levels in patients undergoing maintenance hemodialysis: A multicentre study in Korea. <i>Kidney Research and Clinical Practice</i> , 2014, 33, 52-57.	2.2	25
12	Changes in acute kidney injury epidemiology in critically ill patients: a population-based cohort study in Korea. <i>Annals of Intensive Care</i> , 2019, 9, 65.	4.6	21
13	Early, but not late, treatment with human umbilical cord blood-derived mesenchymal stem cells attenuates cisplatin nephrotoxicity through immunomodulation. <i>American Journal of Physiology - Renal Physiology</i> , 2017, 313, F984-F996.	2.7	20
14	Randomized trial of cyclosporine and tacrolimus therapy with steroid withdrawal in living-donor renal transplantation: 5-year follow-up. <i>Transplant International</i> , 2010, 23, 147-154.	1.6	17
15	Additive Postprandial Glucose-Lowering Effects of Mitiglinide and Sitagliptin in Patients with Type 2 Diabetes Mellitus. <i>Advances in Therapy</i> , 2013, 30, 1018-1029.	2.9	14
16	A pharmacokinetic and pharmacodynamic drug interaction between rosuvastatin and valsartan in healthy subjects. <i>Drug Design, Development and Therapy</i> , 2015, 9, 745.	4.3	14
17	Risk Prediction for Contrast-Induced Nephropathy in Cancer Patients Undergoing Computed Tomography under Preventive Measures. <i>Journal of Oncology</i> , 2019, 2019, 1-7.	1.3	14
18	Cardiovascular Risk Comparison between Expanded Hemodialysis Using Theranova and Online Hemodiafiltration (CARTOON): A Multicenter Randomized Controlled Trial. <i>Scientific Reports</i> , 2021, 11, 10807.	3.3	13

#	ARTICLE	IF	CITATIONS
19	Pre-Transplant Angiotensin II Type 1 Receptor Antibodies and Anti-Endothelial Cell Antibodies Predict Graft Function and Allograft Rejection in a Low-Risk Kidney Transplantation Setting. <i>Annals of Laboratory Medicine</i> , 2020, 40, 398-408.	2.5	13
20	The impact of slow graft function on graft outcome is comparable to delayed graft function in deceased donor kidney transplantation. <i>International Urology and Nephrology</i> , 2016, 48, 431-439.	1.4	12
21	Clinical relevance of urinary angiotensinogen and renin as potential biomarkers in patients with overt proteinuria. <i>Translational Research</i> , 2014, 164, 400-410.	5.0	10
22	Aging has small effects on initial ischemic acute kidney injury development despite changing intrarenal immunologic micromilieu in mice. <i>American Journal of Physiology - Renal Physiology</i> , 2016, 310, F272-F283.	2.7	10
23	Poly (ADP-Ribose) Polymerase Inhibitor Treatment as a Novel Therapy Attenuating Renal Ischemia-Reperfusion Injury. <i>Frontiers in Immunology</i> , 2020, 11, 564288.	4.8	10
24	Is the New Interferon-Gamma Releasing Assay Beneficial for the Diagnosis of Latent and Active Mycobacterium tuberculosis Infections in Tertiary Care Setting?. <i>Journal of Clinical Medicine</i> , 2021, 10, 1376.	2.4	10
25	Effects of percutaneous angioplasty on kidney function and blood pressure in patients with atherosclerotic renal artery stenosis. <i>Kidney Research and Clinical Practice</i> , 2019, 38, 336-346.	2.2	10
26	Intravenous albumin for the prevention of contrast-induced nephropathy in patients with liver cirrhosis and chronic kidney disease undergoing contrast-enhanced CT. <i>Kidney Research and Clinical Practice</i> , 2012, 31, 106-111.	2.2	9
27	Bioequivalence evaluation of two amlodipine salts, besylate and orotate, each in a fixed-dose combination with olmesartan in healthy subjects. <i>Drug Design, Development and Therapy</i> , 2015, 9, 2811.	4.3	9
28	Independent Contributions of Obstructive Sleep Apnea and the Metabolic Syndrome to the Risk of Chronic Kidney Disease. <i>Journal of Clinical Sleep Medicine</i> , 2017, 13, 1145-1152.	2.6	9
29	Dietary Modification Alters the Intrarenal Immunologic Micromilieu and Susceptibility to Ischemic Acute Kidney Injury. <i>Frontiers in Immunology</i> , 2021, 12, 621176.	4.8	9
30	The Impact of Donor-Specific Anti-Human Leukocyte Antigen (HLA) Antibody Rebound on the Risk of Antibody Mediated Rejection in Sensitized Kidney Transplant Recipients. <i>Annals of Transplantation</i> , 2017, 22, 166-176.	0.9	9
31	No pharmacokinetic interactions between candesartan and amlodipine following multiple oral administrations in healthy subjects. <i>Drug Design, Development and Therapy</i> , 2018, Volume 12, 2475-2483.	4.3	8
32	Arteriovenous graft patency outcomes and prognostic factors. <i>Vascular</i> , 2019, 27, 128-134.	0.9	8
33	Hepatitis B reactivation after kidney transplantation in hepatitis B surface antigen-negative, core antibody-positive recipients. <i>Journal of Viral Hepatitis</i> , 2020, 27, 739-746.	2.0	8
34	Renal infarction caused by paradoxical embolism through a patent foramen ovale. <i>Kidney Research and Clinical Practice</i> , 2012, 31, 196-199.	2.2	7
35	Colchicine-induced myoneuropathy in a cyclosporine-treated renal transplant recipient. <i>Kidney Research and Clinical Practice</i> , 2013, 32, 74-77.	2.2	7
36	Serial ImmuKnow assay in stable kidney transplant recipients. <i>Central-European Journal of Immunology</i> , 2014, 1, 96-99.	1.2	7

#	ARTICLE	IF	CITATIONS
37	High pretransplant HBV level predicts HBV reactivation after kidney transplantation in HBV infected recipients. <i>Annals of Surgical Treatment and Research</i> , 2014, 86, 256.	1.0	7
38	Effects of amoxicillin/clavulanic acid on the pharmacokinetics of valproic acid. <i>Drug Design, Development and Therapy</i> , 2015, 9, 4559.	4.3	7
39	The effects of cytotoxic therapy in progressive IgA nephropathy. <i>Annals of Medicine</i> , 2016, 48, 171-181.	3.8	7
40	Comparison of the long-term efficacy and safety of generic Tacrobell with original tacrolimus (Prograf) in kidney transplant recipients. <i>Drug Design, Development and Therapy</i> , 2017, Volume11, 203-210.	4.3	7
41	The presence of simple renal cysts is associated with an increased risk of albuminuria in young adults. <i>Korean Journal of Internal Medicine</i> , 2022, 37, 425-433.	1.7	7
42	Lack of the effect of lobeglitazone, a peroxisome proliferator-activated receptor- γ agonist, on the pharmacokinetics and pharmacodynamics of warfarin. <i>Drug Design, Development and Therapy</i> , 2015, 9, 737.	4.3	6
43	Creatinine- and cystatin C-based estimated glomerular filtration rate slopes for the prediction of kidney outcome: a comparative retrospective study. <i>BMC Nephrology</i> , 2019, 20, 214.	1.8	6
44	C3d-Positive Preformed DSAs Tend to Persist and Result in a Higher Risk of AMR after Kidney Transplants. <i>Journal of Clinical Medicine</i> , 2020, 9, 375.	2.4	6
45	Correction of Anemia with Continuous Erythropoietin Receptor Activator in Korean Patients on Long-Term Hemodialysis. <i>Journal of Korean Medical Science</i> , 2014, 29, 76.	2.5	5
46	A case of Fanconi syndrome accompanied by crystal depositions in tubular cells in a patient with multiple myeloma. <i>Kidney Research and Clinical Practice</i> , 2014, 33, 112-115.	2.2	5
47	Effect of Cilostazol on the Pharmacokinetics of Simvastatin in Healthy Subjects. <i>BioMed Research International</i> , 2019, 2019, 1-6.	1.9	5
48	Perioperative risk factors of progressive chronic kidney disease following liver transplantation: analyses of a 10-year follow-up single-center cohort. <i>Annals of Surgical Treatment and Research</i> , 2020, 99, 52.	1.0	5
49	A Novel Simultaneous Determination of Sarpogrelate and its Active Metabolite (M-1) in Human Plasma, Using Liquid Chromatography-Tandem Mass Spectrometry: Clinical Application. <i>Annals of Laboratory Medicine</i> , 2015, 35, 391-398.	2.5	4
50	Diagnostic performances of M-protein tests according to the clinical presentations of kidney disease. <i>European Journal of Internal Medicine</i> , 2016, 33, 88-92.	2.2	4
51	A Scoring Model with Simple Clinical Parameters to Predict Successful Discontinuation of Continuous Renal Replacement Therapy. <i>Blood Purification</i> , 2021, 50, 779-789.	1.8	4
52	Early postoperative urinary MCP-1 as a potential biomarker predicting acute rejection in living donor kidney transplantation: a prospective cohort study. <i>Scientific Reports</i> , 2021, 11, 18832.	3.3	4
53	Modeling Uremic Vasculopathy With Induced Pluripotent Stem Cell-Derived Endothelial Cells as a Drug Screening System. <i>Frontiers in Cell and Developmental Biology</i> , 2020, 8, 618796.	3.7	4
54	Reduced Tacrolimus Trough Level Is Reflected by Estimated Glomerular Filtration Rate (eGFR) Changes in Stable Renal Transplantation Recipients: Results of the OPTIMUM Phase 3 Randomized Controlled Study. <i>Annals of Transplantation</i> , 2018, 23, 401-411.	0.9	4

#	ARTICLE	IF	CITATIONS
55	Renal Allograft Outcomes From Spousal and Other Living Unrelated Donors. Dialysis and Transplantation, 2009, 38, 200-202.	0.2	3
56	Warfarin skin necrosis mimicking calciphylaxis in a patient with secondary hyperparathyroidism undergoing peritoneal dialysis. Kidney Research and Clinical Practice, 2016, 35, 55-58.	2.2	3
57	First-year GFR slope and long-term renal outcome in IgA nephropathy. European Journal of Clinical Investigation, 2018, 48, e12936.	3.4	3
58	Prognostic Factors of Renal Outcomes after Heart Transplantation: A Nationwide Retrospective Study. Journal of Clinical Medicine, 2021, 10, 5110.	2.4	3
59	Two cases of idiopathic membranous nephropathy treated with rituximab. Kidney Research and Clinical Practice, 2013, 32, 138-141.	2.2	2
60	Early non-steady-state population pharmacokinetics of oral cyclosporine in renal transplant recipients. Drug Design, Development and Therapy, 2014, 8, 2241.	4.3	2
61	Ten-year observational follow-up of a randomized trial comparing cyclosporine and tacrolimus therapy combined with steroid withdrawal in living donor renal transplantation. Clinical Transplantation, 2018, 32, e13372.	1.6	2
62	Comparison of the Pharmacokinetic-Pharmacodynamic Relationships of Two Darbepoetin Alfa Formulations in Healthy Male Volunteers. BioDrugs, 2019, 33, 101-112.	4.6	2
63	Efficacy and Safety of a Balanced Salt Solution Versus a 0.9% Saline Infusion for the Prevention of Contrast-Induced Acute Kidney Injury After Contrast-Enhanced Computed Tomography. Kidney Medicine, 2020, 2, 189-195.	2.0	2
64	Urinary angiotensinogen as a surrogate marker predicting the antiproteinuric effects of angiotensin receptor blockers in patients with overt proteinuria: a multicenter prospective study. BMC Nephrology, 2020, 21, 180.	1.8	2
65	Case Report of Kidney Paired Donation (KPD) with Desensitization: the Strategy and Experience of 3-Way KPD in Samsung Medical Center. Journal of Korean Medical Science, 2018, 33, e39.	2.5	1
66	The combination of area under the curve and percentage change in estimated glomerular filtration rate predicts long-term outcome of kidney transplants. American Journal of Transplantation, 2020, 20, 1056-1062.	4.7	1
67	Clinical value of urinary cytokines/chemokines as prognostic markers in patients with crescentic glomerulonephritis. Scientific Reports, 2022, 12, .	3.3	1
68	SP656LONG-TERM OUTCOME OF RANDOMIZED TRIAL COMPARING CYCLOSPORINE AND TACROLIMUS THERAPY WITH STEROID WITHDRWAL IN LIVING DONOR RENAL TRANSPLANTATION: 10-YEAR FOLLOW UP. Nephrology Dialysis Transplantation, 2016, 31, i313-i314.	0.7	0
69	MP606A PREDICTIVE MODEL FOR SUCCESSFUL CONVERSION OF CONTINUOUS RENAL REPLACEMENT THERAPY TO INTERMITTENT HEMODIALYSIS FOR ACUTE KIDNEY INJURY IN CRITICAL ILL PATIENTS. Nephrology Dialysis Transplantation, 2016, 31, i542-i543.	0.7	0
70	Hydrochlorothiazide does not increase furosemide's effects in end-stage renal disease. Translational and Clinical Pharmacology, 2017, 25, 28.	0.9	0
71	SP283URINARY RENIN AND ANGIOTENSINOGEN FOR PREDICTING ANTIPROTEINURIC EFFECT OF ANGIOTENSIN RECEPTOR BLOCKER. Nephrology Dialysis Transplantation, 2018, 33, i438-i438.	0.7	0
72	FP311PREDICTION MODEL FOR SUCCESSFUL DISCONTINUATION OF CONTINUOUS RENAL REPLACEMENT THERAPY IN ACUTE KIDNEY INJURY PATIENTS. Nephrology Dialysis Transplantation, 2019, 34, .	0.7	0

#	ARTICLE	IF	CITATIONS
73	SP239RENAL OUTCOME AFTER HEART TRANSPLANTATION. Nephrology Dialysis Transplantation, 2019, 34, .	0.7	0
74	Evaluation of Serious Adverse Event Reporting Forms for Clinical Trials: A Comparative Korean Study. Journal of Empirical Research on Human Research Ethics, 2020, 15, 415-424.	1.3	0
75	P0225THE PRESENCE OF SIMPLE RENAL CYST IS ASSOCIATED WITH INCREASED RISK OF ALBUMINURIA IN YOUNG ADULTS. Nephrology Dialysis Transplantation, 2020, 35, .	0.7	0
76	P0568INCIDENCE AND RISK FACTORS OF ACUTE KIDNEY INJURY AND TUMOR LYSIS SYNDROME IN PATIENTS WITH MULTIPLE MYELOMA TREATED WITH BORTEZOMIB. Nephrology Dialysis Transplantation, 2020, 35, .	0.7	0
77	P1656THE IMPACT OF PRE-TRANSPLANT DIALYSIS MODALITY ON EARLY POST-TRANSPLANT PERIOD ADVERSE EVENTS : A PROSPECTIVE COHORT STUDY WITH PROPENSITY SCORE MATCHING. Nephrology Dialysis Transplantation, 2020, 35, .	0.7	0
78	Predialysis predictors for identifying patients requiring dialysis at a higher glomerular filtration rate. Renal Failure, 2021, 43, 1087-1093.	2.1	0
79	Prognostic factors of renal outcomes after heart transplantation: a nationwide retrospective study. Korean Journal of Transplantation, 2021, 35, S164-S164.	0.1	0
80	Efficacy of Combination Therapy of Furosemide and Hydrochlorothiazide in Patients with end Stage Renal Disease. Journal of the Korean Society for Clinical Pharmacology and Therapeutics, 1998, 6, 174.	0.1	0
81	Prognostic value of postoperative proteinuria for predicting early renal outcome after kidney transplantation. Korean Journal of Transplantation, 2020, 34, S91-S91.	0.1	0
82	Comparative evaluation of QuantiFERON-TB Gold Plus for diagnosis of latent tuberculosis infection during solid organ transplantation. Korean Journal of Transplantation, 2020, 34, 8-14.	0.1	0
83	Repair phase modeling of ischemic acute kidney injury: recovery vs. transition to chronic kidney disease.. American Journal of Translational Research (discontinued), 2022, 14, 554-571.	0.0	0
84	Impact of Renal Replacement Therapy on Mortality and Renal Outcomes in Critically Ill Patients with Acute Kidney Injury: A Population-Based Cohort Study in Korea between 2008 and 2015. Journal of Clinical Medicine, 2022, 11, 2392.	2.4	0
85	Clinical relevance of postoperative proteinuria for prediction of early renal outcomes after kidney transplantation. Kidney Research and Clinical Practice, 0, , .	2.2	0