

Michael D Ward

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1521433/publications.pdf>

Version: 2024-02-01

484
papers

23,983
citations

9264

74
h-index

16650

123
g-index

503
all docs

503
docs citations

503
times ranked

14690
citing authors

#	ARTICLE	IF	CITATIONS
1	Metal-metal interactions in binuclear complexes exhibiting mixed valency; molecular wires and switches. <i>Chemical Society Reviews</i> , 1995, 24, 121.	38.1	673
2	Nanoporous Molecular Sandwiches: Pillared Two-Dimensional Hydrogen-Bonded Networks with Adjustable Porosity. <i>Science</i> , 1997, 276, 575-579.	12.6	564
3	Metric Engineering of Soft Molecular Host Frameworks. <i>Accounts of Chemical Research</i> , 2001, 34, 107-118.	15.6	560
4	Photo-induced electron and energy transfer in non-covalently bonded supramolecular assemblies. <i>Chemical Society Reviews</i> , 1997, 26, 365.	38.1	427
5	Functional behaviour from controlled self-assembly: challenges and prospects. <i>Chemical Society Reviews</i> , 2013, 42, 1619-1636.	38.1	417
6	Transition-metal sensitised near-infrared luminescence from lanthanides in dâ€‘f heteronuclear arrays. <i>Coordination Chemistry Reviews</i> , 2007, 251, 1663-1677.	18.8	394
7	Non-innocent behaviour in mononuclear and polynuclear complexes: consequences for redox and electronic spectroscopic properties. <i>Dalton Transactions RSC</i> , 2002, , 275-288.	2.3	379
8	Highly efficient catalysis of the Kemp elimination in the cavity of a cubic coordination cage. <i>Nature Chemistry</i> , 2016, 8, 231-236.	13.6	364
9	Polynuclear coordination cages. <i>Chemical Communications</i> , 2009, , 4487.	4.1	356
10	The Role of Bridging Ligands in Controlling Electronic and Magnetic Properties in Polynuclear Complexes. <i>Accounts of Chemical Research</i> , 1998, 31, 842-851.	15.6	297
11	Anion-Templated Assembly of a Supramolecular Cage Complex. <i>Angewandte Chemie - International Edition</i> , 1998, 37, 1279-1281.	13.8	292
12	Synthesis and co-ordination behaviour of 6â€‘,6â€‘-bis(2-pyridyl)-2,2â€‘ : 4,4â€‘ : 2â€‘,2â€‘-quaterpyridine; a back-to-back 2,2â€‘ : 6â€‘,2â€‘-terpyridine. <i>Journal of the Chemical Society Dalton Transactions</i> , 1990, , 1405-1409.	1.1	209
13	Coordination Cages Based on Bis(pyrazolylpyridine) Ligands: Structures, Dynamic Behavior, Guest Binding, and Catalysis. <i>Accounts of Chemical Research</i> , 2018, 51, 2073-2082.	15.6	194
14	Syntheses and Crystal Structures of Dinuclear Complexes Containing d-Block and f-Block Luminophores. Sensitization of NIR Luminescence from Yb(III), Nd(III), and Er(III) Centers by Energy Transfer from Re(I)â€‘ and Pt(II)â€‘Bipyrimidine Metal Centers. <i>Inorganic Chemistry</i> , 2005, 44, 61-72.	4.0	192
15	Design of crystalline molecular networks with charge-assisted hydrogen bonds. <i>Chemical Communications</i> , 2005, , 5838.	4.1	187
16	Octanuclear Cubic Coordination Cages. <i>Journal of the American Chemical Society</i> , 2008, 130, 15167-15175.	13.7	172
17	Structures and Dynamic Behavior of Large Polyhedral Coordination Cages: An Unusual Cage-to-Cage Interconversion. <i>Journal of the American Chemical Society</i> , 2011, 133, 858-870.	13.7	169
18	Sensitized Near-Infrared Emission from Complexes of Yb(III), Nd(III) and Er(III) by Energy-Transfer from Covalently Attached Pt(II)-Based Antenna Units. <i>Chemistry - A European Journal</i> , 2003, 9, 5283-5291.	3.3	168

#	ARTICLE	IF	CITATIONS
19	Mechanisms of sensitization of lanthanide(III)-based luminescence in transition metal/lanthanide and anthracene/lanthanide dyads. <i>Coordination Chemistry Reviews</i> , 2010, 254, 2634-2642.	18.8	163
20	Coordination and supramolecular chemistry of multinucleating ligands containing two or more pyrazolyl-pyridine arms™. <i>Coordination Chemistry Reviews</i> , 2001, 222, 251-272.	18.8	156
21	Visible-light sensitisation of near-infrared luminescence from Yb(III), Nd(III) and Er(III) complexes of 3,6-bis(2-pyridyl)tetrazine. <i>Dalton Transactions</i> , 2003, , 808-814.	3.3	156
22	Lanthanide Complexes of the Hexadentate N-Donor Podand Tris[3-(2-pyridyl)pyrazolyl]hydroborate: Solid-State and Solution Properties. <i>Inorganic Chemistry</i> , 1997, 36, 10-18.	4.0	154
23	Switching of molecular second-order polarisability in solution. <i>Journal of Materials Chemistry</i> , 2004, 14, 2831.	6.7	153
24	Anion-templated self-assembly of tetrahedral cage complexes of cobalt(II) with bridging ligands containing two bidentate pyrazolyl-pyridine binding sites. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 4883-4888.	7.1	144
25	Spontaneous assembly of a double-helical binuclear complex of 2,2':6',2'':6'',2''':6'''',2''':6''''',2''''':6''''''-sexipyridine. <i>Journal of the American Chemical Society</i> , 1990, 112, 1256-1258.	13.7	138
26	Studies of the construction of coordination polymers using linear pyridyl-donor ligands. <i>Inorganica Chimica Acta</i> , 1999, 292, 231-237.	2.4	135
27	Luminescent PtII(bipyridyl)(diacetylde) Chromophores with Pendant Binding Sites as Energy Donors for Sensitized Near-Infrared Emission from Lanthanides: Structures and Photophysics of PtII/LnIII Assemblies. <i>Chemistry - A European Journal</i> , 2006, 12, 9299-9313.	3.3	134
28	Structural and Photophysical Properties of Coordination Networks Combining [Ru(bipy)(CN)4]2-Anions and Lanthanide(III) Cations: Rates of Photoinduced Ru-to-Lanthanide Energy Transfer and Sensitized Near-Infrared Luminescence. <i>Inorganic Chemistry</i> , 2005, 44, 4656-4665.	4.0	132
29	High-nuclearity Homoleptic and Heteroleptic Coordination Cages Based on Tetra-Capped Truncated Tetrahedral and Cuboctahedral Metal Frameworks. <i>Journal of the American Chemical Society</i> , 2006, 128, 72-73.	13.7	132
30	Direct Visualization of Calcium Oxalate Monohydrate Crystallization and Dissolution with Atomic Force Microscopy and the Role of Polymeric Additives. <i>Langmuir</i> , 2002, 18, 4284-4291.	3.5	129
31	A Dinuclear Ruthenium(II) Complex with the Dianion of 2,5-Dihydroxy-1,4-benzoquinone as Bridging Ligand. Redox, Spectroscopic, and Mixed-Valence Properties. <i>Inorganic Chemistry</i> , 1996, 35, 1712-1714.	4.0	127
32	Real-time measurement of anchorage-dependent cell adhesion using a quartz crystal microbalance. <i>Biotechnology Progress</i> , 1993, 9, 105-108.	2.6	126
33	Di-, Tri-, and Tetranucleating Pyridyl Ligands Which Facilitate Multicenter Magnetic Exchange between Paramagnetic Molybdenum Centers. <i>Inorganic Chemistry</i> , 1995, 34, 4828-4835.	4.0	126
34	On the Mechanism of d-f Energy Transfer in Ru ^{II} /Ln ^{III} and Os ^{II} /Ln ^{III} Dyads: Dexter-Type Energy Transfer Over a Distance of 20 Å... <i>Chemistry - A European Journal</i> , 2008, 14, 9389-9399.	3.3	123
35	pH-dependent binding of guests in the cavity of a polyhedral coordination cage: reversible uptake and release of drug molecules. <i>Chemical Science</i> , 2015, 6, 625-631.	7.4	120
36	Self-Assembly of a Ferromagnetically Coupled Manganese(II) Tetramer. <i>Angewandte Chemie International Edition in English</i> , 1995, 34, 1443-1446.	4.4	118

#	ARTICLE	IF	CITATIONS
37	Helical and nonhelical palladium(II) complexes of oligopyridine ligands: the ligand-directed assembly of polynuclear complexes. <i>Journal of the American Chemical Society</i> , 1990, 112, 4590-4592.	13.7	117
38	Sensitised near-infrared emission from lanthanides using a covalently-attached Pt(II) fragment as an antenna group. Electronic supplementary information (ESI) available: characterisation data and luminescence spectra. See http://www.rsc.org/suppdata/cc/b3/b301878d/ . <i>Chemical Communications</i> , 2003, , 1134-1135.	4.1	116
39	Catechol as an efficient anchoring group for attachment of ruthenium(II)-polypyridine photosensitisers to solar cells based on nanocrystalline TiO ₂ films. <i>New Journal of Chemistry</i> , 2000, 24, 651-652.	2.8	115
40	Coordination Chemistry of Tetradentate N-Donor Ligands Containing Two Pyrazolyl-Pyridine Units Separated by a 1,8-Naphthyl Spacer: Dodecanuclear and Tetranuclear Coordination Cages and Cyclic Helicates. <i>Inorganic Chemistry</i> , 2006, 45, 3905-3919.	4.0	114
41	Controllable three-component luminescence from a 1,8-naphthalimide/Eu(III) complex: white light emission from a single molecule. <i>Chemical Communications</i> , 2012, 48, 2749.	4.1	112
42	Enhancement of Luminescence Lifetimes of Mononuclear Ruthenium(II)-Terpyridine Complexes by Manipulation of the σ-Donor Strength of Ligands. <i>Inorganic Chemistry</i> , 2003, 42, 8377-8384.	4.0	111
43	In situ reversible electrochemical switching of the molecular first hyperpolarizability. <i>Chemical Physics Letters</i> , 2003, 368, 408-411.	2.6	110
44	Reversible switching of the first hyperpolarizability of an NLO-active donor-acceptor molecule based on redox interconversion of the octamethylferrocene donor unit. <i>Chemical Communications</i> , 2001, , 49-50.	4.1	109
45	Structural and Photophysical Properties of Coordination Networks Combining [Ru(Bpym)(CN) ₄] ₂ - or [Ru(CN) ₄] ₂ (1/4-bpym) ₄ -Anions (bpym = 2,2'-Bipyrimidine) with Lanthanide(III) Cations: A Sensitized Near-Infrared Luminescence from Yb(III), Nd(III), and Er(III) Following Ru-to-Lanthanide Energy Transfer. <i>Inorganic Chemistry</i> , 2006, 45, 3895-3904.	4.0	109
46	Synthesis of the new tripodal ligand tris-[3-(2-pyridyl)pyrazol-1-yl]hydroborate, and the crystal structure of its europium(III) complex. <i>Journal of the Chemical Society Chemical Communications</i> , 1994, , 2751-2752.	2.0	107
47	Catalysis in a Cationic Coordination Cage Using a Cavity-Bound Guest and Surface-Bound Anions: Inhibition, Activation, and Autocatalysis. <i>Journal of the American Chemical Society</i> , 2018, 140, 2821-2828.	13.7	103
48	Quantification of solvent effects on molecular recognition in polyhedral coordination cage hosts. <i>Chemical Science</i> , 2013, 4, 2744.	7.4	102
49	Crystal Growth with Macromolecular Additives. <i>Chemical Reviews</i> , 2017, 117, 14042-14090.	47.7	102
50	d → f Energy Transfer in a Series of Ir(III)/Eu(III) Dyads: Energy-Transfer Mechanisms and White-Light Emission. <i>Inorganic Chemistry</i> , 2011, 50, 11323-11339.	4.0	101
51	Mapping the Internal Recognition Surface of an Octanuclear Coordination Cage Using Guest Libraries. <i>Journal of the American Chemical Society</i> , 2014, 136, 8475-8483.	13.7	101
52	Enhanced Spreading of Aqueous Films Containing Ethoxylated Alcohol Surfactants on Solid Substrates. <i>Langmuir</i> , 1997, 13, 7270-7275.	3.5	99
53	Roles of Bridging Ligand Topology and Conformation in Controlling Exchange Interactions between Paramagnetic Molybdenum Fragments in Dinuclear and Trinuclear Complexes. <i>Inorganic Chemistry</i> , 1997, 36, 3447-3454.	4.0	99
54	Structural and near-IR photophysical studies on ternary lanthanide complexes containing poly(pyrazolyl)borate and 1,3-diketonate ligands. <i>Dalton Transactions</i> , 2004, , 1136-1144.	3.3	99

#	ARTICLE	IF	CITATIONS
55	Near-infrared electrochromic materials for optical attenuation based on transition-metal coordination complexes. <i>Journal of Solid State Electrochemistry</i> , 2005, 9, 778-787.	2.5	97
56	Ligand design in coordination chemistry: approaches to new catalysts, new materials, and a more sustainable environment. <i>Dalton Transactions</i> , 2003, , 1869.	3.3	96
57	[Ru(bipy)(CN) ₄] ²⁻ and its derivatives: Photophysical properties and its use in photoactive supramolecular assemblies. <i>Coordination Chemistry Reviews</i> , 2006, 250, 3128-3141.	18.8	95
58	A cyclic supramolecular complex containing eight metal ions, twelve bridging ligands, and an anion encapsulated in the central cavity. <i>Chemical Communications</i> , 1997, , 1361-1362.	4.1	93
59	Common Pitfalls of Catalysis Manuscripts Submitted to <i>Chemistry of Materials</i> . <i>Chemistry of Materials</i> , 2018, 30, 3599-3600.	6.7	93
60	Effects of Systematic Variation in Bridging Ligand Structure on the Electrochemical and Magnetic Properties of a Series of Dinuclear Molybdenum Complexes. <i>Inorganic Chemistry</i> , 1996, 35, 2701-2703.	4.0	92
61	A Variable Optical Attenuator Operating in the Near-Infrared Region Based on an Electrochromic Molybdenum Complex. <i>Chemistry of Materials</i> , 2000, 12, 2523-2524.	6.7	91
62	Structures and anion-binding properties of M ₄ L ₆ tetrahedral cage complexes with large central cavities. <i>Dalton Transactions</i> , 2004, , 3453.	3.3	90
63	A bis(terpyridine)ruthenium(II) catenate. <i>Inorganic Chemistry</i> , 1991, 30, 3869-3874.	4.0	88
64	Halogen Bonded Supramolecular Assemblies of [Ru(bipy)(CN) ₄] ²⁻ Anions and N-Methyl-Halopyridinium Cations in the Solid State and in Solution. <i>Inorganic Chemistry</i> , 2009, 48, 1666-1677.	4.0	86
65	Luminescent complexes of Re(I) and Ru(II) with appended macrocycle groups derived from 5,6-dihydroxyphenanthroline: cation and anion binding. <i>Dalton Transactions</i> , 2005, , 528.	3.3	82
66	Synthesis, Electrochemical Behavior, and Spectroscopic and Luminescence Properties of Dinuclear Species Containing [Ru(diimine) ₃] ²⁺ and [Re(diimine)Cl(CO) ₃] Chromophores Bridged by a Nonsymmetric Quaterpyridine Ligand. <i>Inorganic Chemistry</i> , 1995, 34, 2438-2446.	4.0	81
67	Assembly of a Truncated-Tetrahedral Chiral [M ₁₂ (L) ₁₈] ²⁴⁺ Cage. <i>Angewandte Chemie - International Edition</i> , 2002, 41, 2515-2518.	13.8	79
68	A mononuclear cobalt(II) dithienylethene complex showing slow magnetic relaxation and photochromic behavior. <i>Chemical Communications</i> , 2013, 49, 8863.	4.1	79
69	Mixed-Ligand Molecular Paneling: Dodecanuclear Cuboctahedral Coordination Cages Based on a Combination of Edge-Bridging and Face-Capping Ligands. <i>Journal of the American Chemical Society</i> , 2008, 130, 11641-11649.	13.7	77
70	Interplay of Light Antenna and Excitation Energy Reservoir Effects in a Bichromophoric System Based on Ruthenium Polypyridine and Pyrene Units Linked by a Long and Flexible Poly(ethylene glycol) Chain. <i>Inorganic Chemistry</i> , 2002, 41, 6711-6719.	4.0	76
71	A new redox-tunable near-IR dye based on a trinuclear ruthenium(II) complex of hexahydroxytriphenylene. <i>Chemical Communications</i> , 1998, , 2695-2696.	4.1	75
72	Control of photoinduced energy transfer between metal-polypyridyl luminophores across rigid covalent, flexible covalent, or hydrogen-bonded bridges. <i>Coordination Chemistry Reviews</i> , 2001, 216-217, 127-154.	18.8	75

#	ARTICLE	IF	CITATIONS
73	Diastereoselective formation and optical activity of an M4L6 cage complex. <i>Chemical Communications</i> , 2005, , 4647.	4.1	75
74	One-Dimensional Manganese Coordination Polymers Composed of Polynuclear Cluster Blocks and Polypyridyl Linkers: Structures and Properties. <i>Inorganic Chemistry</i> , 2008, 47, 11108-11119.	4.0	75
75	Shape-, Size-, and Functional Group-Selective Binding of Small Organic Guests in a Paramagnetic Coordination Cage. <i>Inorganic Chemistry</i> , 2013, 52, 1122-1132.	4.0	75
76	Sensitised near-infrared luminescence from lanthanide(iii) centres using Re(i) and Pt(ii) diimine complexes as energy donors in dâ€ƒf dinuclear complexes based on 2,3-bis(2-pyridyl)pyrazine. <i>Dalton Transactions</i> , 2007, , 1492-1499.	3.3	74
77	Further investigations into tetrahedral M₄L₆cage complexes containing guest anions: new structures and NMR spectroscopic studies. <i>New Journal of Chemistry</i> , 2009, 33, 366-375.	2.8	74
78	Complexes of Ag(i), Hg(i) and Hg(ii) with multidentate pyrazolyl-pyridine ligands: from mononuclear complexes to coordination polymers via helicates, a mesocate, a cage and a catenate. <i>Dalton Transactions</i> , 2006, , 4996.	3.3	73
79	Density Functional Modeling of Long Range Magnetic Interactions in Binuclear Oxomolybdenum(V) Complexes. <i>Journal of Physical Chemistry A</i> , 1998, 102, 10545-10551.	2.5	72
80	Structural and Photophysical Properties of Mononuclear and Dinuclear Lanthanide(III) Complexes of Multidentate Podand Ligands Based on Poly(pyrazolyl)borates. <i>Inorganic Chemistry</i> , 1999, 38, 5769-5776.	4.0	72
81	Dinuclear ruthenium(ii) complexes $[(L)ClRu]_2(\frac{1}{4}\text{-tppz})_2^+$ (L = an arylazopyridine ligand) incorporating tetrakis(2-pyridyl)pyrazine (tppz) bridging ligand: synthesis, structure and spectroelectrochemical properties. <i>Dalton Transactions RSC</i> , 2002, , 3496-3504.	2.3	72
82	A Triangular Copper(I) Complex Displaying Allosteric Cooperativity in Its Electrochemical Behavior and a Mixed-Valence Cu(I)â€”Cu(I)â€”Cu(II) State with Unusual Temperature-Dependent Behavior. <i>Inorganic Chemistry</i> , 1997, 36, 3088-3095.	4.0	71
83	Effects of metal co-ordination geometry on self-assembly: a dinuclear double helicate complex and a tetranuclear cage complex of a new bis-bidentate bridging ligand. <i>Dalton Transactions RSC</i> , 2000, , 845-851.	2.3	71
84	Electrochemical control of bridging ligand conformation in a binuclear complexâ€”A possible basis for a molecular switch. <i>Journal of the Chemical Society Dalton Transactions</i> , 1994, , 799-804.	1.1	70
85	Switchable Electron-Transfer Processes in a Mixed-Valence, Kinetically Locked, Trinuclear Rull Metallamacrocycle. <i>Angewandte Chemie - International Edition</i> , 2004, 43, 3938-3941.	13.8	70
86	Structure and Ultrafast Dynamics of the Charge-Transfer Excited State and Redox Activity of the Ground State of Mono- and Binuclear Platinum(II) Diimine Catecholate and Bis-catecholate Complexes: A Transient Absorption, TRIR, DFT, and Electrochemical Study. <i>Inorganic Chemistry</i> , 2010, 49, 10041-10056.	4.0	70
87	A near-planar pentadentate silver(I) complex; the crystal and molecular structure of (2,2â€² : 6â€² : 2â€³ : 6â€³,2â€² :) Tj ETQq1 1 0.78 <i>Communications</i> , 1988, .	2.0	68
88	Enhanced Spreading of Aqueous Films Containing Ionic Surfactants on Solid Substrates. <i>Langmuir</i> , 1997, 13, 7276-7281.	3.5	68
89	Self-assembly of a molecular M8L12 cube having S6 symmetryElectronic supplementary information (ESI) available: Fig. S1 and S2. See http://www.rsc.org/suppdata/cc/b3/b307172n/ . <i>Chemical Communications</i> , 2003, , 2432.	4.1	68
90	Photophysical and Structural Properties of Cyanoruthenate Complexes of Hexaazatriphenylene. <i>Journal of the American Chemical Society</i> , 2007, 129, 11491-11504.	13.7	68

#	ARTICLE	IF	CITATIONS
91	Molecular helicity in inorganic complexes: double helical binuclear complexes of 2,2'-bipyridine: 6-mercapto-2,2'-bipyridine (L): crystal structures of [Cu ₂ L ₂ (O ₂ CMe)] [PF ₆] ₃ ·H ₂ O and [Cu ₂ L ₂][PF ₆] ₃ ·2Me ₂ DN. <i>Journal of the Chemical Society Dalton Transactions</i> , 1988, , 2655-2662.		66
92	Complexes of silver(I), thallium(I), lead(II) and barium(II) with bis[3-(2-pyridyl)pyrazol-1-yl]phosphinate: one-dimensional helical chains and discrete mononuclear complexes. <i>Journal of the Chemical Society Dalton Transactions</i> , 1997, , 1645-1651.	1.1	66
93	MATERIALS SCIENCE: Enhanced: Molecular Fuel Tanks. <i>Science</i> , 2003, 300, 1104-1105.	12.6	66
94	Complexes of substituted derivatives of 2-(2-pyridyl)benzimidazole with Re(i), Ru(ii) and Pt(ii): structures, redox and luminescence properties. <i>Dalton Transactions</i> , 2004, , 3678.	3.3	66
95	Ligand-field excited states of hexacyanochromate and hexacyanocobaltate as sensitizers for near-infrared luminescence from Nd(III) and Yb(III) in cyanide-bridged d ⁴ f assemblies. <i>Photochemical and Photobiological Sciences</i> , 2007, 6, 1152-1157.	2.9	66
96	The co-ordination chemistry of mixed pyridine-phenol ligands; spectroscopic and redox properties of mononuclear ruthenium complexes with (pyridine) _x (phenolate) _x donor sets (x= 1 or 2). <i>Journal of the Chemical Society Dalton Transactions</i> , 1992, , 3345-3351.	1.1	65
97	Synthesis and Electrochemical and Spectroscopic Properties of a Series of Binuclear and Trinuclear Ruthenium and Palladium Complexes Based on a New Bridging Ligand Containing Terpyridyl and Catechol Binding Sites. <i>Inorganic Chemistry</i> , 1995, 34, 2025-2032.	4.0	65
98	Complexes of a new bidentate chelating pyridyl/sulfonamide ligand with copper(II), cobalt(II) and palladium(II): crystal structures and spectroscopic properties. <i>Inorganica Chimica Acta</i> , 1998, 278, 178-184.	2.4	65
99	Tetranuclear grid-like copper(II) complexes with pyrazolate bridges: syntheses, structures, magnetic and EPR spectroscopic properties. <i>Journal of the Chemical Society Dalton Transactions</i> , 1999, , 339-348.	1.1	65
100	New members of the [Ru(diimine)(CN) ₄] ²⁻ family: structural, electrochemical and photophysical properties. <i>Dalton Transactions</i> , 2006, , 39-50.	3.3	65
101	Selective guest recognition by a self-assembled paramagnetic cage complex. <i>Chemical Communications</i> , 2012, 48, 2752.	4.1	65
102	A Near-Infrared Electrochromic Window Based on an Sb-Doped SnO ₂ Electrode Modified with a Ru ^{II} -Dioxolene Complex. <i>Angewandte Chemie - International Edition</i> , 2003, 42, 3011-3014.	13.8	64
103	Anthracene as a sensitizer for near-infrared luminescence in complexes of Nd(III), Er(III) and Yb(III): an unexpected sensitization mechanism based on electron transfer. <i>Dalton Transactions</i> , 2007, , 1484.	3.3	64
104	Hydrogen-bonded frameworks for molecular structure determination. <i>Nature Communications</i> , 2019, 10, 4477.	12.8	64
105	A convenient, high yield synthesis of 2,2'-bipyridine and its iron(II) complex. <i>Inorganica Chimica Acta</i> , 1988, 141, 201-203.	2.4	63
106	Photoinduced Ru ^{II} -Yb energy transfer and sensitized near-IR luminescence in a coordination polymer containing co-crystallised [Ru(bipy)(CN) ₄] ²⁻ and Yb(III) units. <i>Dalton Transactions</i> , 2004, , 1524-1526.	3.3	62
107	New multidentate ligands for supramolecular coordination chemistry: double and triple helical complexes of ligands containing pyridyl and thiazolyl donor units. <i>Dalton Transactions RSC</i> , 2001, , 550-559.	2.3	61
108	Biphenyl macrolactams in anion complexation. Selective naked-eye fluoride recognition. <i>Tetrahedron</i> , 2004, 60, 9471-9478.	1.9	61

#	ARTICLE	IF	CITATIONS
109	Molecular helicity in inorganic complexes; bi- and tri-nuclear complexes of 2,2'-bipyridine, 2,2'-bipyridine-5,5'-dicarboxylic acid, 2,2'-bipyridine-5,5'-diacetic acid, 2,2'-bipyridine-5,5'-diacetic acid-2'-sepiopyridine and the crystal and molecular structure of bis(2,2'-bipyridine-5,5'-dicarboxylic acid)-nickel(II) complex. Journal of the Chemical Society Dalton Transactions, 1991, , 1675-1683.	11.1	60
110	Structural and Photophysical Properties of Adducts of [Ru(bipy)(CN)4]2- with Different Metal Cations: A Metallochromism and Its Use in Switching Photoinduced Energy Transfer. Journal of the American Chemical Society, 2007, 129, 4014-4027.	13.7	60
111	Mono- and binuclear molybdenum and tungsten complexes containing asymmetric bridging ligands: effects of ligand conjugation and conformation on metal-metal interactions. Inorganic Chemistry, 1993, 32, 2145-2155.	4.0	59
112	Assemblies of luminescent ruthenium(II) and osmium(II) polypyridyl complexes based on hydrogen bonding. Coordination Chemistry Reviews, 1998, 171, 481-488.	18.8	59
113	Mono- and Dinuclear Ruthenium Carbonyl Complexes with Redox-Active Dioxolene Ligands: A Electrochemical and Spectroscopic Studies and the Properties of the Mixed-Valence Complexes. Inorganic Chemistry, 2003, 42, 7887-7896.	4.0	59
114	Visible-light sensitisation of Tb(III) luminescence using a blue-emitting Ir(III) complex as energy-donor. Chemical Communications, 2011, 47, 2279-2281.	4.1	59
115	A single stranded diruthenium(II) helical complex. Journal of the Chemical Society Chemical Communications, 1990, , 621.	2.0	58
116	Synthesis and near-IR luminescence properties of neodymium(III) and ytterbium(III) complexes with poly(pyrazolyl)borate ligands. Dalton Transactions RSC, 2002, , 1923-1928.	2.3	58
117	An Unusual Dinuclear Ruthenium(III) Complex with a Conjugated Bridging Ligand Derived from Cleavage of a 1,4-Dihydro-1,2,4,5-Tetrazine Ring. Synthesis, Structure, and UV-Vis-NIR Spectroelectrochemical Characterization of a Five-Membered Redox Chain Incorporating Two Mixed-Valence States. Inorganic Chemistry, 2003, 42, 4707-4713.	4.0	57
118	[Ru(bipy)3]2+ and [Os(bipy)3]2+ chromophores as sensitizers for near-infrared luminescence from Yb(III) and Nd(III) in d/f dyads: contributions from Förster, Dexter, and redox-based energy-transfer mechanisms. Dalton Transactions, 2009, , 3971.	3.3	57
119	Lanthanide complexes of the tetradentate N-donor ligand dihydrobis[3-(2-pyridyl)pyrazolyl]borate and the terdentate N-donor ligand 2,6-bis(1H-pyrazol-3-yl)pyridine: syntheses, crystal structures and solution structures based on luminescence lifetime studies. Journal of the Chemical Society Dalton Transactions, 1997, , 2079-2086.	1.1	56
120	Chemistry and Molecular Electronics: New Molecules as Wires, Switches, and Logic Gates. Journal of Chemical Education, 2001, 78, 321.	2.3	56
121	Comparative proteomic analysis of de-N-glycosylated serum from hepatitis B carriers reveals polypeptides that correlate with disease status. Proteomics, 2004, 4, 826-838.	2.2	56
122	Oriental Control of Electronic Coupling in Mixed-Valence, Binuclear Ruthenium(II) Bis(2,2'-bipyridine-5,5'-dicarboxylic acid)-Terpyridine Complexes. Journal of the American Chemical Society, 2004, 126, 13630-13631.	11.26	56
123	Hydrogen-bonded assemblies of ruthenium(II)-imidazole complex cations and cyanometallate anions: structures and photophysics. Dalton Transactions, 2007, , 33-36.	3.3	56
124	Trinuclear ruthenium dioxolene complexes based on the bridging ligand hexahydroxytriphenylene: electrochemistry, spectroscopy, and near-infrared electrochromic behaviour associated with a reversible seven-membered redox chain. Dalton Transactions, 2010, 39, 200-211.	3.3	55
125	An Interconverting Family of Coordination Cages and a <i>meso</i> -Helicate; Effects of Temperature, Concentration, and Solvent on the Product Distribution of a Self-Assembly Process. Inorganic Chemistry, 2015, 54, 2626-2637.	4.0	55
126	ROY revisited, again: the eighth solved structure. Faraday Discussions, 2018, 211, 477-491.	3.2	55

#	ARTICLE	IF	CITATIONS
127	Three-component coordination networks based on [Ru(phen)(CN) ₄] ²⁻ anions, near-infrared luminescent lanthanide(III) cations, and ancillary oligopyridine ligands: structures and photophysical properties. Dalton Transactions, 2007, , 2419.	3.3	54
128	Polynuclear lanthanide complexes of a series of bridging ligands containing two tridentate N,N',O-donor units: structures and luminescence properties. Dalton Transactions, 2007, , 1006-1022.	3.3	54
129	Molecular helicity in inorganic complexes; double helical binuclear nickel(II) complexes of 2,2':6''':2''':6''':2''':6''':2''':6'''-quinquepyridine(L): X-ray crystal structure of [Ni ₂ L ₂ (OAc)] [PF ₆] ₃ · 3MeCN. Polyhedron, 1989, 8, 2551-2555.		
130	Copper(II)-templated assembly of tetranuclear grid-like complexes from simple pyridine-pyrazole ligands. Chemical Communications, 1997, , 175-176.	4.1	53
131	Ruthenium tris-(bipyridyl) complexes with pendant protonatable and deprotonatable moieties: pH sensitivity of electronic spectral and luminescence properties. Journal of the Chemical Society Dalton Transactions, 1997, , 737-744.	1.1	53
132	Effects of metal co-ordination geometry on self-assembly: a monomeric complex with trigonal prismatic metal co-ordination vs. tetrameric complexes with octahedral metal co-ordination. Journal of the Chemical Society Dalton Transactions, 1999, , 1563-1568.	1.1	53
133	Structures, host-guest chemistry and mechanism of stepwise self-assembly of M ₄ L ₆ tetrahedral cage complexes. Dalton Transactions, 2011, 40, 12132.	3.3	53
134	Binding of chemical warfare agent simulants as guests in a coordination cage: contributions to binding and a fluorescence-based response. Chemical Communications, 2016, 52, 6225-6228.	4.1	53
135	Metal-metal interactions across symmetrical bipyridyl bridging ligands in binuclear seventeen-electron molybdenum complexes. Journal of the Chemical Society Dalton Transactions, 1993, , 681-686.	1.1	52
136	Determination of Contact Angles and Surface Tensions with the Quartz Crystal Microbalance. Analytical Chemistry, 1996, 68, 1285-1291.	6.5	52
137	Electrochemical and Magnetic Exchange Interactions in Trinuclear Chain Complexes Containing Oxo-Mo(V) Fragments as a Function of the Topology of the Bridging Ligand. Inorganic Chemistry, 1999, 38, 365-369.	4.0	52
138	Synthesis, structure and spectroelectrochemical properties of a dinuclear ruthenium complex exhibiting a strong electronic interaction across a 1,2,4,5-tetrazine bridging ligand. Dalton Transactions RSC, 2002, , 2097-2101.	2.3	52
139	Red-shifted luminescence from naphthalene-containing ligands due to π -stacking in self-assembled coordination cages. Dalton Transactions, 2006, , 4769-4772.	3.3	52
140	Enantiodifferentiation of chiral cationic cages using trapped achiral BF ₄ ⁻ anions as chirotopic probes. Chemical Communications, 2007, , 1459.	4.1	52
141	[Os(bipy)(CN) ₄] ²⁻ and Its Relatives as Components of Polynuclear Assemblies: Structural and Photophysical Properties. Inorganic Chemistry, 2007, 46, 9779-9789.	4.0	52
142	Molecular helicity in inorganic complexes; the preparation, crystal and molecular structure of bis(2,2':6''':2''':6''':2''':6'''-quinquepyridine)acetatodicopper(II) hexafluorophosphate monohydrate. Journal of the Chemical Society Chemical Communications, 1987, , 1600-1601.		
143	Dinuclear Oxomolybdenum(V) Complexes Showing Strong Interactions across Diphenol Bridging Ligands: Syntheses, Structures, Electrochemical Properties, and EPR Spectroscopic Properties. Inorganic Chemistry, 1996, 35, 5290-5299.	4.0	51
144	Donor-acceptor complexes incorporating ferrocenes: spectroelectrochemical characterisation, quadratic hyperpolarisabilities and the effects of oxidising and reducing agents. Dalton Transactions RSC, 2001, , 3025-3038.	2.3	51

#	ARTICLE	IF	CITATIONS
145	A simple, general synthesis of mixed d ⁴ f complexes containing both {Re(CO)3Cl(diimine)} and lanthanide-tris(1 ² -diketonate) luminophores linked by bis-diimine bridging ligands. Dalton Transactions RSC, 2002, , 3925-3927.	2.3	51
146	A triple helix of double helicates: three hierarchical levels of self-assembly in a single structure. Chemical Communications, 2012, 48, 3605.	4.1	51
147	The preparation and structural characterization of a double-helical binuclear dicobalt(II) complex of 2,2'-bis(2,2'-bipyridine)-5,5'-di-quinquepyridine; the x-ray crystal structure of acetato(O,O')bis(2,2'-bis(2,2'-bipyridine)-5,5'-di-quinquepyridine)dicobalt(II) complex. Dalton Transactions RSC, 2002, , 1395-1400.	2.2	50
148	Complexes of the potentially hexadentate ligand bis{3-[6-(2,2'-bipyridyl)]pyrazol-1-yl}hydroborate with representative s-, p-, d- and f-block metal ions: factors promoting formation of mononuclear or double-helical dinuclear complexes. Journal of the Chemical Society Dalton Transactions, 1998, , 537-544.	1.1	50
149	New bis-, tris- and tetrakis(pyrazolyl)borate ligands with 3-pyridyl and 4-pyridyl substituents: synthesis and coordination chemistry. Dalton Transactions, 2005, , 1910.	3.3	50
150	Heteronuclear bipyrimidine-bridged Ru ^{II} -Ln and Os ^{II} -Ln dyads: low-energy 3MLCT states as energy-donors to Yb(III) and Nd(III). Dalton Transactions, 2008, , 691-698.	3.3	50
151	Cyanide-Bridged Os(II)/Ln(III) Coordination Networks Containing [Os(phen)(CN) ₄] ²⁻ as an Energy Donor: Structural and Photophysical Properties. Inorganic Chemistry, 2008, 47, 3736-3747.	4.0	50
152	Double-helical dinuclear copper(I) and mononuclear copper(II) complexes of a compartmental tetradentate bridging ligand: crystal structures and spectroscopic properties. Journal of the Chemical Society Dalton Transactions, 1998, , 2047-2052.	1.1	49
153	Syntheses and structures of mononuclear {Re(CO)3Cl(NN)}-complex ligands with a pendant imino-pyridine binding site, and preparation of some heterodinuclear Re(I)-lanthanide(III) complexes. Inorganica Chimica Acta, 2003, 351, 159-166.	2.4	49
154	An Unusual Chainlike Tetranuclear Manganese(II) Complex Displaying Ferromagnetic Exchange. Inorganic Chemistry, 1994, 33, 3612-3615.	4.0	48
155	Complexes of the podand ligand tris[3-(2-pyridyl)-pyrazol-1-yl]borate with lanthanoids and actinoids: rare examples of icosahedral N12 coordination. Journal of the Chemical Society Chemical Communications, 1995, , 1881.	2.0	47
156	Crystal structures of silver(I) and thallium(I) complexes of tris[3-(2-pyridyl)-pyrazol-1-yl]borate; encapsulation of either a single thallium(I) ion or a trinuclear silver(I) cluster by a hexadentate podand. Journal of the Chemical Society Chemical Communications, 1995, , 1175.	2.0	47
157	Dinuclear bis(bipyridine)ruthenium(II) complexes [(bpy) ₂ Ru(L) ₂] ²⁺ incorporating thiouracil-based dianionic asymmetric bridging ligands: synthesis, structure, redox and spectroelectrochemical properties. Dalton Transactions RSC, 2002, , 2348-2353.	2.3	47
158	A dinuclear bis(bipyridine)ruthenium(II) complex, [(bpy) ₂ Ru(L) ₂] ²⁺ , incorporating an unusual non-innocent bridging ligand containing a p-benzoquinonediimine fragment: synthesis, structure, redox, and UV/VIS/NIR and EPR spectroelectrochemical properties. Dalton Transactions RSC, 2002, , 1172-1179.	2.3	47
159	Hierarchical self-assembly of heteronuclear co-ordination networks. Dalton Transactions, 2010, 39, 3805.	3.3	47
160	Cyclopentyl ketones: identification and function in Azteca ants. Science, 1975, 187, 254-255.	12.6	46
161	Synthesis, mixed valence aspects and non-linear optical properties of the triruthenium complexes [(bpy) ₂ Ru(L)] ₃ ³⁺ and [(phen) ₂ Ru(L)] ₃ ³⁺ (bpy = 2,2'-bipyridine, phen = 1,10-phenanthroline and L ³⁻ = T ₃ BTQ ₁). Dalton Transactions RSC, 2002, , 1172-1179.	2.3	46
162	Bis-bidentate bridging ligands containing two N,O-chelating pyrazolyl-phenolate units; double helical complexes with Co(II), Cu(II) and Zn(II). Inorganica Chimica Acta, 2005, 358, 1943-1954.	2.4	46

#	ARTICLE	IF	CITATIONS
163	{[K.18-Crown-6]Br ₃ } _n : a unique tribromide-type and columnar nanotube-like structure for the oxidative coupling of thiols and bromination of some aromatic compounds. <i>Tetrahedron Letters</i> , 2007, 48, 7969-7973.	1.4	46
164	Virtual screening for high affinity guests for synthetic supramolecular receptors. <i>Chemical Science</i> , 2015, 6, 2790-2794.	7.4	46
165	DDT Polymorphism and the Lethality of Crystal Forms. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 10165-10169.	13.8	46
166	Dinuclear and tetranuclear oxo-bridged iron(III) complexes of the ambidentate ligand 3-(2-pyridyl)-pyrazole. <i>Polyhedron</i> , 1997, 16, 1567-1571.	2.2	45
167	Homo- and heteropolynuclear helicates with a $\text{2} + 3 + 2$ -dentate compartmental ligand. <i>New Journal of Chemistry</i> , 2005, 29, 904.	2.8	45
168	Microporosity of a Guanidinium Organodisulfonate Hydrogen-Bonded Framework. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 1997-2002.	13.8	45
169	The co-ordination chemistry of mixed pyridine-phenol ligands; synthesis of 6-(2-hydroxyphenyl)-2,2'-bipyridine (HL) and the crystal structures of [Cu ₂ L ₂ (μ -MeCO ₂)] [PF ₆] \cdot 1.5CH ₂ Cl ₂ and [CoL ₂] [PF ₆] \cdot MeCN. <i>Journal of the Chemical Society Dalton Transactions</i> , 1992, , 1921-1927.	1.1	44
170	Redox-responsive bi- and tri-nuclear iron/molybdenum complexes incorporating the ferrocenyl unit as a redox spectator. <i>Journal of the Chemical Society Dalton Transactions</i> , 1995, , 2769.	1.1	44
171	Synthesis of the potentially pentadentate ligand 6,6'-bis(2-hydroxyphenyl)-2,2':6,6'-terpyridine (H ₂ L) and the crystal structure and magnetic properties of [Cu(HL) ₂] [PF ₆] ₂ \cdot 5MeCN. <i>Journal of the Chemical Society Dalton Transactions</i> , 1995, , 819-824.	1.1	44
172	Structure and Rheology of Hydrogen Bond Reinforced Liquid Crystals. <i>Chemistry of Materials</i> , 2004, 16, 3045-3055.	6.7	44
173	Low-density hydrogen-bonded networks in crystals and at the air/water interface. <i>Chemical Communications</i> , 2000, , 769-770.	4.1	43
174	Comparison of Metal-Metal Electronic Interactions in an Isomeric Pair of Dinuclear Ruthenium Complexes with Different Bridging Pathways: Effective Hole Transfer through a Bis-phenolate Bridge. <i>Inorganic Chemistry</i> , 2001, 40, 4089-4092.	4.0	43
175	Chiral Discrimination in Low-Density Hydrogen-Bonded Frameworks. <i>Crystal Growth and Design</i> , 2005, 5, 2277-2287.	3.0	43
176	Polynuclear cyanoruthenate chromophores based on hexaaza-triphenylene containing up to twelve cyanides: photophysical and structural properties. <i>Chemical Communications</i> , 2006, , 1851.	4.1	43
177	Stepwise synthesis of a Ru ₄ Cd ₄ coordination cage using inert and labile subcomponents: introduction of redox activity at specific sites. <i>Chemical Communications</i> , 2014, 50, 6330-6332.	4.1	43
178	Nucleation of Molecular Crystals beneath Guanidinium Alkanesulfonate Monolayers. <i>Langmuir</i> , 1997, 13, 330-337.	3.5	42
179	A new route to mixed oxo/arylimido complexes of molybdenum(VI) with a tris(pyrazolyl)borate co-ligand: syntheses, spectroscopic properties and ligand-centred redox activity. <i>Journal of the Chemical Society Dalton Transactions</i> , 1998, , 3443-3450.	1.1	42
180	Copper(II) complexes of new potentially hexadentate N ₃ S ₃ - or N ₆ -donor podand ligands based on the tris(pyrazolyl)borate or tris(pyrazolyl)methane core. <i>New Journal of Chemistry</i> , 1999, 23, 417-424.	2.8	42

#	ARTICLE	IF	CITATIONS
181	Binding of Hydrophobic Guests in a Coordination Cage Cavity is Driven by Liberation of "High" Energy Water. <i>Chemistry - A European Journal</i> , 2018, 24, 1554-1560.	3.3	42
182	Ruthenium(II) complexes of some new polynucleating ligands incorporating terpyridyl and macrocyclic aza-crown binding sites. <i>Journal of the Chemical Society Dalton Transactions</i> , 1996, , 4249.	1.1	41
183	Synthesis and co-ordination chemistry of the tetradentate chelating ligand 1,3-bis[3-(2-pyridyl)pyrazol-1-yl]propane: crystal structures of complexes with FeII, CuII, ZnII, AgI and PbII. <i>Journal of the Chemical Society Dalton Transactions</i> , 1998, , 3029-3036.	1.1	41
184	A closed molecular cube and an open book: two different products from assembly of the same metal salt and bridging ligand. <i>Dalton Transactions</i> , 2006, , 542-544.	3.3	41
185	New tricks for an old ligand: cyclometallated and didentate co-ordination of 2,2'-6',2'-terpyridine to ruthenium(II). <i>Journal of the Chemical Society Dalton Transactions</i> , 1996, , 873-878.	1.1	40
186	Imposing control on self-assembly: rational design and synthesis of a mixed-metal, mixed-ligand coordination cage containing four types of component. <i>Chemical Science</i> , 2016, 7, 910-915.	7.4	40
187	The co-ordination chemistry of mixed pyridine-phenol and phenanthroline-phenol ligands; effects of π -stacking interactions and ligand rigidity on complex structures. <i>Journal of the Chemical Society Dalton Transactions</i> , 1992, , 3337-3344.	1.1	39
188	Mono- and di-nuclear ruthenium(II) complexes of the ambidentate ligand 3,3'-dihydroxy-2,2'-bipyridine: spectroscopic, electrochemical and mixed-valence properties. <i>Journal of the Chemical Society Dalton Transactions</i> , 1996, , 879-884.	1.1	39
189	Some new dipyriddy and diphenol bridging ligands containing oligothienyl spacers, and their dinuclear molybdenum complexes: electrochemical, spectroscopic and luminescence properties. <i>Journal of the Chemical Society Dalton Transactions</i> , 1996, , 4257.	1.1	39
190	Donor/acceptor complexes containing ferrocenyl-pyridine ligands attached to a tungsten carbonyl centre: Structural, spectroscopic and electrochemical properties. <i>Journal of Organometallic Chemistry</i> , 1997, 528, 35-45.	1.8	39
191	Synthesis and co-ordination chemistry of the compartmental tetradentate ligand bis[3-(2-pyridyl)pyrazol-1-yl]methane. <i>Journal of the Chemical Society Dalton Transactions</i> , 1998, , 89-98.	1.1	39
192	Photoinduced Energy Transfer in a Conformationally Flexible Re(I)/Ru(II) Dyad Probed by Time-Resolved Infrared Spectroscopy: Effects of Conformation and Spatial Localization of Excited States. <i>Inorganic Chemistry</i> , 2008, 47, 5071-5078.	4.0	39
193	Photoinduced energy- and electron-transfer from a photoactive coordination cage to bound guests. <i>Chemical Communications</i> , 2017, 53, 408-411.	4.1	39
194	Electronic and magnetic metal-metal interactions in dinuclear oxomolybdenum(V) complexes across bis-phenolate bridging ligands with different spacers between the phenolate termini: ligand-centred vs. metal-centred redox activity. <i>Dalton Transactions RSC</i> , 2001, , 1401-1414.	2.3	38
195	Molecular squares, cubes and chains from self-assembly of bis-bidentate bridging ligands with transition metal dications. <i>Dalton Transactions</i> , 2011, 40, 10360.	3.3	38
196	Sensitisation of Eu(III)- and Tb(III)-based luminescence by Ir(III)-units in Ir/lanthanide dyads: evidence for parallel energy-transfer and electron-transfer based mechanisms. <i>Dalton Transactions</i> , 2014, 43, 6414-6428.	3.3	38
197	Fac and mer isomers of Ru(II) tris(pyrazolyl-pyridine) complexes as models for the vertices of coordination cages: structural characterisation and hydrogen-bonding characteristics. <i>Dalton Transactions</i> , 2014, 43, 71-84.	3.3	38
198	Heteronuclear Ir(III)-Ln(III) Luminescent Complexes: Small-Molecule Probes for Dual Modal Imaging and Oxygen Sensing. <i>Inorganic Chemistry</i> , 2016, 55, 5623-5633.	4.0	38

#	ARTICLE	IF	CITATIONS
199	Dislocations in molecular crystals. Reports on Progress in Physics, 2018, 81, 096501.	20.1	38
200	Coordinationâ€Cageâ€Catalysed Hydrolysis of Organophosphates: Cavityâ€C or Surfaceâ€CBased?. Chemistry - A European Journal, 2020, 26, 3065-3073.	3.3	38
201	Selbstorganisation eines ferromagnetisch gekoppelten Mangan(II)â€CTetramers. Angewandte Chemie, 1995, 107, 1577-1580.	2.0	37
202	Intercomponent Electronic Energy Transfer in Heteropolynuclear Complexes Containing Ruthenium- and Rhenium-Based Chromophores Bridged by an Asymmetric Quaterpyridine Ligand. Inorganic Chemistry, 1997, 36, 2601-2609.	4.0	37
203	Dinuclear complexes of a new bridging ligand containing 2,2â€²-bipyridyl and dioxolene binding sites: syntheses, electrochemical and electronic spectroscopic properties. Inorganica Chimica Acta, 1999, 285, 89-96.	2.4	37
204	Luminescent cyanometallates based on phenylpyridine-Ir(III) units: solvatochromism, metallochromism, and energy-transfer in Ir/Ln and Ir/Re complexes. Dalton Transactions, 2012, 41, 2408.	3.3	37
205	Piezoelectric Cell Growth Sensor. Nature Biotechnology, 1991, 9, 450-454.	17.5	36
206	Pyridyl-thiazoles as a new class of ligand for metallocsupramolecular chemistry: formation of double and triple helicates with Cu(II). Chemical Communications, 2000, , 1529-1530.	4.1	36
207	Polynuclear osmiumâ€²dioxolene complexes: comparison of electrochemical and spectroelectrochemical properties with those of their ruthenium analogues. Dalton Transactions RSC, 2000, , 3162-3169.	2.3	36
208	Mechanism of quenching by oxygen of the excited states of ruthenium(II) complexes in aqueous media. Solvent isotope effect and photosensitized generation of singlet oxygen, $\text{O}_2(^1\text{g})$, by $[\text{Ru}(\text{diimine})(\text{CN})_4]^{2+}$ complex ions. Dalton Transactions, 2007, , 2517-2527.	3.3	36
209	A deltamethrin crystal polymorph for more effective malaria control. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 26633-26638.	7.1	36
210	Derivatives of tris(2,2â€²-bipyridine)ruthenium(II) with pendant pyridyl or phenol ligands. Journal of the Chemical Society Dalton Transactions, 1992, , 703-708.	1.1	35
211	New ligands in the 2,2â€²-dipyridylamine series and their Re(I) complexes; synthesis, structures and luminescence properties. New Journal of Chemistry, 2004, 28, 398-405.	2.8	35
212	Facile preparation of a visible- and near-infrared-active electrochromic film by direct deposition of a ruthenium dioxolene complex on an ITO/glass surface. Electrochemistry Communications, 2005, 7, 389-393.	4.7	35
213	Luminescence and Time-Resolved Infrared Study of Dyads Containing (Diimine)Ru(4,4â€²-diethylamido-2,2â€²-bipyridine) ₂ and (Diimine)Ru(CN) ₄ Moieties: Solvent-Induced Reversal of the Direction of Photoinduced Energy-Transfer. Inorganic Chemistry, 2009, 48, 8759-8770.	4.0	35
214	Encapsulation of Isolated Luminophores within Supramolecular Cages. Angewandte Chemie - International Edition, 2017, 56, 14003-14006.	13.8	35
215	Guest Exchange through Facilitated Transport in a Seemingly Impenetrable Hydrogen-Bonded Framework. Journal of the American Chemical Society, 2018, 140, 12915-12921.	13.7	35
216	Structure and Properties of Dinuclear $[\text{Ru}(\text{[n]aneS}_4)]$ Complexes of 3,6-Bis(2-pyridyl)-1,2,4,5-tetrazine. Inorganic Chemistry, 2006, 45, 821-827.	4.0	34

#	ARTICLE	IF	CITATIONS
217	Cubes, Squares, and Books: A Simple Transition Metal/Bridging Ligand Combination Can Lead to a Surprising Range of Structural Types with the Same Metal/Ligand Proportions. <i>Inorganic Chemistry</i> , 2009, 48, 11871-11881.	4.0	34
218	Structural and photophysical properties of luminescent cyanometallates $[M(\text{diimine})(\text{CN})_4]^{2-}$ and their supramolecular assemblies. <i>Dalton Transactions</i> , 2010, 39, 8851.	3.3	33
219	Iridium(III) luminophores as energy donors for sensitised emission from lanthanides in the visible and near-infrared regions. <i>Photochemical and Photobiological Sciences</i> , 2010, 9, 886-889.	2.9	33
220	Energy Transfer in Ir(III)/Eu(III) Dyads: Use of a Naphthyl Spacer as a Spatial and Energetic "Stepping Stone". <i>Inorganic Chemistry</i> , 2013, 52, 10500-10511.	4.0	33
221	Stepwise assembly of an adamantoid Ru_4Ag_6 cage by control of metal coordination geometry at specific sites. <i>Chemical Communications</i> , 2014, 50, 10979-10982.	4.1	33
222	Guest Binding and Catalysis in the Cavity of a Cubic Coordination Cage. <i>Chemistry Letters</i> , 2017, 46, 2-9.	1.3	33
223	Metal-Metal Interactions as a Function of Bridging Ligand Topology: An Electrochemical, Spectroelectrochemical, and Magnetic Study on Dinuclear Oxo-Mo(V) Complexes with Various Isomers of Dihydroxynaphthalene as Bridging Ligand. <i>Inorganic Chemistry</i> , 2000, 39, 1288-1293.	4.0	32
224	New hybrid ditopic ligands containing fused phenanthroline and crown ether units. <i>New Journal of Chemistry</i> , 2001, 25, 185-187.	2.8	32
225	Complexes of a bis-bidentate ligand with d10 ions: a mononuclear complex with Ag(I), and a tetrahedral cage complex with Zn(II) which encapsulates a fluoroborate anion. <i>Polyhedron</i> , 2003, 22, 781-787.	2.2	32
226	Mixed ligand helicates and mesocates. <i>New Journal of Chemistry</i> , 2006, 30, 26-28.	2.8	32
227	Geometric isomerism in coordination cages based on tris-chelate vertices: a tool to control both assembly and host/guest chemistry. <i>Dalton Transactions</i> , 2016, 45, 16096-16111.	3.3	32
228	Co-ordination chemistry of mixed pyridine-phenol ligands; electrochemical, electron paramagnetic resonance and structural studies on mononuclear ruthenium(III) and chromium(III) complexes. <i>Journal of the Chemical Society Dalton Transactions</i> , 1993, , 2321-2327.	1.1	31
229	Dinuclear Complexes Containing Ferrocenyl and Oxomolybdenum(V) Groups Linked by Conjugated Bridges: A New Class of Electrochromic Near-Infrared Dye. <i>Chemistry of Materials</i> , 1998, 10, 3272-3274.	6.7	31
230	Complexes of ruthenium(III) and chromium(III) with a new tetradentate N ₂ O ₂ -donor ligand: crystal structures, redox properties and spectroelectrochemistry. <i>Polyhedron</i> , 2001, 20, 3231-3237.	2.2	31
231	Electronic Structure of Mononuclear Bis(1,2-diaryl-1,2-ethylenedithiolato)iron Complexes Containing a Fifth Cyanide or Phosphite Ligand: A Combined Experimental and Computational Study. <i>Inorganic Chemistry</i> , 2006, 45, 7877-7890.	4.0	31
232	Probing the Excited States of d ₆ Metal Complexes Containing the 2,2'-Bipyrimidine Ligand Using Time-Resolved Infrared Spectroscopy. 1. Mononuclear and Homodinuclear Systems. <i>Inorganic Chemistry</i> , 2007, 46, 3696-3704.	4.0	31
233	Electronic energy transfer between ruthenium(II) and osmium(II) polypyridyl luminophores in a hydrogen-bonded supramolecular assembly. <i>Chemical Communications</i> , 1997, , 2181-2182.	4.1	30
234	Structures, electrochemical and spectroscopic properties of ternary ruthenium(II)-polypyridyl complexes with additional carboxylate, biguanide or sulfonamide donors. <i>Polyhedron</i> , 1998, 17, 3541-3550.	2.2	30

#	ARTICLE	IF	CITATIONS
235	Dinuclear molybdenum and gadolinium complexes of new "back-to-back" B linked bis[tris(pyrazolyl)borate] ligands. <i>New Journal of Chemistry</i> , 1998, 22, 661-663.	2.8	30
236	Combined two-photon excitation and d \rightarrow f energy-transfer in Ir/lanthanide dyads with time-gated selection from a two-component emission spectrum. <i>Chemical Communications</i> , 2012, 48, 9977.	4.1	30
237	pH-Controlled selection between one of three guests from a mixture using a coordination cage host. <i>Chemical Science</i> , 2015, 6, 4025-4028.	7.4	30
238	Synthesis and coordination chemistry of the tetradentate ligands 6,6'-bis(3-pyrazolyl)-2,2'-bipyridine and 6,6'-bis(2-hydroxyphenyl)-2,2'-bipyridine: intramolecular hydrogen-bonding in complexes of Cu(II), and a dinuclear double helicate with Ag(I). <i>Polyhedron</i> , 1999, 18, 2633-2640.	2.2	29
239	Synthesis, electrochemistry, UV/VIS/NIR spectroelectrochemistry and ZINDO calculations of a dinuclear ruthenium complex of the tetraoxolene bridging ligand 9-phenyl-2,3,7-trihydroxy-6-fluorone. <i>New Journal of Chemistry</i> , 2000, 24, 501-504.	2.8	29
240	Solvatochromism as a mechanism for controlling intercomponent photoinduced processes in a bichromophoric complex containing [Ru(bpy) ₃] ²⁺ and [Ru(bpy)(CN) ₄] ²⁻ units. <i>Dalton Transactions RSC</i> , 2002, , 2449-2454.	2.3	29
241	Structure and order in soft matter: symmetry transcending length scale. <i>CrystEngComm</i> , 2004, 6, 401.	2.6	29
242	Photophysical properties of Pr(III) and Er(III) complexes of poly(pyrazolyl)borates. <i>Photochemical and Photobiological Sciences</i> , 2005, 4, 829.	2.9	29
243	Dinuclear Bis(1,2-diaryl-1,2-ethylenedithiolato)iron Complexes: [Fe ^{III} (L) ₄] _n (n = 2 ⁺ , 1 ⁺ , 0, 1 ⁻). <i>Inorganic Chemistry</i> , 2006, 45, 6541-6548.	4.0	29
244	Multimodal Probes: Superresolution and Transmission Electron Microscopy Imaging of Mitochondria, and Oxygen Mapping of Cells, Using Small-Molecule Ir(III) Luminescent Complexes. <i>Inorganic Chemistry</i> , 2017, 56, 15259-15270.	4.0	29
245	Stepwise Synthesis of Binuclear Photoactive Complexes with a Bridging 3, 4-Dihydroxyphenylterpyridine Ligand. <i>Angewandte Chemie International Edition in English</i> , 1992, 31, 1028-1030.	4.4	28
246	Dinuclear ruthenium(II) and/or osmium(II) complexes of a non-symmetric bis-chelating quaterpyridine ligand. Synthesis, electrochemical behaviour, absorption spectra, luminescence properties and intercomponent energy transfer. <i>Journal of the Chemical Society Dalton Transactions</i> , 1995, , 3601.	1.1	28
247	Probing solvent dynamics in concentrated polymer films with a high-frequency shear mode quartz resonator. <i>Journal of Applied Physics</i> , 1996, 80, 4153-4163.	2.5	28
248	Synthesis and structure of tris(1,2-benzoquinone diimine)osmium(II) perchlorate, and its redox and spectroelectrochemical series. <i>Dalton Transactions RSC</i> , 2001, , 336-340.	2.3	28
249	Syntheses and structures of two- and three-dimensional cyanide-bridged coordination networks derived from crystallization of diimine-tetracyanoruthenate anions with gadolinium(III) cations. <i>Polyhedron</i> , 2006, 25, 869-875.	2.2	28
250	Localization and Delocalization in a Mixed-Valence Dicopper Helicate. <i>Inorganic Chemistry</i> , 2007, 46, 2417-2426.	4.0	28
251	Lead(II) complexes of bis- and tris-bidentate compartmental ligands based on pyridyl-pyrazole and pyridyl-triazole fragments: coordination networks and a discrete dimeric box. <i>CrystEngComm</i> , 2010, 12, 3642.	2.6	28
252	An octanuclear coordination cage with a "cuneane" core a topological isomer of a cubic cage. <i>Dalton Transactions</i> , 2011, 40, 7824.	3.3	28

#	ARTICLE	IF	CITATIONS
253	Photophysics of 1,8-naphthalimide/Ln(iii) dyads (Ln = Eu, Gd): naphthalimide $\hat{\alpha}$ Eu(iii) energy-transfer from both singlet and triplet states. <i>Photochemical and Photobiological Sciences</i> , 2013, 12, 1666-1679.	2.9	28
254	Role of Molecular Recognition in $\langle \text{sc} \rangle \langle / \text{sc} \rangle$ -Cystine Crystal Growth Inhibition. <i>Crystal Growth and Design</i> , 2017, 17, 2767-2781.	3.0	28
255	Lanthanide complexes of a new sterically hindered potentially hexadentate podand ligand based on a tris(pyrazolyl)borate core; crystal structures, solution structures and luminescence properties. <i>Journal of the Chemical Society Dalton Transactions</i> , 1999, , 349-356.	1.1	27
256	Cu ₁₂ and Cd ₁₆ coordination cages and their Cu ₃ and Cd ₃ subcomponents, and the role of inter-ligand $\hat{\text{I}}\text{E}$ -stacking in stabilising cage complexes. <i>Dalton Transactions</i> , 2013, 42, 6756.	3.3	27
257	Photophysics of Cage/Guest Assemblies: Photoinduced Electron Transfer between a Coordination Cage Containing Osmium(II) Luminophores, and Electron-Deficient Bound Guests in the Central Cavity. <i>Inorganic Chemistry</i> , 2019, 58, 2386-2396.	4.0	27
258	Imidacloprid Crystal Polymorphs for Disease Vector Control and Pollinator Protection. <i>Journal of the American Chemical Society</i> , 2021, 143, 17144-17152.	13.7	27
259	Complexes of main-group elements containing stereochemically active lone pairs: the crystal structures of [Tl(TpAn)] {TpAn=tris[3-(2-methoxyphenyl)pyrazol-1-yl]hydroborate} and [Pb(TpPy)(NO ₃)] $\hat{\text{A}}$.0.5Et ₂ O {TpPy = tris[3,-(2-pyridyl)pyrazol-1-yl]hydroborate}. <i>Polyhedron</i> , 1997, 16, 2435-2440.	2.2	26
260	Dinuclear oxomolybdenum(V) complexes which show strong electrochemical interactions across bis-phenolate bridging ligands: a combined spectroelectrochemical and computational study. <i>Journal of the Chemical Society Dalton Transactions</i> , 1999, , 2417-2426.	1.1	26
261	Lanthanide halide and nitrate complexes with potentially tridentate bisphosphine dioxide $\hat{\alpha}$ ether donors. <i>Polyhedron</i> , 2004, 23, 2561-2567.	2.2	26
262	Cyclometalated Ir($\langle \text{sc} \rangle \langle / \text{sc} \rangle$) complexes containing quinoline $\hat{\alpha}$ benzimidazole-based N ^N ancillary ligands: structural and luminescence modulation by varying the substituent groups or the protonation/deprotonation state of imidazole units. <i>Dalton Transactions</i> , 2017, 46, 275-286.	3.3	26
263	A Quantitative Study of the Effects of Guest Flexibility on Binding Inside a Coordination Cage Host. <i>Chemistry - A European Journal</i> , 2017, 23, 206-213.	3.3	26
264	Manipulating Solid Forms of Contact Insecticides for Infectious Disease Prevention. <i>Journal of the American Chemical Society</i> , 2019, 141, 16858-16864.	13.7	26
265	Discovery of new polymorphs of the tuberculosis drug isoniazid. <i>CrystEngComm</i> , 2020, 22, 2705-2708.	2.6	26
266	Dalton communications. Structural and spectroscopic properties of [Ru(bipy) ₂] $\hat{\text{A}}$ (OR) ₂] ²⁺ (R = Me or Tj ETQqO O O rgBT /Overlock) <i>Journal of the Chemical Society Dalton Transactions</i> , 1993, , 2255-2256.	1.1	25
267	Synthesis and co-ordination chemistry of 2,2 $\hat{\alpha}$:4 $\hat{\alpha}$:2,2 $\hat{\alpha}$:6 $\hat{\alpha}$:3,2 $\hat{\alpha}$ -quaterpyridine, an asymmetric bridging ligand with inequivalent bipyridyl binding sites. <i>Journal of the Chemical Society Dalton Transactions</i> , 1993, , 1321-1325.	1.1	25
268	A study of crystal packing in a series of closely related square-planar palladium(II) and platinum(II) complexes. <i>Polyhedron</i> , 1994, 13, 2291-2300.	2.2	25
269	Proton Sensitivity of Luminescent [M(bpy) ₂ (AB)] ²⁺ Complexes and Their Monomethylated Counterparts [M(bpy) ₂ (ABMe)] ³⁺ Where AB Is an Asymmetric Quaterpyridine with a Pendant Bipyridyl Site [M = Ru(II), Os(II)]. <i>The Journal of Physical Chemistry</i> , 1996, 100, 10620-10628.	2.9	25
270	Derivatives of luminescent metal $\hat{\alpha}$ polypyridyl complexes with pendant adenine or thymine groups: building blocks for supramolecular assemblies based on hydrogen bonding. <i>Journal of the Chemical Society Dalton Transactions</i> , 1997, , 727-736.	1.1	25

#	ARTICLE	IF	CITATIONS
271	Structural, electrochemical and UV/VIS/NIR spectroelectrochemical properties of diastereomerically pure dinuclear ruthenium complexes based on the bridging ligand phenanthroline-5,6-diimine, and a mononuclear by-product with a peripheral isoimidazole group. <i>Journal of the Chemical Society Dalton Transactions</i> , 1999, , 2999-3006.	1.1	25
272	Investigation of the excited-state absorption of a Ru dioxolene complex by the Z-scan technique. <i>Journal of Chemical Physics</i> , 2005, 122, 154507.	3.0	25
273	Homonuclear and heteronuclear complexes of a four-armed octadentate ligand: synthetic control based on matching ligand denticity with metal ion coordination preferences. <i>Dalton Transactions</i> , 2009, , 4199.	3.3	25
274	Highly selective CO ₂ vs. N ₂ adsorption in the cavity of a molecular coordination cage. <i>Chemical Communications</i> , 2017, 53, 4398-4401.	4.1	25
275	Electrochemical and EPR spectral studies of mono- and bimetallic (trispyrazolylborato)molybdenum and tungsten complexes with extended di-phenol bridging ligands; evidence for electron exchange below the fast limit. <i>Polyhedron</i> , 1993, 12, 2111-2119.	2.2	24
276	Luminescence properties of Eu ³⁺ , Tb ³⁺ , and Gd ³⁺ complexes of the hexadentate N-donor podand tris-[3-(2-pyridyl) pyrazol-yl]hydroborate. <i>Chemical Physics Letters</i> , 1997, 276, 435-440.	2.6	24
277	Effects of ligand topology on the properties of dinuclear ruthenium complexes of bis-semiquinone bridging ligands. <i>Inorganica Chimica Acta</i> , 1998, 267, 1-5.	2.4	24
278	Crystal structures of a series of CoII, CuII and ZnII complexes of 4-((3,4-dihydroxyphenyl)-2,2'-bipyridine-6-yl)-6-terpyridine and 4-((3,4-dimethoxyphenyl)-2,2'-bipyridine-6-yl)-6-terpyridine. <i>Polyhedron</i> , 1998, 17, 373-379.	2.2	24
279	Switching of the inter-component photoinduced electron- and energy-transfer properties of a Ru(II)-aza-crown-Re(I) complex; effects of changing temperature, and of incorporation of Ba ²⁺ ion into the macrocyclic spacer between the chromophores. <i>Dalton Transactions RSC</i> , 2000, , 1783-1792.	2.3	24
280	Kinetically locked, trinuclear RuII-metallo-macrocycles synthesis, electrochemical, and optical properties. <i>Dalton Transactions</i> , 2006, , 2900-2906.	3.3	24
281	Electronic Structure of Nitric Oxide Adducts of Bis(diaryl-1,2-dithiolene)iron Compounds: A Four-Membered Electron-Transfer Series [Fe(NO)(L) ₂] ^z (z = 1+, 0, 1-, 2-). <i>Inorganic Chemistry</i> , 2007, 46, 522-532.	4.0	24
282	Stepwise assembly of mixed-metal coordination cages containing both kinetically inert and kinetically labile metal ions: introduction of metal-centred redox and photophysical activity at specific sites. <i>Dalton Transactions</i> , 2015, 44, 17939-17949.	3.3	24
283	Customized Chiral Colloids. <i>Journal of the American Chemical Society</i> , 2020, 142, 16528-16532.	13.7	24
284	Dinuclear alkoxide-bridged ruthenium(II) complexes with class III mixed-valence states: a structural and spectroelectrochemical study. <i>Journal of the Chemical Society Dalton Transactions</i> , 1996, , 2527-2531.	1.1	23
285	Derivatives of the [Ru(bipy)(CN) ₄] ²⁻ chromophore with pendant pyridyl-based binding sites: synthesis, pH dependent-luminescence, and time-resolved infrared spectroscopic studies. <i>Dalton Transactions RSC</i> , 2001, , 3312-3319.	2.3	23
286	A C ₃ -symmetric chiral hexadentate podand ligand based on a tris(pyrazolyl)borate core. <i>Dalton Transactions RSC</i> , 2001, , 1389-1391.	2.3	23
287	Mono- and di-nuclear tris(pyrazolyl)borato-oxo-tungsten(V) complexes with phenolate ligands: syntheses and structures, and magnetic, electrochemical and UV/Vis/NIR spectroscopic properties. <i>Dalton Transactions</i> , 2003, , 36-45.	3.3	23
288	Coordination Behaviour of Bis-Terdentate N-Donor Ligands: Double- and Single-Stranded Helicates, Mesocates, and Cyclic Oligomers. <i>European Journal of Inorganic Chemistry</i> , 2007, 2007, 4770-4780.	2.0	23

#	ARTICLE	IF	CITATIONS
289	Improved Accuracy in Dynamic Quartz Crystal Microbalance Measurements of Surfactant Enhanced Spreading. <i>Langmuir</i> , 1996, 12, 345-347.	3.5	22
290	A dinuclear double-helical complex of potassium ions with a compartmental bridging ligand containing two terdentate N-donor fragments. <i>Chemical Communications</i> , 1997, , 479-480.	4.1	22
291	Complexes of the terdentate N-donor ligand 6-(2-aminophenyl)-2,2- λ^2 -bipyridine (L): crystal structures of mononuclear $[ZnL_2][PF_6]_2$ and tetranuclear $[CuL(MeCN)]_4(\lambda^4-PO_4)[PF_6]_5$ containing an unusual λ^4 -bridging phosphate ion. <i>Inorganica Chimica Acta</i> , 1998, 267, 239-247.	2.4	22
292	Preparation of the new podand ligand $\text{Si} \rightarrow \text{P}(\text{pzpy})_3$ [pzpy = 3-(2-pyridyl)-pyrazol-1-yl], and the syntheses and crystal structures of copper(II) and copper(I) complexes of its hydrolysis product $[\text{OSP}(\text{pzpy})_2]^{2+}$, and a double helical copper(I) complex of $[\text{O}_2\text{P}(\text{pzpy})_2]^{2-}$. <i>Polyhedron</i> , 1998, 17, 1705-1714.	2.2	22
293	A long-standing structural puzzle resolved: the crystal structure of $[\text{Ag}_2(\text{TpMe}_2\text{Me})_2]$ [where TpMe,Me is hydrotris(3,5-dimethyl-pyrazolyl)borate]. <i>Polyhedron</i> , 1999, 18, 1335-1338.	2.2	22
294	Synthesis and characterization of binuclear mercury(II) complexes of phosphorus ylides, X-ray analysis and multinuclear NMR measurements. <i>Inorganica Chimica Acta</i> , 2009, 362, 105-112.	2.4	22
295	A new ligand skeleton for imaging applications with d^f complexes: combined lifetime imaging and high relaxivity in an Ir/Gd dyad. <i>Chemical Communications</i> , 2015, 51, 8833-8836.	4.1	22
296	Photoinduced two-step energy transfer in a Re/Ru dinuclear complex as mediated by an interposed r^{TM} unit. <i>Chemical Communications</i> , 2001, , 277-278.	4.1	21
297	Photophysical properties of an assembly containing a $[\text{Ru}(\text{bpy})_3]^{2+}$ chromophore and a $[\text{Ru}(\text{bpy})(\text{CN})_4]^{2-}$ quencher unit linked by a hydrogen-bonded interface based on the $[\text{Ru}(\text{bpy})(\text{CN})_4]^{2-}$ /aza-crown association. <i>Dalton Transactions RSC</i> , 2002, , 2455-2461.	2.3	21
298	Porphyrin/Platinum(II) C ^N N Acetylide Complexes: Synthesis, Photophysical Properties, and Singlet Oxygen Generation. <i>Chemistry - A European Journal</i> , 2016, 22, 4164-4174.	3.3	21
299	DDT Polymorphism and the Lethality of Crystal Forms. <i>Angewandte Chemie</i> , 2017, 129, 10299-10303.	2.0	21
300	Screw Dislocation Generation by Inclusions in Molecular Crystals. <i>Crystal Growth and Design</i> , 2018, 18, 318-323.	3.0	21
301	One Guest or Two? A Crystallographic and Solution Study of Guest Binding in a Cubic Coordination Cage. <i>Chemistry - A European Journal</i> , 2020, 26, 3054-3064.	3.3	21
302	Hydrogen bonded frameworks: smart materials used smartly. <i>Molecular Systems Design and Engineering</i> , 2021, 6, 756-778.	3.4	21
303	Co-ordination chemistry of mixed pyridine-phenol and phenanthroline-phenol ligands; a variable-temperature electron paramagnetic resonance and magnetic susceptibility study on two binuclear copper(II) complexes with $\text{Cu}_2(\mu\text{-O})_2(\mu\text{-1,3-O}_2\text{CMe})$ cores. <i>Journal of the Chemical Society Dalton Transactions</i> , 1992, , 3353-3356.	1.1	20
304	The coordination chemistry of mixed pyridine-phenol ligands; syntheses and crystal structures of Mn(III) and Ni(II) complexes of 2-(2-hydroxyphenyl)pyridine. <i>Inorganica Chimica Acta</i> , 1995, 236, 125-130.	2.4	20
305	A reversible intramolecular hydrogen-bonding interaction involving second-sphere co-ordination of a water ligand. <i>Journal of the Chemical Society Dalton Transactions</i> , 1995, , 2921.	1.1	20
306	Complexes of a hexadentate podand ligand with actinides; The syntheses and crystal structures of $[\text{Th}(\text{TpPy})(\text{NO}_3)_3] \cdot (\text{dmf}) \cdot (\text{Et}_2\text{O})_{0.5}$ and $\text{trans-}[\text{UO}_2(\text{TpPy})(\text{OEt})] \text{TpPy} = \text{tris}[3\text{-}(2\text{-}\lambda^2\text{-pyridyl})\text{pyrazol-1-yl}]\text{hydroborate}$. <i>Polyhedron</i> , 1996, 15, 2023-2027.	2.2	20

#	ARTICLE	IF	CITATIONS
307	Copper(I) and silver(I) complexes of a new tetrahedrally-enforcing ligand containing two bipyridyl binding sites linked by a diphenyl disulfide bridge. <i>Journal of the Chemical Society Dalton Transactions</i> , 1997, , 2661-2666.	1.1	20
308	Coordination chemistry of mixed pyridine-phenol ligands; mononuclear palladium(II) and dinuclear copper(II) complexes of derivatives of bidentate N,O-chelating ligands based on 2-(2-hydroxyphenyl)pyridine. <i>Polyhedron</i> , 1998, 17, 211-220.	2.2	20
309	Synthesis of the new ligand bis[3-(2-pyrazinyl-pyrazol-1-yl) dihydroborate, and the crystal structures of its complexes with thallium(I) and lead(II). <i>Polyhedron</i> , 1999, 18, 721-727.	2.2	20
310	Building molecular frameworks with tailored pore structures. <i>Journal of Physical Organic Chemistry</i> , 2000, 13, 858-869.	1.9	20
311	Plastic sandwiches À la carte. <i>Nature</i> , 2000, 405, 293-294.	27.8	20
312	Cd(II) and Mn(II) complexes of a new hexadentate Schiff base ligand derived from an asymmetric tripodal tetraamine and 2-pyridinecarboxaldehyde. <i>Polyhedron</i> , 2008, 27, 3549-3556.	2.2	20
313	Interdependent Phosphorylation within the Kinase Domain T-loop Regulates CHK2 Activity*. <i>Journal of Biological Chemistry</i> , 2010, 285, 33348-33357.	3.4	20
314	Mononuclear lanthanide complexes incorporating an anthracene group: structural modification, slow magnetic relaxation and multicomponent fluorescence emissions in Dy compounds. <i>Dalton Transactions</i> , 2013, 42, 11436.	3.3	20
315	Magnetic spin exchange interactions between several metal centres in paramagnetic complexes with new polynucleating bridging ligands. <i>Journal of the Chemical Society Chemical Communications</i> , 1994, , 1273.	2.0	19
316	Nanoconfined Electrochemical Nucleation of Crystalline Molecular Monolayers on Graphite Substrates. <i>Journal of Physical Chemistry B</i> , 1998, 102, 9958-9965.	2.6	19
317	Spectroelectrochemical studies and molecular orbital calculations on mononuclear complexes [Mo(TpMe ₂ Me)(NO)Cl(py)] (where py is a substituted pyridine derivative): electrochromism in the near-infrared region of the electronic spectrum. <i>New Journal of Chemistry</i> , 1999, 23, 915-921.	2.8	19
318	Synthesis and coordination chemistry of tetradentate ligands containing two bidentate thioquinoline units: mononuclear complexes with Cu(I) and Cu(II), and a coordination polymer with Cu(I). <i>Polyhedron</i> , 2003, 22, 507-514.	2.2	19
319	Cadmium-containing pyridyl-thiazole complexes: crystal structures and solution behaviour of mononuclear, dinuclear double helicate and dinuclear triple helicate complexes. <i>Polyhedron</i> , 2003, 22, 755-762.	2.2	19
320	Solvent-dependent modulation of metal-metal electronic interactions in a dinuclear cyanoruthenate complex: a detailed electrochemical, spectroscopic and computational study. <i>Dalton Transactions</i> , 2012, 41, 10354.	3.3	19
321	Converting an intensity-based sensor to a ratiometric sensor: luminescence colour switching of an Ir/Eu dyad upon binding of a V-series chemical warfare agent simulant. <i>Journal of Materials Chemistry C</i> , 2016, 4, 9664-9668.	5.5	19
322	Syntheses of 4-benzyl-3,5-dimethylpyrazolylborato complexes of molybdenum and tungsten nitrosyls: molecular structure of [Mo(CO) ₂ (NO){HB(3,5-Me ₂ -4-PhCH ₂ C ₃ N ₂) ₃ }], a complex with an inverted bowl-like structure. <i>Journal of the Chemical Society Dalton Transactions</i> , 1994, , 2559-2564.	1.1	18
323	Valence-localised and valence-delocalised mixed-valence states; the effect of the substitution pattern of 1,2-, 1,3- and 1,4-[C ₆ H ₄ (NH) ₂] ₂ as bridging ligands. <i>Journal of the Chemical Society Chemical Communications</i> , 1995, , 2397.	2.0	18
324	Syntheses, crystal structures, and electrochemical and spectroscopic properties of ruthenium complexes of the N,S-bidentate ligand 2-(2-pyridyl)benzenethiol. <i>Journal of the Chemical Society Dalton Transactions</i> , 1997, , 721-726.	1.1	18

#	ARTICLE	IF	CITATIONS
325	Photoinduced energy transfer within hydrogen-bonded multi-component assemblies based on a ruthenium ^{II} -polypyridyl donor and an osmium ^{II} -polypyridyl or ferrocenyl acceptor. <i>New Journal of Chemistry</i> , 2000, 24, 987-991.	2.8	18
326	Multiscale Visualization and Quantitative Analysis of α -Cystine Crystal Dissolution. <i>Crystal Growth and Design</i> , 2017, 17, 1766-1774.	3.0	18
327	Inverse Correlation between Lethality and Thermodynamic Stability of Contact Insecticide Polymorphs. <i>Crystal Growth and Design</i> , 2019, 19, 1839-1844.	3.0	18
328	Disorderly Conduct of Benzamide IV: Crystallographic and Computational Analysis of High Entropy Polymorphs of Small Molecules. <i>Crystal Growth and Design</i> , 2020, 20, 2670-2682.	3.0	18
329	Outside the box: quantifying interactions of anions with the exterior surface of a cationic coordination cage. <i>Dalton Transactions</i> , 2021, 50, 2782-2791.	3.3	18
330	A binuclear ruthenium(II) complex of 2,2'-bis(2,2'-bipyridine)-6,6'-quaterpyridine containing RuN5Cl and cyclometallated RuN5C fragments linked by a bridging (N,C-donor) pyridyl residue. <i>Journal of the Chemical Society Dalton Transactions</i> , 1994, , 3095-3098.	1.1	17
331	Co-ordination chemistry of mixed pyridine ^{II} -phenol ligands: polynuclear complexes of 6-(2-hydroxyphenyl)-2,2'-bipyridine with NiII, CdII, MnII and MnIII. <i>Journal of the Chemical Society Dalton Transactions</i> , 1995, , 3071-3080.	1.1	17
332	Complexes of tris(3,5-dimethylpyrazolyl)borates alkylated on the 4-position of the pyrazolyl rings. X-ray crystal structure of molybdenum dicarbonyl nitrosyl tris(3,5-dimethyl-4-n-butylpyrazolyl)borate. <i>Polyhedron</i> , 1996, 15, 27-35.	2.2	17
333	Molybdenum complexes of two new pyridyl-based tetranucleating bridging ligands with unusual geometries: one with a tetrahedral donor set, and one containing two orthogonal non-interacting components. <i>Inorganica Chimica Acta</i> , 1997, 256, 331-334.	2.4	17
334	Syntheses and structures of lanthanide(III) complexes with some bis(pyrazolyl)borate and tris(pyrazolyl)borate podand ligands. <i>Polyhedron</i> , 2001, 20, 2045-2053.	2.2	17
335	Chiral coordination polymers based on thallium(I) complexes of new bis- and tris(pyrazolyl)borate ligands with externally-directed 4-pyridyl groups. <i>New Journal of Chemistry</i> , 2003, 27, 1550.	2.8	17
336	Mixed Valence Creutz ²⁺ Taube Ion Analogues Incorporating Thiocrowns: Synthesis, Structure, Physical Properties, and Computational Studies. <i>Inorganic Chemistry</i> , 2008, 47, 11633-11643.	4.0	17
337	Conventional and cyclometallated complexes of ruthenium(II) with ambidentate terdentate ligands displaying N3 or N2C binding modes. <i>Journal of the Chemical Society Dalton Transactions</i> , 1995, , 825.	1.1	16
338	Partially encapsulated copper(I) complexes of mono(o-aryl)-substituted derivatives of 2,2'-bipyridine and 1,10-phenanthroline. <i>Journal of the Chemical Society Dalton Transactions</i> , 1995, , 835-841.	1.1	16
339	Complexes of thallium(I) and lead(II) with the potentially tetradentate ligand bis[3-(2-pyridyl)-pyrazolyl]dihydroborate. <i>Inorganica Chimica Acta</i> , 1998, 267, 323-328.	2.4	16
340	Pyridyl ^{II} -thiazole multidentate ligands: metal-specific recognition of a combination of ligands from a mixture. <i>Dalton Transactions RSC</i> , 2001, , 3039-3044.	2.3	16
341	Structural Transference and Regulation of Bimodal Assembly of Charge-Assisted Hydrogen-Bonded Networks. <i>Crystal Growth and Design</i> , 2005, 5, 995-1003.	3.0	16
342	Photoinduced energy transfer between Re(I) and Ru(II) termini connected through a new exo-ditopic bis-phenanthroline ligand fused to a central macrocycle spacer: Synthesis, structure, and electrochemical and photophysical properties of a heterodinuclear complex. <i>Inorganica Chimica Acta</i> , 2007, 360, 814-824.	2.4	16

#	ARTICLE	IF	CITATIONS
343	Post-coordination functionalisation of pyrazolyl-based ligands as a route to polynuclear complexes based on an inert Ru ^{II} N ₆ core. <i>New Journal of Chemistry</i> , 2008, 32, 73-82.	2.8	16
344	Highly Polymorphous Nicotinamide and Isonicotinamide: Solution versus Melt Crystallization. <i>Crystal Growth and Design</i> , 2021, 21, 4713-4724.	3.0	16
345	Orthogonal binding and displacement of different guest types using a coordination cage host with cavity-based and surface-based binding sites. <i>Chemical Science</i> , 2021, 12, 12640-12650.	7.4	16
346	Co-ordination chemistry of mixed pyridine-phenol ligands; the crystal structure of [NiL(HL)] ₂ [PF ₆] ₂ ·0.5MeCN·0.5Et ₂ O [HL = 6-(2-hydroxyphenyl)-2,2'-bipyridine]. <i>Journal of the Chemical Society Dalton Transactions</i> , 1992, , 2119-2120.	1.1	15
347	Synthesis and structure of a phenylalkylidyne complex of tris(3,5-dimethylpyrazolyl)boratodibromotungsten. <i>Polyhedron</i> , 1994, 13, 353-356.	2.2	15
348	Quenching of a polypyridyl-ruthenium(II) chromophore by covalently attached {ML(NO)Cl} fragments (M=Mo, W; L=tris(3,5-dimethylpyrazolyl)hydroborate). <i>Inorganica Chimica Acta</i> , 1994, 226, 171-177.	2.4	15
349	The crystal structure of [Cu(Ph ₂ bipy) ₂][BF ₄] · CH ₂ Cl ₂ (Ph ₂ bipy = 6,6'-diphenyl-2,2'-bipyridine). <i>Polyhedron</i> , 1996, 15, 191-194.	2.2	15
350	Time-Resolved Infrared Studies on Two Isomeric Ruthenium(II)/Rhenium(I) Complexes Containing a Nonsymmetric Quaterpyridine Bridging Ligand. <i>Inorganic Chemistry</i> , 1998, 37, 2598-2601.	4.0	15
351	New Multidentate Pyrazolyl - Pyridine Ligands—Synthesis and Structures. <i>Australian Journal of Chemistry</i> , 2003, 56, 665.	0.9	15
352	Electrochromic switching in the visible and near IR with a Ru-dioxolene complex adsorbed on a nanocrystalline SnO ₂ electrode. <i>Electrochemistry Communications</i> , 2003, 5, 416-420.	4.7	15
353	First Reported Correlation between the Calculated Gas-Phase Proton Macroaffinities of Some Metal Complexes with Their Measured Formation Constants in Solution: Zn(II) Complexes of a Series of Tripodal Aliphatic Tetraamines. <i>Journal of Physical Chemistry A</i> , 2008, 112, 4090-4094.	2.5	15
354	A tetrameric hetero-octanuclear cyclic helicate formed from a bridging ligand with two inequivalent binding sites. <i>RSC Advances</i> , 2013, 3, 14281.	3.6	15
355	Stepwise synthesis of mixed-metal assemblies using pre-formed Ru(II) complex ligands™ as building blocks. <i>RSC Advances</i> , 2016, 6, 10750-10762.	3.6	15
356	Mono- and Binuclear Molybdenum Complexes Incorporating 4-(4-Hydroxyphenyl)pyridine: Metal-Metal Interactions Across an Asymmetric Bridging Ligand. <i>Angewandte Chemie International Edition in English</i> , 1992, 31, 1515-1518.	4.4	14
357	Spectroscopic, luminescence and electrochemical studies on a pair of isomeric complexes [(bipy) ₂ Ru(AB)PtCl ₂][PF ₆] ₂ and [Cl ₂ Pt(AB)Ru(bipy) ₂][PF ₆] ₂ , where AB is the bis-bipyridyl bridging ligand 2,2':3,2':6,6'-quaterpyridine. <i>New Journal of Chemistry</i> , 1998, 22, 913-917.	2.8	14
358	Stepwise synthetic strategy for the preparation of trinuclear complexes of bis(terpyridyl) bridging ligands containing aza-crown macrocyclic spacer groups. <i>Journal of the Chemical Society Dalton Transactions</i> , 1998, , 3397-3404.	1.1	14
359	Redox-Activity in Complexes with Mo(NO) and Mo(O) Cores: Facts and Consequences. <i>Comments on Inorganic Chemistry</i> , 2001, 22, 293-326.	5.2	14
360	Complexes of 2,2'-biphenol with ruthenium(II), molybdenum(V), tungsten(V) and tungsten(VI): structures, electrochemistry and spectroscopy. <i>New Journal of Chemistry</i> , 2003, 27, 684-691.	2.8	14

#	ARTICLE	IF	CITATIONS
361	Mononuclear and Polynuclear Chain Complexes of a Series of Multinucleating N/S Donor Ligands. <i>European Journal of Inorganic Chemistry</i> , 2005, 2005, 4533-4549.	2.0	14
362	Three-component coordination networks based on [Ru(phen)(CN) ₄] ²⁻ anions, lanthanide(III) cations and ancillary oligopyridine ligands. <i>CrystEngComm</i> , 2006, 8, 635.	2.6	14
363	Combined Two-Photon Excitation and d ¹ f Energy Transfer in a Water-Soluble Ir ^{III} /Eu ^{III} Dyad: Two Luminescence Components from One Molecule for Cellular Imaging. <i>Chemistry - A European Journal</i> , 2014, 20, 8898-8903.	3.3	14
364	Two bisthienylethene-Ir(III) complexes showing acid/base-induced structural transformation and on/off luminescence switching in solution. <i>Dalton Transactions</i> , 2015, 44, 21008-21015.	3.3	14
365	Heteronuclear d ¹⁰ and d ⁸ Ru(II)/M complexes [M = Gd(III), Yb(III), Nd(III), Zn(II) or Mn(II)] of ligands combining phenanthroline and aminocarboxylate binding sites: combined relaxivity, cell imaging and photophysical studies. <i>Dalton Transactions</i> , 2019, 48, 6132-6152.	3.3	14
366	Microporosity of a Guanidinium Organodisulfonate Hydrogen-Bonded Framework. <i>Angewandte Chemie</i> , 2020, 132, 2013-2018.	2.0	14
367	Assembly of Shape-Tunable Colloidal Dimers in a Dielectrophoretic Field. <i>Chemistry of Materials</i> , 2020, 32, 6898-6905.	6.7	14
368	Catalysis of an Aldol Condensation Using a Coordination Cage. <i>Chemistry</i> , 2020, 2, 22-32.	2.2	14
369	Cu(I) diimine complexes as immobilised antibacterial photosensitisers operating in water under visible light. <i>Materials Advances</i> , 2020, 1, 3417-3427.	5.4	14
370	Intramolecular quenching of the excited state of a tris(2,2'-bipyridyl)ruthenium(II) chromophore by covalently linked electron-accepting metal centres. <i>Polyhedron</i> , 1992, 11, 2119-2122.	2.2	13
371	Designer zeolites. <i>Nature</i> , 1995, 374, 764-765.	27.8	13
372	An unprecedented trinucleating bridging mode ($\frac{1}{4} \cdot 1 \cdot 1 \cdot 1$) of a tris(pyrazolyl)borate ligand in a trinuclear silver(I) complex. <i>Journal of the Chemical Society Dalton Transactions</i> , 1998, , 3353-3354.	1.1	13
373	Folding of a poly(oxyethylene) chain as probed by photoinduced energy transfer between Ru ^{II} and Os ^{II} polypyridine termini. <i>Dalton Transactions RSC</i> , 2001, , 2228-2231.	2.3	13
374	Coordination chemistry of Ag(I) with bridging ligands based on pyrazolyl-pyridine termini: polymers, helicates and a bow-tie. <i>RSC Advances</i> , 2012, 2, 10844.	3.6	13
375	Self-assembly of trigonal prismatic M ₆ (L) ₉ coordination cages. <i>Inorganic Chemistry Communication</i> , 2012, 15, 126-129.	3.9	13
376	Qualitative colorimetric analysis of a Ir(III)/Eu(III) dyad in the presence of chemical warfare agents and simulants on a paper matrix. <i>RSC Advances</i> , 2019, 9, 7615-7619.	3.6	13
377	Disrupting Crystal Growth through Molecular Recognition: Designer Therapies for Kidney Stone Prevention. <i>Accounts of Chemical Research</i> , 2022, 55, 516-525.	15.6	13
378	The coordination chemistry of mixed pyridine-phenol and phenanthroline-phenol ligands; The crystal structure of 2-(2-hydroxyphenyl)-1,10-phenanthroline (HL) and the crystal structure and properties of [FeL ₂][PF ₆]. <i>Polyhedron</i> , 1995, 14, 599-604.	2.2	12

#	ARTICLE	IF	CITATIONS
379	Coordination chemistry of mixed pyridine-phenol ligands. The crystal structure of [Zn(L1) ₂ (BPh ₄)] [BPh ₄] (HL1 = 6-(2-hydroxyphenyl)-2,2'-bipyridine), the first example of a phenolate bridge between a transition metal and boron. <i>Inorganica Chimica Acta</i> , 1996, 241, 125-129.	2.4	12
380	Coordination chemistry of mixed pyridine phenol ligands; synthesis and crystal structure of [Cu ₂ L ₂ (1/4-PhB(OH)O) ₂] [HL = 6-(2-hydroxyphenyl) 2,2'-Bipyridine], a dinuclear copper(II) complex with phenylboronate bridges. <i>Polyhedron</i> , 1996, 15, 2019-2022.	2.2	12
381	Heteroleptic ruthenium complexes containing 2,2':6''',2''':6''',2''':6''',2''':6'''-quinquepyridine (qpy) and its derivatives. <i>Polyhedron</i> , 1998, 18, 159-173.	2.2	12
382	Co-ordination chemistry of 6-(2-hydroxyphenyl)pyridine-2-carboxylic acid: a terdentate ligand with a mixed phenolate/pyridyl/carboxylate donor set. <i>Journal of the Chemical Society Dalton Transactions</i> , 1998, , 1163-1170.	1.1	12
383	Self-assembly of anion-binding supramolecular cage complexes. <i>Heteroatom Chemistry</i> , 2002, 13, 567-573.	0.7	12
384	Luminescent silver(I) coordination networks based on bis-(3,5-dimethylpyrazolyl)naphthalene ligands. <i>CrystEngComm</i> , 2011, 13, 1432-1440.	2.6	12
385	Reversible Morphology Switching of Colloidal Particles. <i>Chemistry of Materials</i> , 2018, 30, 6903-6907.	6.7	12
386	Polymorphic Phase Transformation Pathways under Nanoconfinement: Flufenamic Acid. <i>Crystal Growth and Design</i> , 2020, 20, 7098-7103.	3.0	12
387	Self-Assembled Anion-Binding Cryptand for the Selective Liquid-Liquid Extraction of Phosphate Anions. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 20480-20484.	13.8	12
388	A family of diastereomeric dodecanuclear coordination cages based on inversion of chirality of individual triangular cyclic helicate faces. <i>Chemical Science</i> , 2020, 11, 10167-10174.	7.4	12
389	Metallic microswimmers driven up the wall by gravity. <i>Soft Matter</i> , 2021, 17, 6597-6602.	2.7	12
390	Some Coordination Chemistry of the Bidentate Nitrogen-Donor Ligand 2-(2-Aminophenyl)pyridine. <i>Australian Journal of Chemistry</i> , 1997, 50, 109.	0.9	12
391	Interaction of anions with the surface of a coordination cage in aqueous solution probed by their effect on a cage-catalysed Kemp elimination. <i>Chemical Science</i> , 2021, 12, 14781-14791.	7.4	12
392	Redox and UV/VIS/NIR spectroscopic properties of tris(pyrazolyl)borato-oxo-molybdenum(V) complexes with naphtholate and related co-ligands. <i>New Journal of Chemistry</i> , 2001, 25, 1236-1243.	2.8	11
393	Novel multidentate pyridyl/thiazolyl ligands containing terpyridine units: formation of dinuclear and trinuclear double helicate complexes. <i>Inorganica Chimica Acta</i> , 2003, 351, 207-216.	2.4	11
394	The crystal structure of [Sm(H ₂ O) ₅][Ru ₂ (bpy) ₂ (CN) ₇]·11H ₂ O, a novel mixed f coordination polymer. <i>CrystEngComm</i> , 2003, 5, 495-497.	2.6	11
395	Cyanide-bridged tetradecanuclear Rull ₃ Mll ₁₁ clusters (Mll = ZnII and CuII) based on the high connectivity building block [Ru ₃ (HAT)(CN) ₁₂] ⁶⁺ : structural and photophysical properties. <i>Chemical Communications</i> , 2008, , 4460.	4.1	11
396	Dynamics and unsteady morphologies at ice interfaces driven by D ₂ O-H ₂ O exchange. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 11627-11632.	7.1	11

#	ARTICLE	IF	CITATIONS
397	Mixed-valence dinuclear molybdenum complexes with benzenediamido and dianilido bridges: comparison with related phenolato and dipyridyl species, and with their pentammineruthenium analogues. <i>Journal of the Chemical Society Dalton Transactions</i> , 1997, , 3287-3298.	1.1	10
398	Characterisation of two different mixed-valence states in a strongly interacting dimolybdenum complex. <i>Chemical Communications</i> , 1997, , 769-770.	4.1	10
399	Very weak electron-electron exchange interactions in paramagnetic dinuclear tris(pyrazolyl)boratomolybdenum centres with extended bridging ligands: estimation of the exchange coupling constant J by simulation of second-order EPR spectra. <i>Journal of the Chemical Society Dalton Transactions</i> , 1999, , 4341-4347.	1.1	10
400	Mononuclear Cu(II) and triple helical dinuclear Co(II) complexes of a new potentially tetradentate ligand containing inequivalent bidentate units. <i>Inorganica Chimica Acta</i> , 2001, 324, 331-335.	2.4	10
401	Syntheses, redox and UV-Vis spectroelectrochemical properties of mono- and dinuclear tris(pyrazolyl)borato-oxomolybdenum(IV) complexes with pyridine ligands. <i>Inorganica Chimica Acta</i> , 2002, 327, 160-168.	2.4	10
402	The coordination chemistry of mixed pyridine-phenol and phenanthroline-phenol ligands; synthesis and crystal structure of $[PdLCl] \cdot (CH_2Cl)_2$ [HL1 \rightarrow 6-(2-hydroxyphenyl)-2,2'-bipyridine]. <i>Polyhedron</i> , 1993, 12, 1577-1580.	2.2	9
403	Multinucleating ligands from multiple palladium(0)-catalysed cross-coupling reactions - synthesis and characterisation of a trinuclear cyclometallated ruthenium(II) complex and a hexanuclear EPR-active molybdenum complex. <i>Inorganica Chimica Acta</i> , 1996, 250, 29-34.	2.4	9
404	Use of photoinduced energy-transfer to probe solvent-dependent conformational changes in a flexible Ru/Os dinuclear complex. <i>Chemical Communications</i> , 1999, , 2089-2090.	4.1	9
405	Complexes containing redox-active fluorenone-based ligands linked to redox-active tris(pyrazolyl)boratomolybdenum fragments: assignment of ligand-centred and metal-centred redox processes by EPR and UV/VIS/NIR spectroelectrochemistry. <i>Journal of the Chemical Society Dalton Transactions</i> , 1999, , 4349-4355.	1.1	9
406	Polyelectrochromic behaviour in the visible and near-infrared region of a window based on a dinuclear ruthenium-dioxolene complex adsorbed onto a nanocrystalline SnO ₂ electrode. <i>Inorganic Chemistry Communication</i> , 2004, 7, 65-68.	3.9	9
407	Bimetallic Pt(II)-bipyridyl-diacetylde/Ln(III) tris-diketonate adducts based on a combination of coordinate bonding and hydrogen bonding between the metal fragments: Syntheses, structures and photophysical properties. <i>Polyhedron</i> , 2009, 28, 227-232.	2.2	9
408	A novel chelate-assisted C ⁺ C bond formation on a Cd(II) complex of an asymmetric heptadentate(N7) tripodal Schiff base ligand. <i>Inorganic Chemistry Communication</i> , 2009, 12, 433-435.	3.9	9
409	D \rightarrow f energy transfer in heteronuclear Ir(III)/Ln(III) near-infrared luminescent complexes. <i>Polyhedron</i> , 2017, 127, 390-395.	2.2	9
410	Coordination mode-induced isomeric cyclometalated $[Ir(tpy)(nbi)Cl](PF_6)_6$ complexes: distinct luminescence, self-assembly and cellular imaging behaviors. <i>Dalton Transactions</i> , 2017, 46, 16787-16791.	3.3	9
411	Dislocation Generation by Microparticle Inclusions. <i>Crystal Growth and Design</i> , 2019, 19, 6649-6655.	3.0	9
412	Electrochemical and electron-electron exchange interactions in binuclear molybdenum complexes containing the bridging ligand 4-(imidazol-1-yl)phenol. <i>Journal of the Chemical Society Dalton Transactions</i> , 1994, , 143-147.	1.1	8
413	Dinuclear molybdenum complexes derived from diphenols: electrochemical interactions and reduced species. <i>Polyhedron</i> , 1997, 16, 4353-4362.	2.2	8
414	Photoinduced energy-transfer in covalently and non-covalently linked supramolecular arrays of metal polypyridyl complexes. <i>International Journal of Photoenergy</i> , 1999, 1, 121-133.	2.5	8

#	ARTICLE	IF	CITATIONS
415	Redox-mediation of electron–electron spin–spin exchange interactions, $\langle S_j \rangle$, in paramagnetic trinuclear molybdenum complexes: an example of a $\langle S_j \rangle$ switch™. Dalton Transactions RSC, 2000, , 241-249.	2.3	8
416	Decanuclear Manganese Isobutyrate Clusters Featuring a Novel Mn ^{II} ₈ Mn ^{III} ₂ Core. European Journal of Inorganic Chemistry, 2009, 2009, 4209-4212.	2.0	8
417	Syntheses, crystal structures and magnetic properties of three new binuclear Ni(II) complexes derived from tripodal tetradentate (N4) ligands. Polyhedron, 2009, 28, 162-166.	2.2	8
418	Heteroleptic Ir(III) complexes based on 2-(2,4-difluorophenyl)-pyridine and bithienylethene: structures, luminescence and photochromic properties. Dalton Transactions, 2015, 44, 4289-4296.	3.3	8
419	Encapsulation of Isolated Luminophores within Supramolecular Cages. Angewandte Chemie, 2017, 129, 14191-14194.	2.0	8
420	Interactions of Small-Molecule Guests with Interior and Exterior Surfaces of a Coordination Cage Host. Chemistry, 2020, 2, 510-524.	2.2	8
421	Modulation of photoinduced energy-transfer between Ru(II) and Os(II) termini in a dinuclear complex by a conformational change induced by Ba ²⁺ binding at a central macrocyclic site. Inorganic Chemistry Communication, 2003, 6, 439-442.	3.9	7
422	Dichlorotetrakis[3-(4-pyridyl)-1H-pyrazole]cobalt(II) acetonitrile tetrasolvate: an infinite hydrogen-bonded network, in an instant. Acta Crystallographica Section C: Crystal Structure Communications, 2005, 61, m485-m487.	0.4	7
423	A family of tetrahedral coordination cages with different symmetries by assembly of bis-bidentate bridging ligands with first-row transition metal dications. Supramolecular Chemistry, 2012, 24, 499-507.	1.2	7
424	Synthesis and photophysical properties of Ir(III)/Re(I) dyads: control of Ir ^{III} Re photoinduced energy transfer. Dalton Transactions, 2016, 45, 11568-11579.	3.3	7
425	Self-Assembled Anion-Binding Cryptand for the Selective Liquid–Liquid Extraction of Phosphate Anions. Angewandte Chemie, 2020, 132, 20660-20664.	2.0	7
426	ROY confined in hydrogen-bonded frameworks: coercing conformation of a chromophore. Materials Chemistry Frontiers, 2020, 4, 2378-2383.	5.9	7
427	A Family of Externally-Functionalised Coordination Cages. Chemistry, 2021, 3, 1203-1214.	2.2	7
428	Synthesis and properties of polynuclear complexes containing {Mo(NO)[HB(dmpz) ₃ Cl]} metal centres axially bound to a Ru(tpp) core (dmpz = 3,5-dimethylpyrazol-1-yl; tpp) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 222 Td _{1.1} (=meso-5,10,15,20-2415.		
429	Metal-polypyridyl complexes with pendant adenine and thymine groups as building blocks for hydrogen-bonded supramolecular assemblies. Polyhedron, 1996, 15, 1907-1911.	2.2	6
430	Photophysical properties of metal complexes. Annual Reports on the Progress of Chemistry Section A, 2006, 102, 584.	0.8	6
431	Synthesis and structures of cadmium(II) complexes of a series of multinucleating N/S donor ligands. Polyhedron, 2007, 26, 2777-2785.	2.2	6
432	Ruthenium(II) Thiocrown Complexes Incorporating Noninnocent Redox Active Ligands: Synthesis, Electrochemical Properties, and Theoretical Studies. Inorganic Chemistry, 2012, 51, 10483-10494.	4.0	6

#	ARTICLE	IF	CITATIONS
433	A mononuclear Dy(III) complex incorporating the dithienylethene unit: crystalline-phase photochromism, magnetic and luminescent properties. <i>RSC Advances</i> , 2014, 4, 43064-43069.	3.6	6
434	Ir(III) and Ir(III)/Re(I) complexes of a new bis(pyrazolyl-pyridine) bridging ligand containing a naphthalene-2,7-diyl spacer: Structural and photophysical properties. <i>Polyhedron</i> , 2017, 133, 68-74.	2.2	6
435	Inside or outside the box? Effect of substrate location on coordination-cage based catalysis. <i>Dalton Transactions</i> , 0, , .	3.3	6
436	A very strong metal-metal interaction in a dinuclear ruthenium(II) complex with the dianion of 2,3-dihydroxy-but-2-enal as a compartmental bridging ligand. <i>Inorganica Chimica Acta</i> , 1996, 251, 9-12.	2.4	5
437	Reduction of Ru(bpy) ₂ (AB) ₂ ²⁺ (bpy = 2,2'-bipyridine, AB = 2,2':3',2'':6',2''-quaterpyridine) in Aqueous Solution. A Pulse Radiolysis Study. <i>Journal of Physical Chemistry A</i> , 1998, 102, 5749-5753.	2.5	5
438	An ENDOR study of oxomolybdenum(V) tris(pyrazolyl)borate complexes; identification of couplings to boron and other heteroatoms. <i>Magnetic Resonance in Chemistry</i> , 2002, 40, 683-686.	1.9	5
439	Coordination chemistry of a tris-bidentate bridging ligand: a 2-D coordination network and a T-symmetry hexanuclear coordination cage. <i>CrystEngComm</i> , 2006, 8, 497.	2.6	5
440	DYNAMIC BEHAVIOR OF PARTICLE AGGLOMERATION OF EUROPIUM OXALATE DURING REACTION CRYSTALLIZATION IN SEMI-BATCH REACTOR. <i>Chemical Engineering Communications</i> , 2006, 193, 370-385.	2.6	5
441	The bright side of MOFs. <i>Nature Chemistry</i> , 2010, 2, 610-611.	13.6	5
442	Ru(II)/Ag(I) mixed-metal complexes based on kinetically inert Ru(II) complexes with pendant binding sites as subcomponents. <i>Polyhedron</i> , 2015, 89, 260-270.	2.2	5
443	Abuse of Rachel Carson and Misuse of DDT Science in the Service of Environmental Deregulation. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 10026-10032.	13.8	5
444	Eshelby untwisting. <i>Chemical Communications</i> , 2021, 57, 5538-5541.	4.1	5
445	Encapsulation of the [Ru(bpy) ₃] ²⁺ luminophore in a unique hydrogen-bonded host framework. <i>CrystEngComm</i> , 2020, 22, 3749-3752.	2.6	5
446	Conformationally Biased Ketones React Diastereoselectively with Allylmagnesium Halides. <i>Journal of Organic Chemistry</i> , 2022, 87, 3042-3065.	3.2	5
447	Cationic η^2 -diketonato molybdenum nitrosyl complexes: redox and structural properties. <i>Transition Metal Chemistry</i> , 1995, 20, 559-564.	1.4	4
448	Osmium 1995. <i>Coordination Chemistry Reviews</i> , 1997, 164, 483-502.	18.8	4
449	Bimetallic mixed oxidation state complexes derived by coupling nitrosyl- and oxo-molybdenum cores. <i>Journal of Organometallic Chemistry</i> , 1999, 573, 202-210.	1.8	4
450	Bis(1,3-diphenylpropane-1,3-dionato- λ^2 O,O'){hydrotris[3-(2-pyridyl)pyrazol-1-yl]borato}praseodymium(III): another member of an unpredictable series. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2005, 61, m221-m223.	0.4	4

#	ARTICLE	IF	CITATIONS
451	30-Photophysical properties of metal complexes. Annual Reports on the Progress of Chemistry Section A, 2005, 101, 649.	0.8	4
452	An improved synthesis, crystal structures, and metallochromism of salts of [Ru(tolyl-terpy)(CN) ₃] ³⁻ . Inorganica Chimica Acta, 2010, 363, 2938-2944.	2.4	4
453	An octanuclear helical π -molecular wheel TM from hierarchical assembly of four dinuclear Cu ₂ units in a mixed-ligand array. RSC Advances, 2012, 2, 1326.	3.6	4
454	X-Ray crystal structures and NMR solution studies on 2,2'-bis(2,2'-bipyridine)-5,5'-di- π -quaterpyridine and its N-methylated derivative; conformational rigidity in solution arising from an intramolecular electrostatic interaction. Journal of the Chemical Society Perkin Transactions II, 1997, , 2179-2184.	0.9	3
455	Innocent or guilty? Redox activity in and magnetic and optical behaviour of dinuclear molybdenum complexes. Journal of Chemical Sciences, 2002, 114, 291-309.	1.5	3
456	Near-infrared photodetection with a diruthenium complex having redox-switchable wavelength response. Optical Materials, 2006, 28, 1362-1365.	3.6	3
457	Formation and structural chemistry of the unusual cyanide-bridged dinuclear species [Ru ₂ (NN) ₂ (CN) ₇] ³⁻ (NN=2,2'-bipyridine or 1,10-phenanthroline). Inorganica Chimica Acta, 2009, 362, 1282-1288.	2.4	3
458	1-Benzoyl-3-(pyridin-2-yl)-1H-pyrazole. Acta Crystallographica Section E: Structure Reports Online, 2011, 67, o2445-o2445.	0.2	3
459	Abuse of Rachel Carson and Misuse of DDT Science in the Service of Environmental Deregulation. Angewandte Chemie, 2017, 129, 10158-10164.	2.0	3
460	Synthesis and photophysical properties of bis(phenylpyridine) iridium(III) dicyanide complexes. Materials Research Innovations, 2019, 23, 135-140.	2.3	3
461	Electrocrystallization of Low-Dimensional Molecular Solids. ACS Symposium Series, 1992, , 231-243.	0.5	2
462	Schrittweise Synthese von zweikernigen photoaktiven Komplexen mit einem verbrückenden 3,4-Dihydroxyphenylterpyridin-Liganden. Angewandte Chemie, 1992, 104, 1077-1079.	2.0	2
463	Paramagnetic nitrile complexes of tris{3,5-dimethylpyrazolyl}borato nitrosyl molybdenum. Polyhedron, 1996, 15, 2247-2249.	2.2	2
464	(1,2-Bis{[3-(2-pyridyl)pyrazol-1-yl]methyl}benzene)perchloratosodium. Acta Crystallographica Section E: Structure Reports Online, 2003, 59, m787-m789.	0.2	2
465	Crystal Engineering with Soft and Topologically Adaptable Molecular Host Frameworks. , 2005, , 221-234.		2
466	Dendrimer-like cyanoruthenate anions with high potential connectivity derived from a [Ru(bpym) ₃] ²⁺ core. Inorganic Chemistry Communication, 2010, 13, 741-744.	3.9	2
467	Bisthiénylenes containing an imidazole bridge unit and their Ir(III) complexes: influence of substituent groups on photochromism and luminescence. RSC Advances, 2016, 6, 69677-69684.	3.6	2
468	Reprint of Ru(II)/Ag(I) mixed-metal complexes based on kinetically inert Ru(II) complexes with pendant binding sites as subcomponents. Polyhedron, 2016, 103, 206-216.	2.2	2

#	ARTICLE	IF	CITATIONS
469	Coordination chemistry of an amine-substituted bis(pyrazolyl)-pyridine ligand: interaction of a peripheral functional group on a coordination cage with the internal contents of the cavity. <i>Supramolecular Chemistry</i> , 2018, 30, 822-831.	1.2	2
470	A Truly Polymorphic Issue in Honor of Prof Joel Bernstein. <i>Crystal Growth and Design</i> , 2020, 20, 2819-2823.	3.0	2
471	One Guest or Two? A Crystallographic and Solution Study of Guest Binding in a Cubic Coordination Cage. <i>Chemistry - A European Journal</i> , 2020, 26, 2984-2984.	3.3	2
472	Nitrosyl Tris(3,5-dimethylpyrazolyl)borato Complexes of Molybdenum Binding Pyridine Ligands with Electron-Withdrawing Groups at the 3-Position. <i>Collection of Czechoslovak Chemical Communications</i> , 2001, 66, 355-362.	1.0	2
473	Design and Delivery of a Graduate Teaching Assistant (GTA) Program in a UK University: Experiences and Perspectives. <i>Journal of Chemical Education</i> , 2022, 99, 592-602.	2.3	2
474	Nucleation and Growth of Molecular Crystals on Molecular Interfaces. <i>ACS Symposium Series</i> , 1994, , 186-201.	0.5	1
475	Molecular Single Crystal Interfaces: Topographical Structure and Crystal Growth. <i>Molecular Crystals and Liquid Crystals</i> , 1994, 242, 53-60.	0.3	1
476	Ligand Design in Coordination Chemistry: Approaches to New Catalysts, New Materials, and a More Sustainable Environment. <i>ChemInform</i> , 2003, 34, no.	0.0	1
477	Polynuclear Coordination Cages. , 0, , 223-250.		1
478	Electrochemical Heteroepitaxial Growth of Molecular Films on Ordered Substrates. <i>Materials Research Society Symposia Proceedings</i> , 1996, 451, 161.	0.1	0
479	Switching of the first hyperpolarisability. , 2005, , .		0
480	Supramolecular photochemistry. <i>Dalton Transactions</i> , 2009, , 3879.	3.3	0
481	Titelbild: Encapsulation of Isolated Luminophores within Supramolecular Cages (<i>Angew. Chem.</i>) Tj ETQq1 1 0.784314 rgBT /Overlock	2.0	0
482	Binding of Hydrophobic Guests in a Coordination Cage Cavity is Driven by Liberation of "High-Energy" Water. <i>Chemistry - A European Journal</i> , 2018, 24, 1463-1463.	3.3	0
483	Synthesis and crystal structure of an M_4L_6 tetrahedral cage with outward-facing pockets from a substituted pyrazolyl-pyridine ligand. <i>Acta Crystallographica Section C, Structural Chemistry</i> , 2018, 74, 961-966.	0.5	0
484	FANCD2 Purification and Identification of a Functionally Important Phosphorylation Event at Serine 331.. <i>Blood</i> , 2007, 110, 1676-1676.	1.4	0