

# Brent A Lanting

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1521665/publications.pdf>

Version: 2024-02-01

133  
papers

2,361  
citations

304743

22  
h-index

265206

42  
g-index

137  
all docs

137  
docs citations

137  
times ranked

2086  
citing authors

#	ARTICLE	IF	CITATIONS
1	Surgical approach in primary total hip arthroplasty: anatomy, technique and clinical outcomes. Canadian Journal of Surgery, 2015, 58, 128-139.	1.2	261
2	Proximal humeral fractures: A systematic review of treatment modalities. Journal of Shoulder and Elbow Surgery, 2008, 17, 42-54.	2.6	226
3	Outpatient Total Hip Arthroplasty, Total Knee Arthroplasty, and Unicompartmental Knee Arthroplasty. JBJS Reviews, 2016, 4, .	2.0	178
4	Effect of Taper Design on Trunnionosis in Metal on Polyethylene Total Hip Arthroplasty. Journal of Arthroplasty, 2015, 30, 1269-1272.	3.1	102
5	Trunnionosis: Does Head Size Affect Fretting and Corrosion in Total Hip Arthroplasty?. Journal of Arthroplasty, 2016, 31, 2332-2336.	3.1	63
6	Tribocorrosion: Ceramic and Oxidized Zirconium vs Cobalt-Chromium Heads in Total Hip Arthroplasty. Journal of Arthroplasty, 2016, 31, 2064-2071.	3.1	52
7	Understanding the patellofemoral joint in total knee arthroplasty. Canadian Journal of Surgery, 2019, 62, 57-65.	1.2	44
8	In-Hospital Cost Analysis of Total Hip Arthroplasty: Does Surgical Approach Matter?. Journal of Arthroplasty, 2016, 31, 53-58.	3.1	43
9	Patellar Resurfacing in Primary Total Knee Arthroplasty: A Meta-Analysis of Randomized Controlled Trials. Journal of Arthroplasty, 2019, 34, 3124-3132.	3.1	41
10	Outcomes of Surgical Management of Supracondylar Periprosthetic Femur Fractures. Journal of Arthroplasty, 2017, 32, 189-192.	3.1	40
11	The relationship between constitutional alignment and varus osteoarthritis of the knee. Knee Surgery, Sports Traumatology, Arthroscopy, 2017, 25, 2873-2879.	4.2	37
12	The economic impact of periprosthetic infection in total hip arthroplasty. Canadian Journal of Surgery, 2020, 63, E52-E56.	1.2	37
13	Is There a Role for Preoperative Iron Supplementation in Patients Preparing for a Total Hip or Total Knee Arthroplasty?. Journal of Arthroplasty, 2017, 32, 2688-2693.	3.1	35
14	Varus tibial alignment is associated with greater tibial baseplate migration at 10 years following total knee arthroplasty. Knee Surgery, Sports Traumatology, Arthroscopy, 2018, 26, 1610-1617.	4.2	35
15	Perioperative Predictors of Length of Stay After Total Hip Arthroplasty. Journal of Arthroplasty, 2016, 31, 1427-1430.	3.1	32
16	Correlation of Corrosion and Biomechanics in the Retrieval of a Single Modular Neck Total Hip Arthroplasty Design. Journal of Arthroplasty, 2015, 30, 135-140.	3.1	30
17	Do Changes in Patellofemoral Joint Offset Lead to Adverse Outcomes in Total Knee Arthroplasty With Patellar Resurfacing? A Radiographic Review. Journal of Arthroplasty, 2017, 32, 783-787.e1.	3.1	30
18	Functional outcomes of acutely infected knee arthroplasty: a comparison of different surgical treatment options. Canadian Journal of Surgery, 2015, 58, 402-407.	1.2	27

#	ARTICLE	IF	CITATIONS
19	Contact Kinematic Differences Between Gap Balanced vs Measured Resection Techniques for Single Radius Posterior-Stabilized Total Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2017, 32, 1834-1838.	3.1	27
20	Comparison of Contact Kinematics in Posterior-Stabilized and Cruciate-Retaining Total Knee Arthroplasty at Long-Term Follow-Up. <i>Journal of Arthroplasty</i> , 2020, 35, 272-277.	3.1	27
21	Does Time to Surgery Affect Outcomes for Periprosthetic Femur Fractures?. <i>Journal of Arthroplasty</i> , 2018, 33, 878-881.	3.1	26
22	The current role of coronal plane alignment in Total Knee Arthroplasty in a preoperative varus aligned population: an evidence based review. <i>Acta Orthopaedica Belgica</i> , 2016, 82, 129-42.	0.4	24
23	The Impact of Coronal Plane Alignment on Polyethylene Wear and Damage in Total Knee Arthroplasty: A Retrieval Study. <i>Journal of Arthroplasty</i> , 2017, 32, 2012-2016.	3.1	23
24	Evidence Based Recommendations for Reducing Head-Neck Taper Connection Fretting Corrosion in Hip Replacement Prostheses. <i>HIP International</i> , 2017, 27, 523-531.	1.7	23
25	Manufacturing, oxidation, mechanical properties and clinical performance of highly cross-linked polyethylene in total hip arthroplasty. <i>HIP International</i> , 2018, 28, 573-583.	1.7	23
26	A Cost Analysis of Single-Stage Bilateral versus Two-Stage Direct Anterior Total Hip Arthroplasty. <i>HIP International</i> , 2016, 26, 15-19.	1.7	22
27	Metal-on-Metal Compared With Metal-on-Polyethylene: The Effect on Trunnion Corrosion in Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2017, 32, 2574-2579.	3.1	22
28	Optimizing outpatient total hip arthroplasty: perspectives of key stakeholders. <i>Canadian Journal of Surgery</i> , 2018, 61, 370-376.	1.2	22
29	Effect of Acetabular Position on Polyethylene Liner Wear Measured Using Simultaneous Biplanar Acquisition. <i>Journal of Arthroplasty</i> , 2017, 32, 1670-1674.	3.1	21
30	Postoperative Gait Mechanics After Total Hip Arthroplasty. <i>JBJS Reviews</i> , 2018, 6, e1-e1.	2.0	21
31	Decisional conflict in surgical patients: Should surgeons care?. <i>Canadian Journal of Surgery</i> , 2019, 62, 211-213.	1.2	21
32	The economic impact of periprosthetic infection in total knee arthroplasty. <i>Canadian Journal of Surgery</i> , 2021, 64, E144-E148.	1.2	20
33	The Effect of Radial Head Implant Length on Radiocapitellar Articular Properties and Load Transfer Within the Forearm. <i>Journal of Orthopaedic Trauma</i> , 2014, 28, 348-353.	1.4	19
34	Clinical Impact of Trunnion Wear After Total Hip Arthroplasty. <i>JBJS Reviews</i> , 2016, 4, .	2.0	19
35	Current Total Knee Designs: Does Baseplate Roughness or Locking Mechanism Design Affect Polyethylene Backside Wear?. <i>Clinical Orthopaedics and Related Research</i> , 2017, 475, 2970-2980.	1.5	19
36	Bikini versus Traditional Incision Direct Anterior Approach: Is There any Difference in Soft Tissue Damage?. <i>HIP International</i> , 2017, 27, 397-400.	1.7	19

#	ARTICLE	IF	CITATIONS
37	Machine Learning Groups Patients by Early Functional Improvement Likelihood Based on Wearable Sensor Instrumented Preoperative Timed-Up-and-Go Tests. <i>Journal of Arthroplasty</i> , 2019, 34, 2267-2271.	3.1	19
38	Change in Acetabular Cup Orientation From Supine to Standing Position and Its Effect on Wear of Highly Crosslinked Polyethylene. <i>Journal of Arthroplasty</i> , 2018, 33, 263-267.	3.1	18
39	Prevalence and Outcomes of Unexpected Positive Intraoperative Cultures in Presumed Aseptic Revision Hip Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2021, 103, 1392-1401.	3.0	18
40	Functional Outcomes of Infected Hip Arthroplasty: A Comparison of Different Surgical Treatment Options. <i>HIP International</i> , 2017, 27, 245-250.	1.7	17
41	A randomised trial comparing spatio-temporal gait parameters after total hip arthroplasty between the direct anterior and direct lateral surgical approaches. <i>HIP International</i> , 2018, 28, 478-484.	1.7	17
42	Comparison of intra and post-operative complication rates among surgical approaches in Total Hip Arthroplasty: A systematic review and meta-analysis. <i>Journal of Orthopaedics</i> , 2020, 20, 310-325.	1.3	17
43	Effect of Polyethylene Component Thickness on Range of Motion and Stability in Primary Total Knee Arthroplasty. <i>Orthopedics</i> , 2012, 35, e170-4.	1.1	17
44	Significant cost savings and similar patient outcomes associated with early discharge following total knee arthroplasty. <i>Canadian Journal of Surgery</i> , 2019, 62, 20-24.	1.2	16
45	The Effect of Subluxation of Articulating Antibiotic Spacers on Bone Defects and Degree of Constraint in Revision Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2016, 31, 199-203.	3.1	15
46	The effect of femoral stem collar on implant migration and clinical outcomes following direct anterior approach total hip arthroplasty. <i>Bone and Joint Journal</i> , 2020, 102-B, 1654-1661.	4.4	15
47	The Impact of Common Urologic Complications on the Risk of a Periprosthetic Joint Infection. <i>Journal of Bone and Joint Surgery - Series A</i> , 2018, 100, 1517-1523.	3.0	14
48	Correlation between hip osteoarthritis and the level of physical activity as measured by wearable technology and patient-reported questionnaires. <i>Journal of Orthopaedics</i> , 2020, 20, 236-239.	1.3	14
49	Mid-term survivorship and clinical outcomes of cobalt-chrome and oxidized zirconium on highly crosslinked polyethylene. <i>Canadian Journal of Surgery</i> , 2016, 59, 48-53.	1.2	14
50	Contact Kinematics Correlates to Tibial Component Migration Following Single Radius Posterior Stabilized Knee Replacement. <i>Journal of Arthroplasty</i> , 2018, 33, 740-745.	3.1	13
51	Radiostereometric analysis using clinical radiographic views: Validation measuring total hip replacement wear. <i>Journal of Orthopaedic Research</i> , 2016, 34, 1521-1528.	2.3	12
52	The erosion of ambiguity tolerance and sustainment of perfectionism in undergraduate medical training: results from multiple samplings of a single cohort. <i>BMC Medical Education</i> , 2020, 20, 417.	2.4	12
53	Contemporary Strategies to Prevent Infection in Hip and Knee Arthroplasty. <i>Current Reviews in Musculoskeletal Medicine</i> , 2020, 13, 400-408.	3.5	12
54	Machine Learning Predicts the Fall Risk of Total Hip Arthroplasty Patients Based on Wearable Sensor Instrumented Performance Tests. <i>Journal of Arthroplasty</i> , 2021, 36, 573-578.	3.1	12

#	ARTICLE	IF	CITATIONS
55	Use of the Corail stem for revision total hip arthroplasty: evaluation of clinical outcomes and cost. Canadian Journal of Surgery, 2019, 62, 78-82.	1.2	12
56	Swan Neck Deformity after Distal Interphalangeal Joint Flexion Contractures: A Biomechanical Analysis. Journal of Hand Therapy, 2010, 23, 420-425.	1.5	11
57	Does Recession of the Posterior Cruciate Ligament Influence Outcome in Total Knee Arthroplasty?. Journal of Arthroplasty, 2019, 34, 2383-2387.	3.1	11
58	Effect of Medial Soft Tissue Releases During Posterior-Stabilized Total Knee Arthroplasty on Contact Kinematics and Patient-Reported Outcomes. Journal of Arthroplasty, 2019, 34, 1110-1115.	3.1	11
59	Synovitis Is Associated With Constant Pain in Knee Osteoarthritis: A Cross-sectional Study of OMERACT Knee Ultrasound Scores. Journal of Rheumatology, 2022, 49, 89-97.	2.0	11
60	Spontaneous Clostridium perfringens Myonecrosis of the Shoulder. Clinical Orthopaedics and Related Research, 2007, 461, 20-24.	1.5	10
61	Outcome following subluxation of mobile articulating spacers in two-stage revision total knee arthroplasty. Archives of Orthopaedic and Trauma Surgery, 2017, 137, 375-380.	2.4	10
62	Effect of Acetabular Component Positioning on Functional Outcomes in Primary Total Hip Arthroplasty. Journal of Arthroplasty, 2017, 32, 843-848.	3.1	10
63	Effect of gap balancing and measured resection techniques on implant migration and contact kinematics of a cementless total knee arthroplasty. Knee, 2021, 31, 86-96.	1.6	10
64	Indications, Survivorship, and Clinical Outcomes of a Rotating Hinge Total Knee and Distal Femoral Arthroplasty System. Journal of Arthroplasty, 2020, 35, 1323-1327.	3.1	9
65	Contribution of Surface Polishing and Sterilization Method to Backside Wear in Total Knee Arthroplasty. Journal of Arthroplasty, 2015, 30, 2320-2322.	3.1	8
66	Does Posterior Condylar Offset Affect Clinical Results following Total Knee Arthroplasty?. Journal of Knee Surgery, 2018, 31, 754-760.	1.6	8
67	Machine learning and wearable sensors at preoperative assessments: Functional recovery prediction to set realistic expectations for knee replacements. Medical Engineering and Physics, 2021, 89, 14-21.	1.7	8
68	A Randomized Trial Investigating the Cost-Utility of Patient-Specific Instrumentation in Total Knee Arthroplasty in an Obese Population. Journal of Arthroplasty, 2021, 36, 3078-3088.	3.1	8
69	Accuracy of the modified Hardinge approach in acetabular positioning. Canadian Journal of Surgery, 2016, 59, 247-253.	1.2	8
70	Conjoint Tendon Release in Direct Anterior Total Hip Arthroplasty: No Impact on Patient Outcomes. Orthopedics, 2017, 40, e971-e974.	1.1	8
71	The Impact of Wear and Lift-Off on Coronal Plane Alignment in TKA and Implications to Future Constrained Revision: A Retrieval Study. Journal of Arthroplasty, 2015, 30, 2017-2020.	3.1	7
72	The impact of residual varus alignment following total knee arthroplasty on patient outcome scores in a constitutional varus population. Knee, 2018, 25, 1278-1282.	1.6	7

#	ARTICLE	IF	CITATIONS
73	Gait analysis following release of the short external rotators during an anterior approach for total hip arthroplasty. <i>HIP International</i> , 2018, 28, 584-590.	1.7	7
74	Catastrophic femoral head trunnion dissociation: a case series with surface wear analysis. <i>HIP International</i> , 2019, 29, NP1-NP5.	1.7	7
75	Comparison of functional and patient-reported outcomes between direct anterior and lateral surgical approach one-year after total hip arthroplasty in a Canadian population: A cross-sectional study. <i>Journal of Orthopaedics</i> , 2020, 19, 36-40.	1.3	7
76	Reproducing the Native Posterior Tibial Slope in Cruciate-Retaining Total Knee Arthroplasty: Technique and Clinical Implications. <i>Orthopedics</i> , 2020, 43, e21-e26.	1.1	7
77	Survivorship of Metaphyseal Cones and Sleeves in Revision Total Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2022, 37, S263-S269.	3.1	7
78	Hip arthroscopy utilization and reoperation rates in Ontario: a population-based analysis comparing different age cohorts. <i>Canadian Journal of Surgery</i> , 2022, 65, E228-E235.	1.2	7
79	Dislocated Polyethylene Inserts in Fixed-Bearing Total Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2011, 26, 339.e1-339.e4.	3.1	6
80	Effect of Soft Tissue Releases on Joint Space Opening in Total Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2016, 31, 2912-2916.	3.1	6
81	Marker-based technique for visualizing radiolucent implant components in radiographic imaging. <i>Journal of Orthopaedic Research</i> , 2017, 35, 2017-2022.	2.3	6
82	Does the Additional Articulation in Retrieved Bipolar Hemiarthroplasty Implants Decrease Trunnionosis Compared to Total Hip Arthroplasty?. <i>Journal of Arthroplasty</i> , 2018, 33, 268-272.	3.1	6
83	Wear performance of cobalt chromium, ceramic, and oxidized zirconium on highly crosslinked polyethylene at mid-term follow-up. <i>Journal of Orthopaedics</i> , 2018, 15, 620-623.	1.3	6
84	Radiostereometric Analysis Permits In Vivo Measurement of Very Small Levels of Wear in TKA. <i>Clinical Orthopaedics and Related Research</i> , 2019, 477, 80-90.	1.5	6
85	The effect of conjoint tendon release on gait after direct anterior total hip arthroplasty. <i>HIP International</i> , 2019, 29, 578-583.	1.7	6
86	Logistic Regression and Machine Learning Models Cannot Discriminate Between Satisfied and Dissatisfied Total Knee Arthroplasty Patients. <i>Journal of Arthroplasty</i> , 2022, 37, 267-273.	3.1	6
87	The Effect of Total Hip Arthroplasty Surgical Technique on Postoperative Muscle Atrophy. <i>Orthopedics</i> , 2020, 43, 361-366.	1.1	6
88	Static vs Articulating Spacers for Two-Stage Revision Total Knee Arthroplasty: Minimum Five-Year Review. <i>Arthroplasty Today</i> , 2022, 13, 171-175.	1.6	6
89	Comparison of trans-cortical and cancellous screws to press fit for acetabular shell fixation in total hip arthroplasty: A cadaveric study. <i>Clinical Biomechanics</i> , 2019, 69, 34-38.	1.2	5
90	Femoral head material loss at the head-neck junction in total hip arthroplasty: the effect of head size, stem material and stem offset. <i>HIP International</i> , 2019, 29, 647-651.	1.7	5

#	ARTICLE	IF	CITATIONS
91	Migration and Inducible Displacement of the Bicruciate-Stabilized Total Knee Arthroplasty: A Randomized Controlled Trial of Gap Balancing and Measured Resection Techniques. <i>Journal of Arthroplasty</i> , 2022, 37, 252-258.	3.1	5
92	Ensuring a Winner: The ABCs of Primary Total Knee Arthroplasty. <i>Instructional Course Lectures</i> , 2015, 64, 369-79.	0.2	5
93	Patient and Implant Performance of Satisfied and Dissatisfied Total Knee Arthroplasty Patients. <i>Journal of Arthroplasty</i> , 2022, 37, S98-S104.	3.1	5
94	Differences in Trochlear Surface Damage and Wear Between Three Different Total Knee Arthroplasty Designs. <i>Journal of Arthroplasty</i> , 2017, 32, 3763-3770.	3.1	4
95	Correlation of tibial bone defect shape with patient demographics following total knee revision. <i>Journal of Orthopaedics</i> , 2018, 15, 490-494.	1.3	4
96	The effect of altering head length on corrosion using a material loss method. <i>HIP International</i> , 2019, 29, 368-372.	1.7	4
97	Lateral subvastus lateralis versus medial parapatellar approach for total knee arthroplasty: A cadaveric biomechanical study. <i>Knee</i> , 2020, 27, 1735-1745.	1.6	4
98	Prevalence and Risk Factors of Falls in Adults 1 Year After Total Hip Arthroplasty for Osteoarthritis. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2020, 99, 853-857.	1.4	4
99	<p>Implementation of Outpatient Total Joint Arthroplasty in Canada: Where We are and Where We Need to Go</p>. <i>Orthopedic Research and Reviews</i> , 2020, Volume 12, 1-8.	1.1	4
100	Cost and safety of inpatient versus outpatient open reduction internal fixation of isolated ankle fractures. <i>Canadian Journal of Surgery</i> , 2022, 65, E259-E263.	1.2	4
101	Preoperative Pelvic Tilt Analysis Reduces Fluoroscopy Time in Direct Anterior Total Hip Arthroplasty. <i>Orthopedics</i> , 2016, 39, e962-6.	1.1	3
102	Damage Assessment of Retrieved Birmingham Monoblock Cups: Is Conversion to Dual-Mobility Head a Viable Revision Option?. <i>Journal of Arthroplasty</i> , 2018, 33, 1242-1246.	3.1	3
103	Lateral subvastus approach: A cadaveric examination of its potential for total knee arthroplasty. <i>Knee</i> , 2020, 27, 1271-1278.	1.6	3
104	Outcomes of Stemmed versus Un-Stemmed Varus-Valgus Constrained Components in Primary Total Knee Arthroplasty. <i>Orthopedic Research and Reviews</i> , 2021, Volume 13, 9-13.	1.1	3
105	Embedded sensing package for temporary bone cement spacers in infected total knee arthroplasty. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2021, 115, 104301.	3.1	3
106	Quantifying the Level of Evidence of Podium Presentations at the American Association of Hip and Knee Surgeons From 2015 to 2019. <i>Journal of Arthroplasty</i> , 2021, 36, 2219-2222.	3.1	3
107	Assessment of Informal Caregiver Assistance and Strain With Total Hip and Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2021, 36, 2424-2430.e1.	3.1	3
108	Perioperative gait analysis after total hip arthroplasty: Does outpatient surgery compromise patient outcomes?. <i>Canadian Journal of Surgery</i> , 2021, 64, E407-E413.	1.2	3



#	ARTICLE	IF	CITATIONS
109	Deciphering the low abundance microbiota of presumed aseptic hip and knee implants. PLoS ONE, 2021, 16, e0257471.	2.5	3
110	Evaluation of the Effect of Gait Aids, Such as Canes, Crutches, and Walkers, on the Accuracy of Step Counters in Healthy Individuals. Orthopedic Research and Reviews, 2021, Volume 13, 1-8.	1.1	3
111	Surface integrity of polyethylene liners following trunnionosis of a dual modular neck total hip implant. HIP International, 2018, 28, 629-635.	1.7	2
112	A protocol for a randomized controlled trial investigating the safety and cost-effectiveness of outpatient total hip arthroplasty. BMC Musculoskeletal Disorders, 2020, 21, 663.	1.9	2
113	&lt;p&gt;Effect of the Extent of Release for Knee Balancing on Post-Operative Limb Coronal Alignment After Primary Total Knee Arthroplasty&lt;/p&gt;. Orthopedic Research and Reviews, 2020, Volume 12, 113-119.	1.1	2
114	Direct anterior approach for femoral component revision: Surgical technique for extended trochanteric osteotomy and anterior cortical window. Journal of Orthopaedics, 2020, 22, 274-277.	1.3	2
115	Fully hydroxyapatite-coated collared femoral stems in direct anterior versus direct lateral hip arthroplasty. Canadian Journal of Surgery, 2021, 64, E205-E210.	1.2	2
116	The Impact of Free Radical Stabilization Techniques on in vivo Mechanical Changes in Highly Cross-Linked Polyethylene Acetabular Liners. Orthopedic Research and Reviews, 2021, Volume 13, 113-122.	1.1	2
117	The Impact of a Gap Balancing or Measured Resection Surgical Technique on Posterior Condylar Offset and Patient-Reported Outcome Measures. Arthroplasty Today, 2021, 11, 64-67.	1.6	2
118	Comparison of long-term kinematics and wear of total knee arthroplasty implant designs. Journal of the Mechanical Behavior of Biomedical Materials, 2021, 124, 104845.	3.1	2
119	Perioperative satisfaction and health economic questionnaires in patients undergoing an elective hip and knee arthroplasty: A prospective observational cohort study. Anesthesia: Essays and Researches, 2021, 15, 413.	0.5	2
120	The Effects of Resection Technique on Implant Migration in Single Radius Posterior-Stabilized Total Knee Replacement. Journal of Knee Surgery, 2020, 33, 078-083.	1.6	1
121	Cost-Effectiveness of Arthroplasty Management in Hip and Knee Osteoarthritis: a Quality Review of the Literature. Current Treatment Options in Rheumatology, 2020, 6, 160-190.	1.4	1
122	Midterm outcomes of total hip arthroplasty with a modular Birmingham head. HIP International, 2021, 31, 103-108.	1.7	1
123	Does surgical approach affect patient outcomes of total knee arthroplasty?. Canadian Journal of Surgery, 2021, 64, E521-E526.	1.2	1
124	Subvastus Lateralis Approach to Total Knee Arthroplasty â€“ A Cadaveric Evaluation. FASEB Journal, 2018, 32, 644.7.	0.5	1
125	Patientsâ€™ perspectives on the extent of resident participation in the operating room for total hip or knee arthroplasty. Canadian Medical Education Journal, 2021, 12, e21-e31.	0.4	1
126	Cement Mantle Quality And Stem Alignment In Cemented Collarless Polished Tapered Stems Implanted Via The Direct Anterior And Direct Lateral Approaches: A Single Institution Experience. Journal of Arthroplasty, 2022, , .	3.1	1



#	ARTICLE	IF	CITATIONS
127	Evaluation of the effect of custom burr holes on a surgeon's sense of screw fixation in revision porous metal cups. <i>Journal of Orthopaedics</i> , 2016, 13, 443-447.	1.3	0
128	Standard versus physiologic bone preparation in total knee arthroplasty and the effect on joint space opening. <i>Clinical Biomechanics</i> , 2017, 49, 155-161.	1.2	0
129	Is there an increased risk of an infected prosthetic joint after cystoscopy or transurethral prostatectomy?. <i>Canadian Urological Association Journal</i> , 2018, 13, 209-211.	0.6	0
130	Response to Letter to the Editor on "Does Recession of the Posterior Cruciate Ligament Influence Outcome in Total Knee Arthroplasty?" <i>Journal of Arthroplasty</i> , 2020, 35, 1164-1165.	3.1	0
131	<p>Three Femoral Stem Designs Without Corrosion: A Review of 2095 Stems</p>. <i>Orthopedic Research and Reviews</i> , 2020, Volume 12, 145-150.	1.1	0
132	Trial Tibial Inserts May Result in Different Knee Kinematics from Final Poly Inserts in Total Knee Arthroplasty. <i>Orthopedic Research and Reviews</i> , 2021, Volume 13, 81-88.	1.1	0
133	The utility of head CT scans in geriatric patients with hip fractures following a low energy injury mechanism: A retrospective review. <i>Injury</i> , 2021, 52, 1462-1466.	1.7	0