

Gregory Carter

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1523475/publications.pdf>

Version: 2024-02-01

163
papers

7,306
citations

57758

44
h-index

66911

78
g-index

165
all docs

165
docs citations

165
times ranked

8278
citing authors

#	ARTICLE	IF	CITATIONS
1	Estimating the sample mean and standard deviation from commonly reported quantiles in meta-analysis. <i>Statistical Methods in Medical Research</i> , 2020, 29, 2520-2537.	1.5	366
2	Shortfall in mental health service utilisation. <i>British Journal of Psychiatry</i> , 2001, 179, 417-425.	2.8	342
3	Barriers to providing lung-protective ventilation to patients with acute lung injury. <i>Critical Care Medicine</i> , 2004, 32, 1289-1293.	0.9	273
4	Predicting suicidal behaviours using clinical instruments: Systematic review and meta-analysis of positive predictive values for risk scales. <i>British Journal of Psychiatry</i> , 2017, 210, 387-395.	2.8	251
5	Accuracy of the PHQ-2 Alone and in Combination With the PHQ-9 for Screening to Detect Major Depression. <i>JAMA - Journal of the American Medical Association</i> , 2020, 323, 2290.	7.4	242
6	Postcards from the EDge project: randomised controlled trial of an intervention using postcards to reduce repetition of hospital treated deliberate self poisoning. <i>BMJ: British Medical Journal</i> , 2005, 331, 805.	2.3	231
7	Effects of Benzodiazepines, Antidepressants and Opioids on Driving. <i>Drug Safety</i> , 2011, 34, 125-156.	3.2	201
8	Effects of Low-Dose and Very Low-Dose Ketamine among Patients with Major Depression: a Systematic Review and Meta-Analysis. <i>International Journal of Neuropsychopharmacology</i> , 2016, 19, pyv124.	2.1	175
9	Equivalency of the diagnostic accuracy of the PHQ-8 and PHQ-9: a systematic review and individual participant data meta-analysis. <i>Psychological Medicine</i> , 2020, 50, 1368-1380.	4.5	175
10	Letters, green cards, telephone calls and postcards: Systematic and meta-analytic review of brief contact interventions for reducing self-harm, suicide attempts and suicide. <i>British Journal of Psychiatry</i> , 2015, 206, 184-190.	2.8	163
11	Psychosocial sequelae of the 1989 Newcastle earthquake: II. Exposure and morbidity profiles during the first 2 years post-disaster. <i>Psychological Medicine</i> , 1997, 27, 167-178.	4.5	146
12	Why do oncology outpatients who report emotional distress decline help?. <i>Psycho-Oncology</i> , 2015, 24, 812-818.	2.3	136
13	Postcards from the EDge: 24-month outcomes of a randomised controlled trial for hospital-treated self-poisoning. <i>British Journal of Psychiatry</i> , 2007, 191, 548-553.	2.8	135
14	Psychosocial sequelae of the 1989 Newcastle earthquake: I. Community disaster experiences and psychological morbidity 6 months post-disaster. <i>Psychological Medicine</i> , 1995, 25, 539-555.	4.5	131
15	Effectiveness of online and mobile telephone applications (‘apps’) for the self-management of suicidal ideation and self-harm: a systematic review and meta-analysis. <i>BMC Psychiatry</i> , 2017, 17, 297.	2.6	127
16	Stress debriefing and patterns of recovery following a natural disaster. <i>Journal of Traumatic Stress</i> , 1996, 9, 37-49.	1.8	120
17	Royal Australian and New Zealand College of Psychiatrists clinical practice guideline for the management of deliberate self-harm. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016, 50, 939-1000.	2.3	118
18	Postcards in Persia: randomised controlled trial to reduce suicidal behaviours 12 months after hospital-treated self-poisoning. <i>British Journal of Psychiatry</i> , 2011, 198, 309-316.	2.8	115

#	ARTICLE	IF	CITATIONS
19	Patient Health Questionnaire-9 scores do not accurately estimate depression prevalence: individual participant data meta-analysis. <i>Journal of Clinical Epidemiology</i> , 2020, 122, 115-128.e1.	5.0	113
20	Hunter DBT Project: Randomized Controlled Trial of Dialectical Behaviour Therapy in Women with Borderline Personality Disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2010, 44, 162-173.	2.3	110
21	Psychosocial sequelae of the 1989 Newcastle earthquake: III. Role of vulnerability factors in post-disaster morbidity. <i>Psychological Medicine</i> , 1997, 27, 179-190.	4.5	105
22	Lithium Toxicity: An Iatrogenic Problem in Susceptible Individuals. <i>Australian and New Zealand Journal of Psychiatry</i> , 2001, 35, 833-840.	2.3	102
23	Postcards from the EDge: 5-year outcomes of a randomised controlled trial for hospital-treated self-poisoning. <i>British Journal of Psychiatry</i> , 2013, 202, 372-380.	2.8	99
24	Meta-analysis of screening and case finding tools for depression in cancer: Evidence based recommendations for clinical practice on behalf of the Depression in Cancer Care consensus group. <i>Journal of Affective Disorders</i> , 2012, 140, 149-160.	4.1	90
25	A model for the management of self-poisoning. <i>Medical Journal of Australia</i> , 1997, 167, 142-146.	1.7	82
26	Depression Screening in Stroke. <i>Stroke</i> , 2012, 43, 1000-1005.	2.0	82
27	The association between delusional-like experiences and suicidal thoughts and behaviour. <i>Schizophrenia Research</i> , 2011, 132, 197-202.	2.0	80
28	Repeated self-poisoning: increasing severity of self-harm as a predictor of subsequent suicide. <i>British Journal of Psychiatry</i> , 2005, 186, 253-257.	2.8	75
29	Mental health and socio-economic variations in Australian suicide. <i>Social Science and Medicine</i> , 2005, 61, 1551-1559.	3.8	74
30	Patterns of Service Use Among Persons With Schizophrenia and Other Psychotic Disorders. <i>Psychiatric Services</i> , 2003, 54, 226-235.	2.0	69
31	Socio-economic differentials in mental disorders and suicide attempts in Australia. <i>British Journal of Psychiatry</i> , 2004, 185, 486-493.	2.8	69
32	Exploring the experience of post-stroke fatigue in community dwelling stroke survivors: a prospective qualitative study. <i>Disability and Rehabilitation</i> , 2012, 34, 1376-1384.	1.8	68
33	The Accuracy of the Patient Health Questionnaire-9 Algorithm for Screening to Detect Major Depression: An Individual Participant Data Meta-Analysis. <i>Psychotherapy and Psychosomatics</i> , 2020, 89, 25-37.	8.8	67
34	Predictors of depression and anxiety in community dwelling stroke survivors: a cohort study. <i>Disability and Rehabilitation</i> , 2014, 36, 1975-1982.	1.8	66
35	Baseline depression predicts malnutrition in head and neck cancer patients undergoing radiotherapy. <i>Supportive Care in Cancer</i> , 2012, 20, 335-342.	2.2	61
36	Can we usefully stratify patients according to suicide risk?. <i>BMJ: British Medical Journal</i> , 2017, 359, j4627.	2.3	61

#	ARTICLE	IF	CITATIONS
37	Social and Psychiatric Influences on Urban-Rural Differentials in Australian Suicide. <i>Suicide and Life-Threatening Behavior</i> , 2005, 35, 277-290.	1.9	60
38	Eating As Treatment (EAT): A Stepped-Wedge, Randomized Controlled Trial of a Health Behavior Change Intervention Provided by Dietitians to Improve Nutrition in Patients With Head and Neck Cancer Undergoing Radiation Therapy (TROG 12.03). <i>International Journal of Radiation Oncology Biology Physics</i> , 2019, 103, 353-362.	0.8	59
39	Effective psychological and psychosocial approaches to reduce repetition of self-harm: a systematic review, meta-analysis and meta-regression. <i>BMJ Open</i> , 2016, 6, e011024.	1.9	53
40	Probability of major depression diagnostic classification using semi-structured versus fully structured diagnostic interviews. <i>British Journal of Psychiatry</i> , 2018, 212, 377-385.	2.8	53
41	Accuracy of Clinician Predictions of Future Self-Harm: A Systematic Review and Meta-Analysis of Predictive Studies. <i>Suicide and Life-Threatening Behavior</i> , 2019, 49, 23-40.	1.9	52
42	Further increases in rural suicide in young Australian adults: Secular trends, 1979-2003. <i>Social Science and Medicine</i> , 2007, 65, 442-453.	3.8	51
43	Interventions to improve screening and appropriate referral of patients with cancer for psychosocial distress: systematic review. <i>BMJ Open</i> , 2018, 8, e017959.	1.9	49
44	Stress debriefing and patterns of recovery following a natural disaster. <i>Journal of Traumatic Stress</i> , 1996, 9, 37-49.	1.8	49
45	Drug-Induced Delirium. <i>Drug Safety</i> , 1996, 15, 291-301.	3.2	47
46	PROMIS depression measures perform similarly to legacy measures relative to a structured diagnostic interview for depression in cancer patients. <i>Quality of Life Research</i> , 2018, 27, 1357-1367.	3.1	46
47	Population attributable risk of factors associated with the repetition of self-harm behaviour in young people presenting to clinical services: a systematic review and meta-analysis. <i>European Child and Adolescent Psychiatry</i> , 2019, 28, 5-18.	4.7	45
48	Divergent trends in suicide by socio-economic status in Australia. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006, 41, 911-917.	3.1	43
49	Smoking cessation care among patients with head and neck cancer: a systematic review. <i>BMJ Open</i> , 2016, 6, e012296.	1.9	43
50	Wellbeing during Active Surveillance for localised prostate cancer: A systematic review of psychological morbidity and quality of life. <i>Cancer Treatment Reviews</i> , 2015, 41, 46-60.	7.7	42
51	Features and Toxicokinetics of Clozapine in Overdose. <i>Therapeutic Drug Monitoring</i> , 1998, 20, 92-97.	2.0	41
52	Suicide Risk Assessment. <i>Crisis</i> , 2018, 39, 229-234.	1.2	41
53	Summary Australian and New Zealand Clinical Practice Guideline for the Management of Adult Deliberate Self-Harm (2003). <i>Australasian Psychiatry</i> , 2003, 11, 150-155.	0.7	39
54	Risk Factors for Suicide and other Deaths Following Hospital Treated Self-Poisoning in Australia. <i>Australian and New Zealand Journal of Psychiatry</i> , 2004, 38, 520-525.	2.3	39

#	ARTICLE	IF	CITATIONS
55	Suicide in young adults: psychiatric and socio-economic factors from a case-control study. <i>BMC Psychiatry</i> , 2014, 14, 68.	2.6	39
56	Repetition of deliberate self-poisoning in an Australian hospital-treated population. <i>Medical Journal of Australia</i> , 1999, 170, 307-311.	1.7	38
57	Trajectories of Psychological Distress After Stroke. <i>Annals of Family Medicine</i> , 2012, 10, 435-442.	1.9	37
58	Mechanisms of brief contact interventions in clinical populations: a systematic review. <i>BMC Psychiatry</i> , 2016, 16, 194.	2.6	37
59	Is my patient suffering clinically significant emotional distress? Demonstration of a probabilities approach to evaluating algorithms for screening for distress. <i>Supportive Care in Cancer</i> , 2009, 17, 1455-1462.	2.2	36
60	Predictors of health-related quality of life in community-dwelling stroke survivors: a cohort study. <i>Family Practice</i> , 2016, 33, 382-387.	1.9	34
61	Elderly Patients With Deliberate Self-Poisoning Treated in an Australian General Hospital. <i>International Psychogeriatrics</i> , 2002, 14, 97-105.	1.0	33
62	Probability of major depression diagnostic classification based on the SCID, CIDI and MINI diagnostic interviews controlling for Hospital Anxiety and Depression Scale Depression subscale scores: An individual participant data meta-analysis of 73 primary studies. <i>Journal of Psychosomatic Research</i> , 2020, 129, 109892.	2.6	33
63	Eating As Treatment (EAT) study protocol: a stepped-wedge, randomised controlled trial of a health behaviour change intervention provided by dietitians to improve nutrition in patients with head and neck cancer undergoing radiotherapy. <i>BMJ Open</i> , 2015, 5, e008921.	1.9	32
64	The effectiveness of suicide prevention delivered by GPs: A systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2017, 210, 294-302.	4.1	32
65	The Repeated Episodes of Self-Harm (RESH) score: A tool for predicting risk of future episodes of self-harm by hospital patients. <i>Journal of Affective Disorders</i> , 2014, 161, 36-42.	4.1	29
66	Making Sense of Variations in Prevalence Estimates of Depression in Cancer: A Co-Calibration of Commonly Used Depression Scales Using Rasch Analysis. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2015, 13, 1203-1211.	4.9	29
67	Patterns of service utilisation following the 1989 Newcastle earthquake: findings from Phase 1 of the Quake Impact Study. <i>Australian Journal of Public Health</i> , 1992, 16, 360-369.	0.2	28
68	A Mobile Text Message Intervention to Reduce Repeat Suicidal Episodes: Design and Development of Reconnecting After a Suicide Attempt (RAFT). <i>JMIR Mental Health</i> , 2017, 4, e56.	3.3	27
69	Predictors of desire for help in oncology outpatients reporting pain or distress. <i>Psycho-Oncology</i> , 2013, 22, 1611-1617.	2.3	26
70	People Who Die by Suicide Without Receiving Mental Health Services: A Systematic Review. <i>Frontiers in Public Health</i> , 2021, 9, 736948.	2.7	26
71	Cancer patients' attitudes towards euthanasia and physician-assisted suicide: The influence of question wording and patients' own definitions on responses. <i>Journal of Bioethical Inquiry</i> , 2005, 2, 82-89.	1.5	25
72	Effectiveness of Australian youth suicide prevention initiatives. <i>British Journal of Psychiatry</i> , 2011, 199, 423-429.	2.8	25

#	ARTICLE	IF	CITATIONS
73	Prediction of Death in Less Than 60 Minutes Following Withdrawal of Cardiorespiratory Support in ICUs*. <i>Critical Care Medicine</i> , 2013, 41, 2677-2687.	0.9	25
74	A potential role for N-acetylcysteine in the management of methamphetamine dependence. <i>Drug and Alcohol Review</i> , 2017, 36, 153-159.	2.1	25
75	Smoking, drinking, and depression: comorbidity in head and neck cancer patients undergoing radiotherapy. <i>Cancer Medicine</i> , 2018, 7, 2382-2390.	2.8	25
76	Insight in substance use disorder: A systematic review of the literature. <i>Addictive Behaviors</i> , 2020, 111, 106549.	3.0	25
77	Psychiatric Hospitalization after Deliberate Self-Poisoning. <i>Suicide and Life-Threatening Behavior</i> , 2006, 36, 213-222.	1.9	24
78	Postcards in Persia: A Twelve to Twenty-four Month Follow-up of a Randomized Controlled Trial for Hospital-Treated Deliberate Self-Poisoning. <i>Archives of Suicide Research</i> , 2017, 21, 138-154.	2.3	23
79	Effectiveness of clinical practice change strategies in improving dietitian care for head and neck cancer patients according to evidence-based clinical guidelines: a stepped-wedge, randomized controlled trial. <i>Translational Behavioral Medicine</i> , 2018, 8, 166-174.	2.4	23
80	Non-Suicidal Deaths Following Hospital-Treated Self-Poisoning. <i>Australian and New Zealand Journal of Psychiatry</i> , 2005, 39, 101-107.	2.3	22
81	Computerised assessment of quality of life in oncology patients and carers. <i>Psycho-Oncology</i> , 2008, 17, 26-33.	2.3	22
82	Effectiveness of QUICATOUCH: a computerised touch screen evaluation for pain and distress in ambulatory oncology patients in Newcastle, Australia. <i>Psycho-Oncology</i> , 2012, 21, 1149-1157.	2.3	22
83	Prediction of Death in Less Than 60 Minutes After Withdrawal of Cardiorespiratory Support in Potential Organ Donors After Circulatory Death. <i>Transplantation</i> , 2014, 98, 1112-1118.	1.0	22
84	A cross-sectional audit of current practices and areas for improvement of distress screening and management in Australian cancer services: is there a will and a way to improve?. <i>Supportive Care in Cancer</i> , 2020, 28, 249-259.	2.2	22
85	Modifiable Risk Factors for Attempted Suicide in Australian Clinical and Community Samples. <i>Suicide and Life-Threatening Behavior</i> , 2007, 37, 671-680.	1.9	21
86	Can the Edinburgh Risk of Repetition Scale Predict Repetition of Deliberate Self-poisoning in an Australian Clinical Setting?. <i>Suicide and Life-Threatening Behavior</i> , 2002, 32, 230-239.	1.9	20
87	Which items on the distress thermometer problem list are the most distressing?. <i>Supportive Care in Cancer</i> , 2016, 24, 4549-4557.	2.2	20
88	Heads Up: a pilot trial of a psychological intervention to improve nutrition in head and neck cancer patients undergoing radiotherapy. <i>European Journal of Cancer Care</i> , 2017, 26, e12502.	1.5	20
89	Adolescent Self-Poisoning. <i>Crisis</i> , 2003, 24, 79-84.	1.2	20
90	What people say about their general practitioners' treatment of anxiety and depression. <i>Medical Journal of Australia</i> , 2001, 175, S48.	1.7	19

#	ARTICLE	IF	CITATIONS
91	Repetition Risk for Adolescent Self-Poisoning: A Multiple Event Survival Analysis. Australian and New Zealand Journal of Psychiatry, 2003, 37, 212-218.	2.3	19
92	Caregiver satisfaction with out-patient oncology services: utility of the FAMCARE instrument and development of the FAMCARE-6. Supportive Care in Cancer, 2011, 19, 565-572.	2.2	19
93	Depression prevalence using the HADS-D compared to SCID major depression classification: An individual participant data meta-analysis. Journal of Psychosomatic Research, 2020, 139, 110256.	2.6	19
94	The effects of involuntary job loss on suicide and suicide attempts among young adults: Evidence from a matched case-control study. Australian and New Zealand Journal of Psychiatry, 2014, 48, 333-340.	2.3	18
95	Concurrent Validity of the PSYCH-6, a Very Short Scale for Detecting Anxiety and Depression, Among Oncology Outpatients. Australian and New Zealand Journal of Psychiatry, 2009, 43, 682-688.	2.3	17
96	SMS SOS: a randomized controlled trial to reduce self-harm and suicide attempts using SMS text messaging. BMC Psychiatry, 2019, 19, 117.	2.6	17
97	Cognitive Impairment in Patients Clinically Recovered From Central Nervous System Depressant Drug Overdose. Journal of Clinical Psychopharmacology, 2012, 32, 503-510.	1.4	16
98	General hospital-treated self-poisoning in England and Australia: Comparison of presentation rates, clinical characteristics and aftercare based on sentinel unit data. Journal of Psychosomatic Research, 2015, 78, 356-362.	2.6	16
99	Shortening self-report mental health symptom measures through optimal test assembly methods: Development and validation of the Patient Health Questionnaire-Depression-4. Depression and Anxiety, 2019, 36, 82-92.	4.1	16
100	Technological Advances and the Future of Suicide Prevention: Ethical, Legal, and Empirical Challenges. Suicide and Life-Threatening Behavior, 2020, 50, 643-651.	1.9	16
101	Using Rasch analysis to examine the distress thermometer's cut-off scores among a mixed group of patients with cancer. Quality of Life Research, 2014, 23, 2257-2265.	3.1	15
102	Correlates of Youth Suicide Attempters in Australian Community and Clinical Samples. Australian and New Zealand Journal of Psychiatry, 2003, 37, 286-293.	2.3	14
103	Mental health and other clinical correlates of euthanasia attitudes in an Australian outpatient cancer population. Psycho-Oncology, 2007, 16, 295-303.	2.3	14
104	Mental Disorders and Socioeconomic Status: Impact on Population Risk of Attempted Suicide in Australia. Suicide and Life-Threatening Behavior, 2009, 39, 471-481.	1.9	14
105	Fidelity considerations in translational research: Eating As Treatment - a stepped wedge, randomised controlled trial of a dietitian delivered behaviour change counselling intervention for head and neck cancer patients undergoing radiotherapy. Trials, 2015, 16, 465.	1.6	14
106	Head and neck cancer patient experience of a new dietitian-delivered health behaviour intervention: "you know you have to eat to survive". Supportive Care in Cancer, 2018, 26, 2167-2175.	2.2	14
107	A study protocol for the N-ICE trial: A randomised double-blind placebo-controlled study of the safety and efficacy of N-acetyl-cysteine (NAC) as a pharmacotherapy for methamphetamine dependence. Trials, 2019, 20, 325.	1.6	14
108	Depression Outcomes Among Patients Treated With Fluoxetine for Stroke Recovery. JAMA Neurology, 2021, 78, 1072.	9.0	14

#	ARTICLE	IF	CITATIONS
109	Comparison of the Composite International Diagnostic Interview (CIDI-Auto) with Clinical Diagnosis in a Suicidal Population. <i>Archives of Suicide Research</i> , 2011, 15, 43-55.	2.3	13
110	A randomised trial of dialectical behaviour therapy and the conversational model for the treatment of borderline personality disorder with recent suicidal and/or non-suicidal self-injury: An effectiveness study in an Australian public mental health service. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 54, 1020-1034.	2.3	13
111	Rural-Urban Differences in Suicide Rates for Current Patients of a Public Mental Health Service in Australia. <i>Suicide and Life-Threatening Behavior</i> , 2010, 40, 376-382.	1.9	12
112	Serotonin toxicity from antidepressant overdose and its association with the T102C polymorphism of the 5-HT2A receptor. <i>Pharmacogenomics Journal</i> , 2014, 14, 390-394.	2.0	12
113	N-acetylcysteine (NAC) for methamphetamine dependence: A randomised controlled trial. <i>EClinicalMedicine</i> , 2021, 38, 101005.	7.1	12
114	Non-suicidal deaths following hospital-treated self-poisoning. <i>Australian and New Zealand Journal of Psychiatry</i> , 2005, 39, 101-107.	2.3	12
115	Exploring the experience of psychological morbidity and service access in community dwelling stroke survivors: a follow-up study. <i>Disability and Rehabilitation</i> , 2014, 36, 1600-1607.	1.8	11
116	Prevalence and Characteristics Associated with Chronic Noncancer Pain in Suicide Decedents: A National Study. <i>Suicide and Life-Threatening Behavior</i> , 2020, 50, 778-791.	1.9	11
117	Posttraumatic stress disorder among deliberate self-poisoning patients. <i>Journal of Traumatic Stress</i> , 2004, 17, 509-517.	1.8	10
118	Distinguishing Suicidal from Non-Suicidal Deliberate Self-Harm Events in Women with Borderline Personality Disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2010, 44, 574-582.	2.3	10
119	Social connections and suicidal behaviour in young Australian adults: Evidence from a case-control study of persons aged 18-34 years in NSW, Australia. <i>SSM - Population Health</i> , 2015, 1, 1-7.	2.7	10
120	Interventions to improve screening and appropriate referral of patients with cancer for distress: systematic review protocol. <i>BMJ Open</i> , 2015, 5, e008277.	1.9	10
121	Preventing suicide: what will work and what will not. <i>Medical Journal of Australia</i> , 1999, 170, 620-620.	1.7	9
122	imProving Outcomes after STroke Clinical Pilot Trial Protocol. <i>International Journal of Stroke</i> , 2010, 5, 52-56.	5.9	9
123	Clinical Management for Hospital-Treated Deliberate Self-Poisoning: Comparisons between Patients with Major Depression and Borderline Personality Disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2005, 39, 266-273.	2.3	8
124	Cognitive Skills Underlying Driving in Patients Discharged Following Self-Poisoning With Central Nervous System Depressant Drugs. <i>Traffic Injury Prevention</i> , 2012, 13, 450-457.	1.4	8
125	Development of a Self-Harm Monitoring System for Victoria. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 9385.	2.6	8
126	Clinical and demographic characteristics of people who smoke versus inject crystalline methamphetamine in Australia: Findings from a pharmacotherapy trial. <i>Drug and Alcohol Review</i> , 2021, 40, 1249-1255.	2.1	8

#	ARTICLE	IF	CITATIONS
127	Hospital-treated deliberate self-poisoning in the older adult: Identifying specific clinical assessment needs. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 54, 591-601.	2.3	8
128	Risk factors for suicide and other deaths following hospital treated self-poisoning in Australia. <i>Australian and New Zealand Journal of Psychiatry</i> , 2004, 38, 520-525.	2.3	8
129	Is the reported increase in young female hospital-treated intentional self-harm real or artefactual?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2019, 53, 663-672.	2.3	7
130	Is fidelity to a complex behaviour change intervention associated with patient outcomes? Exploring the relationship between dietitian adherence and competence and the nutritional status of intervention patients in a successful stepped-wedge randomised clinical trial of eating as treatment (EAT). <i>Implementation Science</i> , 2021, 16, 46.	6.9	7
131	ImProving Outcomes after STroke (POST): Results from the Randomized Clinical Pilot Trial. <i>International Journal of Stroke</i> , 2013, 8, 707-710.	5.9	6
132	Preliminary report: training head and neck cancer dietitians in behaviour change counselling. <i>Psycho-Oncology</i> , 2017, 26, 405-407.	2.3	6
133	Reduced prevalence of pain and distress during 4 years of screening with QUICATOUCH in Australian oncology patients. <i>European Journal of Cancer Care</i> , 2017, 26, e12636.	1.5	6
134	Australian Suicide Prevention using Health-Linked Data (ASHLi): Protocol for a population-based case series study. <i>BMJ Open</i> , 2020, 10, e038181.	1.9	6
135	Risk of Road Traffic Accidents in Patients Discharged Following Treatment for Psychotropic Drug Overdose. <i>CNS Drugs</i> , 2012, 26, 269-276.	5.9	5
136	Acute Alcohol Consumption and Hospital-Treated Deliberate Self-Poisoning: Is There an Effect on Subsequent Self-Harm?. <i>Suicide and Life-Threatening Behavior</i> , 2019, 49, 293-302.	1.9	4
137	Neurocognitive Recovery After Hospital-Treated Deliberate Self-Poisoning With Central Nervous System Depressant Drugs. <i>Journal of Clinical Psychopharmacology</i> , 2015, 35, 672-680.	1.4	3
138	Federation Internationale de Football Association (FIFA) 2014 World Cup Impact on Hospital-Treated Suicide Attempt (Overdose) in Tehran. <i>Suicide and Life-Threatening Behavior</i> , 2018, 48, 367-375.	1.9	3
139	Assessing Adherence, Competence and Differentiation in a Stepped-Wedge Randomised Clinical Trial of a Complex Behaviour Change Intervention. <i>Nutrients</i> , 2020, 12, 2332.	4.1	3
140	Apples to apples? Comparison of the measurement properties of hospital anxiety and depression-anxiety subscale (HADS-A), depression, anxiety and stress scale-anxiety subscale (DASS-A), and generalised anxiety disorder (GAD-7) scale in an oncology setting using Rasch analysis and diagnostic accuracy statistics. <i>Current Psychology</i> , 2022, 41, 4592-4601.	2.8	3
141	Method of most recent self-harm episode is related to risk of subsequent suicide. <i>Evidence-Based Mental Health</i> , 2012, 15, 68-68.	4.5	2
142	Using the Patient Health Questionnaire to estimate prevalence and gender differences of somatic symptoms and psychological co-morbidity in a secondary inpatient population with abdominal pain. <i>Australian and New Zealand Journal of Psychiatry</i> , 2022, 56, 994-1005.	2.3	2
143	Antidepressant treatment trajectories and suicide attempt among Australians aged 45 years and older: A population study using individual prescription data. <i>Suicide and Life-Threatening Behavior</i> , 2021, , .	1.9	2
144	Surveillance of Hospital-Presenting Intentional Self-Harm in Western Sydney, Australia, During the Implementation of a New Self-Harm Reporting Field. <i>Crisis</i> , 2023, 44, 135-145.	1.2	2

#	ARTICLE	IF	CITATIONS
145	Effectiveness of the Hunter Way Back Support Service: An historical controlled trial of a brief non-clinical after-care program for hospital-treated deliberate self-poisoning. <i>Suicide and Life-Threatening Behavior</i> , 2022, 52, 500-514.	1.9	2
146	A pilot study of a text message and online brief contact intervention following self-harm or a suicide attempt: A mixed methods evaluation. <i>General Hospital Psychiatry</i> , 2022, 76, 1-2.	2.4	2
147	Patient characteristics associated with GP referral to the Access to Allied Psychological Services Program: A case-control study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2012, 46, 435-444.	2.3	1
148	A case report using the mental state examination scale (MSES): a tool for measuring change in mental state. <i>Australasian Psychiatry</i> , 2016, 24, 76-80.	0.7	1
149	Adapted motivational interviewing for brief healthcare consultations: protocol for a systematic review and meta-analysis of treatment fidelity in real-world evaluations of behaviour change counselling. <i>BMJ Open</i> , 2019, 9, e028417.	1.9	1
150	Hospital-treated deliberate self-poisoning patients: Drug-induced delirium and clinical outcomes. <i>Australian and New Zealand Journal of Psychiatry</i> , 2022, 56, 154-163.	2.3	1
151	Clinical management for hospital-treated deliberate self-poisoning: comparisons between patients with major depression and borderline personality disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2005, 39, 266-273.	2.3	1
152	Psychiatric Issues in the Critically Poisoned Patient. , 2016, , 1-41.		1
153	Somatic symptom severity association with healthcare utilization and costs in surgical inpatients with an episode of abdominal pain. <i>BJS Open</i> , 2022, 6, .	1.7	1
154	Smoking and other health factors in patients with head and neck cancer. <i>Cancer Epidemiology</i> , 2022, 79, 102202.	1.9	1
155	Review: evidence is lacking about suicide prevention in young people. <i>Evidence-Based Mental Health</i> , 2003, 6, 121-121.	4.5	0
156	Patients' Attitudes towards Euthanasia and Physician-Assisted Suicide: A Systematic Review of the Literature Published over Fifteen Years. <i>Monash Bioethics Review</i> , 2006, 25, 19-43.	0.8	0
157	Young people, mental illness and suicidal behaviours. <i>Microbial Biotechnology</i> , 2012, 6, 113-114.	1.7	0
158	Eating As Treatment: A Stepped Wedge Randomized Controlled Trial to Improve Nutrition in Head and Neck Cancer Patients Undergoing Radiation Therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2017, 99, S120-S121.	0.8	0
159	In Reply to Lee and Douthit, and Champ and Klement. <i>International Journal of Radiation Oncology Biology Physics</i> , 2019, 103, 1283-1284.	0.8	0
160	Comparison of accredited person and medical officer discharge decisions under the Mental Health Act of NSW: A cohort study of deliberate self-poisoning patients. <i>Australian and New Zealand Journal of Psychiatry</i> , 2022, 56, 178-185.	2.3	0
161	Cognitive insight, medication adherence and methamphetamine cessation in people enrolled in a pharmacotherapy trial for methamphetamine use. <i>Journal of Substance Abuse Treatment</i> , 2021, 130, 108473.	2.8	0
162	Antidepressants and suicide. <i>BMJ: British Medical Journal</i> , 1995, 311, 55-55.	2.3	0

#	ARTICLE	IF	CITATIONS
163	Psychiatric Issues in the Critically Poisoned Patient. , 2017, , 117-157.		0