## **Gregory Carter**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1523475/publications.pdf

Version: 2024-02-01

163	7,306	44	78
papers	citations	h-index	g-index
165	165	165	8278
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Surveillance of Hospital-Presenting Intentional Self-Harm in Western Sydney, Australia, During the Implementation of a New Self-Harm Reporting Field. Crisis, 2023, 44, 135-145.	1.2	2
2	Apples to apples? Comparison of the measurement properties of hospital anxiety and depression-anxiety subscale (HADS-A), depression, anxiety and stress scale-anxiety subscale (DASS-A), and generalised anxiety disorder (GAD-7) scale in an oncology setting using Rasch analysis and diagnostic accuracy statistics. Current Psychology, 2022, 41, 4592-4601.	2.8	3
3	Comparison of accredited person and medical officer discharge decisions under the Mental Health Act of NSW: A cohort study of deliberate self-poisoning patients. Australian and New Zealand Journal of Psychiatry, 2022, 56, 178-185.	2.3	O
4	Hospital-treated deliberate self-poisoning patients: Drug-induced delirium and clinical outcomes. Australian and New Zealand Journal of Psychiatry, 2022, 56, 154-163.	2.3	1
5	Using the Patient Health Questionnaire to estimate prevalence and gender differences of somatic symptoms and psychological co-morbidity in a secondary inpatient population with abdominal pain. Australian and New Zealand Journal of Psychiatry, 2022, 56, 994-1005.	2.3	2
6	Effectiveness of the Hunter Way Back Support Service: An historical controlled trial of a brief nonâ€clinical afterâ€care program for hospitalâ€treated deliberate selfâ€poisoning. Suicide and Life-Threatening Behavior, 2022, 52, 500-514.	1.9	2
7	Somatic symptom severity association with healthcare utilization and costs in surgical inpatients with an episode of abdominal pain. BJS Open, 2022, 6, .	1.7	1
8	A pilot study of a text message and online brief contact intervention following self-harm or a suicide attempt: A mixed methods evaluation. General Hospital Psychiatry, 2022, 76, 1-2.	2.4	2
9	Smoking and other health factors in patients with head and neck cancer. Cancer Epidemiology, 2022, 79, 102202.	1.9	1
10	Clinical and demographic characteristics of people who smoke versus inject crystalline methamphetamine in Australia: Findings from a pharmacotherapy trial. Drug and Alcohol Review, 2021, 40, 1249-1255.	2.1	8
11	Is fidelity to a complex behaviour change intervention associated with patient outcomes? Exploring the relationship between dietitian adherence and competence and the nutritional status of intervention patients in a successful stepped-wedge randomised clinical trial of eating as treatment (EAT). Implementation Science, 2021, 16, 46.	6.9	7
12	N-acetylcysteine (NAC) for methamphetamine dependence: A randomised controlled trial. EClinicalMedicine, 2021, 38, 101005.	7.1	12
13	Depression Outcomes Among Patients Treated With Fluoxetine for Stroke Recovery. JAMA Neurology, 2021, 78, 1072.	9.0	14
14	Cognitive insight, medication adherence and methamphetamine cessation in people enrolled in a pharmacotherapy trial for methamphetamine use. Journal of Substance Abuse Treatment, 2021, 130, 108473.	2.8	0
15	Antidepressant treatment trajectories and suicide attempt among Australians aged 45 years and older: A population study using individual prescription data. Suicide and Life-Threatening Behavior, 2021, , .	1.9	2
16	People Who Die by Suicide Without Receiving Mental Health Services: A Systematic Review. Frontiers in Public Health, 2021, 9, 736948.	2.7	26
17	A cross-sectional audit of current practices and areas for improvement of distress screening and management in Australian cancer services: is there a will and a way to improve?. Supportive Care in Cancer, 2020, 28, 249-259.	2.2	22
18	The Accuracy of the Patient Health Questionnaire-9 Algorithm for Screening to Detect Major Depression: An Individual Participant Data Meta-Analysis. Psychotherapy and Psychosomatics, 2020, 89, 25-37.	8.8	67

#	Article	IF	Citations
19	Equivalency of the diagnostic accuracy of the PHQ-8 and PHQ-9: a systematic review and individual participant data meta-analysis. Psychological Medicine, 2020, 50, 1368-1380.	4.5	175
20	Probability of major depression diagnostic classification based on the SCID, CIDI and MINI diagnostic interviews controlling for Hospital Anxiety and Depression Scale – Depression subscale scores: An individual participant data meta-analysis of 73 primary studies. Journal of Psychosomatic Research, 2020, 129, 109892.	2.6	33
21	Technological Advances and the Future of Suicide Prevention: Ethical, Legal, and Empirical Challenges. Suicide and Life-Threatening Behavior, 2020, 50, 643-651.	1.9	16
22	Depression prevalence using the HADS-D compared to SCID major depression classification: An individual participant data meta-analysis. Journal of Psychosomatic Research, 2020, 139, 110256.	2.6	19
23	Insight in substance use disorder: A systematic review of the literature. Addictive Behaviors, 2020, 111, 106549.	3.0	25
24	Assessing Adherence, Competence and Differentiation in a Stepped-Wedge Randomised Clinical Trial of a Complex Behaviour Change Intervention. Nutrients, 2020, 12, 2332.	4.1	3
25	Development of a Self-Harm Monitoring System for Victoria. International Journal of Environmental Research and Public Health, 2020, 17, 9385.	2.6	8
26	Australian Suicide Prevention using Health-Linked Data (ASHLi): Protocol for a population-based case series study. BMJ Open, 2020, 10, e038181.	1.9	6
27	Accuracy of the PHQ-2 Alone and in Combination With the PHQ-9 for Screening to Detect Major Depression. JAMA - Journal of the American Medical Association, 2020, 323, 2290.	7.4	242
28	A randomised trial of dialectical behaviour therapy and the conversational model for the treatment of borderline personality disorder with recent suicidal and/or non-suicidal self-injury: An effectiveness study in an Australian public mental health service. Australian and New Zealand Journal of Psychiatry, 2020, 54, 1020-1034.	2.3	13
29	Prevalence and Characteristics Associated with Chronic Noncancer Pain in Suicide Decedents: A National Study. Suicide and Life-Threatening Behavior, 2020, 50, 778-791.	1.9	11
30	Hospital-treated deliberate self-poisoning in the older adult: Identifying specific clinical assessment needs. Australian and New Zealand Journal of Psychiatry, 2020, 54, 591-601.	2.3	8
31	Patient Health Questionnaire-9 scores do not accurately estimate depression prevalence: individual participant data meta-analysis. Journal of Clinical Epidemiology, 2020, 122, 115-128.e1.	5.0	113
32	Estimating the sample mean and standard deviation from commonly reported quantiles in meta-analysis. Statistical Methods in Medical Research, 2020, 29, 2520-2537.	1.5	366
33	A study protocol for the N-ICE trial: A randomised double-blind placebo-controlled study of the safety and efficacy of N-acetyl-cysteine (NAC) as a pharmacotherapy for methamphetamine ("iceâ€) dependence. Trials, 2019, 20, 325.	1.6	14
34	SMS SOS: a randomized controlled trial to reduce self-harm and suicide attempts using SMS text messaging. BMC Psychiatry, 2019, 19, 117.	2.6	17
35	In Reply to Lee and Douthit, and Champ and Klement. International Journal of Radiation Oncology Biology Physics, 2019, 103, 1283-1284.	0.8	0
36	Adapted motivational interviewing for brief healthcare consultations: protocol for a systematic review and meta-analysis of treatment fidelity in real-world evaluations of behaviour change counselling. BMJ Open, 2019, 9, e028417.	1.9	1

#	Article	IF	CITATIONS
37	Eating As Treatment (EAT): A Stepped-Wedge, Randomized Controlled Trial of a Health Behavior Change Intervention Provided by Dietitians to Improve Nutrition in Patients With Head and Neck Cancer Undergoing Radiation Therapy (TROG 12.03). International Journal of Radiation Oncology Biology Physics, 2019, 103, 353-362.	0.8	59
38	Is the reported increase in young female hospital-treated intentional self-harm real or artefactual?. Australian and New Zealand Journal of Psychiatry, 2019, 53, 663-672.	2.3	7
39	Shortening self-report mental health symptom measures through optimal test assembly methods: Development and validation of the Patient Health Questionnaire-Depression-4. Depression and Anxiety, 2019, 36, 82-92.	4.1	16
40	Accuracy of Clinician Predictions of Future Selfâ€Harm: A Systematic Review and Metaâ€Analysis of Predictive Studies. Suicide and Life-Threatening Behavior, 2019, 49, 23-40.	1.9	52
41	Population attributable risk of factors associated with the repetition of self-harm behaviour in young people presenting to clinical services: a systematic review and meta-analysis. European Child and Adolescent Psychiatry, 2019, 28, 5-18.	4.7	45
42	Acute Alcohol Coâ€Ingestion and Hospitalâ€Treated Deliberate Selfâ€Poisoning: Is There an Effect on Subsequent Selfâ€Harm?. Suicide and Life-Threatening Behavior, 2019, 49, 293-302.	1.9	4
43	PROMIS depression measures perform similarly to legacy measures relative to a structured diagnostic interview for depression in cancer patients. Quality of Life Research, 2018, 27, 1357-1367.	3.1	46
44	Smoking, drinking, and depression: comorbidity in head and neck cancer patients undergoing radiotherapy. Cancer Medicine, 2018, 7, 2382-2390.	2.8	25
45	Effectiveness of clinical practice change strategies in improving dietitian care for head and neck cancer patients according to evidence-based clinical guidelines: a stepped-wedge, randomized controlled trial. Translational Behavioral Medicine, 2018, 8, 166-174.	2.4	23
46	Head and neck cancer patient experience of a new dietitian-delivered health behaviour intervention: â€~you know you have to eat to survive'. Supportive Care in Cancer, 2018, 26, 2167-2175.	2.2	14
47	Interventions to improve screening and appropriate referral of patients with cancer for psychosocial distress: systematic review. BMJ Open, 2018, 8, e017959.	1.9	49
48	Probability of major depression diagnostic classification using semi-structured versus fully structured diagnostic interviews. British Journal of Psychiatry, 2018, 212, 377-385.	2.8	53
49	Federation Internationale de Football Association (FIFA) 2014 World Cup Impact on Hospitalâ€√reated Suicide Attempt (Overdose) in Tehran. Suicide and Life-Threatening Behavior, 2018, 48, 367-375.	1.9	3
50	Suicide Risk Assessment. Crisis, 2018, 39, 229-234.	1.2	41
51	Postcards in Persia: A Twelve to Twenty-four Month Follow-up of a Randomized Controlled Trial for Hospital-Treated Deliberate Self-Poisoning. Archives of Suicide Research, 2017, 21, 138-154.	2.3	23
52	A potential role for Nâ€acetylcysteine in the management of methamphetamine dependence. Drug and Alcohol Review, 2017, 36, 153-159.	2.1	25
53	Heads Up: a pilot trial of a psychological intervention to improve nutrition in head and neck cancer patients undergoing radiotherapy. European Journal of Cancer Care, 2017, 26, e12502.	1.5	20
54	Preliminary report: training head and neck cancer dietitians in behaviour change counselling. Psycho-Oncology, 2017, 26, 405-407.	2.3	6

#	Article	IF	Citations
55	Predicting suicidal behaviours using clinical instruments: Systematic review and meta-analysis of positive predictive values for risk scales. British Journal of Psychiatry, 2017, 210, 387-395.	2.8	251
56	The effectiveness of suicide prevention delivered by GPs: A systematic review and meta-analysis. Journal of Affective Disorders, 2017, 210, 294-302.	4.1	32
57	Eating As Treatment: A Stepped Wedge Randomized Controlled Trial to Improve Nutrition in Head and Neck Cancer Patients Undergoing Radiation Therapy. International Journal of Radiation Oncology Biology Physics, 2017, 99, S120-S121.	0.8	0
58	Can we usefully stratify patients according to suicide risk?. BMJ: British Medical Journal, 2017, 359, j4627.	2.3	61
59	Reduced prevalence of pain and distress during 4Âyears of screening with QUICATOUCH in Australian oncology patients. European Journal of Cancer Care, 2017, 26, e12636.	1.5	6
60	Effectiveness of online and mobile telephone applications (â€~apps') for the self-management of suicidal ideation and self-harm: a systematic review and meta-analysis. BMC Psychiatry, 2017, 17, 297.	2.6	127
61	A Mobile Text Message Intervention to Reduce Repeat Suicidal Episodes: Design and Development of Reconnecting After a Suicide Attempt (RAFT). JMIR Mental Health, 2017, 4, e56.	3.3	27
62	Psychiatric Issues in the Critically Poisoned Patient. , 2017, , 117-157.		0
63	Mechanisms of brief contact interventions in clinical populations: a systematic review. BMC Psychiatry, 2016, 16, 194.	2.6	37
64	Predictors of health-related quality of life in community-dwelling stroke survivors: a cohort study. Family Practice, 2016, 33, 382-387.	1.9	34
65	Royal Australian and New Zealand College of Psychiatrists clinical practice guideline for the management of deliberate self-harm. Australian and New Zealand Journal of Psychiatry, 2016, 50, 939-1000.	2.3	118
66	Effective psychological and psychosocial approaches to reduce repetition of self-harm: a systematic review, meta-analysis and meta-regression. BMJ Open, 2016, 6, e011024.	1.9	53
67	Smoking cessation care among patients with head and neck cancer: a systematic review. BMJ Open, 2016, 6, e012296.	1.9	43
68	Which items on the distress thermometer problem list are the most distressing?. Supportive Care in Cancer, 2016, 24, 4549-4557.	2.2	20
69	A case report using the mental state examination scale (MSES): a tool for measuring change in mental state. Australasian Psychiatry, 2016, 24, 76-80.	0.7	1
70	Effects of Low-Dose and Very Low-Dose Ketamine among Patients with Major Depression: a Systematic Review and Meta-Analysis. International Journal of Neuropsychopharmacology, 2016, 19, pyv124.	2.1	175
71	Psychiatric Issues in the Critically Poisoned Patient. , 2016, , 1-41.		1
72	Social connections and suicidal behaviour in young Australian adults: Evidence from a case–control study of persons aged 18–34 years in NSW, Australia. SSM - Population Health, 2015, 1, 1-7.	2.7	10

#	Article	IF	CITATIONS
73	Interventions to improve screening and appropriate referral of patients with cancer for distress: systematic review protocol. BMJ Open, 2015, 5, e008277.	1.9	10
74	Fidelity considerations in translational research: Eating As Treatment — a stepped wedge, randomised controlled trial of a dietitian delivered behaviour change counselling intervention for head and neck cancer patients undergoing radiotherapy. Trials, 2015, 16, 465.	1.6	14
75	Making Sense of Variations in Prevalence Estimates of Depression in Cancer: A Co-Calibration of Commonly Used Depression Scales Using Rasch Analysis. Journal of the National Comprehensive Cancer Network: JNCCN, 2015, 13, 1203-1211.	4.9	29
76	Neurocognitive Recovery After Hospital-Treated Deliberate Self-Poisoning With Central Nervous System Depressant Drugs. Journal of Clinical Psychopharmacology, 2015, 35, 672-680.	1.4	3
77	Why do oncology outpatients who report emotional distress decline help?. Psycho-Oncology, 2015, 24, 812-818.	2.3	136
78	Letters, green cards, telephone calls and postcards: Systematic and meta-analytic review of brief contact interventions for reducing self-harm, suicide attempts and suicide. British Journal of Psychiatry, 2015, 206, 184-190.	2.8	163
79	General hospital-treated self-poisoning in England and Australia: Comparison of presentation rates, clinical characteristics and aftercare based on sentinel unit data. Journal of Psychosomatic Research, 2015, 78, 356-362.	2.6	16
80	Eating As Treatment (EAT) study protocol: a stepped-wedge, randomised controlled trial of a health behaviour change intervention provided by dietitians to improve nutrition in patients with head and neck cancer undergoing radiotherapy. BMJ Open, 2015, 5, e008921.	1.9	32
81	Wellbeing during Active Surveillance for localised prostate cancer: A systematic review of psychological morbidity and quality of life. Cancer Treatment Reviews, 2015, 41, 46-60.	7.7	42
82	Predictors of depression and anxiety in community dwelling stroke survivors: a cohort study. Disability and Rehabilitation, 2014, 36, 1975-1982.	1.8	66
83	Exploring the experience of psychological morbidity and service access in community dwelling stroke survivors: a follow-up study. Disability and Rehabilitation, 2014, 36, 1600-1607.	1.8	11
84	The effects of involuntary job loss on suicide and suicide attempts among young adults: Evidence from a matched case–control study. Australian and New Zealand Journal of Psychiatry, 2014, 48, 333-340.	2.3	18
85	Prediction of Death in Less Than 60 Minutes After Withdrawal of Cardiorespiratory Support in Potential Organ Donors After Circulatory Death. Transplantation, 2014, 98, 1112-1118.	1.0	22
86	The Repeated Episodes of Self-Harm (RESH) score: A tool for predicting risk of future episodes of self-harm by hospital patients. Journal of Affective Disorders, 2014, 161, 36-42.	4.1	29
87	Using Rasch analysis to examine the distress thermometer's cut-off scores among a mixed group of patients with cancer. Quality of Life Research, 2014, 23, 2257-2265.	3.1	15
88	Suicide in young adults: psychiatric and socio-economic factors from a case–control study. BMC Psychiatry, 2014, 14, 68.	2.6	39
89	Serotonin toxicity from antidepressant overdose and its association with the T102C polymorphism of the 5-HT2A receptor. Pharmacogenomics Journal, 2014, 14, 390-394.	2.0	12
90	Prediction of Death in Less Than 60 Minutes Following Withdrawal of Cardiorespiratory Support in ICUs*. Critical Care Medicine, 2013, 41, 2677-2687.	0.9	25

#	Article	IF	CITATIONS
91	ImProving Outcomes after STroke (POST): Results from the Randomized Clinical Pilot Trial. International Journal of Stroke, 2013, 8, 707-710.	5.9	6
92	Predictors of desire for help in oncology outpatients reporting pain or distress. Psycho-Oncology, 2013, 22, 1611-1617.	2.3	26
93	Postcards from the EDge: 5-year outcomes of a randomised controlled trial for hospital-treated self-poisoning. British Journal of Psychiatry, 2013, 202, 372-380.	2.8	99
94	Method of most recent self-harm episode is related to risk of subsequent suicide. Evidence-Based Mental Health, 2012, 15, 68-68.	4.5	2
95	Trajectories of Psychological Distress After Stroke. Annals of Family Medicine, 2012, 10, 435-442.	1.9	37
96	Patient characteristics associated with GP referral to the Access to Allied Psychological Services Program: A case-control study. Australian and New Zealand Journal of Psychiatry, 2012, 46, 435-444.	2.3	1
97	Cognitive Impairment in Patients Clinically Recovered From Central Nervous System Depressant Drug Overdose. Journal of Clinical Psychopharmacology, 2012, 32, 503-510.	1.4	16
98	Depression Screening in Stroke. Stroke, 2012, 43, 1000-1005.	2.0	82
99	Cognitive Skills Underlying Driving in Patients Discharged Following Self-Poisoning With Central Nervous System Depressant Drugs. Traffic Injury Prevention, 2012, 13, 450-457.	1.4	8
100	Exploring the experience of post-stroke fatigue in community dwelling stroke survivors: a prospective qualitative study. Disability and Rehabilitation, 2012, 34, 1376-1384.	1.8	68
101	Risk of Road Traffic Accidents in Patients Discharged Following Treatment for Psychotropic Drug Overdose. CNS Drugs, 2012, 26, 269-276.	5.9	5
102	Effectiveness of QUICATOUCH: a computerised touch screen evaluation for pain and distress in ambulatory oncology patients in Newcastle, Australia. Psycho-Oncology, 2012, 21, 1149-1157.	2.3	22
103	Meta-analysis of screening and case finding tools for depression in cancer: Evidence based recommendations for clinical practice on behalf of the Depression in Cancer Care consensus group. Journal of Affective Disorders, 2012, 140, 149-160.	4.1	90
104	Young people, mental illness and suicidal behaviours. Microbial Biotechnology, 2012, 6, 113-114.	1.7	0
105	Baseline depression predicts malnutrition in head and neck cancer patients undergoing radiotherapy. Supportive Care in Cancer, 2012, 20, 335-342.	2.2	61
106	The association between delusional-like experiences and suicidal thoughts and behaviour. Schizophrenia Research, 2011, 132, 197-202.	2.0	80
107	Effects of Benzodiazepines, Antidepressants and Opioids on Driving. Drug Safety, 2011, 34, 125-156.	3.2	201
108	Effectiveness of Australian youth suicide prevention initiatives. British Journal of Psychiatry, 2011, 199, 423-429.	2.8	25

#	Article	IF	Citations
109	Postcards in Persia: randomised controlled trial to reduce suicidal behaviours 12 months after hospital-treated self-poisoning. British Journal of Psychiatry, 2011, 198, 309-316.	2.8	115
110	Caregiver satisfaction with out-patient oncology services: utility of the FAMCARE instrument and development of the FAMCARE-6. Supportive Care in Cancer, 2011, 19, 565-572.	2.2	19
111	Comparison of the Composite International Diagnostic Interview (CIDI-Auto) with Clinical Diagnosis in a Suicidal Population. Archives of Suicide Research, 2011, 15, 43-55.	2.3	13
112	Rural-Urban Differences in Suicide Rates for Current Patients of a Public Mental Health Service in Australia. Suicide and Life-Threatening Behavior, 2010, 40, 376-382.	1.9	12
113	imProving Outcomes after STroke Clinical Pilot Trial Protocol. International Journal of Stroke, 2010, 5, 52-56.	5.9	9
114	Distinguishing Suicidal from Non-Suicidal Deliberate Self-Harm Events in Women with Borderline Personality Disorder. Australian and New Zealand Journal of Psychiatry, 2010, 44, 574-582.	2.3	10
115	Hunter DBT Project: Randomized Controlled Trial of Dialectical Behaviour Therapy in Women with Borderline Personality Disorder. Australian and New Zealand Journal of Psychiatry, 2010, 44, 162-173.	2.3	110
116	Concurrent Validity of the PSYCH-6, a Very Short Scale for Detecting Anxiety and Depression, Among Oncology Outpatients. Australian and New Zealand Journal of Psychiatry, 2009, 43, 682-688.	2.3	17
117	Is my patient suffering clinically significant emotional distress? Demonstration of a probabilities approach to evaluating algorithms for screening for distress. Supportive Care in Cancer, 2009, 17, 1455-1462.	2.2	36
118	Mental Disorders and Socioeconomic Status: Impact on Population Risk of Attempted Suicide in Australia. Suicide and Life-Threatening Behavior, 2009, 39, 471-481.	1.9	14
119	Computerised assessment of quality of life in oncology patients and carers. Psycho-Oncology, 2008, 17, 26-33.	2.3	22
120	Postcards from the EDge: 24-month outcomes of a randomised controlled trial for hospital-treated self-poisoning. British Journal of Psychiatry, 2007, 191, 548-553.	2.8	135
121	Modifiable Risk Factors for Attempted Suicide in Australian Clinical and Community Samples. Suicide and Life-Threatening Behavior, 2007, 37, 671-680.	1.9	21
122	Mental health and other clinical correlates of euthanasia attitudes in an Australian outpatient cancer population. Psycho-Oncology, 2007, 16, 295-303.	2.3	14
123	Further increases in rural suicide in young Australian adults: Secular trends, 1979–2003. Social Science and Medicine, 2007, 65, 442-453.	3.8	51
124	Patients' Attitudes towards Euthanasia and Physician-Assisted Suicide: A Systematic Review of the Literature Published over Fifteen Years. Monash Bioethics Review, 2006, 25, 19-43.	0.8	0
125	Psychiatric Hospitalization after Deliberate Self-Poisoning. Suicide and Life-Threatening Behavior, 2006, 36, 213-222.	1.9	24
126	Divergent trends in suicide by socio-economic status in Australia. Social Psychiatry and Psychiatric Epidemiology, 2006, 41, 911-917.	3.1	43

#	Article	IF	Citations
127	Repeated self-poisoning: increasing severity of self-harm as a predictor of subsequent suicide. British Journal of Psychiatry, 2005, 186, 253-257.	2.8	<b>7</b> 5
128	Mental health and socio-economic variations in Australian suicide. Social Science and Medicine, 2005, 61, 1551-1559.	3.8	74
129	Cancer patients' attitudes towards euthanasia and physician-assisted suicide: The influence of question wording and patients' own definitions on responses. Journal of Bioethical Inquiry, 2005, 2, 82-89.	1.5	25
130	Non-Suicidal Deaths Following Hospital-Treated Self-Poisoning. Australian and New Zealand Journal of Psychiatry, 2005, 39, 101-107.	2.3	22
131	Postcards from the EDge project: randomised controlled trial of an intervention using postcards to reduce repetition of hospital treated deliberate self poisoning. BMJ: British Medical Journal, 2005, 331, 805.	2.3	231
132	Social and Psychiatric Influences on Urban-Rural Differentials in Australian Suicide. Suicide and Life-Threatening Behavior, 2005, 35, 277-290.	1.9	60
133	Clinical Management for Hospital-Treated Deliberate Self-Poisoning: Comparisons between Patients with Major Depression and Borderline Personality Disorder. Australian and New Zealand Journal of Psychiatry, 2005, 39, 266-273.	2.3	8
134	Non-suicidal deaths following hospital-treated self-poisoning. Australian and New Zealand Journal of Psychiatry, 2005, 39, 101-107.	2.3	12
135	Clinical management for hospital-treated deliberate self-poisoning: comparisons between patients with major depression and borderline personality disorder. Australian and New Zealand Journal of Psychiatry, 2005, 39, 266-273.	2.3	1
136	Risk Factors for Suicide and other Deaths Following Hospital Treated Self-Poisoning in Australia. Australian and New Zealand Journal of Psychiatry, 2004, 38, 520-525.	2.3	39
137	Socio-economic differentials in mental disorders and suicide attempts in Australia. British Journal of Psychiatry, 2004, 185, 486-493.	2.8	69
138	Posttraumatic stress disorder among deliberate self-poisoning patients. Journal of Traumatic Stress, 2004, 17, 509-517.	1.8	10
139	Barriers to providing lung-protective ventilation to patients with acute lung injury. Critical Care Medicine, 2004, 32, 1289-1293.	0.9	273
140	Risk factors for suicide and other deaths following hospital treated self-poisoning in Australia. Australian and New Zealand Journal of Psychiatry, 2004, 38, 520-525.	2.3	8
141	Repetition Risk for Adolescent Self-Poisoning: A Multiple Event Survival Analysis. Australian and New Zealand Journal of Psychiatry, 2003, 37, 212-218.	2.3	19
142	Correlates of Youth Suicide Attempters in Australian Community and Clinical Samples. Australian and New Zealand Journal of Psychiatry, 2003, 37, 286-293.	2.3	14
143	Summary Australian and New Zealand Clinical Practice Guideline for the Management of Adult Deliberate Self-Harm (2003). Australasian Psychiatry, 2003, 11, 150-155.	0.7	39
144	Review: evidence is lacking about suicide prevention in young people. Evidence-Based Mental Health, 2003, 6, 121-121.	4.5	0

#	Article	IF	CITATIONS
145	Patterns of Service Use Among Persons With Schizophrenia and Other Psychotic Disorders. Psychiatric Services, 2003, 54, 226-235.	2.0	69
146	Adolescent Self-Poisoning. Crisis, 2003, 24, 79-84.	1.2	20
147	Elderly Patients With Deliberate Self-Poisoning Treated in an Australian General Hospital. International Psychogeriatrics, 2002, 14, 97-105.	1.0	33
148	Can the Edinburgh Risk of Repetition Scale Predict Repetition of Deliberate Self-poisoning in an Australian Clinical Setting?. Suicide and Life-Threatening Behavior, 2002, 32, 230-239.	1.9	20
149	What people say about their general practitioners' treatment of anxiety and depression. Medical Journal of Australia, 2001, 175, S48.	1.7	19
150	Lithium Toxicity: An latrogenic Problem in Susceptible Individuals. Australian and New Zealand Journal of Psychiatry, 2001, 35, 833-840.	2.3	102
151	Shortfall in mental health service utilisation. British Journal of Psychiatry, 2001, 179, 417-425.	2.8	342
152	Repetition of deliberate selfâ€poisoning in an Australian hospitalâ€treated population. Medical Journal of Australia, 1999, 170, 307-311.	1.7	38
153	Preventing suicide: what will work and what will not. Medical Journal of Australia, 1999, 170, 620-620.	1.7	9
154	Features and Toxicokinetics of Clozapine in Overdose. Therapeutic Drug Monitoring, 1998, 20, 92-97.	2.0	41
155	Psychosocial sequelae of the 1989 Newcastle earthquake: II. Exposure and morbidity profiles during the first 2 years post-disaster. Psychological Medicine, 1997, 27, 167-178.	4.5	146
156	Psychosocial sequelae of the 1989 Newcastle earthquake: III. Role of vulnerability factors in post-disaster morbidity. Psychological Medicine, 1997, 27, 179-190.	4.5	105
157	A model for the management of selfâ€poisoning. Medical Journal of Australia, 1997, 167, 142-146.	1.7	82
158	Drug-Induced Delirium. Drug Safety, 1996, 15, 291-301.	3.2	47
159	Stress debriefing and patterns of recovery following a natural disaster. Journal of Traumatic Stress, 1996, 9, 37-49.	1.8	120
160	Stress debriefing and patterns of recovery following a natural disaster. Journal of Traumatic Stress, 1996, 9, 37-49.	1.8	49
161	Psychosocial sequelae of the 1989 Newcastle earthquake: I. Community disaster experiences and psychological morbidity 6 months post-disaster. Psychological Medicine, 1995, 25, 539-555.	4.5	131
162	Antidepressants and suicide. BMJ: British Medical Journal, 1995, 311, 55-55.	2.3	0

#	Article	IF	CITATIONS
163	Patterns of service utilisation following the 1989 Newcastle earthquake: findings from Phase 1 of the Quake Impact Study. Australian Journal of Public Health, 1992, 16, 360-369.	0.2	28