

Lucio Frydman

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1536943/publications.pdf>

Version: 2024-02-01

227
papers

10,454
citations

44069

48
h-index

40979

93
g-index

242
all docs

242
docs citations

242
times ranked

5587
citing authors

#	ARTICLE	IF	CITATIONS
1	<i>i</i> -Driven dynamic nuclear polarization for sensitizing high field solution state NMR. Physical Chemistry Chemical Physics, 2022, 24, 2118-2125.	2.8	6
2	On the potential of Fourier-encoded saturation transfers for sensitizing solid-state magic-angle spinning NMR experiments. Journal of Chemical Physics, 2022, 156, 054201.	3.0	5
3	Time- and site-resolved kinetic NMR for real-time monitoring of off-equilibrium reactions by 2D spectrotemporal correlations. Nature Communications, 2022, 13, 833.	12.8	6
4	¹ H, ¹³ C and ¹⁵ N chemical shift assignment of the stem-loops 5bâ€™%+â€™%oc from the 5â€™-UTR of SARS-CoV-2. Biomolecular NMR Assignments, 2022, , 1.	0.8	0
5	HORRENDOUS NMR: Establishing correlations in solution-state NMR by reinstating non-secular J-coupling terms. Journal of Magnetic Resonance, 2022, 337, 107176.	2.1	0
6	A denoising method for multidimensional magnetic resonance spectroscopy and imaging based on compressed sensing. Journal of Magnetic Resonance, 2022, 338, 107187.	2.1	3
7	Hyperpolarized water as universal sensitivity booster in biomolecular NMR. Nature Protocols, 2022, 17, 1621-1657.	12.0	22
8	Identification of variable stages in murine pancreatic tumors by a multiparametric approach employing hyperpolarized ¹³ C MRSI, ¹ H diffusivity and ¹ H T 1 MRI. NMR in Biomedicine, 2021, 34, e4446.	2.8	7
9	Ultrafast 2D ¹ Hâ€™ ¹ H NMR spectroscopy of DNP-hyperpolarised substrates for the analysis of mixtures. Chemical Communications, 2021, 57, 8035-8038.	4.1	20
10	3D Heteronuclear Magnetization Transfers for the Establishment of Secondary Structures in SARS-CoV-2-Derived RNAs. Journal of the American Chemical Society, 2021, 143, 4942-4948.	13.7	8
11	JMR â€™ A joint farewell/incoming editorial. Journal of Magnetic Resonance, 2021, 325, 106960.	2.1	0
12	Parallel nuclear magnetic resonance spectroscopy. Nature Reviews Methods Primers, 2021, 1, .	21.2	20
13	Magnetization Transfer to Enhance NOE Crossâ€™Peaks among Labile Protons: Applications to Iminoâ€™Imino Sequential Walks in SARSâ€™CoVâ€™2â€™Derived RNAs. Angewandte Chemie, 2021, 133, 11991-11998. ^{2.0}		7
14	Magnetization Transfer to Enhance NOE Crossâ€™Peaks among Labile Protons: Applications to Iminoâ€™Imino Sequential Walks in SARSâ€™CoVâ€™2â€™Derived RNAs. Angewandte Chemie - International Edition, 2021, 60, 11884-11891.	13.8	11
15	High-field solution state DNP using cross-correlations. Journal of Magnetic Resonance, 2021, 326, 106940.	2.1	7
16	Deuterium MRSI characterizations of glucose metabolism in orthotopic pancreatic cancer mouse models. NMR in Biomedicine, 2021, 34, e4569.	2.8	17
17	Simultaneous multi-banding and multi-echo phase encoding for the accelerated acquisition of high-resolution volumetric diffusivity maps by spatiotemporally encoded MRI. Magnetic Resonance Imaging, 2021, 79, 130-139.	1.8	5
18	The Incorporation of Labile Protons into Multidimensional NMR Analyses: Glycan Structures Revisited. Journal of the American Chemical Society, 2021, 143, 8935-8948.	13.7	13

#	ARTICLE	IF	CITATIONS
19	Deuterium Magnetic Resonance Imaging and the Discrimination of Fetoplacental Metabolism in Normal and L-NAME-Induced Preeclamptic Mice. <i>Metabolites</i> , 2021, 11, 376.	2.9	13
20	Improving deuterium metabolic imaging (DMI) signal-to-noise ratio by spectroscopic multi-echo bSSFP: A pancreatic cancer investigation. <i>Magnetic Resonance in Medicine</i> , 2021, 86, 2604-2617.	3.0	19
21	Steady-State Free Precession and Solid-State NMR: How, When, and Why. <i>Journal of Physical Chemistry C</i> , 2021, 125, 1544-1556.	3.1	6
22	Diffusivity in breast malignancies analyzed for $>1000 \text{ s/mm}^2$ at 1 mm in-plane resolutions: Insight from Gaussian and non-Gaussian behaviors. <i>Journal of Magnetic Resonance Imaging</i> , 2021, 53, 1913-1925.	3.45	15
23	Heteronuclear transfers from labile protons in biomolecular NMR: Cross polarization, revisited. <i>Journal of Magnetic Resonance</i> , 2021, 333, 107083.	2.1	3
24	Sensitivity Enhancement by Progressive Saturation of the Proton Reservoir: A Solid-State NMR Analogue of Chemical Exchange Saturation Transfer. <i>Journal of the American Chemical Society</i> , 2021, 143, 19778-19784.	13.7	14
25	The Extended Hadamard Transform: Sensitivity-Enhanced NMR Experiments Among Labile and Non-Labile ^1H s of SARS-CoV-2-derived RNAs. <i>ChemPhysChem</i> , 2021, , .	2.1	2
26	An Efficient, Robust New Scheme for Establishing Broadband Homonuclear Correlations in Biomolecular Solid State NMR. <i>ChemPhysChem</i> , 2020, 21, 284-294.	2.1	13
27	High-resolution diffusion MRI studies of development in pregnant mice visualized by novel spatiotemporal encoding schemes. <i>NMR in Biomedicine</i> , 2020, 33, e4208.	2.8	19
28	Multiparametric classification of subacute ischemic stroke recovery with ultrafast diffusion, ^{23}Na , and MPIO-labeled stem cell MRI at 21.1 T . <i>NMR in Biomedicine</i> , 2020, 33, e4186.	2.8	4
29	Sensitivity enhancement of homonuclear multidimensional NMR correlations for labile sites in proteins, polysaccharides, and nucleic acids. <i>Nature Communications</i> , 2020, 11, 5317.	12.8	20
30	Secondary structure determination of conserved SARS-CoV-2 RNA elements by NMR spectroscopy. <i>Nucleic Acids Research</i> , 2020, 48, 12415-12435.	14.5	125
31	Diffusion and perfusion MRI of normal, preeclamptic and growth-restricted mice models reveal clear fetoplacental differences. <i>Scientific Reports</i> , 2020, 10, 16380.	3.3	3
32	Diffusion tensor distribution imaging of an in vivo mouse brain at ultrahigh magnetic field by spatiotemporal encoding. <i>NMR in Biomedicine</i> , 2020, 33, e4355.	2.8	19
33	High-Resolution 3D in vivo Brain Diffusion Tensor Imaging at Ultrahigh Fields: Following Maturation on Juvenile and Adult Mice. <i>Frontiers in Neuroscience</i> , 2020, 14, 590900.	2.8	8
34	Keeping the magnetic resonance community in touch in times of pandemic, and beyond. <i>Journal of Magnetic Resonance</i> , 2020, 321, 106854.	2.1	0
35	Improving MRI's slice selectivity in the presence of strong, metal-derived inhomogeneities. <i>Magnetic Resonance Imaging</i> , 2020, 69, 71-80.	1.8	1
36	Diffusion-weighted breast MRI of malignancies with submillimeter resolution and immunity to artifacts by spatiotemporal encoding at 3 T . <i>Magnetic Resonance in Medicine</i> , 2020, 84, 1391-1403.	3.0	14

#	ARTICLE	IF	CITATIONS
37	Sensitivity-enhanced three-dimensional and carbon-detected two-dimensional NMR of proteins using hyperpolarized water. <i>Journal of Biomolecular NMR</i> , 2020, 74, 161-171.	2.8	17
38	A 300-fold enhancement of imino nucleic acid resonances by hyperpolarized water provides a new window for probing RNA refolding by 1D and 2D NMR. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 2449-2455.	7.1	29
39	Dynamic T ₂ mapping by multi-spin-echo spatiotemporal encoding. <i>Magnetic Resonance in Medicine</i> , 2020, 84, 895-907.	3.0	9
40	Assessing Site-Specific Enhancements Imparted by Hyperpolarized Water in Folded and Unfolded Proteins by 2D HMQC NMR. <i>Journal of the American Chemical Society</i> , 2020, 142, 9267-9284.	13.7	17
41	The Journal of Magnetic Resonance Golden Jubilee: Looking forward to our next 50 years. <i>Journal of Magnetic Resonance</i> , 2019, 306, 1-2.	2.1	1
42	Enhanced hyperpolarized chemical shift imaging based on a priori segmented information. <i>Magnetic Resonance in Medicine</i> , 2019, 81, 3080-3093.	3.0	9
43	Large volume liquid state scalar Overhauser dynamic nuclear polarization at high magnetic field. <i>Physical Chemistry Chemical Physics</i> , 2019, 21, 21200-21204.	2.8	16
44	A regularized reconstruction pipeline for high-definition diffusion MRI in challenging regions incorporating a per-shot image correction. <i>Magnetic Resonance in Medicine</i> , 2019, 82, 1322-1330.	3.0	21
45	Brain sugar consumption during neuronal activation detected by CEST functional MRI at ultra-high magnetic fields. <i>Scientific Reports</i> , 2019, 9, 4423.	3.3	12
46	Huntingtin's N-Terminus Rearrangements in the Presence of Membranes: A Joint Spectroscopic and Computational Perspective. <i>ACS Chemical Neuroscience</i> , 2019, 10, 472-481.	3.5	18
47	Natural Abundance, Single-Scan ¹³ C-Based Structural Elucidations by Dissolution DNP NMR. <i>Journal of the American Chemical Society</i> , 2019, 141, 1857-1861.	13.7	10
48	Placental physiology monitored by hyperpolarized dynamic ¹³ C magnetic resonance. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E2429-E2436.	7.1	24
49	Phase-encoded xSPEN: A novel high-resolution volumetric alternative to RARE MRI. <i>Magnetic Resonance in Medicine</i> , 2018, 80, 1492-1506.	3.0	17
50	A quasi-optical and corrugated waveguide microwave transmission system for simultaneous dynamic nuclear polarization NMR on two separate 14.1 T spectrometers. <i>Journal of Magnetic Resonance</i> , 2018, 289, 35-44.	2.1	49
51	High-Resolution 2D NMR of Disordered Proteins Enhanced by Hyperpolarized Water. <i>Analytical Chemistry</i> , 2018, 90, 6169-6177.	6.5	36
52	Multiple-coil k-space interpolation enhances resolution in single-shot spatiotemporal MRI. <i>Magnetic Resonance in Medicine</i> , 2018, 79, 796-805.	3.0	16
53	Partial Fourier techniques in single-shot cross-term spatiotemporal encoded MRI. <i>Magnetic Resonance in Medicine</i> , 2018, 79, 1506-1514.	3.0	3
54	Sensitivity-enhanced detection of non-labile proton and carbon NMR spectra on water resonances. <i>Physical Chemistry Chemical Physics</i> , 2018, 20, 56-62.	2.8	9

#	ARTICLE	IF	CITATIONS
55	Cover Image, Volume 31, Issue 11. NMR in Biomedicine, 2018, 31, e3827.	2.8	0
56	Brain investigations of rodent disease models by chemical exchange saturation transfer at 21.1%T. NMR in Biomedicine, 2018, 31, e3995.	2.8	9
57	Identification and Rationalization of Kinetic Folding Intermediates for a Low-Density Lipoprotein Receptor Ligand-Binding Module. Biochemistry, 2018, 57, 4776-4787.	2.5	4
58	Broadband adiabatic inversion cross-polarization phenomena in the NMR of rotating solids. Solid State Nuclear Magnetic Resonance, 2018, 94, 31-53.	2.3	10
59	Looped-PROjected Spectroscopy (L-PROSY): A simple approach to enhance backbone/sidechain cross-peaks in 1H NMR. Journal of Magnetic Resonance, 2018, 294, 169-180.	2.1	19
60	Single-scan MRI with exceptional resilience to field heterogeneities. Magnetic Resonance in Medicine, 2017, 77, 623-634.	3.0	20
61	Reducing SAR requirements in multislice volumetric single-shot spatiotemporal MRI by two-dimensional RF pulses. Magnetic Resonance in Medicine, 2017, 77, 1959-1965.	3.0	6
62	Transverse relaxation of selectively excited metabolites in stroke at 21.1%T. Magnetic Resonance in Medicine, 2017, 77, 520-528.	3.0	11
63	Efficient spectroscopic imaging by an optimized encoding of pretargeted resonances. Magnetic Resonance in Medicine, 2017, 77, 511-519.	3.0	1
64	Robust diffusion tensor imaging by spatiotemporal encoding: Principles and in vivo demonstrations. Magnetic Resonance in Medicine, 2017, 77, 1124-1133.	3.0	25
65	Structure and Dynamics of the Huntingtin Exon-1 N-Terminus: A Solution NMR Perspective. Journal of the American Chemical Society, 2017, 139, 1168-1176.	13.7	56
66	Heteronuclear 1D and 2D NMR Resonances Detected by Chemical Exchange Saturation Transfer to Water. Angewandte Chemie - International Edition, 2017, 56, 3521-3525.	13.8	10
67	Adiabatic sweep cross-polarization magic-angle-spinning NMR of half-integer quadrupolar spins. Journal of Magnetic Resonance, 2017, 277, 131-142.	2.1	7
68	Heteronuclear 1D and 2D NMR Resonances Detected by Chemical Exchange Saturation Transfer to Water. Angewandte Chemie, 2017, 129, 3575-3579.	2.0	0
69	1H-2H cross-polarization NMR in fast spinning solids by adiabatic sweeps. Journal of Chemical Physics, 2017, 146, 104201.	3.0	11
70	A discrete Fourier-encoded, diagonal-free experiment to simplify homonuclear 2D NMR correlations. Journal of Chemical Physics, 2017, 147, 034201.	3.0	2
71	Internal gradient distributions: A susceptibility-derived tensor delivering morphologies by magnetic resonance. Scientific Reports, 2017, 7, 3311.	3.3	12
72	A fast approach to 3D HSQC-based spectroscopy based on a Fourier phase encoding of pre-targeted resonances. Journal of Magnetic Resonance, 2017, 274, 95-102.	2.1	3

#	ARTICLE	IF	CITATIONS
73	Relaxation-Assisted Separation of Overlapping Patterns in Ultra-Wideline NMR Spectra. <i>Journal of Physical Chemistry A</i> , 2017, 121, 51-65.	2.5	15
74	Diffusion MRI measurements in challenging head and brain regions via cross-term spatiotemporally encoding. <i>Scientific Reports</i> , 2017, 7, 18010.	3.3	13
75	Distinguishing neuronal from astrocytic subcellular microstructures using in vivo Double Diffusion Encoded 1H MRS at 21.1 T. <i>PLoS ONE</i> , 2017, 12, e0185232.	2.5	24
76	Removing silicone artifacts in diffusion-weighted breast MRI by means of shift-resolved spatiotemporally encoding. <i>Magnetic Resonance in Medicine</i> , 2016, 75, 2064-2071.	3.0	10
77	Interleaved multishot imaging by spatiotemporal encoding: A fast, self-referenced method for high-definition diffusion and functional MRI. <i>Magnetic Resonance in Medicine</i> , 2016, 75, 1935-1948.	3.0	27
78	Toward 20Â magnetic resonance for human brain studies: opportunities for discovery and neuroscience rationale. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2016, 29, 617-639.	2.0	66
79	Nuclear hyperpolarization comes of age. <i>Journal of Magnetic Resonance</i> , 2016, 264, 1-2.	2.1	17
80	Acquiring and processing ultrafast biomolecular 2D NMR experiments using a referenced-based correction. <i>Journal of Biomolecular NMR</i> , 2016, 66, 141-157.	2.8	6
81	Sculpting 3D spatial selectivity with pairs of 2D pulses: A comparison of methods. <i>Journal of Magnetic Resonance</i> , 2016, 273, 9-18.	2.1	1
82	On The Potential of Dynamic Nuclear Polarization Enhanced Diamonds in Solid-State and Dissolution ¹³ Câ€NMR Spectroscopy. <i>ChemPhysChem</i> , 2016, 17, 2611-2611.	2.1	1
83	Following Metabolism in Living Microorganisms by Hyperpolarized ¹ H NMR. <i>Journal of the American Chemical Society</i> , 2016, 138, 12278-12286.	13.7	18
84	On The Potential of Dynamic Nuclear Polarization Enhanced Diamonds in Solidâ€State and Dissolution ¹³ Câ€NMR Spectroscopy. <i>ChemPhysChem</i> , 2016, 17, 2691-2701.	2.1	21
85	Multidimensional J-driven NMR correlations by single-scan offset-encoded recoupling. <i>Journal of Magnetic Resonance</i> , 2016, 265, 33-44.	2.1	3
86	Optimizing water hyperpolarization and dissolution for sensitivity-enhanced 2D biomolecular NMR. <i>Journal of Magnetic Resonance</i> , 2016, 264, 49-58.	2.1	44
87	HyperBIRD: A Sensitivityâ€Enhanced Approach to Collecting Homonuclearâ€Decoupled Proton NMR Spectra. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 594-598.	13.8	12
88	Ultrafast in vivo diffusion imaging of stroke at 21.1 T by spatiotemporal encoding. <i>Magnetic Resonance in Medicine</i> , 2015, 73, 1483-1489.	3.0	15
89	Multidimensional ¹ H NMR spectroscopy in a single scan. <i>Magnetic Resonance in Chemistry</i> , 2015, 53, 971-985.	1.9	16
90	Facing and Overcoming Sensitivity Challenges in Biomolecular NMR Spectroscopy. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 9162-9185.	13.8	258

#	ARTICLE	IF	CITATIONS
91	Size Distribution Imaging by Non-Uniform Oscillating-Gradient Spin Echo (NOGSE) MRI. PLoS ONE, 2015, 10, e0133201.	2.5	32
92	Single-Sided Stray-Field NMR Profiling Using Chirped Radiofrequency Pulses. Applied Magnetic Resonance, 2015, 46, 909-919.	1.2	3
93	Correcting surface coil excitation inhomogeneities in single-shot SPEN MRI. Journal of Magnetic Resonance, 2015, 259, 199-206.	2.1	5
94	Local and bulk ¹³ C hyperpolarization in nitrogen-vacancy-centred diamonds at variable fields and orientations. Nature Communications, 2015, 6, 8456.	12.8	83
95	Hyperpolarized NMR of plant and cancer cell extracts at natural abundance. Analyst, The, 2015, 140, 5860-5863.	3.5	87
96	fMRI contrast at high and ultrahigh magnetic fields: Insight from complementary methods. NeuroImage, 2015, 113, 37-43.	4.2	21
97	Cross-polarization phenomena in the NMR of fast spinning solids subject to adiabatic sweeps. Journal of Chemical Physics, 2015, 142, 064201.	3.0	14
98	MRSI via fully-refocused spatiotemporal encoding with polychromatic spectral pulses. Journal of Magnetic Resonance, 2015, 259, 24-31.	2.1	4
99	Overcoming limitations in diffusion-weighted MRI of breast by spatiotemporal encoding. Magnetic Resonance in Medicine, 2015, 73, 2163-2173.	3.0	34
100	Diffusion-assisted selective dynamical recoupling: A new approach to measure background gradients in magnetic resonance. Journal of Chemical Physics, 2014, 140, 084205.	3.0	11
101	Reducing acquisition times in multidimensional NMR with a time-optimized Fourier encoding algorithm. Journal of Chemical Physics, 2014, 141, 194201.	3.0	17
102	Parametric analysis of the spatial resolution and signal-to-noise ratio in super-resolved spatiotemporally encoded (SPEN) MRI. Magnetic Resonance in Medicine, 2014, 72, 418-429.	3.0	28
103	Major mouse placental compartments revealed by diffusion-weighted MRI, contrast-enhanced MRI, and fluorescence imaging. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 10353-10358.	7.1	44
104	Metabolic properties in stroked rats revealed by relaxation-enhanced magnetic resonance spectroscopy at ultrahigh fields. Nature Communications, 2014, 5, 4958.	12.8	53
105	Chirped CPMG for well-logging NMR applications. Journal of Magnetic Resonance, 2014, 242, 197-202.	2.1	27
106	In vivo single-shot ¹³ C spectroscopic imaging of hyperpolarized metabolites by spatiotemporal encoding. Journal of Magnetic Resonance, 2014, 240, 8-15.	2.1	38
107	Super-resolved parallel MRI by spatiotemporal encoding. Magnetic Resonance Imaging, 2014, 32, 60-70.	1.8	25
108	On the Potential of Hyperpolarized Water in Biomolecular NMR Studies. Journal of Physical Chemistry B, 2014, 118, 3281-3290.	2.6	63

#	ARTICLE	IF	CITATIONS
109	Homonuclear Decoupling of ¹ H Dipolar Interactions in Solids by means of Heteronuclear Recoupling. <i>Israel Journal of Chemistry</i> , 2014, 54, 154-162.	2.3	2
110	Heteronuclear Cross-Relaxation Effects in the NMR Spectroscopy of Hyperpolarized Targets. <i>ChemPhysChem</i> , 2014, 15, 436-443.	2.1	17
111	Ultrafast 2D NMR: An Emerging Tool in Analytical Spectroscopy. <i>Annual Review of Analytical Chemistry</i> , 2014, 7, 129-161.	5.4	141
112	Metabolic T ₁ Dynamics and Longitudinal Relaxation Enhancement <i>In Vivo</i> at Ultrahigh Magnetic Fields on Ischemia. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2014, 34, 1810-1817.	4.3	10
113	Simultaneous spatial and spectral selectivity by spatiotemporal encoding. <i>Magnetic Resonance in Medicine</i> , 2014, 71, 746-755.	3.0	4
114	New spatiotemporal approaches for fully refocused, multislice ultrafast 2D MRI. <i>Magnetic Resonance in Medicine</i> , 2014, 71, 711-722.	3.0	54
115	Referenceless reconstruction of spatiotemporally encoded imaging data: Principles and applications to real-time MRI. <i>Magnetic Resonance in Medicine</i> , 2014, 72, 1687-1695.	3.0	41
116	Hyperpolarized Functional Magnetic Resonance of Murine Skeletal Muscle Enabled by Multiple Tracer-Paradigm Synchronizations. <i>PLoS ONE</i> , 2014, 9, e96399.	2.5	10
117	Ultrafast NMR <i>T₁</i> Relaxation Measurements: Probing Molecular Properties in Real Time. <i>ChemPhysChem</i> , 2013, 14, 3138-3145.	2.1	40
118	Coherent Dynamical Recoupling of Diffusion-Driven Decoherence in Magnetic Resonance. <i>Physical Review Letters</i> , 2013, 111, 080404.	7.8	24
119	Two-dimensional RF pulses: A new approach to selectively exciting J-coupled spins in nuclear magnetic resonance. <i>Journal of Chemical Physics</i> , 2013, 139, 144204.	3.0	3
120	Multidimensional excitation pulses based on spatiotemporal encoding concepts. <i>Journal of Magnetic Resonance</i> , 2013, 226, 22-34.	2.1	26
121	Measuring small compartment dimensions by probing diffusion dynamics via Non-uniform Oscillating-Gradient Spin-Echo (NOGSE) NMR. <i>Journal of Magnetic Resonance</i> , 2013, 237, 49-62.	2.1	34
122	Diffusion weighted MRI by spatiotemporal encoding: Analytical description and in vivo validations. <i>Journal of Magnetic Resonance</i> , 2013, 232, 76-86.	2.1	44
123	Multiple Parallel 2D...NMR Acquisitions in a Single Scan. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 4152-4155.	13.8	29
124	Alleviating artifacts in 1H MRI thermometry by single scan spatiotemporal encoding. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2013, 26, 477-490.	2.0	7
125	In vivo 3D spatial/1D spectral imaging by spatiotemporal encoding: A new single-shot experimental and processing approach. <i>Magnetic Resonance in Medicine</i> , 2013, 70, 382-391.	3.0	25
126	In vivo magnetic resonance of hyperpolarized [¹³ C ₁]pyruvate: metabolic dynamics in stimulated muscle. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2013, 305, E1165-E1171.	3.5	8

#	ARTICLE	IF	CITATIONS
127	Bulk Nuclear Polarization Enhanced at Room Temperature by Optical Pumping. <i>Physical Review Letters</i> , 2013, 111, 057601.	7.8	106
128	Rapid Acquisition of ¹⁴ N Solid-State NMR Spectra with Broadband Cross Polarization. <i>Chemistry - A European Journal</i> , 2013, 19, 16469-16475.	3.3	42
129	Longitudinal Relaxation Enhancement in ¹ H NMR Spectroscopy of Tissue Metabolites via Spectrally Selective Excitation. <i>Chemistry - A European Journal</i> , 2013, 19, 13002-13008.	3.3	25
130	Controlling Spin-Spin Network Dynamics by Repeated Projective Measurements. <i>Physical Review Letters</i> , 2012, 108, 140403.	7.8	15
131	Shift-driven modulations of spin-echo signals. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 5958-5961.	7.1	18
132	Fully refocused multi-shot spatiotemporally encoded MRI: robust imaging in the presence of metallic implants. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2012, 25, 433-442.	2.0	12
133	Monitoring Mechanistic Details in the Synthesis of Pyrimidines via Real-Time, Ultrafast Multidimensional NMR Spectroscopy. <i>Journal of the American Chemical Society</i> , 2012, 134, 2706-2715.	13.7	56
134	Broadband adiabatic inversion pulses for cross polarization in wideline solid-state NMR spectroscopy. <i>Journal of Magnetic Resonance</i> , 2012, 224, 38-47.	2.1	103
135	Functional MRI using super-resolved spatiotemporal encoding. <i>Magnetic Resonance Imaging</i> , 2012, 30, 1401-1408.	1.8	24
136	Toward single-shot pure-shift solution ¹ H NMR by trains of BIRD-based homonuclear decoupling. <i>Journal of Magnetic Resonance</i> , 2012, 218, 141-146.	2.1	128
137	Factors Affecting DNP NMR in Polycrystalline Diamond Samples. <i>Journal of Physical Chemistry C</i> , 2011, 115, 19041-19048.	3.1	72
138	Dissolution DNP NMR with solvent mixtures: Substrate concentration and radical extraction. <i>Journal of Magnetic Resonance</i> , 2011, 211, 96-100.	2.1	47
139	Spatiotemporal encoding as a robust basis for fast three-dimensional <i>in vivo</i> MRI. <i>NMR in Biomedicine</i> , 2011, 24, 1191-1201.	2.8	44
140	Kinetics from Indirectly Detected Hyperpolarized NMR Spectroscopy by Using Spatially Selective Coherence Transfers. <i>Chemistry - A European Journal</i> , 2011, 17, 697-703.	3.3	30
141	Sensitizing solid state nuclear magnetic resonance of dilute nuclei by spin-diffusion assisted polarization transfers. <i>Journal of Chemical Physics</i> , 2011, 135, 134202.	3.0	11
142	Perfect state transfers by selective quantum interferences within complex spin networks. <i>Physical Review A</i> , 2010, 81, .	2.5	31
143	¹ H NMR noise measurements in hyperpolarized liquid samples. <i>Chemical Physics Letters</i> , 2010, 489, 107-112.	2.6	21
144	Super-resolved spatially encoded single-scan 2D MRI. <i>Magnetic Resonance in Medicine</i> , 2010, 63, 1594-1600.	3.0	71

#	ARTICLE	IF	CITATIONS
145	Single-scan multidimensional magnetic resonance. Progress in Nuclear Magnetic Resonance Spectroscopy, 2010, 57, 241-292.	7.5	245
146	High-definition, single-scan 2D MRI in inhomogeneous fields using spatial encoding methods. Magnetic Resonance Imaging, 2010, 28, 77-86.	1.8	73
147	Zeno and Anti-Zeno Polarization Control of Spin Ensembles by Induced Dephasing. Physical Review Letters, 2010, 105, 160401.	7.8	63
148	Native-unlike Long-lived Intermediates along the Folding Pathway of the Amyloidogenic Protein β 2-Microglobulin Revealed by Real-time Two-dimensional NMR. Journal of Biological Chemistry, 2010, 285, 5827-5835.	3.4	55
149	Real-time multidimensional NMR follows RNA folding with second resolution. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 9192-9197.	7.1	98
150	Spatial/spectral encoding of the spin interactions in ultrafast multidimensional NMR. Journal of Chemical Physics, 2009, 131, 224516.	3.0	45
151	Kinetics of hyperpolarized ^{13}C -pyruvate transport and metabolism in living human breast cancer cells. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 18131-18136.	7.1	202
152	Nearly 106-fold enhancements in intermolecular ^1H double-quantum NMR experiments by nuclear hyperpolarization. Journal of Magnetic Resonance, 2009, 200, 142-146.	2.1	32
153	An improved ultrafast 2D NMR experiment: Towards atom-resolved real-time studies of protein kinetics at multi-Hz rates. Journal of Biomolecular NMR, 2009, 43, 1-10.	2.8	38
154	Chemistry awakens a silent giant. Nature Chemistry, 2009, 1, 176-178.	13.6	10
155	Multiple Ultrafast, Broadband 2D NMR Spectra of Hyperpolarized Natural Products. Journal of the American Chemical Society, 2009, 131, 13902-13903.	13.7	101
156	Principles and Progress in Ultrafast Multidimensional Nuclear Magnetic Resonance. Annual Review of Physical Chemistry, 2009, 60, 429-448.	10.8	73
157	Progress in Hyperpolarized Ultrafast 2D NMR Spectroscopy. ChemPhysChem, 2008, 9, 2340-2348.	2.1	93
158	Solid-state single-scan 2D NMR under magic-angle-spinning. Chemical Physics Letters, 2008, 459, 188-193.	2.6	13
159	The effects of molecular diffusion in ultrafast two-dimensional nuclear magnetic resonance. Journal of Chemical Physics, 2008, 128, 164513.	3.0	47
160	Quadrupolar nuclear magnetic resonance spectroscopy in solids using frequency-swept echoing pulses. Journal of Chemical Physics, 2007, 127, 194503.	3.0	107
161	UltraSOFAST HMQC NMR and the Repetitive Acquisition of 2D Protein Spectra at Hz Rates. Journal of the American Chemical Society, 2007, 129, 1372-1377.	13.7	99
162	Single-scan 2D NMR spectroscopy on a 25 T bitter magnet. Chemical Physics Letters, 2007, 442, 478-482.	2.6	23

#	ARTICLE	IF	CITATIONS
163	Spectroscopic imaging from spatially-encoded single-scan multidimensional MRI data. <i>Journal of Magnetic Resonance</i> , 2007, 189, 46-58.	2.1	36
164	Ultrafast two-dimensional nuclear magnetic resonance spectroscopy of hyperpolarized solutions. <i>Nature Physics</i> , 2007, 3, 415-419.	16.7	225
165	Spatially encoded strategies in the execution of biomolecular-oriented 3D NMR experiments. <i>Journal of Biomolecular NMR</i> , 2007, 39, 291-301.	2.8	10
166	Ultrafast Solid-State 2D NMR Experiments via Orientational Encoding. <i>Journal of the American Chemical Society</i> , 2006, 128, 16014-16015.	13.7	15
167	Real-Time Monitoring of Chemical Transformations by Ultrafast 2D NMR Spectroscopy. <i>Journal of the American Chemical Society</i> , 2006, 128, 951-956.	13.7	78
168	Single-scan multidimensional NMR. <i>Comptes Rendus Chimie</i> , 2006, 9, 336-345.	0.5	20
169	Spatial encoding and the single-scan acquisition of high definition MR images in inhomogeneous fields. <i>Journal of Magnetic Resonance</i> , 2006, 182, 179-194.	2.1	63
170	A solid-state ¹³ C NMR analysis of molecular dynamics in aramide polymers. <i>Solid State Nuclear Magnetic Resonance</i> , 2006, 29, 132-141.	2.3	4
171	Ultrafast two-dimensional NMR spectroscopy using constant acquisition gradients. <i>Journal of Chemical Physics</i> , 2006, 125, 204507.	3.0	16
172	Spatially encoded NMR and the acquisition of 2D magnetic resonance images within a single scan. <i>Journal of Magnetic Resonance</i> , 2005, 172, 179-190.	2.1	100
173	Dynamic Effects in MAS and MQMAS NMR Spectra of Half-Integer Quadrupolar Nuclei: Calculations and an Application to the Double Perovskite Cryolite. <i>Journal of the American Chemical Society</i> , 2005, 127, 16701-16712.	13.7	31
174	Sensitivity Enhancement in 1D Heteronuclear NMR Spectroscopy via Single-Scan Inverse Experiments. <i>ChemPhysChem</i> , 2004, 5, 779-786.	2.1	4
175	Spatial Encoding and the Acquisition of High-Resolution NMR Spectra in Inhomogeneous Magnetic Fields. <i>Journal of the American Chemical Society</i> , 2004, 126, 7184-7185.	13.7	60
176	Real-Time 2D NMR Identification of Analytes Undergoing Continuous Chromatographic Separation. <i>Journal of the American Chemical Society</i> , 2004, 126, 1262-1265.	13.7	39
177	Sub-second 2D NMR Spectroscopy at Sub-millimolar Concentrations. <i>Journal of the American Chemical Society</i> , 2004, 126, 11756-11757.	13.7	15
178	Principles and Features of Single-Scan Two-Dimensional NMR Spectroscopy. <i>Journal of the American Chemical Society</i> , 2003, 125, 9204-9217.	13.7	236
179	Homonuclear NMR Correlations between Half-Integer Quadrupolar Nuclei Undergoing Magic-Angle Spinning. <i>Journal of Physical Chemistry B</i> , 2003, 107, 14598-14611.	2.6	51
180	Single-Scan NMR Spectroscopy at Arbitrary Dimensions. <i>Journal of the American Chemical Society</i> , 2003, 125, 11385-11396.	13.7	77

#	ARTICLE	IF	CITATIONS
181	Solid State Separated-Local-Field NMR Spectroscopy on Half-Integer Quadrupolar Nuclei: Principles and Applications to Borane Analysis. <i>Journal of the American Chemical Society</i> , 2003, 125, 7451-7460.	13.7	14
182	Relaxation-Assisted Separation of Chemical Sites in NMR Spectroscopy of Static Solids. <i>Journal of the American Chemical Society</i> , 2003, 125, 3376-3383.	13.7	34
183	Second-order quadrupole-shielding effects in magic-angle spinning solid-state nuclear magnetic resonance. <i>Journal of Chemical Physics</i> , 2003, 118, 3131-3140.	3.0	22
184	The acquisition of multidimensional NMR spectra within a single scan. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 15858-15862.	7.1	546
185	Quadrupolar-shielding cross-correlations in solid state nuclear magnetic resonance: Detecting antisymmetric components in chemical shift tensors. <i>Journal of Chemical Physics</i> , 2002, 116, 1551-1561.	3.0	19
186	⁵⁹ Co Solid-State NMR as a New Probe for Elucidating Metal Binding in Polynucleotides. <i>Journal of the American Chemical Society</i> , 2002, 124, 4458-4462.	13.7	18
187	Solid-State ¹³ C NMR of Liquid Crystalline Polyesters: Variations in Morphology, Alignment, and Dynamics within a Homologous Series. <i>Macromolecules</i> , 2002, 35, 3544-3552.	4.8	14
188	High Resolution 3D Exchange NMR Spectroscopy and the Mapping of Connectivities between Half-integer Quadrupolar Nuclei. <i>Journal of the American Chemical Society</i> , 2002, 124, 9708-9709.	13.7	36
189	Separate-Local-Field NMR Spectroscopy on Half-Integer Quadrupolar Nuclei. <i>Journal of the American Chemical Society</i> , 2002, 124, 13344-13345.	13.7	14
190	Dynamic Effects on the Powder Line Shapes of Half-Integer Quadrupolar Nuclei: A Solid-State NMR Study of XO ₄ ⁻ Groups. <i>Journal of Physical Chemistry A</i> , 2002, 106, 51-62.	2.5	100
191	A variable-director ¹³ C NMR analysis of lyotropic amide solutions. <i>Journal of Chemical Physics</i> , 2001, 114, 5415-5424.	3.0	4
192	Heteronuclear Recoupling in Solid-State Magic-Angle-Spinning NMR via Overtone Irradiation. <i>Journal of the American Chemical Society</i> , 2001, 123, 10354-10361.	13.7	23
193	SPIN-1/2 AND BEYOND: A Perspective in Solid State NMR Spectroscopy. <i>Annual Review of Physical Chemistry</i> , 2001, 52, 463-498.	10.8	66
194	Residual dipolar couplings between quadrupolar nuclei in solid state nuclear magnetic resonance at arbitrary fields. <i>Journal of Chemical Physics</i> , 2001, 114, 8511-8519.	3.0	33
195	Quadrupolar-driven recoupling of homonuclear dipolar interactions in the nuclear magnetic resonance of rotating solids. <i>Journal of Chemical Physics</i> , 2001, 114, 4116-4123.	3.0	40
196	Residual dipolar couplings between quadrupolar nuclei in high resolution solid state NMR: Description and observations in the high-field limit. <i>Journal of Chemical Physics</i> , 2000, 112, 3248-3261.	3.0	74
197	Fast radio-frequency amplitude modulation in multiple-quantum magic-angle-spinning nuclear magnetic resonance: Theory and experiments. <i>Journal of Chemical Physics</i> , 2000, 112, 2377-2391.	3.0	90
198	A Multinuclear Solid-State NMR Analysis of Vitamin B ₁₂ in Its Different Polymorphic Forms. <i>Journal of the American Chemical Society</i> , 2000, 122, 684-691.	13.7	34

#	ARTICLE	IF	CITATIONS
199	Solid-State ²⁵ Mg NMR of a Magnesium(II) Adenosine 5'-Triphosphate Complex. Journal of the American Chemical Society, 2000, 122, 11743-11744.	13.7	55
200	Multiple - quantum magic - angle spinning NMR: a new technique for probing quadrupolar nuclei in solids. Journal of the Brazilian Chemical Society, 1999, 10, 263.	0.6	41
201	A density matrix description of ¹⁴ N overtone nuclear magnetic resonance in static and spinning solids. Journal of Chemical Physics, 1999, 110, 3100-3112.	3.0	28
202	Sensitivity enhancement of the MQMAS NMR experiment by fast amplitude modulation of the pulses. Chemical Physics Letters, 1999, 307, 41-47.	2.6	213
203	Quadrupolar and Chemical Shift Tensors Characterized by 2D Multiple-Quantum NMR Spectroscopy. Journal of Magnetic Resonance, 1999, 138, 298-307.	2.1	19
204	The Influence of Monomer Structures on the Liquid Crystalline Order of Aramide Polymers: An NMR Analysis. Journal of Physical Chemistry B, 1999, 103, 9505-9511.	2.6	4
205	Central Transition Nuclear Magnetic Resonance in the Presence of Large Quadrupole Couplings: Cobalt-59 Nuclear Magnetic Resonance of Cobaltophthalocyanines. Journal of Physical Chemistry A, 1999, 103, 4830-4835.	2.5	96
206	Order Determinations in Liquid Crystals by Dynamic Director NMR Spectroscopy. Journal of the American Chemical Society, 1998, 120, 2178-2179.	13.7	18
207	NMR Analyses of Order and Dynamics in Poly(p-Benzamide)/Sulfuric Acid Solutions. Macromolecules, 1997, 30, 5416-5428.	4.8	12
208	⁵⁹ Co NMR Studies of Diamagnetic Porphyrin Complexes in the Solid Phase. Journal of Physical Chemistry B, 1997, 101, 8959-8966.	2.6	27
209	Orientational alignment in solids from bidimensional isotropic-anisotropic nuclear magnetic resonance spectroscopy: applications to the analysis of aramide fibers. Solid State Nuclear Magnetic Resonance, 1997, 7, 301-311.	2.3	6
210	On the origin of spinning sidebands in MQMAS NMR experiments. Chemical Physics Letters, 1997, 275, 188-198.	2.6	53
211	Dipolar Determinations in Solids by Relaxation-Assisted NMR Recoupling. Journal of the American Chemical Society, 1996, 118, 9786-9787.	13.7	27
212	Multi-rank nuclear magnetic resonance studies of half-integer quadrupolar nuclei in solids by three-dimensional dynamic-angle correlation spectroscopy. Journal of Chemical Physics, 1996, 104, 5374-5383.	3.0	22
213	Optimized multiple-quantum magic-angle spinning NMR experiments on half-integer quadrupoles. Chemical Physics Letters, 1996, 259, 347-355.	2.6	185
214	Pulsed-gradient spin-echo measurements of anisotropic diffusion by dipole-decoupled ¹³ C nuclear magnetic resonance. Solid State Nuclear Magnetic Resonance, 1995, 4, 301-307.	2.3	7
215	Isotropic Spectra of Half-Integer Quadrupolar Spins from Bidimensional Magic-Angle Spinning NMR. Journal of the American Chemical Society, 1995, 117, 5367-5368.	13.7	1,211
216	Multiple-Quantum Magic-Angle Spinning NMR: A New Method for the Study of Quadrupolar Nuclei in Solids. Journal of the American Chemical Society, 1995, 117, 12779-12787.	13.7	825

#	ARTICLE	IF	CITATIONS
217	Non-Cartesian sampling schemes and the acquisition of 2D NMR correlation spectra from single-scan experiments. <i>Chemical Physics Letters</i> , 1994, 222, 371-377.	2.6	14
218	<i>Chemical Physics</i> , 1992, 97, 4800-4808.	3.0	133
219	Correlation of Isotropic and Anisotropic Chemical Shifts in Solids by Two-Dimensional Variable-Angle-Spinning NMR. <i>Israel Journal of Chemistry</i> , 1992, 32, 161-164.	2.3	37
220	A line shape analysis of the effects introduced by motions in the nuclear magnetic resonance spectra of decoupled solids. <i>Journal of Chemical Physics</i> , 1990, 92, 1620-1626.	3.0	6
221	A13C solid-state NMR study of the structure and the dynamics of the polymorphs of sulphanilamide. <i>Molecular Physics</i> , 1990, 70, 563-579.	1.7	17
222	A carbon-13 NMR study of the arene-olefin valence tautomerism of 1,6-methano[10]annulenes in the solid phase. <i>Journal of the American Chemical Society</i> , 1990, 112, 6472-6476.	13.7	13
223	Concerning the crystal structure of porphine: a proton pulsed and carbon-13 cross-polarization/magic-angle-spinning NMR study. <i>Journal of the American Chemical Society</i> , 1989, 111, 7001-7005.	13.7	33
224	High-resolution solid-state carbon-13 NMR spectra of porphine and 5,10,15-20-tetraalkylporphyrins: implications for the nitrogen-hydrogen tautomerization process. <i>Journal of the American Chemical Society</i> , 1988, 110, 336-342.	13.7	54
225	A variable-temperature solid-state carbon-13 CPMAS NMR analysis of meso-tetrapropylporphyrin and of octaethylporphyrin. <i>Journal of the American Chemical Society</i> , 1988, 110, 5651-5661.	13.7	42
226	Solid State NMR of Drugs: Soluble Aspirin. <i>Analytical Letters</i> , 1987, 20, 1657-1666.	1.8	14
227	Quadrupolar Isotope-Correlation Spectroscopy in Solid-State NMR. <i>Journal of Physical Chemistry C</i> , 0, , .	3.1	1