

# Dapeng Zhang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1538972/publications.pdf>

Version: 2024-02-01

63  
papers

1,774  
citations

257450

24  
h-index

315739

38  
g-index

64  
all docs

64  
docs citations

64  
times ranked

1597  
citing authors

#	ARTICLE	IF	CITATIONS
1	The chromosome-level rambutan genome reveals a significant role of segmental duplication in the expansion of resistance genes. Horticulture Research, 2022, 9, .	6.3	2
2	Fruit Morphology Measurements of Jujube Cultivar "Lingwu Changzao"™ (Ziziphus jujuba Mill. cv.)	2.8	9
3	Selecting a core set of nuclear SNP markers for molecular characterization of Arabica coffee (Coffea	1.0784314	10
4	The chromosome-level genome of dragon fruit reveals whole-genome duplication and chromosomal co-localization of betacyanin biosynthetic genes. Horticulture Research, 2021, 8, 63.	6.3	25
5	Traditional varieties of cacao (&em&gt;Theobroma cacao&em&gt;) in Madagascar: their origin and dispersal revealed by SNP markers. Beverage Plant Research, 2021, 1, 1-7.	1.9	7
6	Mining Single Nucleotide Polymorphism (SNP) Markers for Accurate Genotype Identification and Diversity Analysis of Chinese Jujube (Ziziphus jujuba Mill.) Germplasm. Agronomy, 2021, 11, 2303.	3.0	7
7	Selecting SNP markers reflecting population origin for cacao (&i&gt;Theobroma cacao&i&gt; L.) germplasm identification. Beverage Plant Research, 2021, 1, 1-9.	1.9	5
8	Widely distributed variation in tolerance to Phytophthora palmivora in four genetic groups of cacao. Tree Genetics and Genomes, 2020, 16, 1.	1.6	15
9	Accurate Differentiation of Green Beans of Arabica and Robusta Coffee Using Nanofluidic Array of Single Nucleotide Polymorphism (SNP) Markers. Journal of AOAC INTERNATIONAL, 2020, 103, 315-324.	1.5	12
10	Molecular Characterization of a Cacao Germplasm Collection Maintained in Yunnan, China Using Single Nucleotide Polymorphism (SNP) Markers. Tropical Plant Biology, 2020, 13, 359-370.	1.9	9
11	Effectiveness of Single Nucleotide Polymorphism Markers in Genotyping Germplasm Collections of Coffea canephora Using KASP Assay. Frontiers in Plant Science, 2020, 11, 612593.	3.6	17
12	Elevated temperature and drought stress significantly affect fruit quality and activity of anthocyanin-related enzymes in jujube (Ziziphus jujuba Mill. cv. "Lingwuchangzao"™). PLoS ONE, 2020, 15, e0241491.	2.5	34
13	Genetic identity and origin of "Piura Porcelana" a fine-flavored traditional variety of cacao (Theobroma cacao) from the Peruvian Amazon. Tree Genetics and Genomes, 2019, 15, 1.	1.6	21
14	Quality Green Tea (Camellia sinensis L.) Clones Marked through Novel Traits. Beverages, 2019, 5, 63.	2.8	8
15	Genetic identity and diversity of Nigerian cacao genebank collections verified by single nucleotide polymorphisms (SNPs): a guide to field genebank management and utilization. Tree Genetics and Genomes, 2018, 14, 1.	1.6	22
16	Assessing hidden parentage and genetic integrity of the "United Fruit Clones" of cacao (Theobroma	1.9	8
17	Molecular Characterization of Cacao (Theobroma cacao) Germplasm from Jamaica Using Single Nucleotide Polymorphism (SNP) Markers. Tropical Plant Biology, 2018, 11, 93-106.	1.9	13
18	Conserving and exploiting cocoa genetic resources: the key challenges. Burleigh Dodds Series in Agricultural Science, 2018, , 19-46.	0.2	4

#	ARTICLE	IF	CITATIONS
19	Identification of the varietal origin of processed loose-leaf tea based on analysis of a single leaf by SNP nanofluidic array. <i>Crop Journal</i> , 2016, 4, 304-312.	5.2	19
20	Developing Single Nucleotide Polymorphism (SNP) Markers for the Identification of Coffee Germplasm. <i>Tropical Plant Biology</i> , 2016, 9, 82-95.	1.9	34
21	Association mapping of seed and disease resistance traits in <i>Theobroma cacao</i> L.. <i>Planta</i> , 2016, 244, 1265-1276.	3.2	30
22	Origin, Dispersal, and Current Global Distribution of Cacao Genetic Diversity. , 2016, , 3-31.		35
23	Developing single nucleotide polymorphism markers for the identification of pineapple ( <i>Ananas</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock	6.3	27
24	Developing single nucleotide polymorphism (SNP) markers from transcriptome sequences for identification of longan ( <i>Dimocarpus longan</i> ) germplasm. <i>Horticulture Research</i> , 2015, 2, 14065.	6.3	60
25	Genetic diversity and parentage in farmer selections of cacao from Southern Sulawesi, Indonesia revealed by microsatellite markers. <i>Breeding Science</i> , 2015, 65, 438-446.	1.9	20
26	Combination of RNAseq and SNP nanofluidic array reveals the center of genetic diversity of cacao pathogen <i>Moniliophthora roreri</i> in the upper Magdalena Valley of Colombia and its clonality. <i>Frontiers in Microbiology</i> , 2015, 6, 850.	3.5	20
27	The impact of SNP fingerprinting and parentage analysis on the effectiveness of variety recommendations in cacao. <i>Tree Genetics and Genomes</i> , 2015, 11, 1.	1.6	35
28	Macro and Micro Nutrient Uptake Parameters and Use Efficiency in Cacao Genotypes as Influenced by Levels of Soil Applied K. <i>International Journal of Plant &amp; Soil Science</i> , 2015, 7, 80-90.	0.2	6
29	Genetic Identity, Ancestry and Parentage in Farmer Selections of Cacao from Aceh, Indonesia Revealed by Single Nucleotide Polymorphism (SNP) Markers. <i>Tropical Plant Biology</i> , 2014, 7, 133-143.	1.9	18
30	Accurate Determination of Genetic Identity for a Single Cacao Bean, Using Molecular Markers with a Nanofluidic System, Ensures Cocoa Authentication. <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 481-487.	5.2	45
31	Differential gene expression by <i>Moniliophthora roreri</i> while overcoming cacao tolerance in the field. <i>Molecular Plant Pathology</i> , 2014, 15, 711-729.	4.2	23
32	Successful pod infections by <i>Moniliophthora roreri</i> result in differential <i>Theobroma cacao</i> gene expression depending on the clone's level of tolerance. <i>Molecular Plant Pathology</i> , 2014, 15, 698-710.	4.2	10
33	Varietal identification of tea ( <i>Camellia sinensis</i> ) using nanofluidic array of single nucleotide polymorphism (SNP) markers. <i>Horticulture Research</i> , 2014, 1, 14035.	6.3	71
34	Microsatellite-aided detection of genetic redundancy improves management of the International Cocoa Genebank, Trinidad. <i>Tree Genetics and Genomes</i> , 2013, 9, 1395-1411.	1.6	22
35	Complex origin of Trinitario-type <i>Theobroma cacao</i> (Malvaceae) from Trinidad and Tobago revealed using plastid genomics. <i>Tree Genetics and Genomes</i> , 2013, 9, 829-840.	1.6	18
36	Dynamic changes in pod and fungal physiology associated with the shift from biotrophy to necrotrophy during the infection of <i>Theobroma cacao</i> by <i>Moniliophthora roreri</i> . <i>Physiological and Molecular Plant Pathology</i> , 2013, 81, 84-96.	2.5	33

#	ARTICLE	IF	CITATIONS
37	Genetic diversity and parentage in farmer varieties of cacao ( <i>Theobroma cacao</i> L.) from Honduras and Nicaragua as revealed by single nucleotide polymorphism (SNP) markers. <i>Genetic Resources and Crop Evolution</i> , 2013, 60, 441-453.	1.6	61
38	Genetic diversity, conservation, and utilization of <i>Theobroma cacao</i> L.: genetic resources in the Dominican Republic. <i>Genetic Resources and Crop Evolution</i> , 2013, 60, 605-619.	1.6	27
39	Physiological Traits and Metabolites of Cacao Seedlings Influenced by Potassium in Growth Medium. <i>American Journal of Plant Sciences</i> , 2013, 04, 1074-1080.	0.8	6
40	Elucidation of genetic identity and population structure of cacao germplasm within an international cacao genebank. <i>Plant Genetic Resources: Characterisation and Utilisation</i> , 2012, 10, 232-241.	0.8	8
41	Ultra-barcoding in cacao ( <i>Theobroma</i> spp.; Malvaceae) using whole chloroplast genomes and nuclear ribosomal DNA. <i>American Journal of Botany</i> , 2012, 99, 320-329.	1.7	228
42	Molecular genetic diversity of <i>Punica granatum</i> L. (pomegranate) as revealed by microsatellite DNA markers (SSR). <i>Gene</i> , 2012, 493, 105-112.	2.2	49
43	Genetic diversity and population structure of <i>Capsicum baccatum</i> genetic resources. <i>Genetic Resources and Crop Evolution</i> , 2012, 59, 517-538.	1.6	49
44	Genetic diversity and spatial structure in a new distinct <i>Theobroma cacao</i> L. population in Bolivia. <i>Genetic Resources and Crop Evolution</i> , 2012, 59, 239-252.	1.6	37
45	Dissecting Genetic Structure in Farmer Selections of <i>Theobroma Cacao</i> in the Peruvian Amazon: Implications for on Farm Conservation and Rehabilitation. <i>Tropical Plant Biology</i> , 2011, 4, 106-116.	1.9	18
46	AFLP Phylogeny of 36 <i>Erythroxylum</i> Species. <i>Tropical Plant Biology</i> , 2011, 4, 126-133.	1.9	8
47	Microsatellite fingerprinting in the International Cocoa Genebank, Trinidad: accession and plot homogeneity information for germplasm management. <i>Plant Genetic Resources: Characterisation and Utilisation</i> , 2011, 9, 430-438.	0.8	16
48	<i>Theobroma</i> . , 2011, , 277-296.		10
49	Microsatellite Fingerprinting of the USDA-ARS Tropical Agriculture Research Station Cacao ( <i>Theobroma cacao</i> L.) Germplasm Collection. <i>Crop Science</i> , 2010, 50, 656-667.	1.8	46
50	The relic Criollo cacao in Belize – genetic diversity and relationship with Trinitario and other cacao clones held in the International Cocoa Genebank, Trinidad. <i>Plant Genetic Resources: Characterisation and Utilisation</i> , 2010, 8, 106-115.	0.8	40
51	Population Structure and Genetic Diversity of the Trinitario Cacao ( <i>Theobroma cacao</i> L.) from Trinidad and Tobago. <i>Crop Science</i> , 2009, 49, 564-572.	1.8	27
52	Molecular characterization of an international cacao collection using microsatellite markers. <i>Tree Genetics and Genomes</i> , 2009, 5, 1-10.	1.6	47
53	Molecular characterization of an earliest cacao ( <i>Theobroma cacao</i> L.) collection from Upper Amazon using microsatellite DNA markers. <i>Tree Genetics and Genomes</i> , 2009, 5, 595-607.	1.6	33
54	Increasing Accuracy and Throughput in Large-Scale Microsatellite Fingerprinting of Cacao Field Germplasm Collections. <i>Tropical Plant Biology</i> , 2009, 2, 23-37.	1.9	21

#	ARTICLE	IF	CITATIONS
55	Microsatellite variation and population structure in the "Refractario" cacao of Ecuador. Conservation Genetics, 2008, 9, 327-337.	1.5	29
56	Diversité et structuration génétiques dans des populations naturelles de cacaoyers (Theobroma) Tj ETQq0 0,0 rgBT /Overlock 10	2.0	22
57	<i>Moniliophthora perniciosa</i> , the causal agent of witches' broom disease of cacao: what's new from this old foe?. Molecular Plant Pathology, 2008, 9, 577-588.	4.2	116
58	Genomics of Theobroma cacao, "the Food of the Gods", 2008, , 145-170.		15
59	Accuracy and Reliability of High-Throughput Microsatellite Genotyping for Cacao Clone Identification. Crop Science, 2006, 46, 2084-2092.	1.8	44
60	A computer simulation study on the number of loci and trees required to estimate genetic variability in cacao (Theobroma cacao L.). Tree Genetics and Genomes, 2006, 2, 152-164.	1.6	4
61	Genetic Diversity and Structure of Managed and Semi-natural Populations of Cocoa (Theobroma) Tj ETQq1 1 0.784314 rgBT /Overlock 41	2.9	41
62	Inter- and Intra-specific Variation among Five Erythroxylum Taxa Assessed by AFLP. Annals of Botany, 2005, 95, 601-608.	2.9	14
63	Relationship between genetic distance based on single nucleotide polymorphism markers and hybrid performance in Robusta coffee ( Coffea canephora ). Plant Breeding, 0, , .	1.9	2