

# Helfried NÃ¶rfe

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1541820/publications.pdf>

Version: 2024-02-01

88  
papers

1,135  
citations

430874

18  
h-index

454955

30  
g-index

91  
all docs

91  
docs citations

91  
times ranked

785  
citing authors

#	ARTICLE	IF	CITATIONS
1	Relationship between the sodium oxide activity of ceramic ( $\text{Na-}\hat{\text{I}}^2 + \hat{\text{I}}^2\text{<sup>\hat{\text{I}}^3\text{</sup>}$ )-alumina and the sodium activity in the ambience of the material. International Journal of Materials Research, 2022, 94, 962-966.	0.3	0
2	Mesoscopically enhanced ion conductionâ€”claim without evidence. Ionics, 2019, 25, 891-895.	2.4	2
3	Comments on "Enhanced ionic conductivity of yttria-stabilized ZrO <sub>2</sub> with natural CuFe-oxide mineral heterogeneous composite for low temperature solid oxide fuel cells, Int. J. Hydrogen Energy 42 (2017) 17495â€”17503". International Journal of Hydrogen Energy, 2019, 44, 27958-27961.	7.1	2
4	Information content of the voltage vs. current curve of a solid oxide fuel cell. Electrochimica Acta, 2019, 294, 365-375.	5.2	1
5	Nanoscale effect on the oxygen ionic conductivity of zirconia/ceria heterostructures. Ionics, 2018, 24, 763-767.	2.4	6
6	Comments on "Ionic transport in (nano)composites for fuel cells, Int. J. Hydrogen Energy 41 (2016) 7666â€”7675â€” International Journal of Hydrogen Energy, 2017, 42, 24587-24589.	7.1	3
7	Cause of "Multi-Ionic Conduction" and "Ionic Conductivity Enhancement" in Carbonate-Based Composite Electrolytes. Electrochimica Acta, 2017, 248, 250-257.	5.2	9
8	Metastable Nanocrystalline Zirconia in Light of the Nucleation Theory. Journal of Physical Chemistry C, 2016, 120, 10523-10529.	3.1	6
9	Conductivity enhancement in carbonate-based composite electrolytes: an ongoing illusion. Ionics, 2016, 22, 297-299.	2.4	10
10	Uphill CO <sub>2</sub> Permeation through an Alkali-Carbonate-Based Composite Membrane. Electrochimica Acta, 2015, 178, 571-573.	5.2	0
11	Conductivity of Alkali Carbonates, Carbonate-Based Composite Electrolytes and IT-SOFC. ECS Journal of Solid State Science and Technology, 2014, 3, N7-N14.	1.8	36
12	Molten Alkali Carbonate as an Effective Oxygen Electrode for a Solid Oxide Electrolyte Galvanic Cell. ECS Journal of Solid State Science and Technology, 2014, 3, N102-N106.	1.8	8
13	Characterization of the Phase Mixture Comprising Sodium Hafnate and Hafnia. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2014, 640, 1987-1995.	1.2	2
14	Electrochemical CO <sub>2</sub> Separation through an Alkali-Carbonate-Based Membrane. ECS Journal of Solid State Science and Technology, 2014, 3, N23-N29.	1.8	13
15	Chemical Potential vs. Gibbs Free Energy Relationship by Redlich and Kister and the Redlich-Kister Polynomial. International Journal of Thermodynamics, 2014, 17, 250.	1.0	1
16	Relationship between the partial molar and molar quantity of a thermodynamic state function in a multicomponent mixture " revisited. Journal of Chemical Thermodynamics, 2013, 61, 138-145.	2.0	5
17	Resistive Switching: A Solid-State Electrochemical Phenomenon. ECS Journal of Solid State Science and Technology, 2013, 2, P423-P431.	1.8	2
18	Transference number of a solid electrolyte, electrode polarization and the "modified emf method". Electrochimica Acta, 2011, 56, 9004-9010.	5.2	6

#	ARTICLE	IF	CITATIONS
19	Oxygen sensor for low temperature applications. <i>Electrochimica Acta</i> , 2011, 56, 1686-1689.	5.2	2
20	Reply to "Comments on "Thermodynamics of cementite layer formation". <i>Scripta Materialia</i> , 2010, 63, 351-353.	5.2	1
21	Effect of electrode polarisation on the determination of electronic conduction properties of an oxide ion conductor. <i>Electrochimica Acta</i> , 2010, 55, 8766-8770.	5.2	2
22	Study on phase evolution of GdAl <sub>1-x</sub> Ga <sub>x</sub> O <sub>3</sub> system. <i>Journal of Alloys and Compounds</i> , 2010, 492, 325-330.	5.5	2
23	Synthesis of gadolinium aluminate powder through citrate gel route. <i>Journal of Alloys and Compounds</i> , 2010, 502, 396-400.	5.5	18
24	Thermodynamic Characterization of Reference Electrode Systems for Galvanic Cells Comprising Alkali Ion Conducting Solid Electrolytes. <i>ECS Transactions</i> , 2009, 16, 517-527.	0.5	1
25	Thermodynamics of cementite layer formation. <i>Acta Materialia</i> , 2009, 57, 4074-4080.	7.9	7
26	Electrochemical approaches to thermodynamic characterization of ternary alkali compounds: A review. <i>Solid State Ionics</i> , 2008, 179, 1731-1735.	2.7	2
27	Texture in Na <sup>12</sup> -Al <sub>2</sub> O <sub>3</sub> due to microwave processing. <i>Materials Chemistry and Physics</i> , 2008, 112, 16-19.	4.0	5
28	Phase evolution on heat treatment of sodium silicate water glass. <i>Journal of Non-Crystalline Solids</i> , 2008, 354, 896-900.	3.1	36
29	Voltage of a solid electrolyte galvanic cell in terms of the activity of the mobile species of the electrolyte. <i>Electrochimica Acta</i> , 2007, 52, 7409-7411.	5.2	2
30	Zeolite based hydrocarbon sensor "Re-interpretation of the principle of functioning. <i>Electrochimica Acta</i> , 2007, 52, 8167-8172.	5.2	6
31	Revision of the data on the standard Gibbs free energy of formation of sodium zirconate. <i>Journal of Chemical Thermodynamics</i> , 2007, 39, 22-27.	2.0	11
32	Na-Modified Cubic Zirconia? Link Between Sodium Zirconate and Zirconia in the Na <sub>2</sub> O-ZrO <sub>2</sub> Phase Diagram. <i>Journal of the American Ceramic Society</i> , 2007, 90, 1597-1602.	3.8	12
33	Thermodynamic Characterization of the Eutectic Phase Mixture NaNbO <sub>3</sub> /Na <sub>3</sub> NbO <sub>4</sub> : I: Literature Survey. <i>Journal of the American Ceramic Society</i> , 2007, 90, 3224-3226.	3.8	7
34	Thermodynamic Characterization of the Eutectic Phase Mixture NaNbO <sub>3</sub> /Na <sub>3</sub> NbO <sub>4</sub> : II: Solid State Electrochemical Investigation. <i>Journal of the American Ceramic Society</i> , 2007, 90, 3227-3232.	3.8	13
35	Indication of bivariance in the phase system sodium zirconate/zirconia. <i>Journal of Chemical Thermodynamics</i> , 2007, 39, 972-977.	2.0	5
36	Comment on "Thermodynamics and Phase Stability in the Si-O System" by S.M. Schnurre, J. Gräßner, R. Schmid-Fetzer [J. Non-Cryst. Solids 336 (2004) 1-25]. <i>Journal of Non-Crystalline Solids</i> , 2006, 352, 2913.	3.1	0

#	ARTICLE	IF	CITATIONS
37	Mixed Protonic-Electronic Conduction in "alpha-Al <sub>2</sub> O <sub>3</sub> ": An Alternative Hypothesis. Journal of the American Ceramic Society, 2006, 89, 210-215.	3.8	0
38	Relationship between the ionic and electronic partial conductivities of co-doped LSGM ceramics from oxygen partial pressure dependence of the total conductivity. Journal of Solid State Electrochemistry, 2006, 10, 479-487.	2.5	33
39	Oxygen permeation studies on La <sub>0.8</sub> Sr <sub>0.2</sub> Ga <sub>0.75</sub> Mg <sub>0.15</sub> Co <sub>0.10</sub> O <sub>3±δ</sub> . Ionics, 2006, 12, 191-198.	2.4	3
40	Crosstalk Effect in Electrochemical Impedance of Micro-Patterned Pt Electrodes on YSZ Thin Film. ECS Transactions, 2006, 2, 21-28.	0.5	0
41	Determination of the potassium activity in the heterogeneous phase system K-beta-Al <sub>2</sub> O <sub>3</sub> /borate glass, MeO/Me. Journal of Chemical Thermodynamics, 2005, 37, 1-5.	2.0	7
42	Synthesis and Structural Characterization of a Metastable Mullite-Like Alumina Phase. Journal of the American Ceramic Society, 2005, 88, 1740-1746.	3.8	9
43	Thermodynamic Stability of Potassium-beta-Alumina. Journal of the American Ceramic Society, 2005, 88, 2894-2896.	3.8	8
44	Potentiometric solid-state CO <sub>2</sub> sensor and the role of electronic conductivity of the electrolyte. Sensors and Actuators B: Chemical, 2005, 105, 119-123.	7.8	10
45	Characterization of the conduction properties of a solid electrolyte by short-circuiting a potentiometric galvanic cell. Journal of Solid State Electrochemistry, 2005, 9, 616-620.	2.5	3
46	Phase Equilibrium Investigations on Na-K-(beta+beta')-Alumina. Journal of the American Ceramic Society, 2005, 88, 2897-2901.	3.8	6
47	Synthesis and characterization of (La <sub>1-x</sub> M <sub>x</sub> ) <sub>2</sub> Mo <sub>2</sub> O <sub>9-δ</sub> ; M=Ca <sup>2+</sup> , Sr <sup>2+</sup> or Ba <sup>2+</sup> . Journal of the European Ceramic Society, 2004, 24, 129-137.	5.7	106
48	Identification of the reaction mechanism of the Pt,O <sub>2</sub> /La(Sr)Ga(Mg)O <sub>3±δ</sub> electrode system. Electrochimica Acta, 2004, 49, 2435-2441.	5.2	7
49	Determination of the p-electronic conduction parameter of NASICON by potentiometric measurements. Electrochimica Acta, 2004, 49, 2691-2696.	5.2	9
50	Title is missing!. Russian Journal of Electrochemistry, 2003, 39, 557-562.	0.9	0
51	On the electronic and ionic transport properties of La <sub>2</sub> Mo <sub>2</sub> O <sub>9</sub> . Materials Research Bulletin, 2003, 38, 1965-1977.	5.2	38
52	An alternative approach to characterize the equilibrium in a biphasic δ-Al <sub>2</sub> O <sub>3</sub> /Na-δ'-alumina mixture as a function of sodium activity. Electrochimica Acta, 2003, 48, 3535-3540.	5.2	2
53	On the relationships between structure, oxygen stoichiometry and ionic conductivity of CaTi <sub>1-x</sub> FexO <sub>3±δ</sub> (x=0.05, 0.20, 0.40, 0.60). Solid State Ionics, 2003, 156, 371-381.	2.7	40
54	Thermodynamic characterization of microwave sintered sodium beta alumina by a potentiometric technique. Electrochemistry Communications, 2003, 5, 426-430.	4.7	7

#	ARTICLE	IF	CITATIONS
55	A low cost synthesis process for vitreous NaAlSi <sub>3</sub> O <sub>8</sub> using sodium zeolite. Journal of Non-Crystalline Solids, 2003, 331, 177-183.	3.1	4
56	Relationship between the sodium oxide activity of ceramic Na-( $\hat{I}^2 + \hat{I}^2\hat{\alpha}^3$ )-alumina and the sodium activity in the ambience of the material. International Journal of Materials Research, 2003, 94, 962-966.	0.8	9
57	On the thermodynamic activity of Na <sub>2</sub> O in Na $\hat{\alpha}$ “beta-alumina. Materials Research Bulletin, 2002, 37, 1063-1069.	5.2	6
58	Thermoelectric power studies on MgO-stabilized $\hat{I}^2\hat{\alpha}^3$ -alumina. Journal of Solid State Electrochemistry, 2002, 6, 259-264.	2.5	2
59	The effect of doping and processing conditions on properties of La $\hat{1}\hat{\alpha}^x$ Sr $\hat{x}$ Ga $\hat{1}\hat{\alpha}^y$ Mg $\hat{y}$ O $\hat{3}\hat{\alpha}^{\pm}$ . Journal of the European Ceramic Society, 2001, 21, 2311-2317.	5.7	50
60	Solid electrolyte galvanic cell under load. Journal of Applied Electrochemistry, 2001, 31, 1235-1241.	2.9	18
61	The equilibrium between Na- $\hat{I}^2$ - and Na- $\hat{I}^2\hat{\alpha}^2\hat{\alpha}^2$ -alumina as a function of the phase composition. Electrochimica Acta, 2000, 45, 1631-1638.	5.2	40
62	CO <sub>2</sub> sensor based on a solid state oxygen concentration cell. Sensors and Actuators B: Chemical, 2000, 69, 46-50.	7.8	27
63	Measurement of Gibbs energy of formation of LaGaO <sub>3</sub> using a composition-graded solid electrolyte. Journal of Materials Research, 2000, 15, 2836-2843.	2.6	14
64	Electrochemical Determination of the Oxygen Solubility of Liquid Silicon and the Role of the Electron Conduction of the Electrolyte. Journal of the Electrochemical Society, 1999, 146, 1130-1133.	2.9	3
65	Macro- and microstress analysis in sol-gel derived Pb(ZrxTi $\hat{1}\hat{\alpha}^x$ )O <sub>3</sub> thin films. Journal of Applied Physics, 1999, 85, 8023-8031.	2.5	26
66	On the behavior of a dense indium oxide/yttria-stabilized zirconia electrode. Solid State Ionics, 1999, 120, 13-25.	2.7	4
67	Polarized Cell Measurements on Yttria-Stabilized Zirconia Using an Anodically Blocked Electrode. Journal of the Electrochemical Society, 1999, 146, 2034-2037.	2.9	6
68	Mechanical Properties of Solid-State-Synthesized Strontium- and Magnesium-Doped Lanthanum Gallate. Journal of the American Ceramic Society, 1998, 81, 3104-3108.	3.8	35
69	How to check the validity of Nernst's law in a potentiometric solid electrolyte galvanic cell. Solid State Ionics, 1998, 113-115, 205-217.	2.7	29
70	Mixed Ionic-Electronic Conduction of Na-Beta-Alumina Under the Conditions of a Potentiometric CO <sub>2</sub> Sensor. Materials Research Society Symposia Proceedings, 1998, 548, 521.	0.1	8
71	On the Electrode Reaction of the Au $\hat{\alpha}^{\circ}$   $\hat{\alpha}^{\circ}$ $\hat{\alpha}^{\circ}$ CO $\hat{\alpha}^{\circ}2\hat{\alpha}^{\circ}$ , $\hat{\alpha}^{\circ}$ $\hat{\alpha}^{\circ}$ O $\hat{\alpha}^{\circ}2\hat{\alpha}^{\circ}$ , $\hat{\alpha}^{\circ}$ Me $\hat{2}\hat{\alpha}^{\circ}$ CO $\hat{\alpha}^{\circ}3$ (Me = Li, Na, K) Electrode. Journal of the Electrochemical Society, 1997, 144, 915-922.	2.9	16
72	Current-Voltage Relation and Charge Distribution in Mixed Ionic-Electronic Solid Conductors. Journal of the Electrochemical Society, 1997, 144, 3922-3929.	2.9	36

#	ARTICLE	IF	CITATIONS
73	Electronic conductivity of MgO-doped Na-beta-alumina—a re-evaluation. Solid State Ionics, 1996, 86-88, 773-778.	2.7	15
74	Thermodynamic conditions at the interface between Na-beta-alumina and stabilized zirconia in a bi-electrolyte galvanic cell. Solid State Ionics, 1996, 93, 117-123.	2.7	11
75	Thermodynamic Stability and Electronic Conductivity of Na-β-Alumina. Journal of the Electrochemical Society, 1996, 143, 943-948.	2.9	23
76	Electronic Conductivity of Polycrystalline Na-β-Alumina at High Temperatures. Journal of the Electrochemical Society, 1994, 141, 2779-2783.	2.9	20
77	The feasibility of a potentiometric CO <sub>2</sub> sensor based on Na-beta-alumina in the light of the electronic conductivity of the electrolyte. Sensors and Actuators B: Chemical, 1994, 21, 79-82.	7.8	16
78	Electronic conductivity of polycrystalline Na-β-alumina at high temperatures. II. Determination of excess electron conductivity by permeation technique. Solid State Ionics, 1994, 67, 271-275.	2.7	6
79	Conclusions on the electronic conductivity of Na-β-alumina from the behaviour of a potentiometric CO <sub>2</sub> sensor comprising Na-β-alumina as electrolyte. Solid State Ionics, 1994, 68, 249-255.	2.7	19
80	Comment on "Electronic conductivity of Na-β-alumina ceramics at high temperatures" by M. Fritz, M.R. Barbosa, G. Staikov, W.J. Lorenz, M. Steinbrück, R. Knäuper. Solid State Ionics, 1994, 68, 335-337.	2.7	3
81	On the defect electron conduction parameter of Na-β-alumina. Solid State Ionics, 1994, 74, 275-278.	2.7	17
82	The relationship between the Raoultian and Henrian activity of a solute. Zeitschrift Fur Elektrotechnik Und Elektrochemie, 1994, 98, 1281-1286.	0.9	4
83	Electronic conductivity of a solid oxide electrolyte in the low temperature range. Solid State Ionics, 1993, 59, 5-15.	2.7	8
84	Characterization of the electronic charge carriers in TZP. Solid State Ionics, 1992, 53-56, 853-858.	2.7	18
85	Low temperature ion conductivity of a solid oxide electrolyte: the role of electrode polarization. , 1992, , 253-258.		0
86	High-vacuum tight, liquid sodium resistant joint between ThO <sub>2</sub> ceramic and metal. Journal of Nuclear Materials, 1990, 175, 67-77.	2.7	19
87	Structure and topography of YBa <sub>2</sub> Cu <sub>3</sub> O <sub>x</sub> . Physica C: Superconductivity and Its Applications, 1988, 153-155, 988-989.	1.2	5
88	Ionic conductivity of ThO <sub>2</sub> - and ZrO <sub>2</sub> -based electrolytes between 300 and 2000 K. Solid State Ionics, 1984, 13, 255-263.	2.7	85