

Ahmet GÃ¼l

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1542236/publications.pdf>

Version: 2024-02-01

274
papers

14,919
citations

20817

60
h-index

19749

117
g-index

278
all docs

278
docs citations

278
times ranked

11694
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Immunosuppressive therapy in lupus nephritis: The Euro-Lupus Nephritis Trial, a randomized trial of low-dose versus high-dose intravenous cyclophosphamide. <i>Arthritis and Rheumatism</i> , 2002, 46, 2121-2131. | 6.7 | 849 |
| 2 | Familial Mediterranean Fever (FMF) in Turkey. <i>Medicine (United States)</i> , 2005, 84, 1-11. | 1.0 | 651 |
| 3 | EULAR recommendations for the management of Behcet disease. <i>Annals of the Rheumatic Diseases</i> , 2008, 67, 1656-1662. | 0.9 | 624 |
| 4 | Genome-wide association study identifies variants in the MHC class I, IL10, and IL23R-IL12RB2 regions associated with Behcet's disease. <i>Nature Genetics</i> , 2010, 42, 698-702. | 21.4 | 595 |
| 5 | Loss-of-function mutations in TNFAIP3 leading to A20 haploinsufficiency cause an early-onset autoinflammatory disease. <i>Nature Genetics</i> , 2016, 48, 67-73. | 21.4 | 513 |
| 6 | The 10-year follow-up data of the Euro-Lupus Nephritis Trial comparing low-dose and high-dose intravenous cyclophosphamide. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 61-64. | 0.9 | 508 |
| 7 | Genome-wide association analysis identifies new susceptibility loci for Behcet's disease and epistasis between HLA-B*51 and ERAP1. <i>Nature Genetics</i> , 2013, 45, 202-207. | 21.4 | 483 |
| 8 | 2018 update of the EULAR recommendations for the management of Behcet's syndrome. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, annrheumdis-2018-213225. | 0.9 | 442 |
| 9 | Canakinumab for the Treatment of Autoinflammatory Recurrent Fever Syndromes. <i>New England Journal of Medicine</i> , 2018, 378, 1908-1919. | 27.0 | 327 |
| 10 | Early response to immunosuppressive therapy predicts good renal outcome in lupus nephritis: Lessons from long-term followup of patients in the Euro-Lupus Nephritis Trial. <i>Arthritis and Rheumatism</i> , 2004, 50, 3934-3940. | 6.7 | 325 |
| 11 | Prevalence of Behcet's disease in Istanbul, Turkey. <i>International Journal of Dermatology</i> , 2003, 42, 803-806. | 1.0 | 310 |
| 12 | Classification criteria for autoinflammatory recurrent fevers. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 1025-1032. | 0.9 | 300 |
| 13 | Anti-TNF therapy in the management of Behcet's disease--review and basis for recommendations. <i>Rheumatology</i> , 2007, 46, 736-741. | 1.9 | 292 |
| 14 | Efficacy of infliximab in the treatment of uveitis that is resistant to treatment with the combination of azathioprine, cyclosporine, and corticosteroids in behcet's disease: An open-label trial. <i>Arthritis and Rheumatism</i> , 2005, 52, 2478-2484. | 6.7 | 289 |
| 15 | Induced-Pluripotent-Stem-Cell-Derived Primitive Macrophages Provide a Platform for Modeling Tissue-Resident Macrophage Differentiation and Function. <i>Immunity</i> , 2017, 47, 183-198.e6. | 14.3 | 245 |
| 16 | Interleukin-1 β -regulating antibody XOMA 052 (gevokizumab) in the treatment of acute exacerbations of resistant uveitis of Behcet's disease: an open-label pilot study. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, 563-566. | 0.9 | 212 |
| 17 | Behcet's Disease as an Autoinflammatory Disorder. <i>Inflammation and Allergy: Drug Targets</i> , 2005, 4, 81-83. | 3.1 | 210 |
| 18 | Rare diseases bullet 12: Pulmonary manifestations of Behcet's disease. <i>Thorax</i> , 2001, 56, 572-578. | 5.6 | 208 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | COVIDâ€19 is a Real Headache!. <i>Headache</i> , 2020, 60, 1415-1421. | 3.9 | 204 |
| 20 | Tuberculosis and other opportunistic infections in tofacitinib-treated patients with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 1133-1138. | 0.9 | 186 |
| 21 | 'MHC-I-opathy'â€unified concept for spondyloarthritis and BehâSet disease. <i>Nature Reviews Rheumatology</i> , 2015, 11, 731-740. | 8.0 | 183 |
| 22 | Two-year results from an open-label, multicentre, phase III study evaluating the safety and efficacy of canakinumab in patients with cryopyrin-associated periodic syndrome across different severity phenotypes. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 2095-2102. | 0.9 | 182 |
| 23 | A20 haploinsufficiency (HA20): clinical phenotypes and disease course of patients with a newly recognised NF-âB-mediated autoinflammatory disease. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 728-735. | 0.9 | 176 |
| 24 | Diagnostic criteria for cryopyrin-associated periodic syndrome (CAPS). <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 942-947. | 0.9 | 175 |
| 25 | Management of Behcet disease: a systematic literature review for the European League Against Rheumatism evidence-based recommendations for the management of Behcet disease. <i>Annals of the Rheumatic Diseases</i> , 2009, 68, 1528-1534. | 0.9 | 166 |
| 26 | Familial aggregation of Behcet's disease in Turkey. <i>Annals of the Rheumatic Diseases</i> , 2000, 59, 622-625. | 0.9 | 164 |
| 27 | Targeted resequencing implicates the familial Mediterranean fever gene <i>MEFV</i> and the toll-like receptor 4 gene <i>TLR4</i> in BehâSet disease. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 8134-8139. | 7.1 | 140 |
| 28 | <i>HLA-DRB1*11</i> and variants of the MHC class II locus are strong risk factors for systemic juvenile idiopathic arthritis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 15970-15975. | 7.1 | 139 |
| 29 | Dense genotyping of immune-related loci implicates host responses to microbial exposure in BehâSet's disease susceptibility. <i>Nature Genetics</i> , 2017, 49, 438-443. | 21.4 | 129 |
| 30 | CT findings of pulmonary artery aneurysms during treatment for BehâSet's disease.. <i>American Journal of Roentgenology</i> , 1999, 172, 729-733. | 2.2 | 126 |
| 31 | BehâSet disease-associated MHC class I residues implicate antigen binding and regulation of cell-mediated cytotoxicity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 8867-8872. | 7.1 | 123 |
| 32 | Genetic architecture distinguishes systemic juvenile idiopathic arthritis from other forms of juvenile idiopathic arthritis: clinical and therapeutic implications. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 906-913. | 0.9 | 123 |
| 33 | Immunohistology of skin pathergy reaction in BehâSet's disease. <i>British Journal of Dermatology</i> , 1995, 132, 901-907. | 1.5 | 121 |
| 34 | Immunology and functional genomics of Behçet's disease. <i>Cellular and Molecular Life Sciences</i> , 2003, 60, 1903-1922. | 5.4 | 117 |
| 35 | Consensus proposal for taxonomy and definition of the autoinflammatory diseases (AIDs): a Delphi study. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 1558-1565. | 0.9 | 114 |
| 36 | Colchicine resistance and intolerance in familial mediterranean fever: Definition, causes, and alternative treatments. <i>Seminars in Arthritis and Rheumatism</i> , 2017, 47, 115-120. | 3.4 | 108 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Pathogenesis of Behçet's disease: autoinflammatory features and beyond. <i>Seminars in Immunopathology</i> , 2015, 37, 413-418. | 6.1 | 107 |
| 38 | COAGULATION FACTOR V GENE MUTATION INCREASES THE RISK OF VENOUS THROMBOSIS IN BEHÇET'S DISEASE. <i>Rheumatology</i> , 1996, 35, 1178-1180. | 1.9 | 102 |
| 39 | Comparative study of the skin pathergy test with blunt and sharp needles in Behcet's disease: confirmed specificity but decreased sensitivity with sharp needles.. <i>Annals of the Rheumatic Diseases</i> , 1993, 52, 823-825. | 0.9 | 100 |
| 40 | Whole-genome screening for susceptibility genes in multicase families with Behçet's disease. <i>Arthritis and Rheumatism</i> , 2005, 52, 1836-1842. | 6.7 | 100 |
| 41 | Tuberculosis in Turkish patients with systemic lupus erythematosus: increased frequency of extrapulmonary localization. <i>Lupus</i> , 2004, 13, 274-278. | 1.6 | 90 |
| 42 | Ancient familial Mediterranean fever mutations in human pyrin and resistance to <i>Yersinia pestis</i> . <i>Nature Immunology</i> , 2020, 21, 857-867. | 14.5 | 90 |
| 43 | Management of major organ involvement of Behçet's syndrome: a systematic review for update of the EULAR recommendations. <i>Rheumatology</i> , 2018, 57, 2200-2212. | 1.9 | 89 |
| 44 | Adult-onset still's disease. <i>International Journal of Clinical Practice</i> , 2009, 63, 1050-1055. | 1.7 | 88 |
| 45 | Association of specific interleukin 1 gene cluster polymorphisms with increased susceptibility for Behcet's disease. <i>British Journal of Rheumatology</i> , 2003, 42, 860-864. | 2.3 | 87 |
| 46 | Evidence for linkage of the HLA-B locus in Behçet's disease, obtained using the transmission disequilibrium test. <i>Arthritis and Rheumatism</i> , 2001, 44, 239-241. | 6.7 | 86 |
| 47 | HLA-B*51 and Behçet Disease. <i>Ocular Immunology and Inflammation</i> , 2012, 20, 37-43. | 1.8 | 86 |
| 48 | Use of laser flare-cell photometry to quantify intraocular inflammation in patients with Behçet Uveitis. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2008, 246, 1169-1177. | 1.9 | 84 |
| 49 | International multi-centre study of pregnancy outcomes with interleukin-1 inhibitors. <i>Rheumatology</i> , 2017, 56, 2102-2108. | 1.9 | 84 |
| 50 | Efficacy and safety of canakinumab in adolescents and adults with colchicine-resistant familial Mediterranean fever. <i>Arthritis Research and Therapy</i> , 2015, 17, 243. | 3.5 | 83 |
| 51 | Development and initial validation of international severity scoring system for familial Mediterranean fever (ISSF). <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 1051-1056. | 0.9 | 83 |
| 52 | Use of Gevokizumab in Patients with Behçet's Disease Uveitis: An International, Randomized, Double-Masked, Placebo-Controlled Study and Open-Label Extension Study. <i>Ocular Immunology and Inflammation</i> , 2018, 26, 1023-1033. | 1.8 | 82 |
| 53 | Cluster Analysis of Autoantibodies in 852 Patients with Systemic Lupus Erythematosus from a Single Center. <i>Journal of Rheumatology</i> , 2014, 41, 1304-1310. | 2.0 | 75 |
| 54 | International Retrospective Chart Review of Treatment Patterns in Severe Familial Mediterranean Fever, Tumor Necrosis Factor Receptor-Associated Periodic Syndrome, and Mevalonate Kinase Deficiency/Hyperimmunoglobulinemia D Syndrome. <i>Arthritis Care and Research</i> , 2017, 69, 578-586. | 3.4 | 75 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Genetics of Behçet's disease. <i>Current Opinion in Rheumatology</i> , 2014, 26, 56-63. | 4.3 | 70 |
| 56 | Efficacy of anakinra treatment in a patient with colchicine-resistant familial Mediterranean fever. <i>Rheumatology International</i> , 2012, 32, 3277-3279. | 3.0 | 68 |
| 57 | Risk factors for avascular bone necrosis in patients with systemic lupus erythematosus. <i>Rheumatology International</i> , 2012, 32, 177-182. | 3.0 | 68 |
| 58 | Lack of association of HLA-B*51 with a severe disease course in Behcet's disease. <i>British Journal of Rheumatology</i> , 2001, 40, 668-672. | 2.3 | 67 |
| 59 | Characteristics Predicting Tuberculosis Risk under Tumor Necrosis Factor-Î± Inhibitors: Report from a Large Multicenter Cohort with High Background Prevalence. <i>Journal of Rheumatology</i> , 2016, 43, 524-529. | 2.0 | 67 |
| 60 | Linkage mapping of a novel susceptibility locus for Behçet's disease to chromosome 6p22-23. <i>Arthritis and Rheumatism</i> , 2001, 44, 2693-2696. | 6.7 | 63 |
| 61 | Peripheral blood T cell expansions in patients with Behcet's disease. <i>Clinical and Experimental Immunology</i> , 1997, 107, 520-527. | 2.6 | 63 |
| 62 | Perinatal Outcomes in Severe Preeclampsia-Eclampsia with and without HELLP Syndrome. <i>Gynecologic and Obstetric Investigation</i> , 2005, 59, 113-118. | 1.6 | 62 |
| 63 | A weak association of HLA-B*2702 with Behçet's disease. <i>Genes and Immunity</i> , 2002, 3, 368-372. | 4.1 | 61 |
| 64 | A single endoplasmic reticulum aminopeptidase-1 protein allotype is a strong risk factor for Behçet's disease in HLA-B*51 carriers. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 2208-2211. | 0.9 | 59 |
| 65 | Serologic response to Epstein-Barr virus antigens in patients with systemic lupus erythematosus: a controlled study. <i>Rheumatology International</i> , 2012, 32, 79-83. | 3.0 | 58 |
| 66 | Association of familial Mediterranean fever-related MEFV variations with ankylosing spondylitis. <i>Arthritis and Rheumatism</i> , 2010, 62, 3232-3236. | 6.7 | 57 |
| 67 | FMF50: a score for assessing outcome in familial Mediterranean fever. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 897-901. | 0.9 | 57 |
| 68 | Management of skin, mucosa and joint involvement of Behçet's syndrome: A systematic review for update of the EULAR recommendations for the management of Behçet's syndrome. <i>Seminars in Arthritis and Rheumatism</i> , 2019, 48, 752-762. | 3.4 | 56 |
| 69 | Pro-inflammatory cellular immune response in Behçet's disease. <i>Rheumatology International</i> , 2007, 27, 1113-1118. | 3.0 | 54 |
| 70 | Inflammatory/demyelinating central nervous system involvement in familial Mediterranean fever (FMF): coincidence or association?. <i>Journal of Neurology</i> , 2006, 253, 928-934. | 3.6 | 53 |
| 71 | Association of Major Histocompatibility Complex Class I Chain-Related Gene A and HLA-B Alleles with Behçet's Disease in Turkey. <i>Japanese Journal of Ophthalmology</i> , 2007, 51, 431-436. | 1.9 | 53 |
| 72 | Safety and Efficacy of Gevokizumab in Patients with Behçet's Disease Uveitis: Results of an Exploratory Phase 2 Study. <i>Ocular Immunology and Inflammation</i> , 2017, 25, 62-70. | 1.8 | 52 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 73 | Common genetic susceptibility loci link PFAPA syndrome, Behçet's disease, and recurrent aphthous stomatitis. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 14405-14411. | 7.1 | 52 |
| 74 | Low frequency of HLA-B27 in ankylosing spondylitis patients from Turkey. Joint Bone Spine, 2008, 75, 299-302. | 1.6 | 50 |
| 75 | Pulmonary hypertension in systemic lupus erythematosus: relationship with antiphospholipid antibodies and severe disease outcome. Rheumatology International, 2011, 31, 183-189. | 3.0 | 50 |
| 76 | Procoagulant mutations and venous thrombosis in Behçet's disease. Rheumatology, 1999, 38, 1298-1299. | 1.9 | 48 |
| 77 | Polymorphisms in the endothelial nitric oxide synthase gene are associated with Behçet's disease. Rheumatology, 2005, 44, 614-617. | 1.9 | 47 |
| 78 | Metabolic syndrome is not only a risk factor for cardiovascular diseases in systemic lupus erythematosus but is also associated with cumulative organ damage: a cross-sectional analysis of 311 patients. Lupus, 2016, 25, 177-184. | 1.6 | 47 |
| 79 | Perinatal Outcomes of Twin Pregnancies Discordant for Major Fetal Anomalies. Fetal Diagnosis and Therapy, 2005, 20, 244-248. | 1.4 | 44 |
| 80 | Organizing pneumonia associated with pulmonary artery aneurysms in Behçet's disease. Rheumatology, 1999, 38, 1285-1289. | 1.9 | 42 |
| 81 | A comparison of clinical findings of familial Mediterranean fever patients with and without amyloidosis. Rheumatology International, 2005, 25, 442-446. | 3.0 | 41 |
| 82 | Comparison of Disease Characteristics, Organ Damage, and Survival in Patients with Juvenile-onset and Adult-onset Systemic Lupus Erythematosus in a Combined Cohort from 2 Tertiary Centers in Turkey. Journal of Rheumatology, 2017, 44, 619-625. | 2.0 | 41 |
| 83 | IL1RN Variation Influences Both Disease Susceptibility and Response to Recombinant Human Interleukin-1 Receptor Antagonist Therapy in Systemic Juvenile Idiopathic Arthritis. Arthritis and Rheumatology, 2018, 70, 1319-1330. | 5.6 | 40 |
| 84 | Familial Mediterranean Fever and Seronegative Arthritis. Current Rheumatology Reports, 2011, 13, 388-394. | 4.7 | 39 |
| 85 | Impaired endothelium-dependent flow-mediated dilation in Behçet's disease: more prominent endothelial dysfunction in patients with vascular involvement. International Journal of Clinical Practice, 2005, 59, 777-781. | 1.7 | 38 |
| 86 | Anti-CCP and antikeratin antibodies in rheumatoid arthritis, primary Sjögren's syndrome, and Wegener's granulomatosis. Clinical Rheumatology, 2005, 24, 673-676. | 2.2 | 38 |
| 87 | The regulation of MEFV expression and its role in health and familial Mediterranean fever. Genes and Immunity, 2011, 12, 497-503. | 4.1 | 37 |
| 88 | Diagnostic performance of amyloid A protein quantification in fat tissue of patients with clinical AA amyloidosis. Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis, 2007, 14, 133-140. | 3.0 | 35 |
| 89 | Standard and Novel Therapeutic Approaches to Behçet's Disease. Drugs, 2007, 67, 2013-2022. | 10.9 | 35 |
| 90 | Association of the MEFV Gene Variations With Inflammatory Bowel Disease in Turkey. Journal of Clinical Gastroenterology, 2013, 47, e23-e27. | 2.2 | 35 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Primary antiphospholipid syndrome associated with mesenteric inflammatory veno-occlusive disease. <i>Clinical Rheumatology</i> , 1996, 15, 207-210. | 2.2 | 34 |
| 92 | Update on Outcome Measure Development for Large Vessel Vasculitis: Report from OMERACT 12. <i>Journal of Rheumatology</i> , 2015, 42, 2465-2469. | 2.0 | 33 |
| 93 | Identification of possible pathogenic pathways in Behçet's disease using genome-wide association study data from two different populations. <i>European Journal of Human Genetics</i> , 2015, 23, 678-687. | 2.8 | 33 |
| 94 | Approach to the patients with inadequate response to colchicine in familial Mediterranean fever. <i>Best Practice and Research in Clinical Rheumatology</i> , 2016, 30, 296-303. | 3.3 | 33 |
| 95 | Development of a Core Set of Outcome Measures for Large-vessel Vasculitis: Report from OMERACT 2016. <i>Journal of Rheumatology</i> , 2017, 44, 1933-1937. | 2.0 | 33 |
| 96 | Treatment of Recurrent Perforating Intestinal Ulcers with Thalidomide in Behçet's Disease. <i>Annals of Pharmacotherapy</i> , 2004, 38, 808-811. | 1.9 | 32 |
| 97 | Follow-up results of 702 patients receiving tumor necrosis factor-alpha antagonists and evaluation of risk of tuberculosis. <i>Rheumatology International</i> , 2010, 30, 1459-1463. | 3.0 | 31 |
| 98 | Predictors of Damage and Survival in Patients with Wegener's Granulomatosis: Analysis of 50 Patients. <i>Journal of Rheumatology</i> , 2010, 37, 374-378. | 2.0 | 31 |
| 99 | Expression of regulatory receptors on CD4 ⁺ T Cells and their cytokine production in Behçet's disease. <i>Arthritis Research and Therapy</i> , 2013, 15, R15. | 3.5 | 31 |
| 100 | Impaired brachial endothelial function in patients with primary anti-phospholipid syndrome. <i>International Journal of Clinical Practice</i> , 2004, 58, 1003-1007. | 1.7 | 30 |
| 101 | Expression of KIR and C-type lectin receptors in Behçet's disease. <i>British Journal of Rheumatology</i> , 2004, 43, 423-427. | 2.3 | 29 |
| 102 | HSP 60 expression in recurrent oral ulcerations of Behçet's disease. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2010, 110, 196-200. | 1.4 | 29 |
| 103 | Effect of Interferon alfa-2a Treatment on Adaptive and Innate Immune Systems in Patients With Behçet Disease Uveitis. , 2019, 60, 52. | | 29 |
| 104 | Defining colchicine resistance/intolerance in patients with familial Mediterranean fever: a modified-Delphi consensus approach. <i>Rheumatology</i> , 2021, 60, 3799-3808. | 1.9 | 29 |
| 105 | Experience with monthly, high-dose, intravenous immunoglobulin therapy in patients with different connective tissue diseases. <i>Rheumatology International</i> , 2005, 25, 211-214. | 3.0 | 28 |
| 106 | Predicting Important Residues and Interaction Pathways in Proteins Using Gaussian Network Model: Binding and Stability of HLA Proteins. <i>PLoS Computational Biology</i> , 2010, 6, e1000845. | 3.2 | 28 |
| 107 | Safety of high-dose intravenous immunoglobulin in systemic autoimmune diseases. <i>Clinical Rheumatology</i> , 2007, 26, 1913-1915. | 2.2 | 27 |
| 108 | An Algorithm for the Diagnosis of Behçet Disease Uveitis in Adults. <i>Ocular Immunology and Inflammation</i> , 2021, 29, 1154-1163. | 1.8 | 26 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Anti-neuronal and stress-induced-phosphoprotein 1 antibodies in neuro-Behçet's disease. <i>Journal of Neuroimmunology</i> , 2011, 239, 91-97. | 2.3 | 25 |
| 110 | Developing a Core Set of Outcome Measures for Behçet Disease: Report from OMERACT 2016. <i>Journal of Rheumatology</i> , 2017, 44, 1750-1753. | 2.0 | 25 |
| 111 | Update on Outcome Measure Development in Large-vessel Vasculitis: Report from OMERACT 2018. <i>Journal of Rheumatology</i> , 2019, 46, 1198-1201. | 2.0 | 24 |
| 112 | Re-evaluation of heterogeneity in HLA-B*510101 associated with Behçet's disease. <i>Tissue Antigens</i> , 2008, 72, 347-353. | 1.0 | 23 |
| 113 | Anti-interferon alpha antibodies and autoantibodies in patients with Behçet's disease uveitis treated with recombinant human interferon alpha-2a. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2015, 253, 457-465. | 1.9 | 22 |
| 114 | Association between reduced levels of MEFV messenger RNA in peripheral blood leukocytes and acute inflammation. <i>Arthritis and Rheumatism</i> , 2007, 56, 345-350. | 6.7 | 21 |
| 115 | Core Set of Domains for Outcome Measures in Behçet's Syndrome. <i>Arthritis Care and Research</i> , 2022, 74, 691-699. | 3.4 | 21 |
| 116 | Low-dose natural human interferon-Î± lozenges in the treatment of Behçet's syndrome. <i>Rheumatology</i> , 2009, 48, 1388-1391. | 1.9 | 20 |
| 117 | Comparison of perinatal and maternal outcomes of severe preeclampsia, eclampsia, and HELLP syndrome. <i>Journal of the Turkish German Gynecology Association</i> , 2011, 12, 90-96. | 0.6 | 20 |
| 118 | Eosinophilia and hyperimmunoglobulinemia E as the presenting manifestations of Wegener's granulomatosis. <i>Clinical Rheumatology</i> , 2003, 22, 333-335. | 2.2 | 19 |
| 119 | Small bowel mucosal damage in familial Mediterranean fever: results of capsule endoscopy screening. <i>Scandinavian Journal of Gastroenterology</i> , 2014, 49, 1414-1418. | 1.5 | 19 |
| 120 | Dynamics of Inflammatory Response in Autoinflammatory Disorders: Autonomous and Hyperinflammatory States. <i>Frontiers in Immunology</i> , 2018, 9, 2422. | 4.8 | 19 |
| 121 | Monogenic lupus due to spondyloenchondrodysplasia with spastic paraparesis and intracranial calcification: case-based review. <i>Rheumatology International</i> , 2020, 40, 1903-1910. | 3.0 | 19 |
| 122 | Distribution of Common CARD15 Variants in Patients with Sporadic Crohn's Disease: Cases from Turkey. <i>Digestive Diseases and Sciences</i> , 2006, 51, 706-710. | 2.3 | 18 |
| 123 | Behçet's disease: immunological relevance with arthritis of ankylosing spondylitis. <i>Rheumatology International</i> , 2013, 33, 733-741. | 3.0 | 18 |
| 124 | Current Status, Goals, and Research Agenda for Outcome Measures Development in Behçet Syndrome: Report from OMERACT 2014. <i>Journal of Rheumatology</i> , 2015, 42, 2436-2441. | 2.0 | 18 |
| 125 | Antibodies reactive with HIV-1 antigens in systemic lupus erythematosus. <i>Lupus</i> , 1996, 5, 120-122. | 1.6 | 17 |
| 126 | No association of the TLR2 gene Arg753Gln polymorphism with rheumatic heart disease and Behçet's disease. <i>Clinical Rheumatology</i> , 2009, 28, 1385-1388. | 2.2 | 17 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Amyloid arthropathy mimicking seronegative rheumatoid arthritis in multiple myeloma: case reports and review of the literature. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2009, 16, 226-231. | 3.0 | 17 |
| 128 | Mitochondrial carrier homolog 1 (Mtch1) antibodies in neuro-Behçet's disease. <i>Journal of Neuroimmunology</i> , 2013, 263, 139-144. | 2.3 | 17 |
| 129 | Treatment of familial Mediterranean fever: colchicine and beyond. <i>Israel Medical Association Journal</i> , 2014, 16, 281-4. | 0.1 | 17 |
| 130 | Recovery from hypoxia and hypercapnic hypoxia: Impacts on the transcription of key antioxidants in the shrimp <i>Litopenaeus vannamei</i> . <i>Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology</i> , 2014, 170, 43-49. | 1.6 | 16 |
| 131 | An International Delphi Survey for the Definition of New Classification Criteria for Familial Mediterranean Fever, Mevalonate Kinase Deficiency, TNF Receptor-associated Periodic Fever Syndromes, and Cryopyrin-associated Periodic Syndrome. <i>Journal of Rheumatology</i> , 2019, 46, 429-436. | 2.0 | 16 |
| 132 | The effect of tocilizumab, anakinra and prednisolone on antibody response to SARS-CoV-2 in patients with COVID-19: A prospective cohort study with multivariate analysis of factors affecting the antibody response. <i>International Journal of Infectious Diseases</i> , 2021, 105, 756-762. | 3.3 | 16 |
| 133 | Increased IL-23 receptor, TNF-Î± and IL-6 expression in individuals with the IL23R/IL12RB2 locus polymorphism. <i>Immunology Letters</i> , 2014, 160, 96-98. | 2.5 | 15 |
| 134 | Evaluation of KIR3DL1/KIR3DS1 polymorphism in Behçet's disease. <i>Genes and Immunity</i> , 2016, 17, 396-399. | 4.1 | 15 |
| 135 | Amyopathic Dermatomyositis Associated with Cervical Cancer. <i>Clinical Rheumatology</i> , 2001, 20, 438-440. | 2.2 | 14 |
| 136 | Generation of integration-free induced pluripotent stem cells from a patient with Familial Mediterranean Fever (FMF). <i>Stem Cell Research</i> , 2015, 15, 694-696. | 0.7 | 14 |
| 137 | Re-evaluation of 129 patients with systemic necrotizing vasculitides by using classification algorithm according to consensus methodology. <i>Clinical Rheumatology</i> , 2012, 31, 325-328. | 2.2 | 13 |
| 138 | HLA-B51 negative monozygotic twins discordant for Behçet's disease. <i>Rheumatology</i> , 1997, 36, 922-923. | 1.9 | 12 |
| 139 | The Use of Two Different Health Assessment Questionnaires in Turkish Rheumatoid Arthritis Population and Assessment of the Associations with Disability. <i>Clinical Rheumatology</i> , 1999, 18, 33-37. | 2.2 | 12 |
| 140 | TNF-alpha antagonist therapy modify the tuberculin skin test response. <i>Rheumatology International</i> , 2011, 31, 1147-1151. | 3.0 | 12 |
| 141 | Direct and indirect costs associated with ankylosing spondylitis and related disease activity scores in Turkey. <i>Rheumatology International</i> , 2015, 35, 1473-1478. | 3.0 | 12 |
| 142 | Shared epitope homozygosity' is strongly associated with rheumatoid arthritis in Turkey. Istanbul Rheumatology Study Group. <i>British Journal of Rheumatology</i> , 1998, 37, 1126-1128. | 2.3 | 11 |
| 143 | Colchicine-Induced Myopathy in a Teenager with Familial Mediterranean Fever. <i>Annals of Pharmacotherapy</i> , 2003, 37, 1821-1824. | 1.9 | 11 |
| 144 | Unified Modeling of Familial Mediterranean Fever and Cryopyrin Associated Periodic Syndromes. <i>Computational and Mathematical Methods in Medicine</i> , 2015, 2015, 1-18. | 1.3 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | The efficacy of anti- IL-1 treatment in three patients with coexisting familial Mediterranean fever and multiple sclerosis. <i>Multiple Sclerosis and Related Disorders</i> , 2020, 45, 102332. | 2.0 | 11 |
| 146 | Serum and urine TNF-like weak inducer of apoptosis, monocyte chemoattractant protein-1 and neutrophil gelatinase-associated lipocalin as biomarkers of disease activity in patients with systemic lupus erythematosus. <i>Lupus</i> , 2020, 29, 379-388. | 1.6 | 11 |
| 147 | Natural killer cells dominate a Th-1 polarized response in Behçet's disease patients with uveitis. <i>Clinical and Experimental Rheumatology</i> , 2015, 33, S24-9. | 0.8 | 11 |
| 148 | Genome-wide association studies in Behçet's disease: expectations and promises. <i>Clinical and Experimental Rheumatology</i> , 2011, 29, S3-5. | 0.8 | 10 |
| 149 | Clinical course of abdominal aortic aneurysms in Behçet disease: a retrospective analysis. <i>Rheumatology International</i> , 2019, 39, 1061-1067. | 3.0 | 9 |
| 150 | Clinical evaluation and comparison of different criteria for classification in Turkish patients with psoriatic arthritis. <i>Rheumatology International</i> , 2009, 29, 365-370. | 3.0 | 8 |
| 151 | MEFV gene variations in patients with systemic lupus erythematosus. <i>Modern Rheumatology</i> , 2014, 24, 93-96. | 1.8 | 8 |
| 152 | Autoimmune haemolytic anaemia and thrombocytopaenia in a single-centre cohort of patients with systemic lupus erythematosus from Turkey: clinical associations and effect on disease damage and survival. <i>Lupus</i> , 2019, 28, 1480-1487. | 1.6 | 8 |
| 153 | Molecular dynamics simulations provide molecular insights into the role of HLA-B*51 in Behçet's disease pathogenesis. <i>Chemical Biology and Drug Design</i> , 2020, 96, 644-658. | 3.2 | 8 |
| 154 | Inflammatory status might direct ILC and NK cells to IL-17 expressing ILC3 and NK subsets in Behcet's disease. <i>Immunology Letters</i> , 2021, 235, 1-8. | 2.5 | 8 |
| 155 | IL-17A and IFN- γ are Up-regulated in CD4 and $\gamma\delta$ T Cells in Active Behcet's Disease Patients. <i>Immunology Letters</i> , 2022, 242, 37-45. | 2.5 | 8 |
| 156 | Microscopic colitis in patients with Takayasu's arteritis: a potential association between the two disease entities. <i>Clinical Rheumatology</i> , 2016, 35, 2495-2499. | 2.2 | 7 |
| 157 | Budd-Chiari syndrome in Behçet's disease: a retrospective multicenter study. <i>Clinical Rheumatology</i> , 2021, , 1. | 2.2 | 7 |
| 158 | Remarkable damage along with poor quality of life in Takayasu arteritis: cross-sectional results of a long-term followed-up multicentre cohort. <i>Clinical and Experimental Rheumatology</i> , 2017, 35 Suppl 103, 77-82. | 0.8 | 7 |
| 159 | Phenotypic variability including Behçet's disease-like manifestations in DADA2 patients due to a homozygous c.973-2A>G splice site mutation. <i>Clinical and Experimental Rheumatology</i> , 2019, 37 Suppl 121, 142-146. | 0.8 | 7 |
| 160 | Clinical course of ocular Behçet's disease in siblings. <i>Ocular Immunology and Inflammation</i> , 2001, 9, 111-124. | 1.8 | 6 |
| 161 | Systemic necrotizing vasculitides in Turkey: a comparative analysis of 40 consecutive patients. <i>Rheumatology International</i> , 2005, 26, 16-20. | 3.0 | 6 |
| 162 | Recurrent anterior uveitis in Henoch Schonlein's vasculitis. <i>Rheumatology International</i> , 2010, 30, 1377-1379. | 3.0 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | Comment on the article by Durmus et al. "Clinical significance of MEFV mutations in ankylosing spondylitis". <i>Joint Bone Spine</i> , 2010, 77, 281. | 1.6 | 6 |
| 164 | Validation of the adjusted global antiphospholipid syndrome score in a single centre cohort of APS patients from Turkey. <i>Journal of Thrombosis and Thrombolysis</i> , 2021, 51, 466-474. | 2.1 | 6 |
| 165 | Psychometric validation of Barkley's Adult Sluggish Cognitive Tempo (SCT) Ratings Scale -Turkish version and distinguishing SCT from attention deficit-hyperactivity disorder (ADHD) among Turkish adults. <i>Research in Developmental Disabilities</i> , 2022, 121, 104155. | 2.2 | 6 |
| 166 | An Unusual Overdose of Leflunomide in a Patient with Rheumatoid Arthritis. <i>Annals of Pharmacotherapy</i> , 2004, 38, 1320-1321. | 1.9 | 5 |
| 167 | Description of damage in different clusters of patients with antiphospholipid syndrome. <i>Lupus</i> , 2022, 31, 433-442. | 1.6 | 5 |
| 168 | Rosai's Dorfman disease with factor XII deficiency. <i>Clinical Rheumatology</i> , 2009, 28, 733-736. | 2.2 | 4 |
| 169 | Tocilizumab treatment in severe COVID-19: a multicenter retrospective study with matched controls. <i>Rheumatology International</i> , 2022, 42, 457-467. | 3.0 | 4 |
| 170 | Genetics of Behçet's Disease. , 2010, , 265-276. | | 4 |
| 171 | Improvement of Libman-Sacks endocarditis after combination of warfarin and immunosuppressive therapy. <i>Türk Kardiyoloji Dernegi Arsivi</i> , 2019, 47, 687-690. | 0.5 | 4 |
| 172 | Frequency and severity of COVID-19 in patients with various rheumatic diseases treated regularly with colchicine or hydroxychloroquine. <i>Journal of Medical Virology</i> , 2022, 94, 3431-3437. | 5.0 | 4 |
| 173 | Effect of different cytokines in combination with IL-15 on the expression of activating receptors in NK cells of patients with Behçet's disease. <i>Immunologic Research</i> , 2022, 70, 654-666. | 2.9 | 4 |
| 174 | Clinical evaluation and comparison of different criteria for classification in Turkish patients with psoriatic arthritis. <i>Rheumatology International</i> , 2008, 28, 959-964. | 3.0 | 3 |
| 175 | Prenatal Diagnosis of Bilateral Ventriculocoronary Fistulas With Hypoplasia of the Left Ventricle. <i>Journal of Ultrasound in Medicine</i> , 2008, 27, 1111-1116. | 1.7 | 3 |
| 176 | Comparison of argon laser photocoagulation-induced cutaneous inflammation and skin pathology test in Behçet's disease. <i>Clinical Rheumatology</i> , 2010, 29, 59-63. | 2.2 | 3 |
| 177 | Cost of Familial Mediterranean Fever (Fmf) Disease In Turkey. <i>Value in Health</i> , 2015, 18, A666. | 0.3 | 3 |
| 178 | FRIO479...Efficacy of Colchicine and IL-1 Inhibitors in Amyloidosis Associated with Familial Mediterranean Fever: A Retrospective Analysis. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 611.3-612. | 0.9 | 3 |
| 179 | Behçet Disease. , 2019, , 647-665. | | 3 |
| 180 | POS1257...HYPOGAMMAGLOBULINEMIA IS A SIGNIFICANT RISK FACTOR FOR MORTALITY IN PATIENTS WITH ANCA ASSOCIATED VASCULITIS AND COVID-19. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 912-913. | 0.9 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | A single center survey study of systemic vasculitis and COVID-19 during the first months of pandemic. Turkish Journal of Medical Sciences, 2021, 51, 2243-2247. | 0.9 | 3 |
| 182 | Pseudodominance of autoinflammatory disease in a single Turkish family explained by co-inheritance of haploinsufficiency of A20 and familial Mediterranean fever. Clinical and Experimental Rheumatology, 2019, 37 Suppl 121, 89-92. | 0.8 | 3 |
| 183 | A novel TNFRSF1 gene mutation in a Turkish family: a report of three cases. Clinical Rheumatology, 2013, 32, 83-85. | 2.2 | 2 |
| 184 | Prenatal diagnosis and postnatal outcome of persistent right ductus arteriosus: a report of three cases. Journal of Medical Ultrasonics (2001), 2015, 42, 571-574. | 1.3 | 2 |
| 185 | The rate and significance of type 1/type 2 serum amyloid A protein gene polymorphisms in patients with ankylosing spondylitis and amyloidosis. Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis, 2015, 22, 207-208. | 3.0 | 2 |
| 186 | FRIO502â€¦Biologic Agents in Refractory Adult Still's Disease: Better Response Rates and Acceptable Safety with Anakinra and Tocilizumab. Annals of the Rheumatic Diseases, 2016, 75, 620.1-620. | 0.9 | 2 |
| 187 | Binding stability of peptides on major histocompatibility complex class I proteins: role of entropy and dynamics. Physical Biology, 2018, 15, 026005. | 1.8 | 2 |
| 188 | THU0303â€¦THE OMERACT CORE DOMAIN SET FOR CLINICAL TRIALS IN BEHÄ±ETâ€™S SYNDROME. , 2019, , . | | 2 |
| 189 | Letter: is pneumococcal vaccination safe during the COVIDâ€™19 pandemic?. Alimentary Pharmacology and Therapeutics, 2020, 52, 919-920. | 3.7 | 2 |
| 190 | Long-term follow-up of 89 patients with giant cell arteritis: a retrospective observational study on disease characteristics, flares and organ damage. Rheumatology International, 2021, 41, 439-448. | 3.0 | 2 |
| 191 | A shared motif of hla-dpb1 affecting the susceptibility to pr3-anca positive granulomatosis with polyangiitis: comparative analysis of a Turkish cohort with matched healthy controls. Rheumatology International, 2021, 41, 1667-1672. | 3.0 | 2 |
| 192 | Reinfection with SARSâ€CoVâ€™2 in a kidney transplant recipient. Transplant Infectious Disease, 2021, 23, e13695. | 1.7 | 2 |
| 193 | A Case of Takayasu Arteritis with Thrombotic Microangiopathy Secondary to Malignant Hypertension Due to Bilateral Renal Artery Stenosis. Open Access Rheumatology: Research and Reviews, 2022, Volume 14, 39-42. | 1.6 | 2 |
| 194 | Faible frÄ±quence dâ€™HLA-B27 chez des patients atteints de spondylarthrite ankylosante en Turquie. Revue Du Rhumatisme (Edition Francaise), 2008, 75, 433-437. | 0.0 | 1 |
| 195 | THU0203â€¦Cross-sectional assessment of damage in takayasu arteritis with a validated tool. Annals of the Rheumatic Diseases, 2013, 71, 224.1-224. | 0.9 | 1 |
| 196 | THU0195â€¦Consistent efficacy and safety of tofacitinib in rheumatoid arthritis patients with inadequate response or intolerance to NON-MTX csdmards. , 2017, , . | | 1 |
| 197 | AB0766â€¦SUCCESSFUL TEATMENT OF ANKYLOSING SPONDILITIS ASSOCIATED AA AMYLOIDOSIS WITH SECUKINUMAB: A CASE SERIES WITH THREE PATIENTS. Annals of the Rheumatic Diseases, 2021, 80, 1409.3-1410. | 0.9 | 1 |
| 198 | Molecular Diagnosis Experience in Familial Mediterranean Fever: The Most Frequent Mutations in the MEFV Gene. Haseki Tip Bulteni, 2018, 56, 42-49. | 0.3 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 199 | FRI0675â€¦Rabiopred, an innovative theranostic tool to assist clinicians select an optimal anti-tnf alpha biological therapy for rheumatoid arthritis patients. , 2018, , . | | 1 |
| 200 | The relationship between serum A proliferation-inducing ligand and B-cell activating factor levels with disease activity and organ involvement in systemic lupus erythematosus. Lupus, 2022, 31, 555-564. | 1.6 | 1 |
| 201 | Genetic heterogeneity in familial Mediterranean fever: Comment on the article by Cazeneuve et al. Arthritis and Rheumatism, 2004, 50, 1355-1355. | 6.7 | 0 |
| 202 | A novel TNFRSF1 gene mutation in a turkish family: report of three cases. Annals of the Rheumatic Diseases, 2010, 69, A31-A31. | 0.9 | 0 |
| 203 | Correction: Predictors of damage and survival in patients with Wegener's granulomatosis: Analysis of 50 patients.. Journal of Rheumatology, 2010, 37, 1551.2-1551. | 2.0 | 0 |
| 204 | PMS37 Productivity Loss of Ankylosing Spondylitis Patients in Turkey Due to Sick Leave. Value in Health, 2012, 15, A40. | 0.3 | 0 |
| 205 | MEFV gene variations in patients with systemic lupus erythematosus. Modern Rheumatology, 2013, , 1. | 1.8 | 0 |
| 206 | Ankylosing Spondylitis Health Care Costs And Associated Disease Activity Scores In Turkey. Value in Health, 2013, 16, A222. | 0.3 | 0 |
| 207 | Comparison of ultraviolet B-induced cutaneous inflammation and skin pathergy test in Behçetâ€™s disease. International Journal of Clinical Rheumatology, 2013, 8, 205-211. | 0.3 | 0 |
| 208 | FRI0210â€¦Poor immunization with hepatitis B vaccination in patients with granulomatosis with polyangiitis (wegenerâ€™s) and more favorable antibody response in females. Annals of the Rheumatic Diseases, 2013, 71, 385.1-385. | 0.9 | 0 |
| 209 | FRI0442â€¦Acute Phase Reactants and their Correlation with Clinical Activity in Behcet's Disease. Annals of the Rheumatic Diseases, 2014, 73, 547.1-547. | 0.9 | 0 |
| 210 | AB0595â€¦Favourable Renal Outcome in AAV Nephritis: A CASE Series Reported from A Tertiary Referral Center. Annals of the Rheumatic Diseases, 2014, 73, 1002.1-1002. | 0.9 | 0 |
| 211 | THU0360â€¦Small Bowel Mucosal Findings in Familial Mediterranean Fever. Annals of the Rheumatic Diseases, 2014, 73, 307.1-307. | 0.9 | 0 |
| 212 | OPO119â€¦Patient Journey and Treatment Route to Use of First Biologic in Rare Autoinflammatory Diseases: an International Retrospective Chart Review. Annals of the Rheumatic Diseases, 2014, 73, 106.1-106. | 0.9 | 0 |
| 213 | AB0633â€¦A Very High Prevalance of Avascular Necrosis in Turkish Patients with Granulomatosis with Polyangiitis (Wegener's): Preliminary Results from a Single Centre: Table 1.. Annals of the Rheumatic Diseases, 2015, 74, 1110.3-1111. | 0.9 | 0 |
| 214 | THU0561â€¦Salivary IL-1 Alpha and IL-1 Beta Levels Associated with Oral Mucosal Disease Activity in Behcet's Disease: Table 1.. Annals of the Rheumatic Diseases, 2015, 74, 403.3-404. | 0.9 | 0 |
| 215 | FRI0279â€¦High Rate and Bimodal Pattern of Severe Infection in a Selected ANCA Associated Vasculitis Cohort.. Annals of the Rheumatic Diseases, 2015, 74, 525.3-526. | 0.9 | 0 |
| 216 | AB1118â€¦Validity and Reliability of Medication Adherence Scale in FMF (Adult Version). Annals of the Rheumatic Diseases, 2015, 74, 1274.3-1275. | 0.9 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 235 | P181â€¦Comparison of SLEDAI-2K and SLEDAI-2KG (glucocorticoid) indexes in patients with systemic lupus erythematosus (SLE). , 2020, , . | | 0 |
| 236 | P9â€¦Validation of the adjusted global antiphospholipid syndrome score and correlation with extra-criteria manifestations. , 2020, , . | | 0 |
| 237 | mRNA Expression Levels of NKp30, NKp46, NKG2D, Perforin and Granzyme in the BehÃ§etâ€™s Disease. Turkish Journal of Immunology, 2021, , . | 0.1 | 0 |
| 238 | POS0142â€¦MINIMAL DISEASE ACTIVITY IN PATIENTS WITH PSORIATIC ARTHRITIS AND ASSOCIATED FACTORS: REAL LIFE DATA FROM A SINGLE CENTER. Annals of the Rheumatic Diseases, 2021, 80, 282.3-283. | 0.9 | 0 |
| 239 | AB0448â€¦SYSTEMIC SCLEROSIS ASSOCIATED PULMONARY ARTERIAL HYPERTENSION: PREDOMINANCE OF PULMONARY FIBROSIS AS A RISK FACTOR FOR MORTALITY IN A SINGLE CENTER COHORT. Annals of the Rheumatic Diseases, 2021, 80, 1251.2-1252. | 0.9 | 0 |
| 240 | POS1339â€¦MORE FREQUENT AND EARLIER HIP INVOLVEMENT IN SPONDYLOARTHRITIS ASSOCIATED WITH FAMILIAL MEDITERRANEAN FEVER. Annals of the Rheumatic Diseases, 2021, 80, 951.3-952. | 0.9 | 0 |
| 241 | AB0653â€¦COURSE OF COVID-19 INFECTION IN A SERIES OF PATIENTS WITH SYSTEMIC LUPUS ERYTHEMATOSUS. Annals of the Rheumatic Diseases, 2021, 80, 1359.1-1359. | 0.9 | 0 |
| 242 | POS0706â€¦PERFORMANCES OF DIFFERENT CLASSIFICATION CRITERIA FOR SYSTEMIC LUPUS ERYTHEMATOSUS IN A SINGLE CENTER COHORT FROM TURKEY. Annals of the Rheumatic Diseases, 2021, 80, 602.1-603. | 0.9 | 0 |
| 243 | POS0766â€¦CLUSTER ANALYSIS AND COMPARISON OF CUMULATIVE DAMAGE BY DIAPS IN A SINGLE CENTER COHORT OF APS PATIENTS. Annals of the Rheumatic Diseases, 2021, 80, 636.2-637. | 0.9 | 0 |
| 244 | POS1259â€¦FAVOURABLE SHORT-TERM COURSE OF COVID-19 IN PATIENTS WITH FAMILIAL MEDITERRANEAN FEVER USING BIOLOGIC AGENTS. Annals of the Rheumatic Diseases, 2021, 80, 913.2-914. | 0.9 | 0 |
| 245 | POS1445â€¦RETINOL BINDING PROTEIN 4 AS AN ACUTE PHASE REACTANT AND BIOMARKER IN PATIENTS WITH FAMILIAL MEDITERRANEAN FEVER AND AMYLOIDOSIS COMPARED TO INFECTIONS. Annals of the Rheumatic Diseases, 2021, 80, 1006.2-1007. | 0.9 | 0 |
| 246 | AB0331â€¦PULMONARY INVOLVEMENT IN A SINGLE CENTER COHORT OF PATIENTS WITH SYSTEMIC LUPUS ERYTHEMATOSUS. Annals of the Rheumatic Diseases, 2021, 80, 1191.1-1191. | 0.9 | 0 |
| 247 | POS0710â€¦ANALYSIS OF 5-YEAR HOSPITALIZATION DATA OF PATIENTS WITH SYSTEMIC LUPUS ERYTHEMATOSUS: DAMAGE IS A RISK FACTOR FOR FREQUENT AND LONGER STAYS. Annals of the Rheumatic Diseases, 2021, 80, 604.2-605. | 0.9 | 0 |
| 248 | OPO313â€¦PRELIMINARY CRITERIA FOR MACROPHAGE ACTIVATION SYNDROME ASSOCIATED WITH CORONAVIRUS DISEASE-19. Annals of the Rheumatic Diseases, 2021, 80, 191.1-192. | 0.9 | 0 |
| 249 | AB0369â€¦EVALUATION OF BASELINE POSITRON EMISSION TOMOGRAPHY IN THE DIAGNOSIS AND ASSESSMENT OF GIANT CELL ARTERITIS. Annals of the Rheumatic Diseases, 2021, 80, 1210.2-1211. | 0.9 | 0 |
| 250 | Pulmonary Complications of BehÃ§et's Disease. Lung Biology in Health and Disease, 2005, , 377-396. | 0.1 | 0 |
| 251 | SAT0343â€¦Utility of Vascular Findings by PET/CT Scan in The Diagnosis and Activity Assessment of Takayasu Arteritis. Annals of the Rheumatic Diseases, 2016, 75, 791.2-791. | 0.9 | 0 |
| 252 | FRI0441â€¦Idiopathic inflammatory myopathies: clinical characteristics, survival and poor prognostic factors of 110 patients from turkey. , 2018, , . | | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|----------|-----------|
| 253 | SAT0489â€¦Assesment of persistent organ damage according to imacs (INTERNATIONAL MYOSITIS) Tj ETQq1 1 0.784314 rgBT /Ove myositis. , 2018, , . | 0.784314 | 0 |
| 254 | SAT0597â€¦New autoinflammatory phenotype manifesting as hypocomplementemic urticarial vasculitis and associated with homozygous agbl3 variant. , 2018, , . | | 0 |
| 255 | Genetics of Behçsetâ€™s Disease. , 2020, , 223-233. | | 0 |
| 256 | AB0485â€¦INVESTIGATION OF PERMANENT ORGAN DAMAGE IN GIANT CELL ARTERITIS: DISEASE FLARES ARE ASSOCIATED WITH INCREASED DAMAGE SCORES. Annals of the Rheumatic Diseases, 2020, 79, 1540.2-1540. | 0.9 | 0 |
| 257 | SAT0178â€¦HYDROXYCHLOROQUINE CONTROLS DISEASE ACTIVITY IN SLE AND MULTIMODAL IMAGING TECHNIQUES SHOULD BE USED TO DETECT OCULAR TOXICITY. Annals of the Rheumatic Diseases, 2020, 79, 1030.2-1031. | 0.9 | 0 |
| 258 | AB0486â€¦ANALYSIS OF 89 PATIENTS WITH GIANT CELL ARTERITIS FROM TURKEY: PET-CT AS AN EMERGING METHOD FOR DIAGNOSIS AND HIGH FLARE RATE WITH STANDARD CARE. Annals of the Rheumatic Diseases, 2020, 79, 1540.1-1541. | 0.9 | 0 |
| 259 | AB0480â€¦AN OPEN-LABEL, EXPLORATORY STUDY TO ESTABLISH THE EFFICACY AND SAFETY OF 1-YEAR CANAKINUMAB TREATMENT IN BEHçSETâ€™S DISEASE PATIENTS WITH NEUROLOGIC OR VASCULAR INVOLVEMENT. Annals of the Rheumatic Diseases, 2020, 79, 1537.3-1538. | 0.9 | 0 |
| 260 | FRI0160â€¦THE CORRELATION BETWEEN PREGNANCY, DISEASE ACTIVITY AND ADVERSE PREGNANCY OUTCOMES IN PATIENTS WITH SYSTEMIC LUPUS ERYTHEMATOSUS. Annals of the Rheumatic Diseases, 2020, 79, 664.1-664. | 0.9 | 0 |
| 261 | SAT0261â€¦FEATURES AND RISK FACTORS OF SERIOUS INFECTIONS IN ANCA ASSOCIATED VASCULITIS: LONG TERM FOLLOW UP OF 186 PATIENTS. Annals of the Rheumatic Diseases, 2020, 79, 1073.1-1073. | 0.9 | 0 |
| 262 | THU0369â€¦EVALUATION OF DIFFERENT CLASSIFICATION CRITERIA IN SYSTEMIC SCLEROSIS IN A TURKISH COHORT: THE IMPORTANCE OF NON-SKIN MANIFESTATIONS, SEROLOGY AND CAPILLAROSCOPY. Annals of the Rheumatic Diseases, 2020, 79, 416.1-417. | 0.9 | 0 |
| 263 | SAT0200â€¦RISK FACTORS FOR ADVERSE PREGNANCY OUTCOMES IN SYSTEMIC LUPUS ERYTHEMATOSUS PATIENTS. Annals of the Rheumatic Diseases, 2020, 79, 1042.1-1042. | 0.9 | 0 |
| 264 | SAT0346â€¦THE EFFICACY AND SAFETY OF RITUXIMAB IN 27 CASES OF TREATMENT RESISTANT SYSTEMIC SCLEROSIS WITH SEVERE DISEASE ASSESSED BY ACTIVITY SCORES. Annals of the Rheumatic Diseases, 2020, 79, 1119.2-1119. | 0.9 | 0 |
| 265 | SAT0238â€¦VALIDATION OF THE ADJUSTED GLOBAL ANTIPHOSPHOLIPID SYNDROME SCORE AND CORRELATION WITH EXTRA-CRITERIA MANIFESTATIONS. Annals of the Rheumatic Diseases, 2020, 79, 1062.2-1062. | 0.9 | 0 |
| 266 | OPO274â€¦CLINICAL ASPECTS, LABORATORY CHARACTERISTICS AND TREATMENT RESPONSES OF AA AMYLOIDOSIS: SINGLE CENTER EXPERIENCE WITH 163 PATIENTS. Annals of the Rheumatic Diseases, 2020, 79, 171.1-171. | 0.9 | 0 |
| 267 | THU0349â€¦THE RELATIONSHIP BETWEEN DISEASE ACTIVITY AND SEVERITY IN SYSTEMIC SCLEROSIS: A PROSPECTIVE ANALYSIS OF 278 PATIENTS. Annals of the Rheumatic Diseases, 2020, 79, 406.2-406. | 0.9 | 0 |
| 268 | AB0461â€¦ANCA-ASSOCIATED VASCULITIS: CLINICAL FEATURES, RELAPSE, ORGAN DAMAGE AND SURVIVAL IN 197 PATIENTS. Annals of the Rheumatic Diseases, 2020, 79, 1529.1-1529. | 0.9 | 0 |
| 269 | Cardiovascular risk in antiphospholipid syndrome: A comparison of thrombotic and obstetric disease subsets. Ulusal Romatoloji Dergisi, 2020, 12, 83-87. | 0.0 | 0 |
| 270 | Initial complete blood count score and predicting disease progression in COVID-19 patients. American Journal of Blood Research, 2021, 11, 77-83. | 0.6 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 271 | Reply to: Behçet's disease: an MHC-Iopathy?. Clinical and Experimental Rheumatology, 2017, 35 Suppl 104, 6. | 0.8 | 0 |
| 272 | Real life data of secukinumab in ankylosing spondylitis and psoriatic arthritis: Analysis of 44 patients in a single center. Ulusal Romatoloji Dergisi, 2021, 13, 116-120. | 0.0 | 0 |
| 273 | Clinical characteristics of female patients with axial spondyloarthritis treated with tumor necrosis factor-alpha inhibitors and disease related outcomes after therapy. Ulusal Romatoloji Dergisi, 2021, 13, 100-106. | 0.0 | 0 |
| 274 | Antineutrophil Cytoplasmic Antibody-Associated Vasculitis and COVID-19. Journal of Clinical Rheumatology, 0, Publish Ahead of Print, . | 0.9 | 0 |