Ou Huang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1543722/publications.pdf

Version: 2024-02-01

567281 477307 61 998 15 29 citations h-index g-index papers 64 64 64 1806 all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	The Prognostic Value of Tumor-Infiltrating Lymphocytes in Breast Cancer: A Systematic Review and Meta-Analysis. PLoS ONE, 2016, 11, e0152500.	2.5	219
2	A novel long non-coding RNA-ARA: Adriamycin Resistance Associated. Biochemical Pharmacology, 2014, 87, 254-283.	4.4	100
3	Increased Adverse Pregnancy Outcomes Associated With Stage 1 Hypertension in a Low-Risk Cohort. Hypertension, 2020, 75, 772-780.	2.7	48
4	Featured Article: Teriflunomide, an immunomodulatory drug, exerts anticancer activity in triple negative breast cancer cells. Experimental Biology and Medicine, 2015, 240, 426-437.	2.4	42
5	Surgery time interval and molecular subtype may influence Ki67 change after core needle biopsy in breast cancer patients. BMC Cancer, 2015, 15, 822.	2.6	34
6	Biologic behavior and long-term outcomes of breast ductal carcinoma <i>in situ</i> with microinvasion. Oncotarget, 2016, 7, 64182-64190.	1.8	34
7	Prognostic and predictive value of Ki-67 in triple-negative breast cancer. Oncotarget, 2016, 7, 31079-31087.	1.8	34
8	Axillary Staging of Earlyâ€Stage Invasive Breast Cancer by Ultrasoundâ€Guided Fineâ€Needle Aspiration Cytology. Journal of Ultrasound in Medicine, 2016, 35, 885-893.	1.7	32
9	Distribution patterns of 21-gene recurrence score in 980 Chinese estrogen receptor-positive, HER2-negative early breast cancer patients. Oncotarget, 2017, 8, 38706-38716.	1.8	31
10	Sentinel lymph node biopsy is unsuitable for routine practice in younger female patients with unilateral low-risk papillary thyroid carcinoma. BMC Cancer, 2011, 11, 386.	2.6	26
11	Effect of titanium implants with coatings of different pore sizes on adhesion and osteogenic differentiation of BMSCs. Artificial Cells, Nanomedicine and Biotechnology, 2019, 47, 290-299.	2.8	22
12	Invasive ductal carcinoma with coexisting ductal carcinoma in situ (IDC/DCIS) versus pure invasive ductal carcinoma (IDC): a comparison of clinicopathological characteristics, molecular subtypes, and clinical outcomes. Journal of Cancer Research and Clinical Oncology, 2019, 145, 1877-1886.	2.5	21
13	Can breast cancer patients with HER2 dual-equivocal tumours be managed as HER2-negative disease?. European Journal of Cancer, 2018, 89, 9-18.	2.8	20
14	<p>Insulin-like growth factor-1, metabolic abnormalities, and pathological complete remission rate in HER2-positive breast cancer patients receiving neoadjuvant therapy</p> . OncoTargets and Therapy, 2019, Volume 12, 3977-3989.	2.0	19
15	Higher axillary lymph node metastasis burden in breast cancer patients with positive preoperative node biopsy: may not be appropriate to receive sentinel lymph node biopsy in the post-ACOSOG Z0011 trial era. World Journal of Surgical Oncology, 2019, 17, 37.	1.9	18
16	The impact of surgical excision of the primary tumor in stage IV breast cancer on survival: a meta-analysis. Oncotarget, 2018, 9, 11816-11823.	1.8	17
17	Long noncoding RNA Inc-LOC645166 promotes adriamycin resistance via NF-κB/GATA3 axis in breast cancer. Aging, 2020, 12, 8893-8912.	3.1	16
18	Preoperative Axillary Ultrasound in the Selection of Patients With a Heavy Axillary Tumor Burden in Earlyâ€Stage Breast Cancer: What Leads to Falseâ€Positive Results?. Journal of Ultrasound in Medicine, 2018, 37, 1357-1365.	1.7	15

#	Article	IF	CITATIONS
19	Danggui Buxue Decoction, a Classical Formula of Traditional Chinese Medicine, Fails to Prevent Myelosuppression in Breast Cancer Patients Treated With Adjuvant Chemotherapy: A Prospective Study. Integrative Cancer Therapies, 2017, 16, 406-413.	2.0	14
20	21-Gene Recurrence Score and Adjuvant Chemotherapy Decision for Breast Cancer Patients with Positive Lymph Nodes. Scientific Reports, 2019, 9, 13123.	3.3	13
21	<p>A high absolute lymphocyte count predicts a poor prognosis in HER-2- positive breast cancer patients treated with trastuzumab</p> . Cancer Management and Research, 2019, Volume 11, 3371-3379.	1.9	13
22	Clinicopathological Features and Disease Outcome in Breast Cancer Patients with Hormonal Receptor Discordance between Core Needle Biopsy and Following Surgical Sample. Annals of Surgical Oncology, 2019, 26, 2779-2786.	1.5	13
23	A prospective, randomized study of Toremifene vs. tamoxifen for the treatment of premenopausal breast cancer: safety and genital symptom analysis. BMC Cancer, 2020, 20, 663.	2.6	13
24	A Smartphone-Based App to Improve Adjuvant Treatment Adherence to Multidisciplinary Decisions in Patients With Early-Stage Breast Cancer: Observational Study. Journal of Medical Internet Research, 2021, 23, e27576.	4.3	13
25	BNP as a marker for early prediction of anthracycline‑induced cardiotoxicity in patients with breast cancer. Oncology Letters, 2019, 18, 4992-5001.	1.8	12
26	IGF-1 Interacted With Obesity in Prognosis Prediction in HER2-Positive Breast Cancer Patients. Frontiers in Oncology, 2020, 10, 550.	2.8	11
27	Retrospective analysis of 119 Chinese noninflammatory locally advanced breast cancer cases treated with intravenous combination of vinorelbine and epirubicin as a neoadjuvant chemotherapy: a median follow-up of 63.4 months. BMC Cancer, 2009, 9, 375.	2.6	10
28	Targeting rho guanine nucleotide exchange factor ARHGEF5/TIM with auto-inhibitory peptides in human breast cancer. Amino Acids, 2015, 47, 1239-1246.	2.7	10
29	Fibrin-Sealant-Delivered Cisplatin Chemotherapy Versus Cisplatin Hyperthermic Intraperitoneal Perfusion Chemotherapy for Locally Advanced Gastric Cancer Without Peritoneal Metastases: A Randomized Phase-II Clinical Trial with a 40-Month Follow-up. Cell Biochemistry and Biophysics, 2015, 71, 1171-1180.	1.8	10
30	HER2 positivity is not associated with adverse prognosis in high-risk estrogen receptor-positive early breast cancer patients treated with chemotherapy and trastuzumab. Breast, 2020, 54, 235-241.	2.2	10
31	Distribution and Clinical Utility of the 21-gene Recurrence Score in Pure Mucinous Breast Cancer Patients: a case-control study. Journal of Cancer, 2018, 9, 3216-3224.	2.5	9
32	Clinical validation of Ki67 by quantitative reverse transcription-polymerase chain reaction (RT-PCR) in HR+/HER2- early breast cancer. Journal of Cancer, 2019, 10, 1110-1116.	2.5	9
33	Early response and pathological complete remission in Breast Cancer with different molecular subtypes: a retrospective single center analysis. Journal of Cancer, 2020, 11, 6916-6924.	2.5	8
34	Associations Between Circulating Insulin-Like Growth Factor 1 and Mortality in Women With Invasive Breast Cancer. Frontiers in Oncology, 2020, 10, 1384.	2.8	7
35	ZNF703 promotes triple-negative breast cancer cells through cell-cycle signaling and associated with poor prognosis. BMC Cancer, 2022, 22, 226.	2.6	7
36	Grb14 as an Independent Good Prognosis Factor for Breast Cancer Patients Treated with Neoadjuvant Chemotherapy. Japanese Journal of Clinical Oncology, 2013, 43, 1064-1072.	1.3	6

#	Article	IF	Citations
37	A771726, an anti-inflammatory drug, exerts an anticancer effect and reverses tamoxifen resistance in endocrine-resistant breast cancer cells. Oncology Reports, 2014, 32, 627-634.	2.6	6
38	Can Clinically Node-Negative Breast Cancer Patients with Suspicious Axillary Lymph Nodes at Ultrasound But Negative Fine-Needle Aspiration Be Approached as Having Node-Negative Disease?. Annals of Surgical Oncology, 2017, 24, 1874-1880.	1.5	6
39	Prognostic value of ephrin B receptors in breast cancer: An online survival analysis using the microarray data of 3,554�patients. Oncology Letters, 2019, 18, 742-750.	1.8	5
40	Riomarkers of Insulin and the Insulin-Like Growth Factor Axis in Relation to Breast Cancer Risk in Chinese Women OncoTargets and Therapy, 2020, Volume 13, 8027-8036.	2.0	5
41	Comprehensive Association Analysis of 21-Gene Recurrence Score and Obesity in Chinese Breast Cancer Patients. Frontiers in Oncology, 2021, 11, 619840.	2.8	5
42	A nomogram to predict adjuvant chemotherapy recommendation in breast cancer patients with intermediate recurrence score. Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research, 2018, 30, 222-230.	2.2	5
43	Comparison of the Distribution Pattern of 21-Gene Recurrence Score between Mucinous Breast Cancer and Infiltrating Ductal Carcinoma in Chinese Population: A Retrospective Single-Center Study. Cancer Research and Treatment, 2020, 52, 671-679.	3.0	5
44	Long-term outcomes following adjuvant endocrine therapy in breast cancer patients with a positive-to-negative change of hormone receptor status following neoadjuvant chemotherapy. Molecular and Clinical Oncology, 2014, 2, 997-1002.	1.0	4
45	Clinicopathological characteristics, adjuvant chemotherapy decision and disease outcome in patients with breast cancer with a 21‑gene recurrence score of 26‑30. Oncology Letters, 2020, 20, 1545-1556.	1.8	4
46	Prognostic Factors of Survival in Pathologic Incomplete Response Patients with Locally Advanced Breast Cancer After Neoadjuvant Chemotherapy. Cell Biochemistry and Biophysics, 2015, 71, 1181-1190.	1.8	3
47	Primary 21-Gene Recurrence Score and Disease Outcome in Loco-Regional and Distant Recurrent Breast Cancer Patients. Frontiers in Oncology, 2020, 10, 1315.	2.8	3
48	A nomogram to predict the high-risk RS in HR+/HER2-breast cancer patients older than 50Âyears of age. Journal of Translational Medicine, 2021, 19, 75.	4.4	3
49	A Novel Prognostic Scoring System Integrating Gene Expressions and Clinicopathological Characteristics to Predict Very Early Relapse in Node-Negative Estrogen Receptor-Positive/HER2-Negative Breast Cancer. Frontiers in Oncology, 2020, 10, 1335.	2.8	2
50	Do 21-Gene Recurrence Score Influence Chemotherapy Decisions in T1bN0 Breast Cancer Patients?. Frontiers in Oncology, 2020, 10, 708.	2.8	2
51	Combined Estrogen Receptor and Progesterone Receptor Level Can Predict Survival Outcome in Human Epidermal Growth Factor Receptor 2-positive Early Breast Cancer. Clinical Breast Cancer, 2022, 22, e147-e156.	2.4	1
52	Efficacy of adjuvant chemotherapy stratified by age and the 21-gene recurrence score in estrogen receptor-positive breast cancer. BMC Cancer, 2021, 21, 707.	2.6	1
53	Clinical characteristics and disease outcomes in ER+ breast cancer: a comparison between HER2+ patients treated with trastuzumab and HER2- patients. BMC Cancer, 2021, 21, 807.	2.6	1
54	FASLG T844C polymorphism and susceptibility to breast cancer: a meta-analysis. Tumor Biology, 2014, 35, 1089-1094.	1.8	0

Ou Huang

#	Article	IF	Citations
55	Factors Influencing Adjuvant Chemotherapy and Trastuzumab Choice in Older Human Epidermal Growth Factor Receptor 2-positive Breast Cancer Patients. Journal of Cancer, 2020, 11, 2602-2609.	2.5	O
56	Abstract PS17-38: Comprehensive association analysis of 21-gene recurrence score and overweight in breast cancer patients. , 2021 , , .		0
57	Abstract PS18-22: Association of molecular biomarkers heterogeneity and treatment pattern, disease outcomes in multifocal or multicentric breast cancer patients. , 2021, , .		O
58	Abstract PS4-28: Efficacy of adjuvant chemotherapy stratified by age and the 21 gene recurrence score in estrogen receptor positive breast cancer., 2021,,.		0
59	Abstract PS9-10: Can composite risk model help clinicians make adjuvant ovary function suppression dicision for breast cancer patients. , 2021, , .		O
60	Analysis of factors related to adjuvant chemotherapy decision in early breast cancer patients with intermediate recurrence score Journal of Clinical Oncology, 2017, 35, e12032-e12032.	1.6	0
61	Distribution and influence of the 21-gene recurrence score on chemotherapy decision-making in special type of breast cancer American Journal of Cancer Research, 2021, 11, 6188-6199.	1.4	0