

# Roberto Elosua

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1549779/publications.pdf>

Version: 2024-02-01

376  
papers

59,301  
citations

4370

86  
h-index

1250

226  
g-index

461  
all docs

461  
docs citations

461  
times ranked

80020  
citing authors

#	ARTICLE	IF	CITATIONS
1	Association of physical activity with high-density lipoprotein functionality in a population-based cohort: the REGICOR study. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2023, 76, 86-93.	0.4	0
2	Early-childhood BMI trajectories in relation to preclinical cardiovascular measurements in adolescence. <i>Journal of Developmental Origins of Health and Disease</i> , 2022, 13, 322-329.	0.7	5
3	Last Advances on Automatic Carotid Artery Analysis in Ultrasound Images: Towards Deep Learning. <i>Intelligent Systems Reference Library</i> , 2022, , 215-247.	1.0	1
4	High-density lipoprotein functional traits and coronary artery disease in a general population: a caseâ€“cohort study. <i>European Journal of Preventive Cardiology</i> , 2022, 29, e47-e49.	0.8	4
5	Usefulness of Cardiac Computed Tomography in Coronary Risk Prediction: A Five-Year Follow-Up of the SPICA Study (Secure Prevention with Imaging of the Coronary Arteries). <i>Journal of Clinical Medicine</i> , 2022, 11, 533.	1.0	5
6	High cardiovascular risk in older patients with opioid use disorder: Differences with the general population. <i>Drug and Alcohol Review</i> , 2022, 41, 1078-1084.	1.1	3
7	DNA Methylation and Ischemic Stroke Risk: An Epigenome-Wide Association Study. <i>Thrombosis and Haemostasis</i> , 2022, 122, 1767-1778.	1.8	12
8	Statement of the Spanish Interdisciplinary Vascular Prevention Committee on the updated European Cardiovascular Prevention Guidelines. <i>ClÃnica E InvestigaciÃ³n En Arteriosclerosis (English Edition)</i> , 2021, 33, 85-107.	0.1	4
9	Atypical advanced interatrial block due to giant atrial lipoma. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2021, 44, 737-739.	0.5	10
10	SÃndrome de BayÃ©s, accidente cerebrovascular y demencia. <i>Archivos Peruanos De CardiologÃa Y CirurgÃa Cardiovascular</i> , 2021, 2, 3-15.	0.1	2
11	Comentario del CEIPV a la actualizaciÃ³n de las GuÃas Europeas de PrevenciÃ³n Vascular en la PrÃctica ClÃnica. <i>ClÃnica E InvestigaciÃ³n En Arteriosclerosis</i> , 2021, 33, 85-107.	0.4	1
12	DNA methylation biomarkers of myocardial infarction and cardiovascular disease. <i>Clinical Epigenetics</i> , 2021, 13, 86.	1.8	42
13	DNA methylation and gene expression integration in cardiovascular disease. <i>Clinical Epigenetics</i> , 2021, 13, 75.	1.8	25
14	Do individuals with autoimmune disease have increased risk of subclinical carotid atherosclerosis and stiffness?. <i>Hypertension Research</i> , 2021, 44, 978-987.	1.5	3
15	Analysis of the dose-response relationship of leisure-time physical activity to cardiovascular disease and all-cause mortality: the REGICOR study. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2021, 74, 414-420.	0.4	2
16	Worldwide trends in hypertension prevalence and progress in treatment and control from 1990 to 2019: a pooled analysis of 1201 population-representative studies with 104 million participants. <i>Lancet, The</i> , 2021, 398, 957-980.	6.3	1,289
17	ECG patterns of typical and atypical advanced interatrial block: prevalence and clinical relevance. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2021, 74, 807-810.	0.4	3
18	Prevalencia y relevancia clÃnica de los tipos de bloqueo interauricular avanzado tÃpico y atÃpico. <i>Revista Espanola De Cardiologia</i> , 2021, 74, 808-810.	0.6	0

#	ARTICLE	IF	CITATIONS
19	Resting heart rate, cardiovascular events, and all-cause mortality: the REGICOR study. <i>European Journal of Preventive Cardiology</i> , 2021, , .	0.8	2
20	Cardiovascular risk in mild to moderately decreased glomerular filtration rate, diabetes and coronary heart disease in a southern European region. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2020, 73, 212-218.	0.4	3
21	Riesgo cardiovascular en la disminuci3n leve-moderada de la tasa de filtrado glomerular, diabetes y enfermedad coronaria en un 3rea del sur de Europa. <i>Revista Espanola De Cardiologia</i> , 2020, 73, 212-218.	0.6	1
22	National trends in total cholesterol obscure heterogeneous changes in HDL and non-HDL cholesterol and total-to-HDL cholesterol ratio: a pooled analysis of 458 population-based studies in Asian and Western countries. <i>International Journal of Epidemiology</i> , 2020, 49, 173-192.	0.9	44
23	Derivation and validation of SIDIAP-FHP score: A new risk model predicting cardiovascular disease in familial hypercholesterolemia phenotype. <i>Atherosclerosis</i> , 2020, 292, 42-51.	0.4	9
24	Physical Activity and Genome-wide DNA Methylation: The REGistre Glron3-del COR Study. <i>Medicine and Science in Sports and Exercise</i> , 2020, 52, 589-597.	0.2	12
25	Semantic segmentation with DenseNets for carotid artery ultrasound plaque segmentation and CIMT estimation. <i>Artificial Intelligence in Medicine</i> , 2020, 103, 101784.	3.8	30
26	What every clinician should know about Bay3s syndrome. <i>Revista Espanola De Cardiologia (English Ed)</i> Tj ETQq0,0,0 rgBT /Overlock 1	0.4	7
27	Trends in Short3-and Long3-Term ST3-Segment3-Elevation Myocardial Infarction Prognosis Over 3 Decades: A3Mediterranean Population3-Based ST3-Segment3-Elevation Myocardial Infarction Registry. <i>Journal of the American Heart Association</i> , 2020, 9, e017159.	1.6	16
28	Short- and Long-Term Mortality Trends in STEMI-Cardiogenic Shock over Three Decades (19893-2018): The Ruti-STEMI-Shock Registry. <i>Journal of Clinical Medicine</i> , 2020, 9, 2398.	1.0	14
29	Benefit of primary percutaneous coronary interventions in the elderly with ST segment elevation myocardial infarction. <i>Open Heart</i> , 2020, 7, e001169.	0.9	3
30	Relation of Interatrial Block to Cognitive Impairment in Patients 370 Years of Age (From the CAMBIAD) Tj ETQq0,0,0 rgBT /Overlock 1	0.7	7
31	Interatrial block and cognitive impairment in the BAYES prospective registry. <i>International Journal of Cardiology</i> , 2020, 321, 95-98.	0.8	21
32	Heterozygous 3ABCG5 3 Gene Deficiency and Risk of Coronary Artery Disease. <i>Circulation Genomic and Precision Medicine</i> , 2020, 13, 417-423.	1.6	45
33	Carbohydrate and fat intake associated with risk of metabolic diseases through epigenetics of CPT1A. <i>American Journal of Clinical Nutrition</i> , 2020, 112, 1200-1211.	2.2	48
34	High-density lipoprotein characteristics and coronary artery disease: a Mendelian randomization study. <i>Metabolism: Clinical and Experimental</i> , 2020, 112, 154351.	1.5	19
35	Association of Circulating microRNAs with Coronary Artery Disease and Usefulness for Reclassification of Healthy Individuals: The REGICOR Study. <i>Journal of Clinical Medicine</i> , 2020, 9, 1402.	1.0	21
36	Evaluating drug targets through human loss-of-function genetic variation. <i>Nature</i> , 2020, 581, 459-464.	13.7	115

#	ARTICLE	IF	CITATIONS
37	The mutational constraint spectrum quantified from variation in 141,456 humans. <i>Nature</i> , 2020, 581, 434-443.	13.7	6,140
38	A structural variation reference for medical and population genetics. <i>Nature</i> , 2020, 581, 444-451.	13.7	614
39	Transcript expression-aware annotation improves rare variant interpretation. <i>Nature</i> , 2020, 581, 452-458.	13.7	142
40	Relation of Advanced Interatrial Block to Risk of Atrial Fibrillation and Stroke. <i>American Journal of Cardiology</i> , 2020, 125, 1745-1748.	0.7	22
41	Identification of 20 novel loci associated with ischaemic stroke. Epigenome-wide association study. <i>Epigenetics</i> , 2020, 15, 988-997.	1.3	22
42	Association Between Genetic Variants in FADS1-FADS2 and ELOVL2 and Obesity, Lipid Traits, and Fatty Acids in Tunisian Population. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2020, 26, 107602962091528.	0.7	9
43	Dysfunctional High-Density Lipoproteins Are Associated With a Greater Incidence of Acute Coronary Syndrome in a Population at High Cardiovascular Risk. <i>Circulation</i> , 2020, 141, 444-453.	1.6	54
44	Association of angiotensin-converting enzyme insertion/deletion (ACE I/D) and angiotensinogen (AGT) Tj ETQq0 0 0 rgBT /Overlock 10 T Renin-Angiotensin-Aldosterone System, 2020, 21, 147032032090782.	1.0	6
45	The Neutrophil to Lymphocyte Ratio is a Prognostic Biomarker of Mortality Among Patients With Acute Limb Ischaemia. <i>European Journal of Vascular and Endovascular Surgery</i> , 2020, 59, 1036-1037.	0.8	2
46	A missense variant in Mitochondrial Amidoxime Reducing Component 1 gene and protection against liver disease. <i>PLoS Genetics</i> , 2020, 16, e1008629.	1.5	101
47	Epigenomic Assessment of Cardiovascular Disease Risk and Interactions With Traditional Risk Metrics. <i>Journal of the American Heart Association</i> , 2020, 9, e015299.	1.6	26
48	Advanced interatrial block and P-wave duration are associated with atrial fibrillation and stroke in older adults with heart disease: the BAYES registry. <i>Europace</i> , 2020, 22, 1001-1008.	0.7	48
49	DNA methylation of MMPs and TIMPs in atherothrombosis process in carotid plaques and blood tissues. <i>Oncotarget</i> , 2020, 11, 905-912.	0.8	4
50	Epidemiological aspects of cardiovascular and respiratory diseases. , 2020, , 1-11.		0
51	Dietary inflammatory index and all-cause mortality in large cohorts: The SUN and PREDIMED studies. <i>Clinical Nutrition</i> , 2019, 38, 1221-1231.	2.3	87
52	A Mediterranean Diet Rich in Extra-Virgin Olive Oil Is Associated with a Reduced Prevalence of Nonalcoholic Fatty Liver Disease in Older Individuals at High Cardiovascular Risk. <i>Journal of Nutrition</i> , 2019, 149, 1920-1929.	1.3	59
53	Incidence of Cardiovascular Disease in Patients with Familial Hypercholesterolemia Phenotype: Analysis of 5 Years Follow-Up of Real-World Data from More than 1.5 Million Patients. <i>Journal of Clinical Medicine</i> , 2019, 8, 1080.	1.0	33
54	Role of HDL function and LDL atherogenicity on cardiovascular risk: A comprehensive examination. <i>PLoS ONE</i> , 2019, 14, e0218533.	1.1	34

#	ARTICLE	IF	CITATIONS
55	Effectiveness of Statins as Primary Prevention in People With Gout: A Population-Based Cohort Study. <i>Journal of Cardiovascular Pharmacology and Therapeutics</i> , 2019, 24, 542-550.	1.0	4
56	A new rational approach to reach LDL-cholesterol concentration objectives after an acute coronary syndrome. <i>Clínica E Investigación En Arteriosclerosis (English Edition)</i> , 2019, 31, 93-100.	0.1	1
57	Advanced interatrial block is a surrogate for left atrial strain reduction which predicts atrial fibrillation and stroke. <i>Annals of Noninvasive Electrocardiology</i> , 2019, 24, e12632.	0.5	29
58	Epidemiology, risk factors, and opportunities for prevention of cardiovascular disease in individuals of South Asian ethnicity living in Europe. <i>Atherosclerosis</i> , 2019, 286, 105-113.	0.4	40
59	Soluble low-density lipoprotein receptor-related protein 1 as a biomarker of coronary risk: Predictive capacity and association with clinical events. <i>Atherosclerosis</i> , 2019, 287, 93-99.	0.4	13
60	Association between long-term air pollution exposure and DNA methylation: The REGICOR study. <i>Environmental Research</i> , 2019, 176, 108550.	3.7	19
61	New electrocardiographic score for the prediction of atrial fibrillation: The MVP ECG risk score (morphology+P-wave duration). <i>Annals of Noninvasive Electrocardiology</i> , 2019, 24, e12669.	0.5	48
62	Early smoking-onset age and risk of cardiovascular disease and mortality. <i>Preventive Medicine</i> , 2019, 124, 17-22.	1.6	13
63	Anthracycline-induced cardiotoxicity in diffuse large B-cell lymphoma: NT-proBNP and cardiovascular score for risk stratification. <i>European Journal of Haematology</i> , 2019, 102, 509-515.	1.1	15
64	Mitochondrial DNA and cardiovascular diseases: A long road ahead. <i>European Journal of Preventive Cardiology</i> , 2019, 26, 973-975.	0.8	3
65	Association of Apolipoprotein E With Intracerebral Hemorrhage Risk by Race/Ethnicity. <i>JAMA Neurology</i> , 2019, 76, 480.	4.5	43
66	Una nueva estrategia para alcanzar los niveles objetivos de colesterol LDL tras un síndrome coronario agudo. <i>Clínica E Investigación En Arteriosclerosis</i> , 2019, 31, 93-100.	0.4	6
67	Interhospital Variability in Acute Coronary Syndrome Management in the ATHOS Study. <i>Revista Española De Cardiología (English Ed)</i> , 2019, 72, 691-693.	0.4	3
68	DNA Sequence Variation in <i>ACVR1C</i> Encoding the Activin Receptor-Like Kinase 7 Influences Body Fat Distribution and Protects Against Type 2 Diabetes. <i>Diabetes</i> , 2019, 68, 226-234.	0.3	31
69	Cohort Profile: Design and methods of the PREDIMED-Plus randomized trial. <i>International Journal of Epidemiology</i> , 2019, 48, 387-388o.	0.9	179
70	Association of the PHACTR1/EDN1 Genetic Locus With Spontaneous Coronary Artery Dissection. <i>Journal of the American College of Cardiology</i> , 2019, 73, 58-66.	1.2	147
71	Variabilidad interhospitalaria del tratamiento del síndrome coronario agudo en el estudio ATHOS. <i>Revista Española De Cardiología</i> , 2019, 72, 691-693.	0.6	8
72	Disease Progression in the Contralateral Carotid Artery is Still Common After Endarterectomy. <i>Annals of Vascular Surgery</i> , 2018, 50, 225-230.	0.4	7

#	ARTICLE	IF	CITATIONS
73	Analysis of predicted loss-of-function variants in UK Biobank identifies variants protective for disease. <i>Nature Communications</i> , 2018, 9, 1613.	5.8	78
74	Number of Patients Eligible for PCSK9 Inhibitors Based on Real-world Data From 2.5 Million Patients. <i>Revista Espanola De Cardiologia (English Ed )</i> , 2018, 71, 1010-1017.	0.4	10
75	Prediction of coronary disease incidence by biomarkers of inflammation, oxidation, and metabolism. <i>Scientific Reports</i> , 2018, 8, 3191.	1.6	42
76	Acute Limb Ischemia Secondary to Native Artery Occlusion: Results of a Contemporary Case Series. <i>World Journal of Surgery</i> , 2018, 42, 2674-2681.	0.8	1
77	DNA Methylation and Age-Independent Cardiovascular Risk, an Epigenome-Wide Approach. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2018, 38, 645-652.	1.1	33
78	Número de pacientes candidatos a recibir inhibidores de la PCSK9 según datos de 2,5 millones de participantes de la práctica clínica real. <i>Revista Espanola De Cardiologia</i> , 2018, 71, 1010-1017.	0.6	23
79	Contributions of mean and shape of blood pressure distribution to worldwide trends and variations in raised blood pressure: a pooled analysis of 1018 population-based measurement studies with 88.6 million participants. <i>International Journal of Epidemiology</i> , 2018, 47, 872-883i.	0.9	65
80	Weighted Multi-marker Genetic Risk Scores for Incident Coronary Heart Disease among Individuals of African, Latino and East-Asian Ancestry. <i>Scientific Reports</i> , 2018, 8, 6853.	1.6	18
81	Legume consumption is inversely associated with type 2 diabetes incidence in adults: A prospective assessment from the PREDIMED study. <i>Clinical Nutrition</i> , 2018, 37, 906-913.	2.3	108
82	Validity Assessment of Low-risk SCORE Function and SCORE Function Calibrated to the Spanish Population in the FRESCO Cohorts. <i>Revista Espanola De Cardiologia (English Ed )</i> , 2018, 71, 274-282.	0.4	3
83	Evaluación de la validez de las funciones SCORE de bajo riesgo y calibrada para población española en las cohortes FRESCO. <i>Revista Espanola De Cardiologia</i> , 2018, 71, 274-282.	0.6	24
84	Estimated Glomerular Filtration Rate, Cardiovascular Events and Mortality Across Age Groups Among Individuals Older Than 60 Years in Southern Europe. <i>Revista Espanola De Cardiologia (English Ed )</i> , 2018, 71, 450-457.	0.4	2
85	Phenotypic Consequences of a Genetic Predisposition to Enhanced Nitric Oxide Signaling. <i>Circulation</i> , 2018, 137, 222-232.	1.6	87
86	Association between chronic immune-mediated inflammatory diseases and cardiovascular risk. <i>Heart</i> , 2018, 104, 119-126.	1.2	63
87	Association of Classic Cardiovascular Risk Factors and Lifestyles With the Cardio-ankle Vascular Index in a General Mediterranean Population. <i>Revista Espanola De Cardiologia (English Ed )</i> , 2018, 71, 458-465.	0.4	6
88	Identification of a novel locus on chromosome 2q13, which predisposes to clinical vertebral fractures independently of bone density. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 378-385.	0.5	21
89	Acute Myocardial Infarction Population Incidence and Mortality Rates, and 28-day Case-fatality in Older Adults. The REGICOR Study. <i>Revista Espanola De Cardiologia (English Ed )</i> , 2018, 71, 718-725.	0.4	11
90	Effectiveness of Statins as Primary Prevention in People With Different Cardiovascular Risk: A Population-Based Cohort Study. <i>Clinical Pharmacology and Therapeutics</i> , 2018, 104, 719-732.	2.3	12

#	ARTICLE	IF	CITATIONS
91	Predictive factors of a poor outcome following revascularization for critical limb ischemia: implications for practice. <i>International Angiology</i> , 2018, 37, 370-376.	0.4	14
92	Road to Unravel Gene-Environment Interactions on Cardiovascular Complex Diseases. <i>Circulation Genomic and Precision Medicine</i> , 2018, 11, e002040.	1.6	4
93	Analysis of Plasma Albumin, Vitamin D, and Apolipoproteins A and B as Predictive Coronary Risk Biomarkers in the REGICOR Study. <i>Revista Espanola De Cardiologia (English Ed )</i> , 2018, 71, 910-916.	0.4	6
94	Genetic analysis of over 1 million people identifies 535 new loci associated with blood pressure traits. <i>Nature Genetics</i> , 2018, 50, 1412-1425.	9.4	924
95	Statins for primary prevention of cardiovascular events and mortality in old and very old adults with and without type 2 diabetes: retrospective cohort study. <i>BMJ: British Medical Journal</i> , 2018, 362, k3359.	2.4	135
96	Atypical advanced interatrial blocks: Definition and electrocardiographic recognition. <i>Journal of Electrocardiology</i> , 2018, 51, 1091-1093.	0.4	44
97	Second-degree interatrial block: Brief review and concept. <i>Annals of Noninvasive Electrocardiology</i> , 2018, 23, e12583.	0.5	12
98	Validity of a method for the self-screening of cardiovascular risk. <i>Clinical Epidemiology</i> , 2018, Volume 10, 549-560.	1.5	5
99	Interatrial block and atrial remodeling assessed using speckle tracking echocardiography. <i>BMC Cardiovascular Disorders</i> , 2018, 18, 38.	0.7	36
100	Tasas de incidencia y mortalidad, y letalidad poblacional a 28 días del infarto agudo de miocardio en adultos mayores. Estudio REGICOR. <i>Revista Espanola De Cardiologia</i> , 2018, 71, 718-725.	0.6	10
101	<i>&lt;i&gt;17p12&lt;/i&gt;</i> Influences Hematoma Volume and Outcome in Spontaneous Intracerebral Hemorrhage. <i>Stroke</i> , 2018, 49, 1618-1625.	1.0	26
102	Long-term exposure to ambient air pollution and traffic noise and incident hypertension in seven cohorts of the European study of cohorts for air pollution effects (ESCAPE). <i>European Heart Journal</i> , 2017, 38, ehw413.	1.0	128
103	DNA Methylation and High-Density Lipoprotein Functionality—Brief Report. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2017, 37, 567-569.	1.1	11
104	Genome-wide association analysis identifies novel blood pressure loci and offers biological insights into cardiovascular risk. <i>Nature Genetics</i> , 2017, 49, 403-415.	9.4	492
105	Prevalence of cardiovascular risk factors in people with epilepsy. <i>Brain and Behavior</i> , 2017, 7, e00618.	1.0	18
106	Adaptación española de las guías europeas de 2016 sobre prevención de la enfermedad cardiovascular en la práctica clínica. <i>Clínica E Investigaci3n En Arteriosclerosis</i> , 2017, 29, 69-85.	0.4	7
107	Association of Rare and Common Variation in the Lipoprotein Lipase Gene With Coronary Artery Disease. <i>JAMA - Journal of the American Medical Association</i> , 2017, 317, 937.	3.8	148
108	Mediterranean Diet Improves High-Density Lipoprotein Function in High-Cardiovascular-Risk Individuals. <i>Circulation</i> , 2017, 135, 633-643.	1.6	171

#	ARTICLE	IF	CITATIONS
109	Protein-Truncating Variants at the Cholesteryl Ester Transfer Protein Gene and Risk for Coronary Heart Disease. <i>Circulation Research</i> , 2017, 121, 81-88.	2.0	68
110	The Genetics of Ischemic Heart Disease: From Current Knowledge to Clinical Implications. <i>Revista Espanola De Cardiologia (English Ed )</i> , 2017, 70, 754-762.	0.4	6
111	Association between DNA methylation and coronary heart disease or other atherosclerotic events: A systematic review. <i>Atherosclerosis</i> , 2017, 263, 325-333.	0.4	101
112	In-hospital prognosis and long-term mortality of STEMI in a reperfusion network. â€œHead to headâ€ analysis: invasive reperfusion vs optimal medical therapy. <i>BMC Cardiovascular Disorders</i> , 2017, 17, 139.	0.7	13
113	Analysis of the Association Between Electrocardiographic P-wave Characteristics and Atrial Fibrillation in the REGICOR Study. <i>Revista Espanola De Cardiologia (English Ed )</i> , 2017, 70, 841-847.	0.4	8
114	Prediction of Cardiovascular Disease by the Framinghamâ€™REGICOR Equation in the Highâ€™Risk PREDIMED Cohort: Impact of the Mediterranean Diet Across Different Risk Strata. <i>Journal of the American Heart Association</i> , 2017, 6, .	1.6	17
115	People with epilepsy receive more statins than the general population but have no higher cardiovascular risk: results from a crossâ€™sectional study. <i>European Journal of Neurology</i> , 2017, 24, 419-426.	1.7	8
116	The association between education and cardiovascular disease incidence is mediated by hypertension, diabetes, and body mass index. <i>Scientific Reports</i> , 2017, 7, 12370.	1.6	70
117	Differences in cardio-ankle vascular index in a general Mediterranean population depending on the presence or absence of metabolic cardiovascular risk factors. <i>Atherosclerosis</i> , 2017, 264, 29-35.	0.4	3
118	Novel Blood Pressure Locus and Gene Discovery Using Genome-Wide Association Study and Expression Data Sets From Blood and the Kidney. <i>Hypertension</i> , 2017, 70, .	1.3	123
119	Abnormally High Ankleâ€™Brachial Index is Associated with All-cause and Cardiovascular Mortality: The REGICOR Study. <i>European Journal of Vascular and Endovascular Surgery</i> , 2017, 54, 370-377.	0.8	27
120	USEFULNESS OF N-TERMINAL BRAIN NATRIURETIC PEPTIDE LEVELS AND FRESCO SCALE FOR THE PREDICTION OF ANTHRACYCLINE-INDUCED CARDIOMYOTOXICITY IN PATIENTS WITH HODGKIN LYMPHOMA. <i>Hematological Oncology</i> , 2017, 35, 174-175.	0.8	1
121	Percutaneous coronary intervention reduces mortality in myocardial infarction patients with comorbidities: Implications for elderly patients with diabetes or kidney disease. <i>International Journal of Cardiology</i> , 2017, 249, 83-89.	0.8	21
122	DNA methylation and obesity traits: An epigenome-wide association study. The REGICOR study. <i>Epigenetics</i> , 2017, 12, 909-916.	1.3	88
123	Secondary prevention strategies after an acute ST-segment elevation myocardial infarction in the AMI code era: beyond myocardial mechanical reperfusion. <i>BMC Cardiovascular Disorders</i> , 2017, 17, 54.	0.7	18
124	Worldwide trends in blood pressure from 1975 to 2015: a pooled analysis of 1479 population-based measurement studies with 19.1 million participants. <i>Lancet, The</i> , 2017, 389, 37-55.	6.3	1,667
125	Rationale and design of the BAYES (Interatrial Block and Yearly Events) registry. <i>Clinical Cardiology</i> , 2017, 40, 196-199.	0.7	45
126	Surface ECG interatrial block-guided treatment for stroke prevention: rationale for an attractive hypothesis. <i>BMC Cardiovascular Disorders</i> , 2017, 17, 211.	0.7	28



#	ARTICLE	IF	CITATIONS
127	A clinical-genetic approach to assessing cardiovascular risk in patients with CKD. CKJ: Clinical Kidney Journal, 2017, 10, 672-678.	1.4	3
128	Evaluation of a Clinical Decision Support System for Dyslipidemia Treatment (HTE-DLPR) by QoE questionnaire. International Journal of Cardiovascular Practice, 2017, 2, 10-16.	0.2	0
129	Validation of the Regicor Short Physical Activity Questionnaire for the Adult Population. PLoS ONE, 2017, 12, e0168148.	1.1	133
130	Comentarios del Comité Español Interdisciplinario de Prevención Cardiovascular (CEIPC) a las Guías Europeas de Prevención Cardiovascular 2012. Neurología, 2016, 31, 195-207.	0.3	0
131	Association of increased monetary cost of dietary intake, diet quality and weight management in Spanish adults – CORRIGENDUM. British Journal of Nutrition, 2016, 115, 2267-2267.	1.2	0
132	Advanced interatrial block and ischemic stroke: The Atherosclerosis Risk In Communities Study. Neurology, 2016, 87, 2499-2499.	1.5	8
133	Phenotypic Characterization of Genetically Lowered Human Lipoprotein(a) Levels. Journal of the American College of Cardiology, 2016, 68, 2761-2772.	1.2	186
134	Comparative analysis between 2 periods of acute myocardial infarction after a decade in Mallorca. IBERIA Study (1996-1998) and Infarction-Code (2008-2010). Medicina Intensiva (English Edition), 2016, 40, 541-549.	0.1	1
135	Prevalencia y pronóstico de los pacientes con infarto de miocardio de alto riesgo candidatos a doble tratamiento antiagregante prolongado. Revista Espanola De Cardiologia, 2016, 69, 480-487.	0.6	11
136	Association of increased monetary cost of dietary intake, diet quality and weight management in Spanish adults. British Journal of Nutrition, 2016, 115, 817-822.	1.2	20
137	Prevalence and Prognosis of High-risk Myocardial Infarction Patient Candidates to Extended Antiplatelet Therapy. Revista Espanola De Cardiologia (English Ed ), 2016, 69, 480-487.	0.4	7
138	Worldwide trends in diabetes since 1980: a pooled analysis of 751 population-based studies with 4.4 million participants. Lancet, The, 2016, 387, 1513-1530.	6.3	2,842
139	Cardiovascular Risk Factors and Ischemic Heart Disease. Circulation: Cardiovascular Genetics, 2016, 9, 279-286.	5.1	5
140	Prevalence and incidence of Q-wave unrecognized myocardial infarction in general population: Diagnostic value of the electrocardiogram. The REGICOR study. International Journal of Cardiology, 2016, 225, 300-305.	0.8	10
141	Análisis comparativo de 2 registros de infarto agudo de miocardio tras una década de cambios. Estudio IBERICA (1996-1998) y Código Infarto-Illes Balears (2008-2010). Medicina Intensiva, 2016, 40, 541-549.	0.4	6
142	Awareness of Genetic Coronary Risk Score Improves Blood Pressure Control in Hypertensive Patients. Revista Espanola De Cardiologia (English Ed ), 2016, 69, 1226-1227.	0.4	2
143	Conocer el impacto de la carga genética de riesgo coronario mejora el control de la presión arterial de los pacientes hipertensos. Revista Espanola De Cardiologia, 2016, 69, 1226-1227.	0.6	0
144	Role of renal function in cardiovascular risk assessment: A retrospective cohort study in a population with low incidence of coronary heart disease. Preventive Medicine, 2016, 89, 200-206.	1.6	7

#	ARTICLE	IF	CITATIONS
145	Risk of Cause-Specific Death in Individuals With Diabetes: A Competing Risks Analysis. <i>Diabetes Care</i> , 2016, 39, 1987-1995.	4.3	259
146	Epigenetics of Lipid Phenotypes. <i>Current Cardiovascular Risk Reports</i> , 2016, 10, 1.	0.8	20
147	Analysis of protein-coding genetic variation in 60,706 humans. <i>Nature</i> , 2016, 536, 285-291.	13.7	9,051
148	Unraveling Myocardial Mass. <i>Journal of the American College of Cardiology</i> , 2016, 68, 1449-1451.	1.2	1
149	Genetic variants in CETP increase risk of intracerebral hemorrhage. <i>Annals of Neurology</i> , 2016, 80, 730-740.	2.8	33
150	Identification and validation of seven new loci showing differential DNA methylation related to serum lipid profile: an epigenome-wide approach. The REGICOR study. <i>Human Molecular Genetics</i> , 2016, 25, 4556-4565.	1.4	77
151	The genetics of blood pressure regulation and its target organs from association studies in 342,415 individuals. <i>Nature Genetics</i> , 2016, 48, 1171-1184.	9.4	362
152	Lipid and inflammatory biomarker profiles in early insulin resistance. <i>Acta Diabetologica</i> , 2016, 53, 905-913.	1.2	9
153	Clinical Utility of Multimarker Genetic Risk Scores for Prediction of Incident Coronary Heart Disease. <i>Circulation: Cardiovascular Genetics</i> , 2016, 9, 531-540.	5.1	48
154	Dietary $\omega$ -3 Linolenic Acid, Marine $\omega$ -3 Fatty Acids, and Mortality in a Population With High Fish Consumption: Findings From the PREVENCIÓN con Dieta MEDITERRÁNEA (PREDIMED) Study. <i>Journal of the American Heart Association</i> , 2016, 5, .	1.6	60
155	Novel 6p21.3 Risk Haplotype Predisposes to Acute Coronary Syndrome. <i>Circulation: Cardiovascular Genetics</i> , 2016, 9, 55-63.	5.1	6
156	Statement of the Spanish Interdisciplinary Cardiovascular Prevention Committee (CEIPC for its) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 30	0.2	0
157	Statins for Prevention of Cardiovascular Events in a Low-Risk Population With Low Ankle Brachial Index. <i>Journal of the American College of Cardiology</i> , 2016, 67, 630-640.	1.2	92
158	On the problem of type 2 diabetes-related mortality in the Canary Islands, Spain. The DARIOS Study. <i>Diabetes Research and Clinical Practice</i> , 2016, 111, 74-82.	1.1	24
159	Peripheral Arterial Disease Incidence and Associated Risk Factors in a Mediterranean Population-based Cohort. The REGICOR Study. <i>European Journal of Vascular and Endovascular Surgery</i> , 2016, 51, 696-705.	0.8	26
160	Epigenome-wide association study identifies <i>TXNIP</i> gene associated with type 2 diabetes mellitus and sustained hyperglycemia. <i>Human Molecular Genetics</i> , 2016, 25, 609-619.	1.4	140
161	Incidence, Mortality and Positive Predictive Value of Type 1 Cardiorenal Syndrome in Acute Coronary Syndrome. <i>PLoS ONE</i> , 2016, 11, e0167166.	1.1	14
162	Ischemic stroke patients are biologically older than their chronological age. <i>Aging</i> , 2016, 8, 2655-2666.	1.4	52

#	ARTICLE	IF	CITATIONS
163	Usefulness of NT-Probnp Levels and Fresco Cardiovascular Risk Scale for Prediction of Myocardiotoxicity Induced By Anthracyclines in Patients with Diffuse Large B-Cell Lymphoma. <i>Blood</i> , 2016, 128, 925-925.	0.6	0
164	Analysis of Gene-Gene Interactions among Common Variants in Candidate Cardiovascular Genes in Coronary Artery Disease. <i>PLoS ONE</i> , 2015, 10, e0117684.	1.1	8
165	Effect of Energy Under-Reporting on Secular Trends of Dietary Patterns in a Mediterranean Population. <i>PLoS ONE</i> , 2015, 10, e0127647.	1.1	8
166	Base of the triangle to determine a Brugada electrocardiogram pattern. <i>Europace</i> , 2015, 17, 505-505.	0.7	4
167	Identification of a new locus and validation of previously reported loci showing differential methylation associated with smoking. The REGICOR study. <i>Epigenetics</i> , 2015, 10, 1156-1165.	1.3	40
168	Impacto teórico en la enfermedad coronaria de usar un sistema informatizado de ayuda en la prescripción del tratamiento hipolipemiante. <i>Revista Espanola De Cardiologia</i> , 2015, 68, 75-78.	0.6	1
169	Theoretical Impact on Coronary Disease of Using a Computerized Clinical Decision Support System in the Prescription of Lipid-lowering Treatment. <i>Revista Espanola De Cardiologia (English Ed )</i> , 2015, 68, 75-78.	0.4	2
170	New myocardial infarction definition affects incidence, mortality, hospitalization rates and prognosis. <i>European Journal of Preventive Cardiology</i> , 2015, 22, 1272-1280.	0.8	15
171	A European benchmarking system to evaluate in-hospital mortality rates in acute coronary syndrome: The EURHOBOP project. <i>International Journal of Cardiology</i> , 2015, 182, 509-516.	0.8	22
172	Brachial-ankle pulse wave velocity is associated with coronary calcium in young and middle-aged asymptomatic adults: The Kangbuk Samsung Health Study. <i>Atherosclerosis</i> , 2015, 241, 350-356.	0.4	24
173	Air Pollution and Atherosclerosis: A Cross-Sectional Analysis of Four European Cohort Studies in the ESCAPE Study. <i>Environmental Health Perspectives</i> , 2015, 123, 597-605.	2.8	66
174	Prevalence of lower extremity peripheral arterial disease in individuals with chronic immune mediated inflammatory disorders. <i>Atherosclerosis</i> , 2015, 242, 1-7.	0.4	12
175	Effects of diabetes definition on global surveillance of diabetes prevalence and diagnosis: a pooled analysis of 96 population-based studies with 331 288 participants. <i>Lancet Diabetes and Endocrinology</i> , 2015, 3, 624-637.	5.5	139
176	Adding low ankle brachial index to classical risk factors improves the prediction of major cardiovascular events. The REGICOR study. <i>Atherosclerosis</i> , 2015, 241, 357-363.	0.4	35
177	The ERICE-score: the New Native Cardiovascular Score for the Low-risk and Aged Mediterranean Population of Spain. <i>Revista Espanola De Cardiologia (English Ed )</i> , 2015, 68, 205-215.	0.4	12
178	Asociación entre variantes genéticas de enfermedad coronaria y aterosclerosis subclónica: estudio de asociación y metanálisis. <i>Revista Espanola De Cardiologia</i> , 2015, 68, 869-877.	0.6	12
179	La ecuación ERICE: la nueva ecuación autonómica de riesgo cardiovascular para una población mediterránea envejecida y de bajo riesgo en España. <i>Revista Espanola De Cardiologia</i> , 2015, 68, 205-215.	0.6	32
180	Lateral MI Explains the Presence of Prominent R Wave (R <sub>1</sub> ) in V <sub>1</sub> . <i>Journal of Electrocardiology</i> , 2015, 20, 570-577.		4

#	ARTICLE	IF	CITATIONS
181	Association Between Coronary Artery Disease Genetic Variants and Subclinical Atherosclerosis: An Association Study and Meta-analysis. <i>Revista Espanola De Cardiologia (English Ed )</i> , 2015, 68, 869-877.	0.4	11
182	Twenty-five-year trends in myocardial infarction attack and mortality rates, and case-fatality, in six European populations. <i>Heart</i> , 2015, 101, 1413-1421.	1.2	169
183	A comprehensive 1000 Genomesâ€‘based genome-wide association meta-analysis of coronary artery disease. <i>Nature Genetics</i> , 2015, 47, 1121-1130.	9.4	2,054
184	Soft Drink Consumption Is Positively Associated with Increased Waist Circumference and 10-Year Incidence of Abdominal Obesity in Spanish Adults1â€‘3. <i>Journal of Nutrition</i> , 2015, 145, 328-334.	1.3	35
185	Global DNA Methylation of Ischemic Stroke Subtypes. <i>PLoS ONE</i> , 2014, 9, e96543.	1.1	46
186	Pathogenesis of coronary artery disease: focus on genetic risk factors and identification of genetic variants. <i>The Application of Clinical Genetics</i> , 2014, 7, 15.	1.4	98
187	The Association between Air Pollution and Subclinical Atherosclerosis: Rivera et al. <i>Respond. Environmental Health Perspectives</i> , 2014, 122, A8-9.	2.8	1
188	Mediterranean diet impact on changes in abdominal fat and 10-year incidence of abdominal obesity in a Spanish population. <i>British Journal of Nutrition</i> , 2014, 111, 1481-1487.	1.2	45
189	Association of Long-Term Exposure to Traffic-Related Air Pollution with Blood Pressure and Hypertension in an Adult Populationâ€‘Based Cohort in Spain (the REGICOR Study). <i>Environmental Health Perspectives</i> , 2014, 122, 404-411.	2.8	72
190	High Blood Pressure and Long-Term Exposure to Indoor Noise and Air Pollution from Road Traffic. <i>Environmental Health Perspectives</i> , 2014, 122, 1193-1200.	2.8	100
191	Arterial Blood Pressure and Long-Term Exposure to Traffic-Related Air Pollution: An Analysis in the European Study of Cohorts for Air Pollution Effects (ESCAPE). <i>Environmental Health Perspectives</i> , 2014, 122, 896-905.	2.8	112
192	New electrocardiographic criteria to differentiate the Type-2 Brugada pattern from electrocardiogram of healthy athletes with r'-wave in leads V1/V2. <i>Europace</i> , 2014, 16, 1639-1645.	0.7	68
193	Validation of a population coronary disease predictive system: the CASSANDRA model. <i>Journal of Epidemiology and Community Health</i> , 2014, 68, 1012-1019.	2.0	4
194	Metabolic and Inflammatory Profiles of Biomarkers in Obesity, Metabolic Syndrome, and Diabetes in a Mediterranean Population. <i>DARIOS Inflammatory Study. Revista Espanola De Cardiologia (English Ed )</i> , 2014, 67, 624-631.	0.4	8
195	Derivation and validation of BOREAS, a risk score identifying candidates to develop cold-induced hypertension. <i>Environmental Research</i> , 2014, 132, 190-196.	3.7	12
196	Determinants of the transition from a cardiometabolic normal to abnormal overweight/obese phenotype in a Spanish population. <i>European Journal of Nutrition</i> , 2014, 53, 1345-1353.	1.8	70
197	Cardiovascular Risk Functions: Usefulness and Limitations. <i>Revista Espanola De Cardiologia (English)</i> Tj ETQq1 1 0.784314 rgBT /Over 0.4 84	0.4	84
198	Derivation and validation of a set of 10-year cardiovascular risk predictive functions in Spain: The FRESCO Study. <i>Preventive Medicine</i> , 2014, 61, 66-74.	1.6	61

#	ARTICLE	IF	CITATIONS
199	International differences in acute coronary syndrome patients' baseline characteristics, clinical management and outcomes in Western Europe: the EURHOBOP study. <i>Heart</i> , 2014, 100, 1201-1207.	1.2	56
200	Multilocus Genetic Risk Scores for Venous Thromboembolism Risk Assessment. <i>Journal of the American Heart Association</i> , 2014, 3, e001060.	1.6	58
201	Prevalencia de fibrilación auricular y factores asociados en España, análisis de seis estudios de base poblacional. Estudio DARIOS. <i>Revista Clinica Espanola</i> , 2014, 214, 505-512.	0.2	17
202	Prevalence of atrial fibrillation and its associated factors in Spain: An analysis of six population-based studies. DARIOS Study. <i>Revista Clinica Espanola</i> , 2014, 214, 505-512.	0.3	4
203	Inactivating Mutations in <i>NPC1L1</i> and Protection from Coronary Heart Disease. <i>New England Journal of Medicine</i> , 2014, 371, 2072-2082.	13.9	386
204	Gene-Age Interactions in Blood Pressure Regulation: A Large-Scale Investigation with the CHARGE, Global BPgen, and ICBP Consortia. <i>American Journal of Human Genetics</i> , 2014, 95, 24-38.	2.6	109
205	Effects of Long-Term Averaging of Quantitative Blood Pressure Traits on the Detection of Genetic Associations. <i>American Journal of Human Genetics</i> , 2014, 95, 49-65.	2.6	73
206	Las funciones de riesgo cardiovascular: utilidades y limitaciones. <i>Revista Espanola De Cardiologia</i> , 2014, 67, 77-79.	0.6	9
207	Seasonality of cardiovascular risk factors: an analysis including over 230,000 participants in 15 countries. <i>Heart</i> , 2014, 100, 1517-1523.	1.2	113
208	Sex-based Differences in Clinical Features, Management, and 28-day and 7-year Prognosis of First Acute Myocardial Infarction. RESCATE II Study. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2014, 67, 28-35.	0.4	7
209	Meta-analysis of Genome-wide Association Studies Identifies 1q22 as a Susceptibility Locus for Intracerebral Hemorrhage. <i>American Journal of Human Genetics</i> , 2014, 94, 511-521.	2.6	235
210	Diferencias en función del sexo en las características clínicas, tratamiento y mortalidad a 28 días y 7 años de un primer infarto agudo de miocardio. Estudio RESCATE II. <i>Revista Espanola De Cardiologia</i> , 2014, 67, 28-35.	0.6	30
211	Relationship of lipid oxidation with subclinical atherosclerosis and 10-year coronary events in general population. <i>Atherosclerosis</i> , 2014, 232, 134-140.	0.4	50
212	Association Between rs2200733 and rs7193343 Genetic Variants and Atrial Fibrillation in a Spanish Population, and Meta-analysis of Previous Studies. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2014, 67, 822-829.	0.4	9
213	Posttranslational Nitro-Glycative Modifications of Albumin in Alzheimer's Disease: Implications in Cytotoxicity and Amyloid- $\beta$ Peptide Aggregation. <i>Journal of Alzheimer's Disease</i> , 2014, 40, 643-657.	1.2	41
214	Oxidative Stress Is Associated with an Increased Antioxidant Defense in Elderly Subjects: A Multilevel Approach. <i>PLoS ONE</i> , 2014, 9, e105881.	1.1	12
215	Implementation of Spanish adaptation of the European guidelines on cardiovascular disease prevention in primary care. <i>BMC Family Practice</i> , 2013, 14, 36.	2.9	38
216	¿Es apropiada la comparación de resultados de ensayos clínicos con un fármaco en común?. <i>Revista Espanola De Cardiologia</i> , 2013, 66, 151-153.	0.6	5

#	ARTICLE	IF	CITATIONS
217	Dose-response association of physical activity with acute myocardial infarction: Do amount and intensity matter?. Preventive Medicine, 2013, 57, 567-572.	1.6	14
218	Epidemiology of Acute Coronary Syndromes in Spain: Estimation of the Number of Cases and Trends From 2005 to 2049. Revista Espanola De Cardiologia (English Ed ), 2013, 66, 472-481.	0.4	58
219	Is it Appropriate to Compare the Results From Two Clinical Trials With One Drug in Common?. Revista Espanola De Cardiologia (English Ed ), 2013, 66, 151-153.	0.4	0
220	Grosor Āntima-media carotĀdeo en poblaciĀn espaĀola: valores de referencia y asociaciĀn con factores de riesgo cardiovascular. Respuesta a cartas relacionadas. Revista Espanola De Cardiologia, 2013, 66, 327.	0.6	1
221	EvaluaciĀn del efecto de los tratamientos utilizando comparaciones indirectas. Respuesta. Revista Espanola De Cardiologia, 2013, 66, 157.	0.6	2
222	Percentiles of Carotid Intima-media Thickness in a Spanish Population With and Without Cardiovascular Risk Factors. Revista Espanola De Cardiologia (English Ed ), 2013, 66, 749-751.	0.4	5
223	Estabilidad de la placa aterosclerĀtica y la paradoja del sur de Europa. Revista Espanola De Cardiologia, 2013, 66, 56-62.	0.6	27
224	Carotid Intima-media Thickness in the Spanish Population: Reference Ranges and Association With Cardiovascular Risk Factors. Response to Related Letters. Revista Espanola De Cardiologia (English Ed )	0.4	5
225	Pilot study to validate a computer-based clinical decision support system for dyslipidemia treatment (HTE-DLP). Atherosclerosis, 2013, 231, 401-404.	0.4	38
226	Myocardial Infarction in South Asian Immigrants in Catalonia. Results From the ASIAM Study. Revista Espanola De Cardiologia (English Ed ), 2013, 66, 405-407.	0.4	5
227	Evaluation of Comparative Treatment Effects Using Indirect Comparisons. Response. Revista Espanola De Cardiologia (English Ed ), 2013, 66, 157.	0.4	0
228	Percentiles de grosor Āntima-media carotĀdeo en poblaciĀn espaĀola con y sin factores de riesgo cardiovascular. Revista Espanola De Cardiologia, 2013, 66, 749-751.	0.6	8
229	Comentarios del ComitĀo EspaĀol Interdisciplinario de PrevenciĀn Cardiovascular (CEIPC) a las GuĀas Europeas de PrevenciĀn Cardiovascular 2012. Hipertension Y Riesgo Vascular, 2013, 30, 143-155.	0.3	22
230	Genetics and Cardiovascular Risk Prediction: A Step Toward Personalized Medicine?. Current Cardiovascular Risk Reports, 2013, 7, 33-45.	0.8	1
231	Association between Long-Term Exposure to Traffic-Related Air Pollution and Subclinical Atherosclerosis: The REGICOR Study. Environmental Health Perspectives, 2013, 121, 223-230.	2.8	53
232	Measurement Error in Epidemiologic Studies of Air Pollution Based on Land-Use Regression Models. American Journal of Epidemiology, 2013, 178, 1342-1346.	1.6	57
233	The relevance of the association between inflammation and atrial fibrillation. European Journal of Clinical Investigation, 2013, 43, 324-331.	1.7	27
234	Impact of a Partial Smoke-Free Legislation on Myocardial Infarction Incidence, Mortality and Case-Fatality in a Population-Based Registry: The REGICOR Study. PLoS ONE, 2013, 8, e53722.	1.1	61

#	ARTICLE	IF	CITATIONS
235	DNA Isolation Method Is a Source of Global DNA Methylation Variability Measured with LUMA. Experimental Analysis and a Systematic Review. PLoS ONE, 2013, 8, e60750.	1.1	24
236	Burden of Risk Alleles for Hypertension Increases Risk of Intracerebral Hemorrhage. Stroke, 2012, 43, 2877-2883.	1.0	39
237	Combined use of high-sensitivity ST2 and NTproBNP to improve the prediction of death in heart failure. European Journal of Heart Failure, 2012, 14, 32-38.	2.9	130
238	Plasma HDL cholesterol and risk of myocardial infarction: a mendelian randomisation study. Lancet, The, 2012, 380, 572-580.	6.3	1,937
239	Meta-analyses of the association between cytochrome CYP2C19 loss- and gain-of-function polymorphisms and cardiovascular outcomes in patients with coronary artery disease treated with clopidogrel. Heart, 2012, 98, 100-108.	1.2	145
240	Carotid Intima-media Thickness in the Spanish Population: Reference Ranges and Association With Cardiovascular Risk Factors. Revista Espanola De Cardiologia (English Ed ), 2012, 65, 1086-1093.	0.4	3
241	Assessment of the value of a genetic risk score in improving the estimation of coronary risk. Atherosclerosis, 2012, 222, 456-463.	0.4	50
242	Validity for Use in Research on Vascular Diseases of the SIDIAP (Information System for the) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 467 T	0.4	49
243	Metabolic Syndrome in Spain: Prevalence and Coronary Risk Associated With Harmonized Definition and WHO Proposal. DARIOS Study. Revista Espanola De Cardiologia (English Ed ), 2012, 65, 241-248.	0.4	34
244	Grosor Antima-media carotideo en poblaci3n espaola: valores de referencia y asociaci3n con los factores de riesgo cardiovascular. Revista Espanola De Cardiologia, 2012, 65, 1086-1093.	0.6	56
245	Muerte s3bita. Revista Espanola De Cardiologia, 2012, 65, 1039-1052.	0.6	47
246	Sex-related differences in prognosis after myocardial infarction: changes from 1978 to 2007. European Journal of Epidemiology, 2012, 27, 847-855.	2.5	9
247	Validez del Sistema de Informaci3n para el Desarrollo de la Investigaci3n en Atenci3n Primaria (SIDIAP) en el estudio de enfermedades vasculares: estudio EMMA. Revista Espanola De Cardiologia, 2012, 65, 29-37.	0.6	125
248	S3ndrome metab3lico en Espa3a: prevalencia y riesgo coronario asociado a la definici3n armonizada y a la propuesta por la OMS. Estudio DARIOS. Revista Espanola De Cardiologia, 2012, 65, 241-248.	0.6	81
249	Sudden Death. Revista Espanola De Cardiologia (English Ed ), 2012, 65, 1039-1052.	0.4	4
250	Effect of the number of measurement sites on land use regression models in estimating local air pollution. Atmospheric Environment, 2012, 54, 634-642.	1.9	144
251	Hypothesis-Based Analysis of Gene-Gene Interactions and Risk of Myocardial Infarction. PLoS ONE, 2012, 7, e41730.	1.1	17
252	Determinaci3n del riesgo cardiovascular total. Caracterizaci3n, modelizaci3n y objetivos de la prevenci3n seg3n el contexto sociogeogr3fico. Revista Espanola De Cardiologia Suplementos, 2011, 11, 2-12.	0.2	1

#	ARTICLE	IF	CITATIONS
253	Genetic variants in novel pathways influence blood pressure and cardiovascular disease risk. <i>Nature</i> , 2011, 478, 103-109.	13.7	1,855
254	Trends in Q-wave acute myocardial infarction case fatality from 1978 to 2007 and analysis of the effectiveness of different treatments. <i>American Heart Journal</i> , 2011, 162, 444-450.	1.2	12
255	Trends in the Prevalence, Awareness, Treatment, and Control of Cardiovascular Risk Factors across Educational Level in the 1995-2005 Period. <i>Annals of Epidemiology</i> , 2011, 21, 555-563.	0.9	49
256	Utility of a short quality of life questionnaire to predict cardiovascular events. <i>International Journal of Cardiology</i> , 2011, 151, 392-394.	0.8	8
257	Impacto de la apertura de un nuevo laboratorio de hemodinámica sobre la supervivencia a 30 días y a 2 años en los pacientes con infarto de miocardio. <i>Revista Espanola De Cardiologia</i> , 2011, 64, 96-104.	0.6	16
258	Relative Validity of the 10-Year Cardiovascular Risk Estimate in a Population Cohort of the REGICOR Study. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2011, 64, 385-394.	0.4	46
259	Risk Factor Treatment and Control in Relation to Coronary Disease Risk in the Spanish Population of the DARIOS Study. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2011, 64, 766-773.	0.4	10
260	Analyzing the Coronary Heart Disease Mortality Decline in a Mediterranean Population: Spain 1988-2005. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2011, 64, 988-996.	0.4	61
261	Trends in Leisure Time Physical Activity Practice in the 1995-2005 Period in Girona. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2011, 64, 997-1004.	0.4	11
262	Derivation and validation of REASON: A risk score identifying candidates to screen for peripheral arterial disease using ankle brachial index. <i>Atherosclerosis</i> , 2011, 214, 474-479.	0.4	32
263	Large-scale association analysis identifies 13 new susceptibility loci for coronary artery disease. <i>Nature Genetics</i> , 2011, 43, 333-338.	9.4	1,685
264	Investigating Air Pollution and Atherosclerosis in Humans: Concepts and Outlook. <i>Progress in Cardiovascular Diseases</i> , 2011, 53, 334-343.	1.6	66
265	Long-Term Prognosis of First Myocardial Infarction According to the Electrocardiographic Pattern (ST Elevation Myocardial Infarction, Non-ST Elevation Myocardial Infarction and Non-Classified) <i>Tj ETQq1 1 0.784314.rgBT /Overlock 1 0.7</i> 1061-1067.	0.7	57
266	Genome-Wide Association Study for Coronary Artery Calcification With Follow-Up in Myocardial Infarction. <i>Circulation</i> , 2011, 124, 2855-2864.	1.6	269
267	A Genome-Wide Association Study Identifies <i>LIPA</i> as a Susceptibility Gene for Coronary Artery Disease. <i>Circulation: Cardiovascular Genetics</i> , 2011, 4, 403-412.	5.1	130
268	Large-Scale Gene-Centric Analysis Identifies Novel Variants for Coronary Artery Disease. <i>PLoS Genetics</i> , 2011, 7, e1002260.	1.5	203
269	An Increased Burden of Common and Rare Lipid-Associated Risk Alleles Contributes to the Phenotypic Spectrum of Hypertriglyceridemia. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011, 31, 1916-1926.	1.1	84
270	Post-Genomic Update on a Classical Candidate Gene for Coronary Artery Disease: <i>ESR1</i> . <i>Circulation: Cardiovascular Genetics</i> , 2011, 4, 647-654.	5.1	12



#	ARTICLE	IF	CITATIONS
271	Association of Atherosclerosis With Expression of the LILRB1 Receptor By Human NK and T-Cells Supports the Infectious Burden Hypothesis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011, 31, 2314-2321.	1.1	33
272	A gain-of-function SNP in TRPC4 cation channel protects against myocardial infarction. <i>Cardiovascular Research</i> , 2011, 91, 465-471.	1.8	31
273	A new method of filtering T waves to detect hidden P waves in electrocardiogram signals. <i>Europace</i> , 2011, 13, 1028-1033.	0.7	16
274	RANTES/CCL5 and Risk for Coronary Events: Results from the MONICA/KORA Augsburg Case-Cohort, Athero-Express and CARDIoGRAM Studies. <i>PLoS ONE</i> , 2011, 6, e25734.	1.1	40
275	Incidence and Risk Factors of Peripheral Arterial Occlusive Disease in a Prospective Cohort of 700 Adult Elderly Men Followed for 5 Years. <i>World Journal of Surgery</i> , 2010, 34, 1975-1979.	0.8	23
276	Hundreds of variants clustered in genomic loci and biological pathways affect human height. <i>Nature</i> , 2010, 467, 832-838.	13.7	1,789
277	Excess of rare variants in genes identified by genome-wide association study of hypertriglyceridemia. <i>Nature Genetics</i> , 2010, 42, 684-687.	9.4	414
278	Association analyses of 249,796 individuals reveal 18 new loci associated with body mass index. <i>Nature Genetics</i> , 2010, 42, 937-948.	9.4	2,634
279	Common Variants at 10 Genomic Loci Influence Hemoglobin A1C Levels via Glycemic and Nonglycemic Pathways. <i>Diabetes</i> , 2010, 59, 3229-3239.	0.3	387
280	Long-Term Cardiovascular Risk in Type 2 Diabetic Compared With Nondiabetic First Acute Myocardial Infarction Patients. <i>Diabetes Care</i> , 2010, 33, 2004-2009.	4.3	46
281	Lack of Association Between the Trp719Arg Polymorphism in Kinesin-Like Protein-6 and Coronary Artery Disease in 19 Case-Control Studies. <i>Journal of the American College of Cardiology</i> , 2010, 56, 1552-1563.	1.2	84
282	Additive Effects of Multiple Genetic Variants on the Risk of Coronary Artery Disease. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2010, 63, 925-933.	0.4	12
283	Socioeconomic Status and Risk of Acute Myocardial Infarction. Population-Based Case-Control Study. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2010, 63, 1045-1053.	0.4	5
284	Trends in In-Hospital Mortality and Six-Month Outcomes in Patients With a First Acute Myocardial Infarction. Change Over the Last Decade. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2010, 63, 1136-1144.	0.4	8
285	Why should population attributable fractions be periodically recalculated?. <i>Preventive Medicine</i> , 2010, 51, 78-84.	1.6	24
286	Actividad física y estrés oxidativo. <i>Apunts Medicine De L'Esport</i> , 2010, 45, 31-40.	0.5	2
287	Efecto aditivo de diferentes variantes genéticas en el riesgo de cardiopatía isquémica. <i>Revista Espanola De Cardiologia</i> , 2010, 63, 925-933.	0.6	27
288	Posición socioeconómica e infarto agudo de miocardio. Estudio caso-control de base poblacional. <i>Revista Espanola De Cardiologia</i> , 2010, 63, 1045-1053.	0.6	23

#	ARTICLE	IF	CITATIONS
289	Letter by Mont et al Regarding Article, "Physical Activity and Incidence of Atrial Fibrillation in Older Adults: The Cardiovascular Health Study"; <i>Circulation</i> , 2009, 119, e195; author reply e196.	1.6	3
290	Antioxidant Enzyme Activity and Coronary Heart Disease: Meta-analyses of Observational Studies. <i>American Journal of Epidemiology</i> , 2009, 170, 135-147.	1.6	75
291	Prevalence of Symptomatic and Asymptomatic Peripheral Arterial Disease and the Value of the Ankle-brachial Index to Stratify Cardiovascular Risk. <i>European Journal of Vascular and Endovascular Surgery</i> , 2009, 38, 305-311.	0.8	148
292	Estudio del componente genético de la cardiopatía isquémica: de los estudios de ligamiento al genotipado integral del genoma. <i>Revista Espanola De Cardiologia Suplementos</i> , 2009, 9, 24-38.	0.2	5
293	New susceptibility locus for coronary artery disease on chromosome 3q22.3. <i>Nature Genetics</i> , 2009, 41, 280-282.	9.4	440
294	Genome-wide association of early-onset myocardial infarction with single nucleotide polymorphisms and copy number variants. <i>Nature Genetics</i> , 2009, 41, 334-341.	9.4	990
295	Genome-wide association study identifies eight loci associated with blood pressure. <i>Nature Genetics</i> , 2009, 41, 666-676.	9.4	1,104
296	A genome-wide meta-analysis identifies 22 loci associated with eight hematological parameters in the HaemGen consortium. <i>Nature Genetics</i> , 2009, 41, 1182-1190.	9.4	481
297	Waist circumference and impaired fasting glucose screening in a Mediterranean population. <i>Diabetes Research and Clinical Practice</i> , 2009, 86, e12-e14.	1.1	3
298	Oxidized LDL, Lipoprotein (a), and Other Emergent Risk Factors in Acute Myocardial Infarction (FORTIAM Study). <i>Revista Espanola De Cardiologia (English Ed)</i> , 2009, 62, 373-382.	0.4	16
299	Qualitative assessment of previous evidence and an updated meta-analysis confirms lack of association between the ESR1 rs2234693 (PvuII) variant and coronary heart disease in men and women. <i>Atherosclerosis</i> , 2009, 207, 480-486.	0.4	15
300	Ambient Air Pollution and Daily Mortality Among Survivors of Myocardial Infarction. <i>Epidemiology</i> , 2009, 20, 110-118.	1.2	50
301	Diet quality and lifestyle associated with free selected low-energy density diets in a representative Spanish population. <i>European Journal of Clinical Nutrition</i> , 2008, 62, 1194-1200.	1.3	25
302	New electrocardiographic diagnostic criteria for the pathologic R waves in leads V1 and V2 of anatomically lateral myocardial infarction. <i>Journal of Electrocardiology</i> , 2008, 41, 413-418.	0.4	29
303	Association Between Paraoxonase-1 and Paraoxonase-2 Polymorphisms and the Risk of Acute Myocardial Infarction. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2008, 61, 269-275.	0.4	5
304	Cardiovascular Risk Factors. Insights From Framingham Heart Study. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2008, 61, 299-310.	0.4	112
305	Prevalence, Geographic Distribution, and Geographic Variability of Major Cardiovascular Risk Factors in Spain. Pooled Analysis of Data From Population-Based Epidemiological Studies: The ERICE Study. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2008, 61, 1030-1040.	0.4	28
306	Physical activity, height, and left atrial size are independent risk factors for lone atrial fibrillation in middle-aged healthy individuals. <i>Europace</i> , 2008, 10, 15-20.	0.7	237

#	ARTICLE	IF	CITATIONS
307	Long-term endurance sport practice increases the incidence of lone atrial fibrillation in men: a follow-up study. <i>Europace</i> , 2008, 10, 618-623.	0.7	289
308	Endurance sport practice as a risk factor for atrial fibrillation and atrial flutter. <i>Europace</i> , 2008, 11, 11-17.	0.7	224
309	Hypertension confirmation and blood pressure control rates in epidemiological surveys. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2008, 15, 263-269.	3.1	5
310	Changes in LDL Fatty Acid Composition as a Response to Olive Oil Treatment Are Inversely Related to Lipid Oxidative Damage: The EUROLIVE Study. <i>Journal of the American College of Nutrition</i> , 2008, 27, 314-320.	1.1	84
311	Prevalence in the eligibility for weight loss treatment in a Mediterranean population. <i>British Journal of Nutrition</i> , 2008, 99, 442-446.	1.2	0
312	Trends in cardiovascular risk factor prevalence (1995-2000-2005) in northeastern Spain. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2007, 14, 653-659.	3.1	154
313	Validity of an adaptation of the Framingham cardiovascular risk function: the VERIFICA study. <i>Journal of Epidemiology and Community Health</i> , 2007, 61, 40-47.	2.0	258
314	Lone atrial fibrillation and sport practice. The no gain without pain history revisited again?. <i>International Journal of Cardiology</i> , 2007, 118, 414-415.	0.8	6
315	Analysis of Trends in Myocardial Infarction Case-Fatality, Incidence, and Mortality Rates in Girona, Spain, 1990-1999. <i>Revista Espanola De Cardiologia (English Ed )</i> , 2007, 60, 349-356.	0.4	17
316	Secular Trends of Obesity and Cardiovascular Risk Factors in a Mediterranean Population. <i>Obesity</i> , 2007, 15, 557-562.	1.5	39
317	COL1A1, ESR1, VDR and TGFB1 polymorphisms and haplotypes in relation to BMD in Spanish postmenopausal women. <i>Osteoporosis International</i> , 2007, 18, 235-243.	1.3	56
318	Association between well-characterized lipoprotein-related genetic variants and carotid intimal medial thickness and stenosis: The Framingham Heart Study. <i>Atherosclerosis</i> , 2006, 189, 222-228.	0.4	21
319	Sport practice and the risk of lone atrial fibrillation: A case-control study. <i>International Journal of Cardiology</i> , 2006, 108, 332-337.	0.8	212
320	Circulating oxidized LDL is associated with increased waist circumference independent of body mass index in men and women. <i>American Journal of Clinical Nutrition</i> , 2006, 83, 30-35.	2.2	141
321	Concordance of Electrocardiographic Patterns and Healed Myocardial Infarction Location Detected by Cardiovascular Magnetic Resonance. <i>American Journal of Cardiology</i> , 2006, 97, 443-451.	0.7	77
322	Amount and Intensity of Physical Activity, Fitness, and Serum Lipids in Pre-Menopausal Women. <i>International Journal of Sports Medicine</i> , 2006, 27, 911-918.	0.8	7
323	Associations of traffic related air pollutants with hospitalisation for first acute myocardial infarction: the HEAPSS study. <i>Occupational and Environmental Medicine</i> , 2006, 63, 844-851.	1.3	128
324	Variants at the APOA5 locus, association with carotid atherosclerosis, and modification by obesity: the Framingham Study. <i>Journal of Lipid Research</i> , 2006, 47, 990-996.	2.0	63

#	ARTICLE	IF	CITATIONS
325	Protective Effect of the KCNMB1 E65K Genetic Polymorphism Against Diastolic Hypertension in Aging Women and Its Relevance to Cardiovascular Risk. <i>Circulation Research</i> , 2005, 97, 1360-1365.	2.0	78
326	Ambient Air Pollution Is Associated With Increased Risk of Hospital Cardiac Readmissions of Myocardial Infarction Survivors in Five European Cities. <i>Circulation</i> , 2005, 112, 3073-3079.	1.6	250
327	Association Between Physical Activity, Physical Performance, and Inflammatory Biomarkers in an Elderly Population: The InCHIANTI Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2005, 60, 760-767.	1.7	142
328	Association of APOE genotype with carotid atherosclerosis in men and women. <i>Journal of Lipid Research</i> , 2004, 45, 1868-1875.	2.0	77
329	Physical Activity and Its Determinants in Severe Chronic Obstructive Pulmonary Disease. <i>Medicine and Science in Sports and Exercise</i> , 2004, 36, 1667-1673.	0.2	113
330	Population dietary habits and physical activity modification with age. <i>European Journal of Clinical Nutrition</i> , 2004, 58, 302-311.	1.3	38
331	Short-term (28 days) prognosis between genders according to the type of coronary event (Q-wave) Tj ETQq1 1 0.784314 rgBT /Overload of Cardiology, 2004, 94, 1161-1165.	0.7	33
332	El tabaco como factor de riesgo cardiovascular en las poblaciones mediterrÁneas. <i>ClÁnica E Investigaci³n En Arteriosclerosis</i> , 2004, 16, 207-220.	0.4	2
333	Recensi³n de libros. <i>Gaceta Sanitaria</i> , 2004, 18, 160-161.	0.6	0
334	Hospital Resources and Myocardial Infarction Case Fatality. The IBERICA Study. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2004, 57, 514-523.	0.4	20
335	Adherence to the Traditional Mediterranean Diet Is Inversely Associated with Body Mass Index and Obesity in a Spanish Population. <i>Journal of Nutrition</i> , 2004, 134, 3355-3361.	1.3	308
336	Acute myocardial infarction population incidence and in-hospital management factors associated to 28-day case-fatality in the 65 year and older. <i>European Journal of Epidemiology</i> , 2003, 19, 231-237.	2.5	23
337	The Role of Age in Cardiovascular Risk Factor Clustering in Non-Diabetic Population Free of Coronary Heart Disease. <i>European Journal of Epidemiology</i> , 2003, 19, 299-304.	2.5	17
338	Regional Variability in Population Acute Myocardial Infarction Cumulative Incidence and Mortality Rates in Spain 1997 and 1998. <i>European Journal of Epidemiology</i> , 2003, 19, 831-839.	2.5	74
339	Obesity Modulates the Association among APOE Genotype, Insulin, and Glucose in Men. <i>Obesity</i> , 2003, 11, 1502-1508.	4.0	89
340	Response of oxidative stress biomarkers to a 16-week aerobic physical activity program, and to acute physical activity, in healthy young men and women. <i>Atherosclerosis</i> , 2003, 167, 327-334.	0.4	227
341	Interrelationship of smoking, paraoxonase activity, and leisure time physical activity: a population-based study. <i>European Journal of Internal Medicine</i> , 2003, 14, 178-184.	1.0	54
342	Distinct left bundle branch block pattern in ischemic and non-ischemic dilated cardiomyopathy. <i>European Journal of Heart Failure</i> , 2003, 5, 165-170.	2.9	19

#	ARTICLE	IF	CITATIONS
343	An adaptation of the Framingham coronary heart disease risk function to European Mediterranean areas. <i>Journal of Epidemiology and Community Health</i> , 2003, 57, 634-638.	2.0	309
344	The relationship of physical activity with dietary cancer-protective nutrients and cancer-related biological and lifestyle factors. <i>European Journal of Cancer Prevention</i> , 2003, 12, 339-346.	0.6	8
345	Relationship between body mass index, serum cholesterol, leisure-time physical activity, and diet in a Mediterranean Southern-Europe population. <i>British Journal of Nutrition</i> , 2003, 90, 431-439.	1.2	48
346	Long-lasting sport practice and lone atrial fibrillation. <i>European Heart Journal</i> , 2002, 23, 477-482.	1.0	293
347	The Paraoxonase-1 Codon192 Polymorphism Is Associated with Fasting Total Cholesterol and LDL-Cholesterol Concentrations only in Postmenopausal Women.The REGICOR Study. <i>Clinical Chemistry and Laboratory Medicine</i> , 2002, 40, 677-83.	1.4	14
348	Relationship between physical activity and oxidative stress biomarkers in women. <i>Medicine and Science in Sports and Exercise</i> , 2002, 34, 814-819.	0.2	66
349	Tobacco and alcohol consumption: impact on other cardiovascular and cancer risk factors in a southern European Mediterranean population. <i>British Journal of Nutrition</i> , 2002, 88, 273-281.	1.2	92
350	Scientific Aspects That Justify the Benefits of the Mediterranean Diet. <i>Annals of the New York Academy of Sciences</i> , 2002, 957, 162-173.	1.8	8
351	Paraoxonase1-192 polymorphism modulates the effects of regular and acute exercise on paraoxonase1 activity. <i>Journal of Lipid Research</i> , 2002, 43, 713-720.	2.0	56
352	Paraoxonase1-192 polymorphism modulates the effects of regular and acute exercise on paraoxonase1 activity. <i>Journal of Lipid Research</i> , 2002, 43, 713-20.	2.0	37
353	Relationship of age-related myocardial infarction risk and Gln/Arg 192 variants of the human paraoxonase1 gene: the REGICOR study. <i>Atherosclerosis</i> , 2001, 156, 443-449.	0.4	57
354	Physical activity modulates the combined effect of a common variant of the lipoprotein lipase gene and smoking on serum triglyceride levels and high-density lipoprotein cholesterol in men. <i>Human Genetics</i> , 2001, 109, 385-392.	1.8	49
355	Variables associated with fibrinogen in a population-based study: interaction between smoking and age on fibrinogen concentration. <i>European Journal of Epidemiology</i> , 2001, 17, 953-958.	2.5	21
356	Interaction between the Gln/Arg 192 variants of the paraoxonase gene and oleic acid intake as a determinant of high-density lipoprotein cholesterol and paraoxonase activity. <i>European Journal of Pharmacology</i> , 2001, 432, 121-128.	1.7	62
357	Role of age and sex in short-term and long term mortality after a first Q wave myocardial infarction. <i>Journal of Epidemiology and Community Health</i> , 2001, 55, 487-493.	2.0	28
358	Recommendations for Preparticipation Screening and the Assessment of Cardiovascular Disease in Masters Athletes. <i>Circulation</i> , 2001, 103, 327-334.	1.6	205
359	Paraoxonase1-192 Polymorphism Modulates the Nonfatal Myocardial Infarction Risk Associated With Decreased HDLs. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2001, 21, 415-420.	1.1	46
360	Validation of the Minnesota Leisure Time Physical Activity Questionnaire in Spanish Women. <i>Medicine and Science in Sports and Exercise</i> , 2000, 32, 1431-1437.	0.2	310

#	ARTICLE	IF	CITATIONS
361	Effect of physical activity on lipid levels in a population-based sample of men with and without the Arg192 variant of the human paraoxonase gene. , 2000, 18, 276-286.		21
362	Relationship of abdominal adiposity and dyslipemic status in women with a common mutation in the lipoprotein lipase gene. Atherosclerosis, 2000, 150, 135-141.	0.4	31
363	Markers and Triggers of Sudden Death in Athletes. Developments in Cardiovascular Medicine, 2000, , 71-88.	0.1	0
364	Relationship of Therapeutic Improvements and 28-Day Case Fatality in Patients Hospitalized With Acute Myocardial Infarction Between 1978 and 1993 in the REGICOR Study, Gerona, Spain. Circulation, 1999, 99, 1767-1773.	1.6	59
365	Prevalence of angina pectoris in Spain. PANES Study group. European Journal of Epidemiology, 1999, 15, 323-330.	2.5	55
366	Relation of maximum blood pressure during exercise and regular physical activity in normotensive men with left ventricular mass and hypertrophy. American Journal of Cardiology, 1999, 84, 890-893.	0.7	27
367	Prevalencia de angina y factores de riesgo cardiovascular en las diferentes comunidades autónomas de España: estudio PANES. Revista Espanola De Cardiologia, 1999, 52, 1.045-1.056.	0.6	59
368	Six-month outcome in unstable angina patients without previous myocardial infarction according to the use of tertiary cardiologic resources. Journal of the American College of Cardiology, 1999, 34, 1947-1953.	1.2	12
369	Relationship of lipoprotein(a) levels to physical activity and family history of coronary heart disease.. American Journal of Public Health, 1999, 89, 383-385.	1.5	9
370	High prevalence of cardiovascular risk factors in Gerona, Spain, a province with low myocardial infarction incidence. REGICOR Investigators. Journal of Epidemiology and Community Health, 1998, 52, 707-715.	2.0	259
371	Mortality Differences Between Men and Women Following First Myocardial Infarction. JAMA - Journal of the American Medical Association, 1998, 280, 1405.	3.8	203
372	Automatic measurement of corrected QT interval in Holter recordings: Comparison of its dynamic behavior in patients after myocardial infarction with and without life-threatening arrhythmias. American Heart Journal, 1997, 134, 181-187.	1.2	40
373	Amount and Intensity of Physical Activity, Physical Fitness, and Serum Lipids in Men. American Journal of Epidemiology, 1996, 143, 562-569.	1.6	83
374	Cardiac arrhythmias and left ventricular hypertrophy in systemic hypertension and their influences on prognosis. American Journal of Cardiology, 1995, 76, 54D-59D.	0.7	24
375	Validation of the Minnesota Leisure Time Physical Activity Questionnaire in Spanish Men. American Journal of Epidemiology, 1994, 139, 1197-1209.	1.6	429
376	Polyvascular Subclinical Atherosclerosis: Correlation Between Ankle Brachial Index and Carotid Atherosclerosis in a Population-Based Sample. Angiology, 0, , 000331972211107.	0.8	2