Firoza Mamdani

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1551292/publications.pdf

Version: 2024-02-01

| 18 | 1,231 | 16 | 18 |
|----------|----------------|--------------|----------------|
| papers | citations | h-index | g-index |
| 18 | 18 | 18 | 2510 |
| all docs | docs citations | times ranked | citing authors |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Global Brain Gene Expression Analysis Links Glutamatergic and GABAergic Alterations to Suicide and Major Depression. PLoS ONE, 2009, 4, e6585. | 2.5 | 333 |
| 2 | Medial prefrontal cortex activity during memory encoding of pictures and its relation to symptomatic improvement after citalopram treatment in patients with major depression. Journal of Psychiatry and Neuroscience, 2010, 35, 152-162. | 2.4 | 172 |
| 3 | Epigenetic regulation of BDNF expression according to antidepressant response. Molecular Psychiatry, 2013, 18, 398-399. | 7.9 | 131 |
| 4 | Lithium response and genetic variation in the CREB family of genes. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2008, 147B, 500-504. | 1.7 | 80 |
| 5 | Variable telomere length across post-mortem human brain regions and specific reduction in the hippocampus of major depressive disorder. Translational Psychiatry, 2015, 5, e636-e636. | 4.8 | 76 |
| 6 | Evidence of Mitochondrial Dysfunction within the Complex Genetic Etiology of Schizophrenia. Molecular Neuropsychiatry, 2015, 1, 201-219. | 2.9 | 74 |
| 7 | Gene expression biomarkers of response to citalopram treatment in major depressive disorder. Translational Psychiatry, 2011, 1, e13-e13. | 4.8 | 59 |
| 8 | Targets of polyamine dysregulation in major depression and suicide: Activity-dependent feedback, excitability, and neurotransmission. Neuroscience and Biobehavioral Reviews, 2016, 66, 80-91. | 6.1 | 49 |
| 9 | Alpha 2A adrenergic receptor gene and suicide. Psychiatry Research, 2004, 125, 87-93. | 3.3 | 47 |
| 10 | Implication of synapse-related genes in bipolar disorder by linkage and gene expression analyses. International Journal of Neuropsychopharmacology, 2010, 13, 1397-1410. | 2.1 | 47 |
| 11 | The somatic common deletion in mitochondrial DNA is decreased in schizophrenia. Schizophrenia Research, 2014, 159, 370-375. | 2.0 | 30 |
| 12 | Coding and Noncoding Gene Expression Biomarkers in Mood Disorders and Schizophrenia. Disease Markers, 2013, 35, 11-21. | 1.3 | 26 |
| 13 | Pharmacogenomic predictors of citalopram treatment outcome in major depressive disorder. World Journal of Biological Psychiatry, 2014, 15, 135-144. | 2.6 | 23 |
| 14 | Splice-Break: exploiting an RNA-seq splice junction algorithm to discover mitochondrial DNA deletion breakpoints and analyses of psychiatric disorders. Nucleic Acids Research, 2019, 47, e59-e59. | 14.5 | 22 |
| 15 | An integrative functional genomics approach for discovering biomarkers in schizophrenia. Briefings in Functional Genomics, 2011, 10, 387-399. | 2.7 | 19 |
| 16 | No association between the PREP gene and lithium responsive bipolar disorder. BMC Psychiatry, 2007, 7, 9. | 2.6 | 18 |
| 17 | Identification of potential blood biomarkers associated with suicide in major depressive disorder. Translational Psychiatry, 2022, 12, 159. | 4.8 | 16 |
| 18 | Long-term responsiveness to lithium as a pharmacogenetic outcome variable: Treatment and etiologic implications. Current Psychiatry Reports, 2003, 5, 484-492. | 4.5 | 9 |