

Janusz Kochman

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1552056/publications.pdf>

Version: 2024-02-01

156
papers

3,976
citations

257450

24
h-index

128289

60
g-index

159
all docs

159
docs citations

159
times ranked

5171
citing authors

#	ARTICLE	IF	CITATIONS
1	Long-term outcomes and quality of life following implementation of dedicated mitral valve Heart Team decisions for patients with severe mitral valve regurgitation in tertiary cardiovascular care center. <i>Cardiology Journal</i> , 2024, 31, 62-71.	1.2	3
2	Reproducibility of quantitative flow ratio: the QREP study. <i>EuroIntervention</i> , 2022, 17, 1252-1259.	3.2	19
3	Diagnostic Accuracy of Coronary Angiography-Based Vessel Fractional Flow Reserve (vFFR) Virtual Stenting. <i>Journal of Clinical Medicine</i> , 2022, 11, 1397.	2.4	4
4	Intravascular Lithotripsy for the Treatment of Stent Underexpansion: The Multicenter IVL-DRAGON Registry. <i>Journal of Clinical Medicine</i> , 2022, 11, 1779.	2.4	16
5	Optimal Management of Patients with Severe Coronary Artery Disease following Multidisciplinary Heart Team Approach—Insights from Tertiary Cardiovascular Care Center. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 3933.	2.6	5
6	Health-related quality of life increases after first-time acute myocardial infarction: A population-based study. <i>Zdravstveno Varstvo</i> , 2022, 61, 24-31.	0.9	1
7	Clinical use of intracoronary imaging modalities in Poland. Expert opinion of the Association of Cardiovascular Interventions of the Polish Cardiac Society. <i>Kardiologia Polska</i> , 2022, 80, 509-519.	0.6	6
8	Trimethylamine-N-oxide (TMAO) versus echocardiographic, biochemical and histopathological indices of heart failure in patients with severe aortic stenosis: Rationale and design of the prospective, observational TASTE study. <i>Cardiology Journal</i> , 2022, , .	1.2	0
9	An Individualized Approach of Multidisciplinary Heart Team for Myocardial Revascularization and Valvular Heart Disease—State of Art. <i>Journal of Personalized Medicine</i> , 2022, 12, 705.	2.5	1
10	Comparative Appraisal of Intravascular Ultrasound and Optical Coherence Tomography in Invasive Coronary Imaging: 2022 Update. <i>Journal of Clinical Medicine</i> , 2022, 11, 4055.	2.4	8
11	Correlation between 3D-QCA based FFR and quantitative lumen assessment by IVUS for left main coronary artery stenoses. <i>Catheterization and Cardiovascular Interventions</i> , 2021, 97, E495-E501.	1.7	11
12	Soluble ST2 as a Biomarker for Early Complications in Patients with Chronic Thromboembolic Pulmonary Hypertension Treated with Balloon Pulmonary Angioplasty. <i>Diagnostics</i> , 2021, 11, 133.	2.6	8
13	Inflammation as a determinant of healing response after coronary stent implantation. <i>International Journal of Cardiovascular Imaging</i> , 2021, 37, 791-801.	1.5	12
14	Impact of transcatheter aortic valve implantation on coexistent mitral regurgitation parameters. <i>Kardiologia Polska</i> , 2021, 79, 179-184.	0.6	2
15	The Polish Interventional Cardiology TAVI Survey (PICTS): 10 years of transcatheter aortic valve implantation in Poland. The landscape after the first stage of Valve for Life initiative. <i>Polish Archives of Internal Medicine</i> , 2021, 131, 413-420.	0.4	0
16	OCT-Derived Plaque Morphology and FFR-Determined Hemodynamic Relevance in Intermediate Coronary Stenoses. <i>Journal of Clinical Medicine</i> , 2021, 10, 2379.	2.4	8
17	The function of the heart after successful transcatheter mitral valve repair due to severe functional regurgitation. <i>Polish Archives of Internal Medicine</i> , 2021, 131, 686-692.	0.4	0
18	Temporal trends of transcatheter aortic valve implantation in a high-volume academic center over 10 years. <i>Kardiologia Polska</i> , 2021, 79, 820-826.	0.6	1

#	ARTICLE	IF	CITATIONS
19	A successful transcatheter aortic valve implantation in an extremely tortuous S-shaped aorta due to chest deformation. <i>Cardiology Journal</i> , 2021, 28, 790-791.	1.2	0
20	Serial Baseline, 12-, 24-, and 60-Month Optical Coherence Tomography Evaluation of ST Segment Elevation Myocardial Infarction Patients Treated with Absorb Bioresorbable Vascular Scaffold. <i>American Journal of Cardiology</i> , 2021, 155, 23-31.	1.6	1
21	Simultaneous valve-in-valve procedure and life-saving coronary angioplasty in a patient with low coronary artery ostia. <i>Postepy W Kardiologii Interwencyjnej</i> , 2021, 17, 234-235.	0.2	1
22	Protamine sulfate during transcatheter aortic valve implantation (PS TAVI) – a single-center, single-blind, randomized placebo-controlled trial. <i>Kardiologia Polska</i> , 2021, 79, 995-1002.	0.6	6
23	Ten-year experience with transcatheter aortic valve implantation in bicuspid aortic valve: lessons learned and future perspectives. <i>Postepy W Kardiologii Interwencyjnej</i> , 2021, 17, 251-258.	0.2	1
24	Valve-in-valve procedure after CoreValve pop-out. <i>Postepy W Kardiologii Interwencyjnej</i> , 2021, 17, 324-326.	0.2	0
25	Percutaneous tricuspid edge-to-edge repair – patient selection, imaging considerations, and the procedural technique. Expert opinion of the Working Group on Echocardiography and Association of Cardiovascular Interventions of the Polish Cardiac Society. <i>Kardiologia Polska</i> , 2021, 79, 1178-1191.	0.6	0
26	Stent-graft and double-guiding catheter technique to rescue iatrogenic coronary perforation. <i>Archives of Medical Science</i> , 2021, 17, 1800-1803.	0.9	0
27	Heart Team for Optimal Management of Patients with Severe Aortic Stenosis – Long-Term Outcomes and Quality of Life from Tertiary Cardiovascular Care Center. <i>Journal of Clinical Medicine</i> , 2021, 10, 5408.	2.4	6
28	Percutaneous removal of a catheter fragment from the right atrium. <i>Cardiology Journal</i> , 2021, 28, 997-998.	1.2	0
29	Second generation, sirolimus-eluting, bioresorbable Tyrocore scaffold implantation in patients with ST-segment elevation myocardial infarction: Baseline OCT and 30-day clinical outcomes – A FANTOM STEMI pilot study. <i>Catheterization and Cardiovascular Interventions</i> , 2020, 96, E1-E7.	1.7	9
30	Transcatheter aortic valve implantation in patients with bicuspid aortic valve stenosis utilizing the next-generation fully retrievable and repositionable valve system: mid-term results from a prospective multicentre registry. <i>Clinical Research in Cardiology</i> , 2020, 109, 570-580.	3.3	10
31	Soluble ST2 protein as a new biomarker in patients with precapillary pulmonary hypertension. <i>Archives of Medical Science</i> , 2020, , .	0.9	4
32	Left Ventricular Outflow Obstruction After TAVR Due to Systolic Anterior Motion Successfully Treated With Cardiac Pacing. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2020, 34, 2718-2721.	1.3	3
33	Predictors and Biomarkers of Subclinical Leaflet Thrombosis after Transcatheter Aortic Valve Implantation. <i>Journal of Clinical Medicine</i> , 2020, 9, 3742.	2.4	5
34	Role of P2Y Receptors in Platelet Extracellular Vesicle Release. <i>International Journal of Molecular Sciences</i> , 2020, 21, 6065.	4.1	21
35	Impact of renal function on clinical outcomes after PCI in ACS and stable CAD patients treated with ticagrelor: a prespecified analysis of the GLOBAL LEADERS randomized clinical trial. <i>Clinical Research in Cardiology</i> , 2020, 109, 930-943.	3.3	14
36	Peri-strut low intensity areas and in-scaffold neointima growth after bioresorbable scaffold implantation in STEMI. A serial optical coherence tomography study. <i>International Journal of Cardiology</i> , 2020, 312, 27-32.	1.7	0

#	ARTICLE	IF	CITATIONS
37	Decline in the number of coronary angiography and percutaneous coronary intervention procedures in patients with acute myocardial infarction in Poland during the coronavirus disease 2019 pandemic. <i>Kardiologia Polska</i> , 2020, 78, 574-576.	0.6	15
38	Alternative methods for functional assessment of intermediate coronary lesions. <i>Cardiology Journal</i> , 2020, 27, 825-835.	1.2	2
39	Use of protamine sulfate during transfemoral transcatheter aortic valve implantation – a preliminary assessment of administration rate and impact on complications. <i>Postepy W Kardiologii Interwencyjnej</i> , 2020, 16, 306-314.	0.2	2
40	Review of different clinical scenarios in patients with cardiovascular disease in the era of the coronavirus pandemic. <i>Polish Archives of Internal Medicine</i> , 2020, 130, 818-825.	0.4	0
41	Acute lower limb ischemia following Angio-Seal deployment after transfemoral percutaneous coronary intervention. <i>Kardiochirurgia I Torakochirurgia Polska</i> , 2019, 16, 103-105.	0.1	0
42	Pre-procedural abnormal function of von Willebrand Factor is predictive of bleeding after surgical but not transcatheter aortic valve replacement. <i>Journal of Thrombosis and Thrombolysis</i> , 2019, 48, 610-618.	2.1	8
43	Quantitative flow ratio and fractional flow reserve mismatch – clinical and biochemical predictors of measurement discrepancy. <i>Postepy W Kardiologii Interwencyjnej</i> , 2019, 15, 301-307.	0.2	5
44	Transcatheter mitral valve-in-valve implantation using a transeptal approach. <i>Postepy W Kardiologii Interwencyjnej</i> , 2019, 15, 107-109.	0.2	1
45	Different types of endocarditis after transcatheter aortic valve implantation. <i>Echocardiography</i> , 2019, 36, 1132-1138.	0.9	2
46	Paradoxical low-flow aortic stenosis – baseline characteristics, impact on mortality. <i>Postepy W Kardiologii Interwencyjnej</i> , 2019, 15, 13-19.	0.2	1
47	Treatment of severe tricuspid regurgitation with placement of percutaneous edge-to-edge posteroseptal and anteroseptal leaflet clips. <i>Postepy W Kardiologii Interwencyjnej</i> , 2019, 15, 495-496.	0.2	0
48	A serial 3- and 9-year optical coherence tomography assessment of vascular healing response to sirolimus- and paclitaxel-eluting stents. <i>International Journal of Cardiovascular Imaging</i> , 2019, 35, 9-21.	1.5	2
49	Percutaneous pulmonary valve implantation in patients after Ross procedure: role of intravascular ultrasound. <i>Cardiology in the Young</i> , 2019, 29, 256-258.	0.8	1
50	Bivalirudin use in acute coronary syndrome patients undergoing percutaneous coronary interventions in Poland: Clinical update from expert group of the Association on Cardiovascular Interventions of the Polish Cardiac Society. <i>Cardiology Journal</i> , 2019, 26, 1-7.	1.2	5
51	Platelet to red cell distribution width ratio for predicting clopidogrel efficacy in patients undergoing percutaneous coronary interventions: insights from ONSIDE-TEST study. <i>Polish Archives of Internal Medicine</i> , 2019, 129, 117-122.	0.4	5
52	Percutaneous retrograde paramitral leak closure through a mechanical aortic valve. <i>Kardiologia Polska</i> , 2019, 77, 482-483.	0.6	1
53	In-hospital outcomes of rotational versus orbital atherectomy during percutaneous coronary intervention: a meta-analysis. <i>Kardiologia Polska</i> , 2019, 77, 846-852.	0.6	4
54	Delayed neointimal healing pattern after bioresorbable scaffold implantation. <i>Netherlands Heart Journal</i> , 2018, 26, 362-363.	0.8	0

#	ARTICLE	IF	CITATIONS
55	Concomitant coronary artery disease and its management in patients referred to transcatheter aortic valve implantation: Insights from the POLARIS TAVI Registry. <i>Catheterization and Cardiovascular Interventions</i> , 2018, 91, 115-123.	1.7	23
56	Valve-in-valve treatment of dysfunctional aortic bioprostheses – single-centre experience. <i>Postępy W Kardiologii Interwencyjnej</i> , 2018, 14, 425-428.	0.2	0
57	Transcatheter aortic valve-in-valve implantation in failed stentless bioprostheses. <i>Journal of Interventional Cardiology</i> , 2018, 31, 861-869.	1.2	13
58	Diagnostic Performance of Invasive Procedure Angiography-Derived Quantitative Flow Reserve Compared to Pressure-Derived Fractional Flow Reserve: The FAVOR II Europe-Japan Study. <i>Journal of the American Heart Association</i> , 2018, 7, .	3.7	240
59	Quantitative flow ratio derived from diagnostic coronary angiography in assessment of patients with intermediate coronary stenosis: a wire-free fractional flow reserve study. <i>Clinical Research in Cardiology</i> , 2018, 107, 858-867.	3.3	21
60	First serial optical coherence tomography assessment at baseline, 12 and 24 months in STEMI patients treated with the second-generation Absorb bioresorbable vascular scaffold. <i>EuroIntervention</i> , 2018, 13, 2201-2209.	3.2	6
61	Intravascular ultrasound findings of the Fantom sirolimus-eluting bioresorbable scaffold at six- and nine-month follow-up: the FANTOM II study. <i>EuroIntervention</i> , 2018, 14, e1215-e1223.	3.2	5
62	Long-term prognosis following acute coronary syndromes: a prospective observational study of an unselected group treated in the 24/7 cardiac catheterisation laboratory at a university hospital. <i>Kardiologia Polska</i> , 2018, 76, 755-763.	0.6	2
63	Augmented reality in left atrial appendage occlusion. <i>Kardiologia Polska</i> , 2018, 76, 212-212.	0.6	10
64	Complete percutaneous approach versus surgical access in transfemoral transcatheter aortic valve implantation: results from a multicentre registry. <i>Kardiologia Polska</i> , 2018, 76, 202-208.	0.6	9
65	Thromboelastography for predicting bleeding in patients with aortic stenosis treated with transcatheter aortic valve implantation. <i>Kardiologia Polska</i> , 2018, 76, 418-425.	0.6	11
66	Dual antiplatelet therapy is safe and efficient after left atrial appendage closure. <i>Kardiologia Polska</i> , 2018, 76, 459-463.	0.6	9
67	Risk factors for adverse outcomes of patients with acute coronary syndrome: single-centre experience with long-term follow-up of treated patients. <i>Kardiologia Polska</i> , 2018, 76, 881-888.	0.6	4
68	A serial three- and nine-year optical coherence tomography evaluation of neoatherosclerosis progression after sirolimus- and paclitaxel-eluting stent implantation. <i>Kardiologia Polska</i> , 2018, 76, 1251-1256.	0.6	0
69	Percutaneous mitral and tricuspid valve repair using edge-to-edge technique. <i>Kardiologia Polska</i> , 2018, 76, 1377-1377.	0.6	0
70	Myocardial infarction with ST-segment elevation in old patient with history of takotsubo syndrome. <i>Journal of Geriatric Cardiology</i> , 2018, 15, 376-378.	0.2	0
71	Optical coherence tomography evaluation of intermediate-term healing of different stent types: systemic review and meta-analysis. <i>European Heart Journal Cardiovascular Imaging</i> , 2017, 18, 159-166.	1.2	63
72	PET/CT evaluation of 18F-FDG uptake in pericoronary adipose tissue in patients with stable coronary artery disease: Independent predictor of atherosclerotic lesions formation?. <i>Journal of Nuclear Cardiology</i> , 2017, 24, 1075-1084.	2.1	58

#	ARTICLE	IF	CITATIONS
73	Percutaneous Closure of Postâ€infection Ventricular Septal Defectsâ€”An Over Decadeâ€long Experience. <i>Journal of Interventional Cardiology</i> , 2017, 30, 63-71.	1.2	18
74	In-Scaffold Neovascularization 24 Months After Bioresorbable Vascular Scaffold Implantation in a Patient With ST-Segmentâ€Elevation Myocardialâ€Infarction. <i>JACC: Cardiovascular Interventions</i> , 2017, 10, e123-e125.	2.9	4
75	Intravascular imaging of coronary artery disease. <i>Journal of Cardiovascular Medicine</i> , 2017, 18, 733-741.	1.5	13
76	Ruptured oesophageal haematoma caused by transoesophageal echocardiography. <i>European Heart Journal</i> , 2017, 38, 3324-3324.	2.2	0
77	Can TAVI patients receive aspirin monotherapy as patients after surgical aortic bioprosthesis implantation? Data from the Polish Registry â€” POL-TAVI. <i>International Journal of Cardiology</i> , 2017, 227, 305-311.	1.7	28
78	Left ventricular remodelling pattern and its relation to clinical outcomes in patients with severe aortic stenosis treated with transcatheter aortic valve implantation. <i>Postepy W Kardiologii Interwencyjnej</i> , 2017, 4, 288-294.	0.2	6
79	Patient-prosthesis mismatch in patients treated with transcatheter aortic valve implantation â€” predictors, incidence and impact on clinical efficacy. A preliminary study. <i>Postepy W Kardiologii Interwencyjnej</i> , 2017, 4, 281-287.	0.2	3
80	Can prasugrel decrease the extent of periprocedural myocardial injury during elective PCI?. <i>Polish Archives of Internal Medicine</i> , 2017, 127, 730-740.	0.4	11
81	Optimal aNtiplatelet pharmacotherapy guided by bedSIDE genetic or functional TESTing in elective PCI patients: A pilot study: ONSIDE TEST pilot. <i>Cardiology Journal</i> , 2017, 24, 284-292.	1.2	7
82	Transcatheter aortic valve implantation. Expert Consensus of the Association of Cardiovascular Interventions of the Polish Cardiac Society and the Polish Society of Cardio-Thoracic Surgeons, approved by the Board of the Polish Cardiac Societyâ€”. <i>Kardiologia Polska</i> , 2017, 75, 937-964.	0.6	7
83	Improvement of quality of life following transcatheter aortic valve implantation in the elderly: a multi-centre study based on the Polish national TAVI registry. <i>Kardiologia Polska</i> , 2017, 75, 13-20.	0.6	19
84	Early partial clip detachment following transcatheter mitral valve repair. <i>Kardiologia Polska</i> , 2017, 75, 278-278.	0.6	0
85	Extra-corporeal cardiopulmonary resuscitation in the treatment of cathlab complication. <i>Kardiologia Polska</i> , 2017, 75, 502-502.	0.6	0
86	Intravascular ultrasound in cocaine-induced myocardial infarction complicated with left coronary artery dissection. <i>Kardiologia Polska</i> , 2017, 75, 721-721.	0.6	0
87	Successful percutaneous coronary intervention after transcatheter aortic valve implantation with CoreValve bioprosthesis. <i>Postepy W Kardiologii Interwencyjnej</i> , 2016, 2, 175-176.	0.2	0
88	Prosthetic valve endocarditis after transcatheter CoreValve Evolut R bioprosthesis implantation. <i>Postepy W Kardiologii Interwencyjnej</i> , 2016, 4, 383-385.	0.2	0
89	Incidence, Predictors and Impact of Severe Periprocedural Bleeding According to VARC-2 Criteria on 1-Year Clinical Outcomes in Patients After Transcatheter Aortic Valve Implantation. <i>International Heart Journal</i> , 2016, 57, 35-40.	1.0	31
90	Echocardiographic Assessment of Aortic Pulse-Wave Velocity: Validation against Invasive Pressure Measurements. <i>Journal of the American Society of Echocardiography</i> , 2016, 29, 1109-1116.	2.8	29

#	ARTICLE	IF	CITATIONS
91	Cost-effectiveness of radial vs. femoral approach in primary percutaneous coronary intervention in STEMI – Randomized, control trial. <i>Hellenic Journal of Cardiology</i> , 2016, 57, 198-202.	1.0	21
92	Mitral and aortic regurgitation following transcatheter aortic valve replacement. <i>Heart</i> , 2016, 102, 701-706.	2.9	10
93	Four episodes of takotsubo cardiomyopathy in one patient. <i>International Journal of Cardiology</i> , 2016, 203, 53-54.	1.7	13
94	Outcome prediction following transcatheter aortic valve implantation: Multiple risk scores comparison. <i>Cardiology Journal</i> , 2016, 23, 169-177.	1.2	20
95	Effects of renal sympathetic denervation on blood pressure and glycaemic control in patients with true resistant hypertension: results of Polish Renal Denervation Registry (RDN-POL Registry). <i>Kardiologia Polska</i> , 2016, 74, 961-968.	0.6	7
96	Study design and rationale for Optimal antiplatelet pharmacotherapy guided by bedside genetic or functional TESTING in elective percutaneous coronary intervention patients (ONSIDE TEST): a prospective, open-label, randomised parallel-group multicentre trial. <i>Kardiologia Polska</i> , 2016, 74, 372-379.	0.6	2
97	Bilateral, progressive coronary ostial stenosis following valve sparing aortic root replacement. <i>Kardiologia Polska</i> , 2016, 74, 1507-1507.	0.6	0
98	A 12-month angiographic and optical coherence tomography follow-up after bioresorbable vascular scaffold implantation in patients with ST-segment elevation myocardial infarction. <i>Catheterization and Cardiovascular Interventions</i> , 2015, 86, E180-9.	1.7	17
99	Transcatheter aortic valve replacement in bicuspid aortic valve disease. <i>Current Opinion in Cardiology</i> , 2015, 30, 594-602.	1.8	15
100	Baseline platelet indices and bleeding after transcatheter aortic valve implantation. <i>Blood Coagulation and Fibrinolysis</i> , 2015, 26, 527-532.	1.0	14
101	Pre-procedural dual antiplatelet therapy and bleeding events following transcatheter aortic valve implantation (TAVI). <i>Thrombosis Research</i> , 2015, 136, 112-117.	1.7	11
102	Transcatheter aortic valve implantation in patients with bicuspid aortic valve: A patient level multi-center analysis. <i>International Journal of Cardiology</i> , 2015, 189, 282-288.	1.7	82
103	Microvascular Obstruction Evaluation Using Cardiovascular Magnetic Resonance (CMR) in ST-Elevated Myocardial Infarction (STEMI) Patients. <i>Polski Przegląd Radiologii i Medycyny Nuklearnej</i> , 2015, 80, 536-543.	1.0	1
104	Bioresorbable everolimus-eluting vascular scaffold in patients with ST-segment elevation myocardial infarction: Optical coherence tomography evaluation and clinical outcomes. <i>Cardiology Journal</i> , 2015, 22, 315-322.	1.2	9
105	Common carotid artery access for transcatheter aortic valve implantation. <i>Kardiologia Polska</i> , 2015, 73, 478-484.	0.6	9
106	Release kinetics of circulating miRNA-208a in the early phase of myocardial infarction. <i>Kardiologia Polska</i> , 2015, 73, 613-619.	0.6	37
107	First European implantation of the new, thin-strut, sirolimus-eluting bioresorbable scaffold. <i>Kardiologia Polska</i> , 2015, 73, 224-224.	0.6	0
108	Subacute thrombosis after primary percutaneous coronary intervention with bioresorbable vascular scaffold implantation. <i>Kardiologia Polska</i> , 2015, 73, 300-300.	0.6	0

#	ARTICLE	IF	CITATIONS
109	Direct transcatheter aortic valve implantation – one-year outcome of a case control study. <i>Postępy W Kardiologii Interwencyjnej</i> , 2014, 4, 250-257.	0.2	6
110	Comparison of One- and 12-Month Outcomes of Transcatheter Aortic Valve Replacement in Patients With Severely Stenotic Bicuspid Versus Tricuspid Aortic Valves (Results from a Multicenter Registry). <i>American Journal of Cardiology</i> , 2014, 114, 757-762.	1.6	95
111	Relation of Proinflammatory Activity of Epicardial Adipose Tissue to the Occurrence of Atrial Fibrillation. <i>American Journal of Cardiology</i> , 2014, 113, 1505-1508.	1.6	125
112	Quality of Life in Patients With ST-Segment Elevation Myocardial Infarction Undergoing Percutaneous Coronary Intervention – Radial Versus Femoral Access (from the OCEAN RACE Trial). <i>American Journal of Cardiology</i> , 2014, 114, 516-521.	1.6	27
113	Bioresorbable vascular scaffolds in patients with acute coronary syndromes : the POLAR ACS study. <i>Polish Archives of Internal Medicine</i> , 2014, 124, 669-677.	0.4	22
114	TIMI Myocardial Perfusion Grade and ST-segment resolution in the assessment of coronary reperfusion after primary angioplasty. <i>Kardiologia Polska</i> , 2014, 72, 27-33.	0.6	8
115	Comparison of the seven-year predictive value of six risk scores in acute coronary syndrome patients: GRACE, TIMI STEMI, TIMI NSTEMI, SIMPLE, ZWOLLE and BANACH. <i>Kardiologia Polska</i> , 2014, 72, 155-165.	0.6	10
116	The impact of renal insufficiency on in-hospital outcome in patients with ST-segment elevation myocardial infarction undergoing primary percutaneous coronary interventions. <i>Kardiologia Polska</i> , 2014, 72, 231-238.	0.6	4
117	Comparison between optical coherence tomography and intravascular ultrasound in detecting neointimal healing patterns after stent implantation. <i>Kardiologia Polska</i> , 2014, 72, 534-540.	0.6	4
118	Inflammatory activity of pericoronary adipose tissue may affect plaque composition in patients with acute coronary syndrome without persistent ST-segment elevation: preliminary results. <i>Kardiologia Polska</i> , 2014, 72, 410-416.	0.6	34
119	Access for percutaneous coronary intervention in ST segment elevation myocardial infarction: radial vs. femoral – a prospective, randomised clinical trial (OCEAN RACE). <i>Kardiologia Polska</i> , 2014, 72, 604-611.	0.6	24
120	A prospective randomised comparison of minor bleedings in transradial vs. transfemoral access percutaneous coronary interventions for STEMI: a new FEMORAL bleeding classification. <i>Kardiologia Polska</i> , 2014, 72, 790-797.	0.6	5
121	Use of bioresorbable vascular scaffolds in patients with stable angina and acute coronary syndromes. <i>Polish National Registry. Kardiologia Polska</i> , 2014, 72, 1394-1399.	0.6	18
122	Transcatheter aortic valve implantation: the role of transcranial Doppler monitoring. <i>Kardiologia Polska</i> , 2014, 72, 392-392.	0.6	0
123	Relationship between the intensity of heparin anticoagulation and clinical outcomes in patients receiving glycoprotein IIb/IIIa inhibitors during primary percutaneous coronary intervention in acute myocardial infarction. <i>Catheterization and Cardiovascular Interventions</i> , 2013, 81, E9-14.	1.7	10
124	Increased risk of minor bleeding and antiplatelet therapy cessation in patients with acute coronary syndromes and low on-aspirin platelet reactivity. A prospective cohort study. <i>Journal of Thrombosis and Thrombolysis</i> , 2013, 36, 22-30.	2.1	7
125	Tissue coverage of paclitaxel and sirolimus eluting stents in long term follow-up: Optical coherence tomography study. <i>Cardiology Journal</i> , 2013, 20, 247-253.	1.2	2
126	Periprocedural myocardial damage during percutaneous coronary intervention: a point-of-care platelet testing and intravascular ultrasound/virtual histology study. <i>Kardiologia Polska</i> , 2013, 71, 325-333.	0.6	2

#	ARTICLE	IF	CITATIONS
127	Transcatheter aortic valve implantation (TAVI) in a patient with severe aortic insufficiency of aortic valve homograft. <i>Kardiologia Polska</i> , 2013, 71, 1325-1325.	0.6	4
128	Paravalvular aortic regurgitation as the reason for second CoreValve bioprosthesis implantation in a patient with native bicuspid valve. <i>Kardiologia Polska</i> , 2013, 71, 1211-1211.	0.6	0
129	A Randomized, Double-Blind, Active-Controlled Phase 2 Trial to Evaluate a Novel Selective and Reversible Intravenous and Oral P2Y ₁₂ Inhibitor Elinogrel Versus Clopidogrel in Patients Undergoing Nonurgent Percutaneous Coronary Intervention. <i>Circulation: Cardiovascular Interventions</i> , 2012, 5, 336-346.	3.9	81
130	Transcatheter implantation of an aortic valve prosthesis in a female patient with severe bicuspid aortic stenosis. <i>European Heart Journal</i> , 2012, 33, 112-112.	2.2	13
131	Multicenter assessment of the reproducibility of volumetric radiofrequency-based intravascular ultrasound measurements in coronary lesions that were consecutively stented. <i>International Journal of Cardiovascular Imaging</i> , 2012, 28, 1867-1878.	1.5	4
132	Consensus Standards for Acquisition, Measurement, and Reporting of Intravascular Optical Coherence Tomography Studies. <i>Journal of the American College of Cardiology</i> , 2012, 59, 1058-1072.	2.8	1,530
133	Pharmacokinetic and Pharmacodynamic Effects of Elinogrel. <i>Circulation: Cardiovascular Interventions</i> , 2012, 5, 347-356.	3.9	33
134	Medium on-treatment platelet reactivity to ADP is favorable in patients with acute coronary syndromes undergoing coronary stenting. <i>Platelets</i> , 2011, 22, 521-529.	2.3	4
135	Prospective Comparison of the 5 Most Popular Risk Scores in Clinical Use for Unselected Patients With Acute Coronary Syndrome. <i>Circulation Journal</i> , 2011, 75, 167-173.	1.6	29
136	Baseline platelet size is increased in patients with acute coronary syndromes developing early stent thrombosis and predicts future residual platelet reactivity. A case-control study. <i>Thrombosis Research</i> , 2010, 125, 406-412.	1.7	43
137	Rationale and design of the randomized, double-blind trial testing INtraveNous and Oral administration of elinogrel, a selective and reversible P2Y ₁₂ -receptor inhibitor, versus clopidogrel to eVALuate Tolerability and Efficacy in nonurgent Percutaneous Coronary Interventions patients (INNOVATE-PCI). <i>American Heart Journal</i> , 2010, 160, 65-72.	2.7	72
138	Dislocation of Amplatzer Septal Occluder Device after Closure of Secundum Atrial Septal Defect. <i>Journal of the American Society of Echocardiography</i> , 2010, 23, 1007.e1-1007.e2.	2.8	5
139	Between-centre reproducibility of volumetric intravascular ultrasound radiofrequency-based analyses in mild-to-moderate coronary atherosclerosis: an international multicentre study. <i>EuroIntervention</i> , 2010, 5, 925-931.	3.2	17
140	Late coronary intervention for totally occluded left anterior descending coronary arteries in stable patients after myocardial infarction: Results from the Occluded Artery Trial (OAT). <i>American Heart Journal</i> , 2009, 157, 724-732.	2.7	8
141	Are normal coronary arteries a typical feature of apical ballooning syndrome?. <i>American Journal of Emergency Medicine</i> , 2008, 26, 965.e1-965.e4.	1.6	1
142	Coronary plaque composition of culprit/target lesions according to the clinical presentation: comment. <i>European Heart Journal</i> , 2007, 28, 1171-1171.	2.2	0
143	Baseline platelet reactivity in acute myocardial infarction treated with primary angioplasty—Influence on myocardial reperfusion, left ventricular performance, and clinical events. <i>American Heart Journal</i> , 2007, 154, 62-70.	2.7	25
144	Electrocardiographic features and prognosis in acute diagonal or marginal branch occlusion. <i>American Journal of Emergency Medicine</i> , 2007, 25, 170-173.	1.6	4

#	ARTICLE	IF	CITATIONS
145	Admission B-type natriuretic peptide assessment improves early risk stratification by Killip classes and TIMI risk score in patients with acute ST elevation myocardial infarction treated with primary angioplasty. <i>International Journal of Cardiology</i> , 2007, 115, 386-390.	1.7	42
146	Clinical, biochemical and genetical resistance to clopidogrel in a patient with the recurrent coronary stent thrombosisâ€”A case report and review of the literature. <i>Response. International Journal of Cardiology</i> , 2007, 116, 134-135.	1.7	5
147	Sirolimus eluting stent fracture following angioplasty of diffuse in-stent restenosis in the right coronary artery. <i>International Journal of Cardiology</i> , 2007, 118, 126-127.	1.7	21
148	Response to letter of Dr van Werkum et al.. <i>International Journal of Cardiology</i> , 2007, 119, 122-123.	1.7	1
149	Acute coronary syndrome caused by left main coronary artery plaque rupture and thrombosis â€” Resolution after pharmacological treatment. <i>International Journal of Cardiology</i> , 2007, 117, e92-e94.	1.7	1
150	Clinical, biochemical and genetical resistance to clopidogrel in a patient with the recurrent coronary stent thrombosisâ€”a case report and review of the literature. <i>International Journal of Cardiology</i> , 2006, 111, 326-328.	1.7	12
151	Aortic dissection involving ostium of right coronary artery as the reason of myocardial infarction. <i>European Heart Journal</i> , 2006, 27, 518-518.	2.2	18
152	Mean Platelet Volume on Admission Predicts Impaired Reperfusion and Long-Term Mortality in Acute Myocardial Infarction Treated With Primary Percutaneous Coronary Intervention. <i>Journal of the American College of Cardiology</i> , 2005, 46, 284-290.	2.8	316
153	Serum B-type natriuretic peptide levels on admission predict not only short-term death but also angiographic success of procedure in patients with acute ST-elevation myocardial infarction treated with primary angioplasty. <i>American Heart Journal</i> , 2004, 148, 655-662.	2.7	51
154	Tryptase levels in patients after acute coronary syndromes: The potential new marker of an unstable plaque?. <i>Clinical Cardiology</i> , 2003, 26, 366-372.	1.8	67
155	Staged transcatheter closure of chronic postinfarction ventricular septal defects with the Amplatzer septal occluder. <i>International Journal of Cardiovascular Interventions</i> , 2001, 4, 43-48.	0.5	1
156	Long-Term Mortality After TAVI for Bicuspid vs. Tricuspid Aortic Stenosis: A Propensity-Matched Multicentre Cohort Study. <i>Frontiers in Cardiovascular Medicine</i> , 0, 9, .	2.4	3