

# Yves Balkanski

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1552735/publications.pdf>

Version: 2024-02-01

139  
papers

23,661  
citations

18482

62  
h-index

10445

139  
g-index

220  
all docs

220  
docs citations

220  
times ranked

16663  
citing authors

#	ARTICLE	IF	CITATIONS
1	Transport of continental air to the subantarctic Indian Ocean. <i>Tellus, Series B: Chemical and Physical Meteorology</i> , 2022, 42, 62.	1.6	34
2	Uncertainties in assessing radiative forcing by mineral dust. <i>Tellus, Series B: Chemical and Physical Meteorology</i> , 2022, 50, 491.	1.6	111
3	A comparison of scavenging and deposition processes in global models: results from the WCRP Cambridge Workshop of 1995. <i>Tellus, Series B: Chemical and Physical Meteorology</i> , 2022, 52, 1025.	1.6	78
4	Three-dimensional transport and concentration of SF <sub>6</sub> ; A model intercomparison study (TransCom 2). <i>Tellus, Series B: Chemical and Physical Meteorology</i> , 2022, 51, 266.	1.6	88
5	AeroCom phase III multi-model evaluation of the aerosol life cycle and optical properties using ground- and space-based remote sensing as well as surface in situ observations. <i>Atmospheric Chemistry and Physics</i> , 2021, 21, 87-128.	4.9	96
6	Quantifying the range of the dust direct radiative effect due to source mineralogy uncertainty. <i>Atmospheric Chemistry and Physics</i> , 2021, 21, 3973-4005.	4.9	47
7	10-year satellite-constrained fluxes of ammonia improve performance of chemistry transport models. <i>Atmospheric Chemistry and Physics</i> , 2021, 21, 4431-4451.	4.9	21
8	The contributions of individual countries and regions to the global radiative forcing. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	15
9	Wetter environment and increased grazing reduced the area burned in northern Eurasia from 2002 to 2016. <i>Biogeosciences</i> , 2021, 18, 2559-2572.	3.3	7
10	Improved representation of the global dust cycle using observational constraints on dust properties and abundance. <i>Atmospheric Chemistry and Physics</i> , 2021, 21, 8127-8167.	4.9	65
11	Spatially explicit analysis identifies significant potential for bioenergy with carbon capture and storage in China. <i>Nature Communications</i> , 2021, 12, 3159.	12.8	58
12	Impact of dust in PMIP-CMIP6 mid-Holocene simulations with the IPSL model. <i>Climate of the Past</i> , 2021, 17, 1091-1117.	3.4	10
13	Contribution of the world's main dust source regions to the global cycle of desert dust. <i>Atmospheric Chemistry and Physics</i> , 2021, 21, 8169-8193.	4.9	126
14	Better representation of dust can improve climate models with too weak an African monsoon. <i>Atmospheric Chemistry and Physics</i> , 2021, 21, 11423-11435.	4.9	10
15	Evaluation of natural aerosols in CRESCENDO Earth system models (ESMs): mineral dust. <i>Atmospheric Chemistry and Physics</i> , 2021, 21, 10295-10335.	4.9	20
16	Predicting the effect of confinement on the COVID-19 spread using machine learning enriched with satellite air pollution observations. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	16
17	Missed atmospheric organic phosphorus emitted by terrestrial plants, part 2: Experiment of volatile phosphorus. <i>Environmental Pollution</i> , 2020, 258, 113728.	7.5	10
18	Short-lived climate forcers have long-term climate impacts via the carbon-climate feedback. <i>Nature Climate Change</i> , 2020, 10, 851-855.	18.8	31

#	ARTICLE	IF	CITATIONS
19	Daily CO <sub>2</sub> Emission Reduction Indicates the Control of Activities to Contain COVID-19 in China. <i>Innovation(China)</i> , 2020, 1, 100062.	9.1	25
20	Presentation and Evaluation of the IPSL-CM6A-CLM Climate Model. <i>Journal of Advances in Modeling Earth Systems</i> , 2020, 12, e2019MS002010.	3.8	541
21	Modelling the mineralogical composition and solubility of mineral dust in the Mediterranean area with CHIMERE 2017r4. <i>Geoscientific Model Development</i> , 2020, 13, 2051-2071.	3.6	7
22	Direct Radiative Effect by Mineral Dust Aerosols Constrained by New Microphysical and Spectral Optical Data. <i>Geophysical Research Letters</i> , 2020, 47, e2019GL086186.	4.0	49
23	Implementation of the CMIP6 Forcing Data in the IPSL-CM6A-CLM Model. <i>Journal of Advances in Modeling Earth Systems</i> , 2020, 12, e2019MS001940.	3.8	95
24	Cloudy-sky contributions to the direct aerosol effect. <i>Atmospheric Chemistry and Physics</i> , 2020, 20, 8855-8865.	4.9	8
25	ESD Reviews: Climate feedbacks in the Earth system and prospects for their evaluation. <i>Earth System Dynamics</i> , 2019, 10, 379-452.	7.1	46
26	Increased Global Land Carbon Sink Due to Aerosol-Induced Cooling. <i>Global Biogeochemical Cycles</i> , 2019, 33, 439-457.	4.9	27
27	Complex refractive indices and single-scattering albedo of global dust aerosols in the shortwave spectrum and relationship to size and iron content. <i>Atmospheric Chemistry and Physics</i> , 2019, 19, 15503-15531.	4.9	108
28	Impact of Multiscale Variability on Last 6,000 Years Indian and West African Monsoon Rain. <i>Geophysical Research Letters</i> , 2019, 46, 14021-14029.	4.0	16
29	Spatial Representativeness Error in the Ground-Level Observation Networks for Black Carbon Radiation Absorption. <i>Geophysical Research Letters</i> , 2018, 45, 2106-2114.	4.0	18
30	Aerosol-Climate Interactions During the Last Glacial Maximum. <i>Current Climate Change Reports</i> , 2018, 4, 99-114.	8.6	24
31	Modeling the impacts of atmospheric deposition of nitrogen and desert dust-derived phosphorus on nutrients and biological budgets of the Mediterranean Sea. <i>Progress in Oceanography</i> , 2018, 163, 21-39.	3.2	46
32	Modeling the biogeochemical impact of atmospheric phosphate deposition from desert dust and combustion sources to the Mediterranean Sea. <i>Biogeosciences</i> , 2018, 15, 2499-2524.	3.3	49
33	Analysis of slight precipitation in China during the past decades and its relationship with advanced very high radiometric resolution normalized difference vegetation index. <i>International Journal of Climatology</i> , 2018, 38, 5563-5575.	3.5	2
34	Mortality induced by PM <sub>2.5</sub> exposure following the 1783 Laki eruption using reconstructed meteorological fields. <i>Scientific Reports</i> , 2018, 8, 15896.	3.3	4
35	Simulating CH <sub>4</sub> and CO <sub>2</sub> over South and East Asia using the zoomed chemistry transport model LMDz-INCA. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 9475-9497.	4.9	18
36	Global forest carbon uptake due to nitrogen and phosphorus deposition from 1850 to 2100. <i>Global Change Biology</i> , 2017, 23, 4854-4872.	9.5	158

#	ARTICLE	IF	CITATIONS
37	Inverse modeling of the Chernobyl source term using atmospheric concentration and deposition measurements. <i>Atmospheric Chemistry and Physics</i> , 2017, 17, 8805-8824.	4.9	22
38	Aerosols at the poles: an AeroCom Phase II multi-model evaluation. <i>Atmospheric Chemistry and Physics</i> , 2017, 17, 12197-12218.	4.9	58
39	Global scale variability of the mineral dust long-wave refractive index: a new dataset of in situ measurements for climate modeling and remote sensing. <i>Atmospheric Chemistry and Physics</i> , 2017, 17, 1901-1929.	4.9	91
40	Spectral- and size-resolved mass absorption efficiency of mineral dust aerosols in the shortwave spectrum: a simulation chamber study. <i>Atmospheric Chemistry and Physics</i> , 2017, 17, 7175-7191.	4.9	66
41	Evaluation of the aerosol vertical distribution in global aerosol models through comparison against CALIOP measurements: AeroCom phase II results. <i>Journal of Geophysical Research D: Atmospheres</i> , 2016, 121, 7254-7283.	3.3	80
42	Estimation of global black carbon direct radiative forcing and its uncertainty constrained by observations. <i>Journal of Geophysical Research D: Atmospheres</i> , 2016, 121, 5948-5971.	3.3	66
43	Reconstructing the Chernobyl Nuclear Power Plant (CNPP) accident 30 years after. A unique database of air concentration and deposition measurements over Europe. <i>Environmental Pollution</i> , 2016, 216, 408-418.	7.5	45
44	Jury is still out on the radiative forcing by black carbon. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E5092-3.	7.1	43
45	Resuspension and atmospheric transport of radionuclides due to wildfires near the Chernobyl Nuclear Power Plant in 2015: An impact assessment. <i>Scientific Reports</i> , 2016, 6, 26062.	3.3	54
46	Evaluation of observed and modelled aerosol lifetimes using radioactive tracers of opportunity and an ensemble of 19 global models. <i>Atmospheric Chemistry and Physics</i> , 2016, 16, 3525-3561.	4.9	75
47	Wildfires in northern Eurasia affect the budget of black carbon in the Arctic – a 12-year retrospective synopsis (2002–2013). <i>Atmospheric Chemistry and Physics</i> , 2016, 16, 7587-7604.	4.9	56
48	The contribution of China’s emissions to global climate forcing. <i>Nature</i> , 2016, 531, 357-361.	27.8	214
49	Daily black carbon emissions from fires in northern Eurasia for 2002–2015. <i>Geoscientific Model Development</i> , 2016, 9, 4461-4474.	3.6	27
50	Influence of anthropogenic aerosol deposition on the relationship between oceanic productivity and warming. <i>Geophysical Research Letters</i> , 2015, 42, 10745-10754.	4.0	40
51	Sources, transport and deposition of iron in the global atmosphere. <i>Atmospheric Chemistry and Physics</i> , 2015, 15, 6247-6270.	4.9	85
52	Fire evolution in the radioactive forests of Ukraine and Belarus: future risks for the population and the environment. <i>Ecological Monographs</i> , 2015, 85, 49-72.	5.4	41
53	Global deposition and transport efficiencies of radioactive species with respect to modelling credibility after Fukushima (Japan, 2011). <i>Journal of Environmental Radioactivity</i> , 2015, 149, 164-175.	1.7	10
54	Significant contribution of combustion-related emissions to the atmospheric phosphorus budget. <i>Nature Geoscience</i> , 2015, 8, 48-54.	12.9	207

#	ARTICLE	IF	CITATIONS
55	European glacial dust deposits: Geochemical constraints on atmospheric dust cycle modeling. <i>Geophysical Research Letters</i> , 2014, 41, 7666-7674.	4.0	38
56	Wildfires in Chernobyl-contaminated forests and risks to the population and the environment: A new nuclear disaster about to happen?. <i>Environment International</i> , 2014, 73, 346-358.	10.0	41
57	Exposure to ambient black carbon derived from a unique inventory and high-resolution model. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 2459-2463.	7.1	148
58	Global and local cancer risks after the Fukushima Nuclear Power Plant accident as seen from Chernobyl: A modeling study for radiocaesium ( <sup>134</sup> Cs & <sup>137</sup> Cs). <i>Environment International</i> , 2014, 64, 17-27.	10.0	39
59	Trend in Global Black Carbon Emissions from 1960 to 2007. <i>Environmental Science &amp; Technology</i> , 2014, 48, 6780-6787.	10.0	114
60	How "lucky" we are that the Fukushima disaster occurred in early spring. <i>Science of the Total Environment</i> , 2014, 500-501, 155-172.	8.0	11
61	The AeroCom evaluation and intercomparison of organic aerosol in global models. <i>Atmospheric Chemistry and Physics</i> , 2014, 14, 10845-10895.	4.9	363
62	A global model simulation of present and future nitrate aerosols and their direct radiative forcing of climate. <i>Atmospheric Chemistry and Physics</i> , 2014, 14, 11031-11063.	4.9	167
63	Modelled black carbon radiative forcing and atmospheric lifetime in AeroCom Phase II constrained by aircraft observations. <i>Atmospheric Chemistry and Physics</i> , 2014, 14, 12465-12477.	4.9	157
64	An AeroCom assessment of black carbon in Arctic snow and sea ice. <i>Atmospheric Chemistry and Physics</i> , 2014, 14, 2399-2417.	4.9	86
65	A new data set of soil mineralogy for dust-cycle modeling. <i>Atmospheric Chemistry and Physics</i> , 2014, 14, 3801-3816.	4.9	166
66	Snow cover sensitivity to black carbon deposition in the Himalayas: from atmospheric and ice core measurements to regional climate simulations. <i>Atmospheric Chemistry and Physics</i> , 2014, 14, 4237-4249.	4.9	80
67	A new method for evaluating the impact of vertical distribution on aerosol radiative forcing in general circulation models. <i>Atmospheric Chemistry and Physics</i> , 2014, 14, 877-897.	4.9	29
68	Climate change projections using the IPSL-CM5 Earth System Model: from CMIP3 to CMIP5. <i>Climate Dynamics</i> , 2013, 40, 2123-2165.	3.8	1,425
69	Aerosol and ozone changes as forcing for climate evolution between 1850 and 2100. <i>Climate Dynamics</i> , 2013, 40, 2223-2250.	3.8	157
70	Global Transport and Deposition of <sup>137</sup> Cs Following the Fukushima Nuclear Power Plant Accident in Japan: Emphasis on Europe and Asia Using High-Resolution Model Versions and Radiological Impact Assessment of the Human Population and the Environment Using Interactive Tools. <i>Environmental Science &amp; Technology</i> , 2013, 47, 5803-5812.	10.0	37
71	Boreal and temperate snow cover variations induced by black carbon emissions in the middle of the 21st century. <i>Cryosphere</i> , 2013, 7, 537-554.	3.9	25
72	Radiative forcing of the direct aerosol effect from AeroCom Phase II simulations. <i>Atmospheric Chemistry and Physics</i> , 2013, 13, 1853-1877.	4.9	779

#	ARTICLE	IF	CITATIONS
73	Black carbon vertical profiles strongly affect its radiative forcing uncertainty. <i>Atmospheric Chemistry and Physics</i> , 2013, 13, 2423-2434.	4.9	223
74	Radiative forcing in the ACCMIP historical and future climate simulations. <i>Atmospheric Chemistry and Physics</i> , 2013, 13, 2939-2974.	4.9	395
75	Simulations of the transport and deposition of $^{137}\text{Cs}$ over Europe after the Chernobyl Nuclear Power Plant accident: influence of varying emission-altitude and model horizontal and vertical resolution. <i>Atmospheric Chemistry and Physics</i> , 2013, 13, 7183-7198.	4.9	33
76	Modeling dust emission response to North Atlantic millennial-scale climate variations from the perspective of East European MIS 3 loess deposits. <i>Climate of the Past</i> , 2013, 9, 1385-1402.	3.4	46
77	Modeling the climate impact of road transport, maritime shipping and aviation over the period 1860–2100 with an AOGCM. <i>Atmospheric Chemistry and Physics</i> , 2012, 12, 1449-1480.	4.9	41
78	Radiative forcing estimates of sulfate aerosol in coupled climate-chemistry models with emphasis on the role of the temporal variability. <i>Atmospheric Chemistry and Physics</i> , 2012, 12, 5583-5602.	4.9	22
79	Application of the CALIOP layer product to evaluate the vertical distribution of aerosols estimated by global models: AeroCom phase I results. <i>Journal of Geophysical Research</i> , 2012, 117, .	3.3	170
80	Climate model calculations of the impact of aerosols from road transport and shipping. <i>Atmospheric and Oceanic Optics</i> , 2012, 25, 62-70.	1.3	6
81	Soot microphysical effects on liquid clouds, a multi-model investigation. <i>Atmospheric Chemistry and Physics</i> , 2011, 11, 1051-1064.	4.9	58
82	Global dust model intercomparison in AeroCom phase I. <i>Atmospheric Chemistry and Physics</i> , 2011, 11, 7781-7816.	4.9	839
83	Recent progress in understanding physical and chemical properties of African and Asian mineral dust. <i>Atmospheric Chemistry and Physics</i> , 2011, 11, 8231-8256.	4.9	367
84	Direct radiative effect of aerosols emitted by transport: from road, shipping and aviation. <i>Atmospheric Chemistry and Physics</i> , 2010, 10, 4477-4489.	4.9	78
85	Corrigendum to "Evaluation of black carbon estimations in global aerosol models" published in <i>Atmos. Chem. Phys.</i> , 9, 9001-9026, 2009. <i>Atmospheric Chemistry and Physics</i> , 2010, 10, 79-81.	4.9	17
86	Global connections between aeolian dust, climate and ocean biogeochemistry at the present day and at the last glacial maximum. <i>Earth-Science Reviews</i> , 2010, 99, 61-97.	9.1	484
87	Transport impacts on atmosphere and climate: Land transport. <i>Atmospheric Environment</i> , 2010, 44, 4772-4816.	4.1	285
88	Imprint of North-Atlantic abrupt climate changes on western European loess deposits as viewed in a dust emission model. <i>Quaternary Science Reviews</i> , 2009, 28, 2851-2866.	3.0	61
89	Sensitivity of direct radiative forcing by mineral dust to particle characteristics. <i>Progress in Physical Geography</i> , 2009, 33, 80-102.	3.2	39
90	Aerosol indirect effects – general circulation model intercomparison and evaluation with satellite data. <i>Atmospheric Chemistry and Physics</i> , 2009, 9, 8697-8717.	4.9	418

#	ARTICLE	IF	CITATIONS
91	Evaluation of black carbon estimations in global aerosol models. Atmospheric Chemistry and Physics, 2009, 9, 9001-9026.	4.9	585
92	Intercomparison of radiative forcing calculations of stratospheric water vapour and contrails. Meteorologische Zeitschrift, 2009, 18, 585-596.	1.0	63
93	Photoenhanced uptake of NO <sub>2</sub> on mineral dust: Laboratory experiments and model simulations. Geophysical Research Letters, 2008, 35, .	4.0	200
94	Monthly-averaged anthropogenic aerosol direct radiative forcing over the Mediterranean based on AERONET aerosol properties. Atmospheric Chemistry and Physics, 2008, 8, 6995-7014.	4.9	64
95	Long-term measurements of carbonaceous aerosols in the Eastern Mediterranean: evidence of long-range transport of biomass burning. Atmospheric Chemistry and Physics, 2008, 8, 5551-5563.	4.9	170
96	Modelling the direct effect of aerosols in the solar near-infrared on a planetary scale. Atmospheric Chemistry and Physics, 2007, 7, 3211-3229.	4.9	23
97	The effect of harmonized emissions on aerosol properties in global models – an AeroCom experiment. Atmospheric Chemistry and Physics, 2007, 7, 4489-4501.	4.9	228
98	Reevaluation of Mineral aerosol radiative forcings suggests a better agreement with satellite and AERONET data. Atmospheric Chemistry and Physics, 2007, 7, 81-95.	4.9	393
99	Assimilation of POLDER aerosol optical thickness into the LMDz-INCA model: Implications for the Arctic aerosol burden. Journal of Geophysical Research, 2007, 112, .	3.3	64
100	Photoenhanced Uptake of NO <sub>2</sub> on Mineral Dust. NATO Science Series Series IV, Earth and Environmental Sciences, 2007, , 219-233.	0.3	6
101	Global carbon emissions from biomass burning in the 20th century. Geophysical Research Letters, 2006, 33, n/a-n/a.	4.0	72
102	An AeroCom initial assessment – optical properties in aerosol component modules of global models. Atmospheric Chemistry and Physics, 2006, 6, 1815-1834.	4.9	697
103	Radiative forcing by aerosols as derived from the AeroCom present-day and pre-industrial simulations. Atmospheric Chemistry and Physics, 2006, 6, 5225-5246.	4.9	633
104	A review of measurement-based assessments of the aerosol direct radiative effect and forcing. Atmospheric Chemistry and Physics, 2006, 6, 613-666.	4.9	745
105	Analysis and quantification of the diversities of aerosol life cycles within AeroCom. Atmospheric Chemistry and Physics, 2006, 6, 1777-1813.	4.9	1,202
106	Change in global aerosol composition since preindustrial times. Atmospheric Chemistry and Physics, 2006, 6, 5143-5162.	4.9	168
107	Ice-free glacial northern Asia due to dust deposition on snow. Climate Dynamics, 2006, 27, 613-625.	3.8	117
108	The aerosol-climate model ECHAM5-HAM. Atmospheric Chemistry and Physics, 2005, 5, 1125-1156.	4.9	990

#	ARTICLE	IF	CITATIONS
109	Organic aerosol and global climate modelling: a review. Atmospheric Chemistry and Physics, 2005, 5, 1053-1123.	4.9	2,947
110	Aerosol optical depths and direct radiative perturbations by species and source type. Geophysical Research Letters, 2005, 32, n/a-n/a.	4.0	82
111	Estimates of global multicomponent aerosol optical depth and direct radiative perturbation in the Laboratoire de Météorologie Dynamique general circulation model. Journal of Geophysical Research, 2005, 110, .	3.3	144
112	Retrieving the effective radius of Saharan dust coarse mode from AIRS. Geophysical Research Letters, 2005, 32, .	4.0	47
113	Interaction of mineral dust with gas phase nitric acid and sulfur dioxide during the MINATROC II field campaign: First estimate of the uptake coefficient $\Gamma^{\text{HNO}_3}$ from atmospheric data. Journal of Geophysical Research, 2005, 110, .	3.3	28
114	Global modeling of heterogeneous chemistry on mineral aerosol surfaces: Influence on tropospheric ozone chemistry and comparison to observations. Journal of Geophysical Research, 2004, 109, .	3.3	231
115	Aerosol-ozone correlations during dust transport episodes. Atmospheric Chemistry and Physics, 2004, 4, 1201-1215.	4.9	123
116	Global Emissions of Mineral Aerosol: Formulation and Validation using Satellite Imagery. Advances in Global Change Research, 2004, , 239-267.	1.6	30
117	Sea-salt aerosol source functions and emissions. Advances in Global Change Research, 2004, , 333-359.	1.6	78
118	Radiative forcing of climate by ice-age atmospheric dust. Climate Dynamics, 2003, 20, 193-202.	3.8	142
119	Improving the seasonal cycle and interannual variations of biomass burning aerosol sources. Atmospheric Chemistry and Physics, 2003, 3, 1211-1222.	4.9	85
120	Seasonal and interannual variability of the mineral dust cycle under present and glacial climate conditions. Journal of Geophysical Research, 2002, 107, AAC 2-1.	3.3	138
121	Influence of the source formulation on modeling the atmospheric global distribution of sea salt aerosol. Journal of Geophysical Research, 2001, 106, 27509-27524.	3.3	167
122	A comparison of scavenging and deposition processes in global models: results from the WCRP Cambridge Workshop of 1995. Tellus, Series B: Chemical and Physical Meteorology, 2000, 52, 1025-1056.	1.6	113
123	Three-dimensional transport and concentration of SF <sub>6</sub> . A model intercomparison study (TransCom 2). Tellus, Series B: Chemical and Physical Meteorology, 1999, 51, 266-297.	1.6	101
124	Ocean primary production derived from satellite data: An evaluation with atmospheric oxygen measurements. Global Biogeochemical Cycles, 1999, 13, 257-271.	4.9	42
125	Dust sources and deposition during the last glacial maximum and current climate: A comparison of model results with paleodata from ice cores and marine sediments. Journal of Geophysical Research, 1999, 104, 15895-15916.	3.3	595
126	Uncertainties in assessing radiative forcing by mineral dust. Tellus, Series B: Chemical and Physical Meteorology, 1998, 50, 491-505.	1.6	101



#	ARTICLE	IF	CITATIONS
127	Role of aerosol size distribution and source location in a three-dimensional simulation of a Saharan dust episode tested against satellite-derived optical thickness. <i>Journal of Geophysical Research</i> , 1998, 103, 10579-10592.	3.3	162
128	Wet deposition in a global size-dependent aerosol transport model: 1. Comparison of a 1 year <sup>210</sup> Pb simulation with ground measurements. <i>Journal of Geophysical Research</i> , 1998, 103, 11429-11445.	3.3	71
129	Wet deposition in a global size-dependent aerosol transport model: 2. Influence of the scavenging scheme on <sup>210</sup> Pb vertical profiles, surface concentrations, and deposition. <i>Journal of Geophysical Research</i> , 1998, 103, 28875-28891.	3.3	55
130	A modeling study of the shortwave and longwave forcing by dust aerosols. <i>Journal of Aerosol Science</i> , 1997, 28, S447-S448.	3.8	2
131	Global simulation of the mineral aerosol distribution and its effect on the radiation balance. <i>Journal of Aerosol Science</i> , 1997, 28, S691-S692.	3.8	0
132	Evaluation and intercomparison of global atmospheric transport models using <sup>222</sup> Rn and other short-lived tracers. <i>Journal of Geophysical Research</i> , 1997, 102, 5953-5970.	3.3	267
133	Influence of two atmospheric transport models on inferring sources and sinks of atmospheric CO <sub>2</sub> . <i>Tellus, Series B: Chemical and Physical Meteorology</i> , 1996, 48, 568-582.	1.6	10
134	Influence of two atmospheric transport models on inferring sources and sinks of atmospheric CO <sub>2</sub> . <i>Tellus, Series B: Chemical and Physical Meteorology</i> , 1996, 48, 568-582.	1.6	12
135	Importance of the Source Term and of the Size Distribution to Model the Mineral Dust Cycle. <i>Environmental Science and Technology Library</i> , 1996, , 69-76.	0.1	14
136	Transport and residence times of tropospheric aerosols inferred from a global three-dimensional simulation of <sup>210</sup> Pb. <i>Journal of Geophysical Research</i> , 1993, 98, 20573-20586.	3.3	325
137	Sulfur and nitrogen levels in the North Atlantic Ocean's atmosphere: A synthesis of field and modeling results. <i>Global Biogeochemical Cycles</i> , 1992, 6, 77-100.	4.9	19
138	Distribution of <sup>222</sup> Rn over the north Pacific: Implications for continental influences. <i>Journal of Atmospheric Chemistry</i> , 1992, 14, 353-374.	3.2	63
139	Transport of continental air to the subantarctic Indian Ocean. <i>Tellus, Series B: Chemical and Physical Meteorology</i> , 1990, 42, 62-75.	1.6	20