

# Paul Eggleton

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1554122/publications.pdf>

Version: 2024-02-01

137  
papers

6,898  
citations

47006

47  
h-index

66911

78  
g-index

146  
all docs

146  
docs citations

146  
times ranked

7823  
citing authors

#	ARTICLE	IF	CITATIONS
1	A second serine protease associated with mannan-binding lectin that activates complement. <i>Nature</i> , 1997, 386, 506-510.	27.8	799
2	Calreticulin: non-endoplasmic reticulum functions in physiology and disease. <i>FASEB Journal</i> , 2010, 24, 665-683.	0.5	339
3	The ins and outs of calreticulin: from the ER lumen to the extracellular space. <i>Trends in Cell Biology</i> , 2001, 11, 122-129.	7.9	303
4	Evidence for a protective role of pulmonary surfactant protein D (SP-D) against influenza A viruses.. <i>Journal of Clinical Investigation</i> , 1994, 94, 311-319.	8.2	297
5	Thrombospondin Mediates Focal Adhesion Disassembly through Interactions with Cell Surface Calreticulin. <i>Journal of Biological Chemistry</i> , 2000, 275, 36358-36368.	3.4	177
6	The multifaceted role of autophagy in cancer and the microenvironment. <i>Medicinal Research Reviews</i> , 2019, 39, 517-560.	10.5	146
7	The Role of Macrophages in Cancer Development and Therapy. <i>Cancers</i> , 2021, 13, 1946.	3.7	143
8	Targeted induction of apoptosis for cancer therapy: current progress and prospects. <i>Trends in Molecular Medicine</i> , 2006, 12, 382-393.	6.7	123
9	Therapeutic potential of Galectin-9 in human disease. <i>Medicinal Research Reviews</i> , 2013, 33, E102-26.	10.5	120
10	Impaired recognition of apoptotic neutrophils by the C1q/calreticulin and CD91 pathway in systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 2006, 54, 1543-1556.	6.7	119
11	The innate immune component ficolin 3 (Hakata antigen) mediates the clearance of late apoptotic cells. <i>Arthritis and Rheumatism</i> , 2007, 56, 1598-1607.	6.7	119
12	Mechanisms of Translocation of ER Chaperones to the Cell Surface and Immunomodulatory Roles in Cancer and Autoimmunity. <i>Frontiers in Oncology</i> , 2015, 5, 7.	2.8	117
13	The Conformation of Calreticulin Is Influenced by the Endoplasmic Reticulum Luminal Environment. <i>Journal of Biological Chemistry</i> , 2000, 275, 27177-27185.	3.4	109
14	Rapid method for the isolation of neutrophils in high yield without the use of dextran or density gradient polymers. <i>Journal of Immunological Methods</i> , 1989, 121, 105-113.	1.4	106
15	A calreticulin-like molecule from the human hookworm <i>Necator americanus</i> interacts with C1q and the cytoplasmic signalling domains of some integrins. <i>Parasite Immunology</i> , 2001, 23, 141-152.	1.5	103
16	The Anti-adhesive Activity of Thrombospondin Is Mediated by the N-terminal Domain of Cell Surface Calreticulin. <i>Journal of Biological Chemistry</i> , 2002, 277, 37219-37228.	3.4	103
17	Simultaneous Inhibition of Epidermal Growth Factor Receptor (EGFR) Signaling and Enhanced Activation of Tumor Necrosis Factor-related Apoptosis-inducing Ligand (TRAIL) Receptor-mediated Apoptosis Induction by an scFv:sTRAIL Fusion Protein with Specificity for Human EGFR. <i>Journal of Biological Chemistry</i> , 2005, 280, 10025-10033.	3.4	88
18	A Mechanism of Release of Calreticulin from Cells During Apoptosis. <i>Journal of Molecular Biology</i> , 2010, 401, 799-812.	4.2	87

#	ARTICLE	IF	CITATIONS
19	The lung in ACPA-positive rheumatoid arthritis: an initiating site of injury?. <i>Rheumatology</i> , 2014, 53, 1940-1950.	1.9	87
20	Low-Dose Metformin Reprograms the Tumor Immune Microenvironment in Human Esophageal Cancer: Results of a Phase II Clinical Trial. <i>Clinical Cancer Research</i> , 2020, 26, 4921-4932.	7.0	86
21	Target cell-restricted and -enhanced apoptosis induction by a scFv:sTRAIL fusion protein with specificity for the pancarcinoma-associated antigen EGP2. <i>International Journal of Cancer</i> , 2004, 109, 281-290.	5.1	85
22	Measurement and meaning of markers of reactive species of oxygen, nitrogen and sulfur in healthy human subjects and patients with inflammatory joint disease. <i>Biochemical Society Transactions</i> , 2011, 39, 1226-1232.	3.4	85
23	Target Cell-Restricted Apoptosis Induction of Acute Leukemic T Cells by a Recombinant Tumor Necrosis Factor-Related Apoptosis-Inducing Ligand Fusion Protein with Specificity for Human CD7. <i>Cancer Research</i> , 2005, 65, 3380-3388.	0.9	83
24	C1q-How many functions? How many receptors?. <i>Trends in Cell Biology</i> , 1998, 8, 428-431.	7.9	81
25	Release of calreticulin from neutrophils may alter C1q-mediated immune functions. <i>Biochemical Journal</i> , 1997, 322, 543-550.	3.7	74
26	Lung surfactant proteins involved in innate immunity. <i>Current Opinion in Immunology</i> , 1999, 11, 28-33.	5.5	74
27	Anti-angiogenic activity of inositol hexaphosphate (IP6). <i>Carcinogenesis</i> , 2004, 25, 2115-2123.	2.8	74
28	Bronchiectasis Is a Model for Chronic Bacterial Infection Inducing Autoimmunity in Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2015, 67, 2335-2342.	5.6	68
29	Pathophysiological Roles of Calreticulin in Autoimmune Disease. <i>Scandinavian Journal of Immunology</i> , 1999, 49, 466-473.	2.7	67
30	Identification of a gC1q-binding protein (gC1q-R) on the surface of human neutrophils. Subcellular localization and binding properties in comparison with the cC1q-R.. <i>Journal of Clinical Investigation</i> , 1995, 95, 1569-1578.	8.2	66
31	Targeting of the Tumor Necrosis Factor Receptor Superfamily for Cancer Immunotherapy. <i>ISRN Oncology</i> , 2013, 2013, 1-25.	2.1	65
32	Evidence That C1q Binds Specifically to CH2-like Immunoglobulin $\hat{I}^3$ Motifs Present in the Autoantigen Calreticulin and Interferes with Complement Activation. <i>Biochemistry</i> , 1998, 37, 17865-17874.	2.5	64
33	CD103+ intraepithelial T cells in high-grade serous ovarian cancer are phenotypically diverse TCR $\hat{I}^2$ + CD8 $\hat{I}^2$ + T cells that can be targeted for cancer immunotherapy. <i>Oncotarget</i> , 2016, 7, 75130-75144.	1.8	64
34	C1q-mediated chemotaxis by human neutrophils: involvement of gC1qR and G-protein signalling mechanisms. <i>Biochemical Journal</i> , 1998, 330, 247-254.	3.7	63
35	Identification of Functional Domains on gC1Q-R, a Cell Surface Protein That Binds to the Globular "Heads" of C1Q, Using Monoclonal Antibodies and Synthetic Peptides. <i>Hybridoma</i> , 1996, 15, 333-342.	0.6	61
36	The conformation of calreticulin is influenced by the endoplasmic reticulum lumenal environment. <i>Journal of Biological Chemistry</i> , 2000, 275, 27177-85.	3.4	61

#	ARTICLE	IF	CITATIONS
37	Melanoma-associated Chondroitin Sulfate Proteoglycan (MCSP)-targeted delivery of soluble TRAIL potently inhibits melanoma outgrowth in vitro and in vivo. <i>Molecular Cancer</i> , 2010, 9, 301.	19.2	58
38	CD20-selective inhibition of CD47-SIRP $\alpha$ signaling with a bispecific antibody-derivative enhances the anticancer activity of daratumumab, alemtuzumab and obinutuzumab. <i>Oncolmunology</i> , 2018, 7, e1386361.	4.6	58
39	Expression of Surfactant Protein D in the Human Gastric Mucosa and during <i>Helicobacter pylori</i> Infection. <i>Infection and Immunity</i> , 2002, 70, 1481-1487.	2.2	57
40	Frequency of Th17 CD20+ cells in the peripheral blood of rheumatoid arthritis patients is higher compared to healthy subjects. <i>Arthritis Research and Therapy</i> , 2011, 13, R208.	3.5	56
41	Calreticulin, a therapeutic target?. <i>Expert Opinion on Therapeutic Targets</i> , 2016, 20, 1137-1147.	3.4	56
42	Variations in <i>Helicobacter pylori</i> Lipopolysaccharide To Evade the Innate Immune Component Surfactant Protein D. <i>Infection and Immunity</i> , 2005, 73, 7677-7686.	2.2	55
43	CD7-restricted activation of Fas-mediated apoptosis: a novel therapeutic approach for acute T-cell leukemia. <i>Blood</i> , 2006, 107, 2863-2870.	1.4	53
44	Rab32 connects ER stress to mitochondrial defects in multiple sclerosis. <i>Journal of Neuroinflammation</i> , 2017, 14, 19.	7.2	53
45	Extracellular calreticulin is present in the joints of patients with rheumatoid arthritis and inhibits FasL (CD95L)-mediated apoptosis of T cells. <i>Arthritis and Rheumatism</i> , 2010, 62, 2919-2929.	6.7	50
46	Exceptionally Potent Anti-Tumor Bystander Activity of an scFv:sTRAIL Fusion Protein with Specificity for EGP2 Toward Target Antigen-Negative Tumor Cells. <i>Neoplasia</i> , 2004, 6, 636-645.	5.3	49
47	CD20+inflammatory T-cells are present in blood and brain of multiple sclerosis patients and can be selectively targeted for apoptotic elimination. <i>Multiple Sclerosis and Related Disorders</i> , 2014, 3, 650-658.	2.0	49
48	The epithelial polarity regulator LGALS9/galectin-9 induces fatal frustrated autophagy in KRAS mutant colon carcinoma that depends on elevated basal autophagic flux. <i>Autophagy</i> , 2015, 11, 1373-1388.	9.1	49
49	Superior Activity of Fusion Protein scFvRit:sFasL over Cotreatment with Rituximab and Fas Agonists. <i>Cancer Research</i> , 2008, 68, 597-604.	0.9	47
50	Granule Localization of Glutaminase in Human Neutrophils and the Consequence of Glutamine Utilization for Neutrophil Activity. <i>Journal of Biological Chemistry</i> , 2004, 279, 13305-13310.	3.4	44
51	Modular organization of carbohydrate recognition domains in animal lectins. <i>Matrix Biology</i> , 1997, 15, 583-592.	3.6	43
52	Galectin-9 Activates and Expands Human T-Helper 1 Cells. <i>PLoS ONE</i> , 2013, 8, e65616.	2.5	43
53	RA autoantibodies as predictors of rheumatoid arthritis in non-cystic fibrosis bronchiectasis patients. <i>European Respiratory Journal</i> , 2014, 44, 1082-1085.	6.7	43
54	A novel bispecific antibody for EGFR-directed blockade of the PD-1/PD-L1 immune checkpoint. <i>Oncolmunology</i> , 2018, 7, e1466016.	4.6	42

#	ARTICLE	IF	CITATIONS
55	Changes in inflammatory gene expression induced by hyperbaric oxygen treatment in human endothelial cells under chronic wound conditions. <i>Experimental Cell Research</i> , 2012, 318, 207-216.	2.6	39
56	Physical and Functional Interaction Between Cell-Surface Calreticulin and the Collagen Receptors Integrin $\alpha 2 \beta 1$ and Glycoprotein VI in Human Platelets. <i>Thrombosis and Haemostasis</i> , 2002, 88, 648-654.	3.4	37
57	Targeted delivery of a designed sTRAIL mutant results in superior apoptotic activity towards EGFR-positive tumor cells. <i>Journal of Molecular Medicine</i> , 2008, 86, 909-924.	3.9	37
58	The Ever-Expanding Immunomodulatory Role of Calreticulin in Cancer Immunity. <i>Frontiers in Oncology</i> , 2015, 5, 35.	2.8	36
59	The Glycan-Binding Protein Galectin-9 Has Direct Apoptotic Activity toward Melanoma Cells. <i>Journal of Investigative Dermatology</i> , 2012, 132, 2302-2305.	0.7	35
60	Programmed Death Ligand 1 (PD-L1)-targeted TRAIL combines PD-L1-mediated checkpoint inhibition with TRAIL-mediated apoptosis induction. <i>Oncolimmunology</i> , 2016, 5, e1202390.	4.6	35
61	Immune Function of C1q and Its Modulators CD91 and CD93. <i>Critical Reviews in Immunology</i> , 2005, 25, 305-330.	0.5	35
62	Binding and Agglutination of <i>Streptococcus pneumoniae</i> by Human Surfactant Protein D (SP-D) Vary between Strains, but SP-D Fails To Enhance Killing by Neutrophils. <i>Infection and Immunity</i> , 2004, 72, 709-716.	2.2	34
63	Increased disease activity, severity and autoantibody positivity in rheumatoid arthritis patients with coexistent bronchiectasis. <i>International Journal of Rheumatic Diseases</i> , 2017, 20, 2003-2011.	1.9	33
64	Cell Surface Delivery of TRAIL Strongly Augments the Tumoricidal Activity of T Cells. <i>Clinical Cancer Research</i> , 2011, 17, 5626-5637.	7.0	32
65	Priming action of inositol hexakisphosphate (InsP6) on the stimulated respiratory burst in human neutrophils. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1991, 1094, 309-316.	4.1	30
66	Lymphocytes from rheumatoid arthritis patients have elevated levels of intracellular peroxiredoxin 2, and a greater frequency of cells with exofacial peroxiredoxin 2, compared with healthy human lymphocytes. <i>International Journal of Biochemistry and Cell Biology</i> , 2012, 44, 1223-1231.	2.8	30
67	Potent Systemic Anticancer Activity of Adenovirally Expressed EGFR-Selective TRAIL Fusion Protein. <i>Molecular Therapy</i> , 2008, 16, 1919-1926.	8.2	29
68	Hyperbaric oxygen treatment reduces neutrophil-endothelial adhesion in chronic wound conditions through S-nitrosation. <i>Wound Repair and Regeneration</i> , 2013, 21, 860-868.	3.0	28
69	Galectin-9 Is a Possible Promoter of Immunopathology in Rheumatoid Arthritis by Activation of Peptidyl Arginine Deiminase 4 (PAD-4) in Granulocytes. <i>International Journal of Molecular Sciences</i> , 2019, 20, 4046.	4.1	28
70	CD47 Expression Defines Efficacy of Rituximab with CHOP in Non-Germinal Center B-cell (Non-GCB) Diffuse Large B-cell Lymphoma Patients (DLBCL), but Not in GCB DLBCL. <i>Cancer Immunology Research</i> , 2019, 7, 1663-1671.	3.4	28
71	Detection and isolation of human serum autoantibodies that recognize oxidatively modified autoantigens. <i>Free Radical Biology and Medicine</i> , 2013, 57, 79-91.	2.9	27
72	Cancer cell-expressed SLAMF7 is not required for CD47-mediated phagocytosis. <i>Nature Communications</i> , 2019, 10, 533.	12.8	26

#	ARTICLE	IF	CITATIONS
73	Lysyl tRNA synthetase is required for the translocation of calreticulin to the cell surface in immunogenic death. <i>Cell Cycle</i> , 2010, 9, 3144-3149.	2.6	25
74	Joining the dots: Production, processing and targeting of U snRNP to nuclear bodies. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2008, 1783, 2137-2144.	4.1	23
75	C-type lectin-like molecule-1 (CLL1)-targeted TRAIL augments the tumoricidal activity of granulocytes and potentiates therapeutic antibody-dependent cell-mediated cytotoxicity. <i>MAbs</i> , 2015, 7, 321-330.	5.2	22
76	The Biophysical Interaction of the Danger-Associated Molecular Pattern (DAMP) Calreticulin with the Pattern-Associated Molecular Pattern (PAMP) Lipopolysaccharide. <i>International Journal of Molecular Sciences</i> , 2019, 20, 408.	4.1	22
77	The Neutrophil: The Underdog That Packs a Punch in the Fight against Cancer. <i>International Journal of Molecular Sciences</i> , 2020, 21, 7820.	4.1	21
78	Heterogeneity in the circulating neutrophil pool: studies on subpopulations separated by continuous flow electrophoresis. <i>Journal of Leukocyte Biology</i> , 1992, 51, 617-625.	3.3	20
79	Bispecific Antibody Approach for Improved Melanoma-Selective PD-L1 Immune Checkpoint Blockade. <i>Journal of Investigative Dermatology</i> , 2019, 139, 2343-2351.e3.	0.7	20
80	Assessing association of common variation in the C1Q gene cluster with systemic lupus erythematosus. <i>Clinical and Experimental Immunology</i> , 2010, 161, 284-289.	2.6	19
81	Physical and functional interaction between cell-surface calreticulin and the collagen receptors integrin alpha2beta1 and glycoprotein VI in human platelets. <i>Thrombosis and Haemostasis</i> , 2002, 88, 648-54.	3.4	19
82	Autoantibodies against C1q as a Diagnostic Measure of Lupus Nephritis: Systematic Review and Meta-analysis. <i>Journal of Clinical &amp; Cellular Immunology</i> , 2014, 05, 210.	1.5	18
83	Melanoma-Directed Activation of Apoptosis Using a Bispecific Antibody Directed at MCSP and TRAIL Receptor-2/Death Receptor-5. <i>Journal of Investigative Dermatology</i> , 2016, 136, 541-544.	0.7	18
84	Changes in Apoptotic Gene Expression in Lymphocytes from Rheumatoid Arthritis and Systemic Lupus Erythematosus Patients Compared with Healthy Lymphocytes. <i>Journal of Clinical Immunology</i> , 2010, 30, 649-658.	3.8	17
85	Identification of a self-association domain in the Ewing's sarcoma protein: a novel function for arginine-glycine-glycine rich motifs?. <i>Journal of Biochemistry</i> , 2010, 147, 885-893.	1.7	17
86	CD20 <sup>+</sup> T cells have a predominantly Tc1 effector memory phenotype and are expanded in the ascites of patients with ovarian cancer. <i>Oncolmmunology</i> , 2015, 4, e999536.	4.6	17
87	Expression and Purification of Mammalian Calreticulin in <i>Pichia pastoris</i> . <i>Protein Expression and Purification</i> , 2000, 20, 207-215.	1.3	16
88	The natural organosulfur compound dipropyltetrasulfide prevents HOCl-induced systemic sclerosis in the mouse. <i>Arthritis Research and Therapy</i> , 2013, 15, R167.	3.5	16
89	Carbamylation/citrullination of IgG Fc in bronchiectasis, established RA with bronchiectasis and RA smokers: a potential risk factor for disease. <i>ERJ Open Research</i> , 2017, 3, 00018-2017.	2.6	16
90	Inhibition of Autophagy Does Not Re-Sensitize Acute Myeloid Leukemia Cells Resistant to Cytarabine. <i>International Journal of Molecular Sciences</i> , 2021, 22, 2337.	4.1	16

#	ARTICLE	IF	CITATIONS
91	Different oxygen treatment pressures alter inflammatory gene expression in human endothelial cells. Undersea and Hyperbaric Medicine, 2013, 40, 115-23.	0.3	16
92	CD24 Is a Potential Immunotherapeutic Target for Mantle Cell Lymphoma. Biomedicines, 2022, 10, 1175.	3.2	16
93	Selective elimination of pathogenic synovial fluid T-cells from Rheumatoid Arthritis and Juvenile Idiopathic Arthritis by targeted activation of Fas-apoptotic signaling. Immunology Letters, 2011, 138, 161-168.	2.5	15
94	A <sc>CD</sc>47â€blocking <sc>TRAIL</sc> fusion protein with dual proâ€phagocytic and proâ€apoptotic anticancer activity. British Journal of Haematology, 2014, 164, 304-307.	2.5	15
95	Safety and efficacy of hyperbaric oxygen therapy in chronic wound management: current evidence. Chronic Wound Care Management and Research, 0, , 81.	0.4	15
96	Unfolding the complexities of ER chaperones in health and disease: report on the 11th international calreticulin workshop. Cell Stress and Chaperones, 2015, 20, 875-883.	2.9	15
97	Calnexin is necessary for T cell transmigration into the central nervous system. JCI Insight, 2018, 3, .	5.0	14
98	Detection and Characterization of Autoantibodies Against Modified Self-Proteins in SLE Sera After Exposure to Reactive Oxygen and Nitrogen Species. Methods in Molecular Biology, 2014, 1134, 163-171.	0.9	14
99	Identification of a tripartite import signal in the Ewing Sarcoma protein (EWS). Biochemical and Biophysical Research Communications, 2009, 390, 1197-1201.	2.1	13
100	Dynamic changes in neutrophil cytoskeleton during priming and subsequent surface stimulated functions. Biochemical Society Transactions, 1991, 19, 1048-1055.	3.4	12
101	DSP107 combines inhibition of CD47/SIRPÎ± axis with activation of 4-1BB to trigger anticancer immunity. Journal of Experimental and Clinical Cancer Research, 2022, 41, 97.	8.6	12
102	CD20 positive CD8 T cells are a unique and transcriptionally-distinct subset of T cells with distinct transmigration properties. Scientific Reports, 2021, 11, 20499.	3.3	11
103	The Implementation of TNFRSF Co-Stimulatory Domains in CAR-T Cells for Optimal Functional Activity. Cancers, 2022, 14, 299.	3.7	11
104	Galectin-9 Triggers Neutrophil-Mediated Anticancer Immunity. Biomedicines, 2022, 10, 66.	3.2	11
105	Direct and Indirect Rituximabâ€induced T Cell Depletion: Comment on the Article by MÃ©let et al. Arthritis and Rheumatology, 2014, 66, 1053-1053.	5.6	10
106	Endoplasmic reticulum stress-induced release and binding of calreticulin from human ovarian cancer cells. Cancer Immunology, Immunotherapy, 2022, 71, 1655-1669.	4.2	10
107	Hyperbaric oxygen treatment induces platelet aggregation and protein release, without altering expression of activation molecules. Clinical Biochemistry, 2009, 42, 467-476.	1.9	9
108	Oxidative Stress in Rheumatoid Arthritis. , 2013, , 145-167.		8

#	ARTICLE	IF	CITATIONS
109	CD40- and 41BB-specific antibody fusion proteins with PDL1 blockade-restricted agonism. <i>Theranostics</i> , 2022, 12, 1486-1499.	10.0	8
110	The Fabp5/calnexin complex is a prerequisite for sensitization of mice to experimental autoimmune encephalomyelitis. <i>FASEB Journal</i> , 2020, 34, 16662-16675.	0.5	7
111	High Loading Efficiency and Controlled Release of Bioactive Immunotherapeutic Proteins Using Vaterite Nanoparticles. <i>Particle and Particle Systems Characterization</i> , 2021, 38, 2100012.	2.3	7
112	Manipulation of Oxygen and Endoplasmic Reticulum Stress Factors as Possible Interventions for Treatment of Multiple Sclerosis: Evidence for and Against. <i>Advances in Experimental Medicine and Biology</i> , 2017, 958, 11-27.	1.6	6
113	A versatile pretargeting approach for tumour-selective delivery and activation of TNF superfamily members. <i>Scientific Reports</i> , 2017, 7, 13301.	3.3	6
114	Engagement of people with multiple sclerosis to enhance research into the physiological effect of hyperbaric oxygen therapy. <i>Multiple Sclerosis and Related Disorders</i> , 2020, 43, 102084.	2.0	6
115	Harnessing the soil: reshaping the tumor microenvironment towards an antitumor immune state by low-dose metformin. <i>Cancer Communications</i> , 2021, 41, 637-641.	9.2	6
116	Are Rheumatoid Factor, Anti-Citrullinated Protein Antibodies, and Anti-Carbamylated Protein Antibodies Linked by Posttranslational Modification of IgG? Comment on the Article by Koppejan et al. <i>Arthritis and Rheumatology</i> , 2016, 68, 2825-2826.	5.6	5
117	Development of Bispecific Antibody Derivatives for Cancer Immunotherapy. <i>Methods in Molecular Biology</i> , 2019, 1884, 335-347.	0.9	5
118	Expression of CD39 Identifies Activated Intratumoral CD8+ T Cells in Mismatch Repair Deficient Endometrial Cancer. <i>Cancers</i> , 2022, 14, 1924.	3.7	5
119	Population Heterogeneity in Blood Neutrophils Fractionated. <i>ACS Symposium Series</i> , 1991, , 190-205.	0.5	4
120	Determination of S-Nitrosothiols in Biological and Clinical Samples Using Electron Paramagnetic Resonance Spectrometry with Spin Trapping. <i>Methods in Enzymology</i> , 2008, 441, 151-160.	1.0	4
121	Does cancer cell-expressed SLAMF7 impact on CD47-mediated phagocytosis?. <i>Molecular and Cellular Oncology</i> , 2019, 6, 1600349.	0.7	4
122	Introduction to Calreticulin. <i>Molecular Biology Intelligence Unit</i> , 2003, , 1-8.	0.2	4
123	DSP107, a Novel Bi-Functional Fusion Protein That Combines Inhibition of CD47 with Targeted Activation of 4-1BB to Trigger Innate and Adaptive Anticancer Immune Responses. <i>Blood</i> , 2020, 136, 19-20.	1.4	4
124	EpCAM-targeted induction of apoptosis. <i>Frontiers in Bioscience - Landmark</i> , 2008, Volume, 5042.	3.0	3
125	Calreticulin's Role(s) in Autoimmune Disorders. <i>Molecular Biology Intelligence Unit</i> , 2003, , 180-192.	0.2	3
126	A6.3...Patients with bronchiectasis, with or without rheumatoid arthritis, have an elevated anti-citrullinated peptide antibodies (ACPA) response.. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, A71.2-A72.	0.9	2

#	ARTICLE	IF	CITATIONS
127	Prospects for graduates. <i>Nature</i> , 1992, 355, 292-292.	27.8	1
128	Editorial: Endoplasmic Reticulum and Its Role in Tumor Immunity. <i>Frontiers in Oncology</i> , 2015, 5, 252.	2.8	1
129	Meta-analysis as a Diagnostic Tool for Predicting Disease Onset and/or Activity in Systemic Lupus Erythematosus. <i>Methods in Molecular Biology</i> , 2014, 1134, 249-259.	0.9	1
130	Bifunctional Antibody Fragment-Based Fusion Proteins for the Targeted Elimination of Pathogenic T-Cell Subsets. <i>Methods in Molecular Biology</i> , 2014, 1134, 79-93.	0.9	1
131	Hunterian Institute. <i>Nature</i> , 1992, 360, 203-203.	27.8	0
132	Peroxiredoxin 2 in Human Inflammatory Joint Disease. <i>Free Radical Biology and Medicine</i> , 2010, 49, S151.	2.9	0
133	Basic Science for Rheumatology. , 2011, , 1-38.		0
134	Diverse Pulmonary Insults Lead to Common Anti-Citrullinated Peptide Fine Specificity Profiles and May Promote Autoimmunity in RA. <i>Rheumatology</i> , 2014, 53, i84-i84.	1.9	0
135	Could Autophagy Induced by Misfolded Mutant I $\alpha$ 1 Antitrypsin Z in Synovitis Explain the Association of I $\alpha$ 1 Antitrypsin Z With Increased Anti-Citrullinated Protein Antibody Production in Rheumatoid Arthritis? Comment on the Article by McCarthy et al. <i>Arthritis and Rheumatology</i> , 2017, 69, 2403-2404.	5.6	0
136	CD47 Expression Defines the Efficacy of Rituximab in Non-Germinal Center B-Cell (non-GCB) Diffuse Large B-Cell Lymphoma (DLBCL). <i>Blood</i> , 2018, 132, 2852-2852.	1.4	0
137	Targeting the messengers of death: the advent of selective activation of apoptosis for cancer therapy. <i>Discovery Medicine</i> , 2006, 6, 113-7.	0.5	0